

e makes for a wonderful summing mixer. Dare I say that even our mighty Paris get's enhance when routed thru one of the above mentioned devices..LAD :)

"DJ" <animix_spam-this-ahole_@animas.net> wrote:

>One of my colleagues here who has a fairly hefty PTHD system just send me an

>e-mail with some pretty positive raving about how the D2B opens up the >soundstage. We will be *doing lunch*later this week and I'll be gioving this

>a listen.

>

>I've been wondering if this D2B might be the magic bullet for putting a >native system on the same sonic footing as Paris. I may have just picked up

>a pretty big client with ongoing work involving composing original music for

>video. This clients sells *lots* of videos so it's got the makings of being >one of those situations that I've been hoping for with steady work. I just >got the call about this last night. I'm glad I haven't yet ordered the parts >for the new computer. I may be needing to upgrade to Nuendo and to build >something with a bit more horsepower if this becomes a reality.

>

>

>FWIW the D2B came up sounding pretty average on the DAW Summing test. Of course this is only one test under one set of conditions. I for one put it down near the bottom of my fav

Subject: Re: PING: Dave @ EK Sound

Posted by [EK Sound](#) on Mon, 07 Nov 2005 23:54:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

ourite mixes. Of course much depends on which D/A's were used, and which A/D's were used in converting back, and how they were clocked (was the A/D picking up the sound at a moment "between" samples, or on a sample?).

I'm interested to hear that your colleague is raving about them though. I'd be sure to listen myself though before diving in, and do a blind A/B if possible. The mix I heard lacked clarity through most of the range, seeming especially unresponsive in both top and bottom end... if I remember correctly. I know it was on my least favourites in blind testing, and I was honestly expecting it to come out well above a standard Protools system.

Cheers,
Kim.

"DJ" <animix_spam-this-ahole_@animas.net> wrote:
>One of my colleagues here who has a fairly hefty PTHD system just send me
>an
>e-mail with some pretty positive raving about how the D2B opens up the
>soundstage. We will be *doing lunch* later this week and I'll be giving
>this
>a listen.
>
>I've been wondering if this D2B might be the magic bullet for putting a
>native system on the same sonic footing as Paris. I may have just picked
>up
>a pretty big client with ongoing work involving composing original music
>for
>video. This clients sells *lots* of videos so it's got the makings of being
>one of those situations that I've been hoping for with steady work. I just
>got the call about this last night. I'm glad I haven't yet ordered the parts
>for the new computer. I may be needing to upgrade to Nuendo and to build
>som

Subject: Re: PING: Dave @ EK Sound
Posted by [jef knight\[1\]](#) on Tue, 08 Nov 2005 00:11:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

ething with a bit more horsepower if this becomes a reality.

>
>

>"DJ" <animix_spam-this-ahole_@animas.net> wrote:
>Sometimes they both get
>really pissed, make this huge crackling noise then after a big *POP*, all
>my
>screens will completely black out and both machines will reboot into the
>bios. Those are such precious and memorable moments for me.

ROTFL!!!

And I'm still not sure if you're serious or not... I suspect you are, except
maybe the last sentence...

Cheers,
Kim.IMHO, the Folcrom style summing device is the best way to go because of the
versatility. The "sound" of any passive summing box comes from the makeup
gain stage, which the Folcrom gives you control over. I'm not familiar with
the topologies of all the units out there, but I would prefer passive summing
to any boxes that might use true summing amplifiers (as opposed to makeup
gain stages). Again, this is for the versatility. The fact that Mix A sounds
better on Box Z doesn't hold much water to me, because I think that this
will change from mix to mix. Asking the question "which summing box is the

best" is akin to asking the question "which microphone preamp is the best". Sometimes its a transformerless dual servo, sometimes its a sloppy opamp with input and output iron.

Justin from Rolls has been on a bunch of web groups talking about his design. It really is a box full of resistors and switches, nothing else. However, it is well thought out with all the potential impedance and cross talk issues worked out. Fortunately for us, that's all we need to do our summing. More parts don't necessarily make a better product. There are some passive designs out there for free, some good, some bad. Justin being a cool guy has even given advice to folks building their own. Fred Forsell also has some designs posted on his website. It might be a good place to start, but there are a couple of known issues with his designs.

http://www.forsselltech.com/summing_buss_schematics.htm

I guess what I am ultimately saying is that I would think very carefully before plopping down \$2-3K for a summing box. If I weren't willing or able to do the research and build my own, I'd buy a Roll mixer. Just my \$0.02.

-Chris

"Kim" <hiddensounds@hotmail.com> wrote:

>

>

>FWIW the D2B came up sounding pretty average on the DAW Summing test. Of course this is on

Subject: Re: PING: Dave @ EK Sound
Posted by [EK Sound](#) on Tue, 08 Nov 2005 00:23:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

ly one test under one set of conditions. I for one put it

>down near the bottom of my favourite mixes. Of course much depends on which >D/A's were used, and which A/D's were used in converting back, and how they >were clocked (was the A/D picking up the sound at a moment "between" samples, >or on a sample?).

>

>I'm interested to hear that your colleague is raving about them though. I'd

>be sure to listen myself though before diving in, and do a blind A/B if possible.

>The mix I heard lacked clarity through most of the range, seeming especially

>unresponsive in both top and bottom end... if I remember correctly. I know
>it was on my least favourites in blind testing, and I was honestly expecting
>it to come out well above a standard Protools system.
>
>Cheers,
>Kim.
>
>"DJ" <animix_spam-this-ahole_@animas.net> wrote:
>>One of my colleagues here who has a fairly hefty PTHD system just send me
>an
>>e-mail with some pretty positive raving about how the D2B opens up the
>>soundstage. We will be *doing lunch* later this week and I'll be gioving
>this
>>a listen.
>>
>>I've been wondering if this D2B might be the magic bullet for putting a
>>native system on the same sonic footing as Paris. I may have just picked
>up
>>a pretty big client with ongoing work involving composing original music
>for
>>video. This clients sells *lots* of videos so it's got the makings of being
>>one of those situations that I've been hoping for with steady work. I just
>>got the call about this last night. I'm glad I haven't yet ordered the
parts
>>for the new computer. I may be needing to upgrade to Nuendo and to build
>>something with a bit more horsepower if this becomes a reality.
>>
>>
>>
>Was just about ready to buy me an RME card for my Cubase box (running VSTi's)
to slave to Paris via adat sync, and I thought I'd
try my Dakota with the latest incarnation of Cubase SX before kissing the
Dak a final goodbye, and, well... IT SYNC'D.
Time and time again, all day. Most solid sync yet.
Boy, what a christmas present!!
Is it a dream?, or will I wake up next to that soak of a drummer again??Trust me, I know what
SMP means. Read what I said, it's in no way incompatible
with what these (marketing boilerplate) articles say.

TCB

"A Mac User 2" <no@nottoday.com> wrote:

>
>Phil Schiller explains in an interview in 2001, near the end of the article.
>
><http://news.com.com/2100-1040-254554.html>

>
>Mac OSX uses symmetric multiprocessing. Here is information from 2002.

>Look for the line that says, "Mac OS X features symmetric multiprocessing,
>enabling the operating system itself, as well as applications, to take full
>advantage of dual processors for dramatic performance gains."
>
><http://www.apple.com/pr/library/2002/jan/28pmg4.html>
>
>
>Here's an article all the way back in 2000 talking about symmetric multiprocessing
>on a Mac.
>
><http://www.macobserver.com/editorial/2000/08/02.1.shtml>
>
>
>
>
>"TCB" <nobody@ishere.com

Subject: Re: PING: Dave @ EK Sound
Posted by [Rod Lincoln](#) on Tue, 08 Nov 2005 01:41:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

te:
>>>>
>>>>I agree completely. OSX was a big left turn, too. That spinning pizza
>>>>is
>>>>just completely unacceptable. They crash if they don't have enough ram.
>>>>They're extremely slow compared to a PC (which will change when they
use
>>>>PC chips). And, they are very expensive for what the hardware and software
>>>>are really worth.
>>>>
>>>>They had a really nice, simple, clean OS with OS8-9. They saved a lot
>>of
>>>>money not having to develop an OS from the ground up by going with UNIX,
>>>>but they lost most of what made Apple wonderful and unique, too.
>>>>
>>>>Just my 2 cents. :)
>>>>
>>>>Mike
>>>>
>>>
>>>Mike, what you should do, is actually us Mac OSX for some time before
commenting
>>>on it. It is obvious to me, that you are repeating the same ignorant

stuff

>>>some other ignorant PC user told you, or you read in a PC biased article.
>>> What is unbelievable is the ignorance PC users have about the Mac, and
>>the

>>>fact that they perpetuate the same ignorant bull shit. A lot of PC users
>>>talk about the Mac like they know what they're talking about, when in
fact,
>>>they have no idea what they are talking about!

>>>

>>>Go use a Mac G5 with OSX everyday for a year, then you'd have the right
>>and

>>>knowledge to tell people that the Mac sucks, but, that isn't what you'd
>>be

>>>saying. I don't think you would give up your XP box right away because
>>there

>>>would be some proprietary software you wouldn't want to give up, although
>>>you could run XP on your Mac. What would happen is you would end up using
>>>your Mac for 90% of your computing, and you would start to think that
XP

>>>is more of a PITA to use.

>>>

>>>Why would you use a Mac over your PC??? Because it is hassle free computing,
>>>it's fast and it just works! It is a more pleasurable experience. You
>>don't

>>>have to be a security administrator, worms and other viruses are not so
>>much

>>>an issue. Pop ups, spy-ware, are not much of an issue either. You don't
>>>have to tweak and fuss with your computer to get it to work. PC guys
are

>>>constantly trouble shooting and tweaking their computers. It is amazing
>>>to me that there is supposed to be standardized hardware for a PC, but
>a

>>>lot of it doesn't work with out trouble shooting, that is such a hassle.

>>> The amount of buggy software sold retail for the PC amazes me. All
the

>>>B.S. PC users must put up without much complaint, simply amazes me. A
>lot

>>>of time is lost on trying to debug and get PCs to work. For the most
part,

>>>the hassle factor doesn't exist with a Mac.

>>>

>>>

>>> A Mac, works differently than a PC, once you understand how a Mac works,
>>>then you will understand why Mac users are somewhat fanatical. I'll put
>>>it this way, Mac users are fanatical about their Macs, because they've
>used

>>>PCs, and know a Mac is better. I personally use both platforms and have
>>>for years. I use XP and 2000 for what I have to, and I use a Mac for

the
>>>other 80% of my computing. The Mac is simply less headaches. It is less
>>>time consuming, and time is money. PC users always talk about how much
>>cheaper
>>>a PC is than a Mac because of the hardware cost. It's not cheaper when
>>you
>>>figure in time, the time to build, administrate, trouble shoot, bug fix,
>>>down load drivers and patches. You guy's talk about band-aids and patches,
>>>Microsoft software has more holes in it than a sieve.
>>>
>>>When PC users start Mac bashing, Mac users just shake their heads, we've
>>>heard the lies for so long we usually have to just turn and walk away.
>
>>The
>>>guys that are brain washed are zealot PC users that re

Subject: Re: PING: Dave @ EK Sound
Posted by [jef knight\[1\]](#) on Tue, 08 Nov 2005 02:00:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt;>>>
> >>>>>connected.
> >>>>>
> >>>>>
> >>>>>
> >>>>>>"Jeremy Luzier" <j.luzier@comcast.net> wrote in message
> >>>>>>>news:43964ef0@linux...
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>>ok i'll try that.
> >>>>>>>
> >>>>>>>>but won't that mean its not getting direct pure lock from big
ben??
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>>"Dave(EK Sound)" <audioguy_editout_@shaw.ca> wrote in message
> >>>>>>>>>news:43964cf4@linux...
> >>>>>>>>>
> >>>>>>>>>
> >>>>>>>>>
> >>>>>>>>>>House sync line only required for 3 interfaces and up, you
> >>>>>>>>>>>don't need it.
> >>>>>>>>>>>
> >>>>>>>>>>>>Loop out of the first MEC to the second, do not route

> >>>>>>>directly to the second MEC from the Big Ben. Ignore
> >>>>>>>termination for now.
> >>>>>>>
> >>>>>>>Make sure that the adat modules are selected in the patchbay.
> >>>>>>>
> >>>>>>>David.
> >>>>>>>
> >>>>>>>Jeremy Luzier wrote:
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>>man i am stumped!
> >>>>>>>>
> >>>>>>>>its like the adat modules in mec 2 aren't even there... i can't
> >
> > get
> >
> >>>>>>>audio in
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>>or out of them.
> >>>>>>>>
> >>>>>>>>but the digi settings say "sync".
> >>>>>>>>
> >>>>>>>>i don't get it. 44k or 48k doesn't matter.
> >>>>>>>>
> >>>>>>>>HEY!!!! isn't there something you have to put in the cfg file
to
> >>>
> >>>make
> >>>
> >>>
> >>>>>>>>external clock work right????? maybe that's it!!!!
> >>>>>>>>
> >>>>>>>>now if i could just search this newsgroup that would be great!!
> >>>>>>>
> >>>>>>>>anybody
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>>out
> >>>>>>>>
> >>>>>>>>

> >>>>>>>
> >>>>>>>
> >>>>>>>>there know what to put in the cfg file??
> >>>>>>>>
> >>>>>>>>housesync=1
> >>>>>>>>
> >>>>>>>>???
> >>>>>>>>
> >>>>>>>>jeremy
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>"Jeremy Luzier" <j.luzier@comcast.net> wrote in message
> >>>>>>>>news:43964737@linux...
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>>yea.... ok.... sorry.
> >>>>>>>>>
> >>>>>>>>>Paris on 98se.
> >>>>>>>>>
> >>>>>>>>>2 Mecs 3 cards.
> >>>>>>>>>Mec 1 has 8in, 8out, 1 adat.
> >>>>>>>>>Mec 2 has 2 adat.
> >>>>>>>>>
> >>>>>>>>>Nuendo 3 and Sx 3 on XP.
> >>>>>>>>>1 Digi 9652
> >>>>>>>>>
> >>>>>>>>>
> >>>>>>>>>
> >>>>>>>>>>Big ben is sending wordclock to digi9652 and both mecs... 3
> >
> > apogee
> >
> >>>>>>>>cables
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>>>going from 3 outs on ben to each input... terminating with a T
> >
> > and
> >
> >>>>>>>>75ohm
> >>>>>>>>
> >>>>>>>>
> >>>>>>>>

> >>>>>>
> >>>>>>>>>wordclock terminator at the input of all.
> >>>>>>>>>
> >>>>>>>>>like i said... everything looks good on RME DIGI Settings...
> >
> > clock
> >
> >>>>>>>mode
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>is
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>>>set to word clock, sync ref says word, all adats say sync,
spdif
> >
> > in
> >
> >>>>>is
> >>>>>
> >>>>>
> >>>>>
> >>>>>>>>>dead
> >>>>>>>>>
> >>>>>>>>>
> >>>>>>>>>
> >>>>>>>>>
> >>>>>>>>>
> >>>>>>>>>>set on 44.1 and not moving.
> >>>>>>>>>>
> >>>>>>>>>>i turned off both mecs and still no go.
> >>>>>>>>>>
> >>>>>>>>>>i am gonna try to re-connect the adat cables and the word cable
> >
> > to
> >
> >>>>>>>mec2.
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>
> >>>>>>>>>
> >>>>>>>>>>"Jeremy Luzier" <j.luzier@comcast.net> wrote in message
> >>>>>>>>>>>news:439630e8\$1@linux...

>>>
>>>I have:
>>>
>>>Paris 442 + IF2 w/ C16
>>>Mackie 14ch board
>>>Electric Guitars
>>>Acoustic Guitars
>>>Bass Guitar
>>>Guitar Port
>>>Korg N5ex
>>>Drum Soundfont
>>>Cakewalk Sonar
>>>AT4033 Condenser Mic
>>>Isolation Booth (for vocals, acoustics)
>>>Various audio programs (Soundforge, CD Arch)
>>>A slow Pent IV that has seemed to be fast enough to work with all of this
>>>
>>>and will soon have:
>>>
>>>A nice set of reference monitors.
>>>
>>>
>>>
>>>My question is, I consider myself more of an artist than a producer,

>>>however....what else do I need???
>>>
>>>My current system is:
>>>1. I program the drums in Sonar using my drum soundfont I like....
>>>2. I add any keyboard tracks in sonar...(piano, organ)
>>>3. With three clicks at the beginning, I import and line up those tracks
>>one
>>>at a time into Paris
>>>4. Usually just record the Bass Guitar direct to Paris
>>>5. I add my Guitar tracks with Guitar Port
>>>6. I record my live tracks in the Iso booth (C16 with long cable is handy
>>
>>>here)
>>>7. I mix down in Paris using mostly the included effects
>>>8. I render out and master in Soundforge
>>>9. I burn CD in CD Architect
>>>
>>>
>>>And hopefully, with the new reference speakers, the CDs will sound good.
>>>
>>>However, when I read the posts on here, I hardly know what a lot of the
>>
>>>equipment I hear talked about even is.

>>>
>>>What I need to know is, is there an area in my studio or process that
is
>>
>>>missing that could take me to the next level?
>>>If you inherited this studio, what would you add/change to it?
>>>
>>>I know some of it is based on music styles/personal preferences, however,
>>is
>>>there something here that I am obviously overlooking?
>>>
>>>Thank you for taking the time to read and respond!
>>>Greg Bratton
>>>
>>>
>>
>Great repository of information. Glad to have it available.

David

On 6-Dec-2005, John <no@no.com> wrote:

> <http://www.kfocus.com/paris/> has my updated notes including my latest
> win98 setup info. If anyone needs th

Subject: Re: PING: Dave @ EK Sound
Posted by [jef knight\[1\]](#) on Tue, 08 Nov 2005 12:57:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

GT9oqrDmVseSxr2MxaWPxsB
2fh12331+qzH+04/6j6Nn2vCtfpHp4nV/wBnX2Nv6dLr8ZjhLXVkOY6gts3N
dT9nssrex/8A01CZTgeKJPouZxjSGQD0T4f/ABuSJ8UMcRtEzICXjIjw/wCN
7cJ+j/DfXy/M+2trFTDhmsuddvO8WAgCr0dm3Y9jt/rer/g/T9L371YXPfV8
N6hh1Myr7jn9Js9F1jbXy4AepjW2N9SyrJ+14N1XqW3Ns3+pZ/N31/ouhV+M
hKIIe2JDiHkVikkkkVP/0vVUkkkIOZIZr257mbvs2Pi1+vmXFm5zqxLmMbZ9
Blf85/pbn+nkf0f2W2+c9X6rkdUyHk76332jlv01qZXLcDBPu+nQ3331N/7U
25v+mXpnU+nUZ3T8zBdFYzqn12WACQXs9H1j9Hc+toZ/22vPvqjiYObhOF+P
XdmB1fq2X1ttrJu1b6Qc9r9tddVm/wD431P0vpemqnPZBjgJy+WJBr+t8kDL
+rGU/wDHbHKYxKZyTBlixUZiO8pS/m4/3XlrzOp47nNuxenmgtJY44bnV1ho
d7bH4/8AIL9NOx9j/W/fst/pCJj3dL6sKm5OEwZBvqc4FhLLsdr6KM+vHtsf
+jya6WfZcSh7vZj0bOnYuHkZXprYb/zU6laaGYZxX3TWwgGkOLj6W2u/Futx
t7v8B9porrvf/wAYs+r6oYTs8YnU7q3V2lpwXWOfWXkl1OVX6DDW12dV6dDL
qmv/AHP+t1Y8xjjZiGeKcalw184H9SEvX/X/AMP/ADbZy8vrcZzhL5pQz+rS
X6UDD9Z/jMM+uqt9ePYxtmW2prLr9zX3Pcw1WXZ2UxrrX432q2tv2Om91WT6
9vUOoXV1ZVuTVbn341djSWnY/wDfYLLXDUOa78166ujB+qnRamU3YuPR602N
FIFmVvA2t9Rtu383dsfX6dXpW/6Vn6a3J6/9kF2O/E9AMsx5lx2itpG/1Kbf
RaG+h+it/mrv01Wx9Vnq/wA/YMXM+5PSMxevHIVCZHX5skP0f325yPCIjEYc

UcplcpR/VT4Y8Jjw/wCA3/qv1/7Pk05t30S1uH1OIAaN5diZh/NbXRfe/e3/
ALh5v2n6GMvRwvl/qp0LJ6z1R1Td1fTw2c+1uksldWzEY6D+nva76bf0mPje
r/hLqF64AAIGi0OXiYxMf0L/AFf9WJ/R/wC9cbPjGLNkxi+GE5Rje/BE+/j/m
rpJJKZjf/9P1VJJJJTmddvsGK7EpZvtzK7qmw4AtHo2ubdt+k/8AT+hjf8Zk
1LgvqXmVY9Nj7jtb6uO5g/eLqra2s90N+n+85ek24IduRXe8uJqBDWSdsy17
X7f32bF5f1Lp/wDzbz8rEsJpx8iwHDssBNVIAL3spY8CzfbR6n2a/Gf+k9Ou
q/0vRsVTn8Pu4THXWhp/ejJv8jkhWZcMjXucJB/uFsYnRKKm0tysr7WA5rTj
49NgNhHubW7KuLNjHv2+r+j9T/B1qV/XKM/rXSzU8Gmi8N9WC0OosutHr+nu9
3oMcxlNXqMre/wDS/wDBrGxs613Uz6WTZbjOa4BI73ulu1tj2Y/qBux9VzPV
o9IP6Gr/AAiK5tN2dV1CfSsFhYrLWkGu5zXsfLLjYyul+5j7H7GbLa7Lcj9J
6fqKicUulnLKU5cEuCVRjwSyxiCVwhH+X/Q0d5E5JGR4JCHThOSPCfTw/uye
g6o7pWU3Hd1Hlfh+h6lVXvrYbBvZ6j91rcjf/N1v2VM31M/pGz1fTZyGRbWH
2CpwdWHv2WARvaHHZcePp1+9Xsl7OosFDbmvu03Prc1znMbvctx32+kH+pv9
tbPS/Seq/wBVG+q/1Zv651IjJrP7PxXludZugOc0/wBDqsb/ADj7Xfz/AKf8
3j/4Su2yIS8nh4Rw8RJ/cPyx19Mo/pLsWXHy+OUPTkeEGofo/vf909v9QMRm
J9X6mnS/JJy7m8wLv6N7h7dzsWqn2LpVndLwsnHuy78lzXOybA8BvYAbefb+
Zspb7f5qir1ForTAoAdnAy5DkySyHeZMj/hKSSSRWP8A/9T1VNKdcd9cusWX
Xs6Jh0ZWW1ws/aLMNrXv9NrKrLaPTE5jnfquU2//AA2PZd9jwL8fl+3+mhKV
D8vFT0VnXejV4b852djinFqbuc2xrmgEF7dWF27e1v6Pb/OLKz+t/VrrVOfo
V+Q11TgMe3KLN+M261r3Uj7T/MetS+pr2brK/wBY9Cqq37SuJfXmV13ZGD9X
uo/tCoNdjZd+MdzWB7aeK/Tubb6Tv5qu3Jv2for/ANX35CbPZ1LKdVI24eZR
hY1Qxb8jMqZglpyrK24W1oqq9WnFza6rnel+jxLvQvr/AMJ6lb38p/yXCbfE
Sf3BxH/G+WCOKte2ujnW9HzfVGNW7FzKi+uqvOq9Y02WXXMw/wBJkvr9PZj2
WY1I3otyf51n6ZL9n9Qzeo29FwNk+yXZNVRe5ge5uEI3vYGV7rvQsrpxGPs
/nrPSu9P0fVXQYnR/rTndNHVcbqA6zvL6M7pN9YxiSC7HyqHvsse2x7PoNry
24/6v+mr9G70lm9OHUsV3Uq21uHWKG5lNuO583sfmV0W05W8F32pzWYrmOu3
3e/I+22etXXk3pCxRyxjEEgxmJcUY8Q/emler/v2yef5gkEz4vOMNv6vpaPR
MA9Q6h01ITbGVZVIZtte8Ug0Of8ApmV21W+p6lldVtHps/S+rZV+/VYvWcHp
X2LLHoPFHT6KfRxcCKBlbDxFt2Rc3/CXusZ+if8Auet/hLV59hdO6r1Jtjen
jpWPgMd6TcTKyW23EVMHoeu7Fbns/V8ev9F6tvr1VU/mY1VKlfh5vRGm3P6f
Ri4Zsa5/UsLKu9FlzmenXZY3FNF+G+2qz0a8r0Wf0rZbcz7SiMmWETI4JEHW
4yhx1/dlw/8ATW5uZnnIM+EUKqA4l/4r6H1bq1XTKm2WN0cdbHksqYAQN994
ZZs9z2V111123Wf6L7PVIzGOfDzsXNqF+LYLaiXAOB4sc6l/P/CV2MXk1mT0
jNfX07Hy2Zj8Zzhi4d95tq3+1zXY+Rk2txHY7vz2ZdGR/hMf/S1WehfU3Drp
6JiZHpNpuuxmMhu7+ZY+6zCbY17nbMltWT+t/wDdh9n5ikxZvcJ9JjXSY4ZM
LvpJklKp/9X1Vc/n/V7ql6jZ1Ho2czCvyBtvN9P2iAdge7HPq1bN3pVO9B/q
U+pX+h+zerk+v0CZAXB3/l5KebxvqjkZLW3de6nmZI5aR6FN76MeskbF0P2X
7Nfc+pm6r18h36f+cso961Kuj1no56R1C6zqVLq3UWWZBHqWVncGtusqFe61
lW1n2hv6V/8APfzqOUkgANtFPn+T0r61fVu2zIwn3Z+Po1mXQ31ry0ba6W9X
6X+j/aNlBXNp/aGBZXnelT6l++hn2ZUoda6J119bup1tOfQ3bVm9MyK8TMb
Fhdsfh9Ufi5FLmurs/VfXzv531av52q5emKpndH6T1EAZ+Fj5e3Vvr1Msgkb
Zb6jXbUw4yNIS4R+4Rx4/wDF/R/wJors+e39Mx7jP7U6gDAbX9t6S3Mfq1ln
vu+yu9f6Ntexnv8AU/TfzX6a4D6aukPGTZnC2sNsAyGdP/Z2QHFv6DHxq2up
/atl+T6HqYV+DkYT6vflbP0fqdfZ/i3+pdlptPTQ1xP+DuvrAk7oZXVcxjG7
vzGKz0r6k/VfpOSMrB6exl7QBxBY59zmRx6Tsl93o/8AWIH937e3D+tjx8Ex
/cl7noVqzx+hYnUfqj4HXMCjc+pr8rFDWBJL3N23Oo+z/zT2b7GV3U2eps/
wq1MXExsPGqxcWttVFLRXVW0QGtbo1oR

Subject: Re: PING: Dave @ EK Sound
Posted by [EK Sound](#) on Tue, 08 Nov 2005 18:07:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

s if needed

> >>>

> >>>Thanks, David

> >>>

> >>>

> >>>>SP stands for "Service Pack". SP1 is better for Paris generally, less
> >>>>background crap going on. Definitely optimize windows, it will make a
> >>>>big difference. Do you use this box for anything other than Paris?

> >>>>

> >>>>As for copying the files over, first try recording some stuff on the
> >>>>OS drive with the FAT drive disconnected to see if some of your
> >>>>problems go away. The performance should be a bit less, but if it
> >>>>seems more stable, the FAT drives may be causing the problem.

> >>>>

> >>>>The files should be able to be copied from FAT to NTFS with no
> >>>>trouble. If it does become an issue, you can network two computers
> >>>>and drag the files over the network, but I don't think you will have
> >>>>to go that far.

> >>>>

> >>>>David.

> >>>>

> >>>>David P. wrote:

> >>>>

> >>>>

> >>>>

> >>>>>Not sure what Sp 1 is? Is this the version # where would I find this?

> >>>>

> >>>>I haven't

> >>>>

> >>>>

> >>>>>tweaked the system since reinstalling XP but I had on the previous

> >

> > install.l

> >

> >>>>>think that I will pick up another harddrive and take my 2 audio
drives

> >>>>

> >>>>out.

> >>>>

> >>>>

> >>>>>DO you think that there will be any problems when I put the fat32

> >

> > drives

> >

> >>>>>in and copy everything over to the main audio drive?

> >>>>David P
> >>>>
> >>>>
> >>>>
> >>>>
> >>>>
> >>>>>Formatting to NTFS would wipe the drive clean, so it would be a good
> >>>>>idea to drag all the files to another drive before formatting. Are
> >>>>>you running XP SP1 or SP2? Have you tweaked the OS to shut off all
> >>>>>non essential services and fluff?
> >>>>>
> >>>>>David.
> >>>>>
> >>>>>DAVID P wrote:
> >>>>>
> >>>>>
> >>>>>
> >>>>>
> >>>>>>can't I change these other fat32 drives to ntfs without formating
and
> >>>>>
> >>>>>do I
> >>>>>
> >>>>>
> >>>>>
> >>>>>>have to worry about losing data. My power suppy is 400 watts.I did
a
> >>>
> >>>complete
> >>>
> >>>
> >>>>>>Paris install with the subsystem as well. I forgot to mention
earlier
> >>>
> >>>that
> >>>
> >>>
> >>>>>>when I started having the problems that I was being prompted to
enter
> >>>>>
> >>>>>a new
> >>>>>
> >>>>>
> >>>>>
> >>>>>>record path when trying to do overdubs.
> >>>>>>Thanks, David P
> >>>>>>
> >>>>>>
> >>>>>>

> >>>>>>

> >>>>>>>Some thoughts below:

> >>>>>

> >>>>>

> >

> >Dear DJ,

Up to three Pulsars can be used on same computer.

Each Pulsar can have either the "classic interface" which has 16 Adat I/O
2spdif channels I/O two channels of analog in/out and one midi in out thru.

There is also the "ADAT" version which has 24 Adat I/O and two midi in out
thru.

So a combination of thr
