
Subject: 8 out Card Question
Posted by [Ed](#) on Thu, 11 Oct 2007 19:44:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

PING, etc...) I'd bet on a bad image. If =
not, I'd=20

bet on bad installer. Either way, I think you're fooling =
with=20

corrupted files.</DIV>

<DIV> </DIV>

<DIV>AA</DIV>

<BLOCKQUOTE dir=3Dltr=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: 5px; BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

Subject: Re: 8 out Card Question
Posted by [EK Sound](#) on Thu, 11 Oct 2007 19:49:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

<DIV>"Tom Bruhl" <<A=20

=

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20

wrote in message <A=20

=

href=3D"news:47203fcd@linux">news:47203fcd@linux...</DIV>

<DIV>Hey =

everyone,</DIV>

<DIV>I am functional but =
barely right=20

now. One 442 with no SPDIF is no =
bargain...</DIV>

<DIV> </DIV>

Subject: Re: 8 out Card Question
Posted by [Rich\[3\]](#) on Thu, 11 Oct 2007 20:05:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

<DIV>Major problems with =
newest install=20

and computer:</DIV>

<DIV> </DIV>

<DIV>At Paris start up it =
says:=20

StockFx.dll not found twice.</DIV>
<DIV>It also says: mod3a.dll =
in system32=20
folder not a valid Windows image.</DIV>
<DIV> </DIV>
<DIV>I think I should just =
remove the=20
mod3a.dll from the system32 folder right?</DIV>
<DIV>StockFx.dll should have =
been part=20
of the Paris install right? Where</DIV>
<DIV>can I find it and where =
does it=20
go? Paris Pro folder?</DIV>
<DIV><FONT f

Subject: Re: 8 out Card Question
Posted by [Ed](#) on Fri, 12 Oct 2007 14:56:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

s of nutty stuff here but at least it kinda works.
Any tips would be great at this time. I have two days =
to get in tip top shape for
real work. I wish I knew more.

Thanks for all the help you guys.
Tom

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:47201cc6\$1@linux...
Had a minimal session today. Paris performed but =
there are kooky
things going on. I'll post the error messages as =
soon as I get down there=20
again tonight.

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:471f77cc@linux...
Also it's not retaining the Configuration on the =
C-16 Pro settings.
Odd Tom

"Tom Bruhl" <arpeggio@comcast.net> wrote in =
message news:471f0f51\$1@linux...
Clean install or so I thought. Three cards, 3 =
C16s, 1 442.

SPDIF isn't outputting signal
2 of the 3 C-16s send now line to middle of song =
when double striking rewind.
No audio from card B except solo bus.

At start up messages read missing stuf

Subject: Re: 8 out Card Question
Posted by [Ted Gerber](#) on Fri, 12 Oct 2007 16:29:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

It;/FONT></DIV>
<DIV>AA</DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
wrote in=20
message <A =
href=3D"news:47213576@linux">news:47213576@linux...</DIV>
<DIV>Aaron,</DIV>
<DIV>That's where </DIV>I was =
yesterday just=20
before I installed </DIV>
<DIV>Chucks plugs and a few VSTs =
that are=20
wrapped.</DIV>
<DIV>The stock fx are working but =
not all of=20
Chucks.</DIV>
<DIV>The presets weren't there for =
the stock=20
ones either.</DIV>
<DIV>Tom</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Aaron Allen" <<A=20
=
href=3D"mailto:know-spam@not_here.dude">know-spam@not_here.dude>=20
wrote in message <A=20
href=3D"news:47213008@linux">news:47213008@linux...</DIV>
<DIV>do a flat, no frills install =

man. no FX=20

other than the stock ones. StockFx.dll is what comes with. =
mod3a.dll I=20

'think' is a chuck plug, but I could be wrong about that one. =
Stock,=20

bone dead stock install and see what happens. Also, I've noted =
over=20

the years when installing/uninstalling paris you need to =
boot/reboot=20

cold to get it happy between 'any' install/removal process. =
completely=2
