

[View Forum Message](#) <> [Reply to Message](#)

```
> > > =3D3D3D<BR>> charset=3D3D3D3DISO-8859-1"><BR>><META =3D3D3D
> > > content=3D3D3D3D"MSHTML=3D3D20
> > > 6.00.
```

[View Forum Message](#) < > [Reply to Message](#)

```
> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This =3D
> > is really a=3D20
> > novice =3D3D<BR>>oriented =3D3D3D<BR>> >question but .=3D20
> > .=3D3D3D20<BR>> > =3D
> > .</FONT></DIV><BR>> =3D20
> > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D3
```

[View Forum Message](#) [Reply to Message](#)

[illegible]

[View Forum Message](#) [Reply to Message](#)

[illegible]

Subject: Re: Pawn shop score

Posted by [Deej \[4\]](#) on Sun, 24 Jun 2007 01:04:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

[BR>>href=3D3D3D"<A=3D20
> = =20](#)

[illegible]
$$=$$
[illegible]

==

[illegible]

>A>&g=3D3D
>t=3D3D20
>=20

[illegible]

message=20

<A=3D3D20
>=20

[illegible]

>=20

[illegible]
$$=$$

>href=3D3D'news

Subject: Re: Pawn shop score

Posted by [Sarah](#) on Sun, 24 Jun 2007 01:48:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
:469780ce$1@linux">news:469780ce$1@linux</A>;..=
```

$\frac{d}{dt} \left(\frac{1}{2} m v^2 \right) = -\nabla \cdot (\mathbf{v} p)$

==

[illegible]
$$=$$
[illegible]

> Tom was asking if there was a "3.0" =

version of=20

[illegible][illegible]

=3D3D
>needed
to be=3D3D20
> =

connected to=20

[illegible][illegible]

answer to that=20

would be no.
Is this=20

[illegible] $\text{> } \text{ =20}$

[illegible]

```
> Gene
>>>>>>>>>>
>>>>>>>>>
>>>>>>>>>
>>>>>>>>
>>>>>>>
>>>>>>>
>>>>>>
>>>>>>
>>>>>
>>>>>
>>>>
>>>
>>
>
>This is a multi-part message in MIME format.
```

Rather simple c- panel

Page 3 of 5 ---- Generated from The PARIS Forums

>of the clock issues talked about at Gearslutz. It makes PT-M a viable alternative
>to HD if you are mixing analog and it has been a good purchase for me coming
>in handy many times. It does work with the Core Audio Aggregation tool along
>with my MOTU PCIe rig.

>
>Gene
>

>"James McCloskey" <excelsm@hotmail.com> wrote:

>>
>>Hey Dedric, I have no experience with the Pro Fire Lightbridge. I was
following
>>the user reports on gear slutz awhile back. Most reports were good, but
>>someone didn't like something about the way the monitoring is set up, or
>>some thing. You might want to read up on those threads. Also, early on,
>>some didn't like that there are only 18 I/O available in PT. They may
have
>>changed this by now. All other software can utilize all of the I/Os, such
>>as Nuendo, Cubase, etc.

>>
>>"Dedric Terry" <dterry@keyofd.net> wrote:
>>>----- Original Message -----
>>>From: "James McCloskey" <excelsm@hotmail.com>
>>>Newsgroups: IDEA.EMUEnsoniqPARIS
>>>Sent: Sunday, July 15, 2007 5:35 PM
>>>Subject: Re: DJ and people with complex setups

>>>>
>>>> I don't think it's FW, the Pro Fire Light bridge will do 34x36.
>>>> http://www.m-audio.com/products/en_us/ProFireLightbridge-main.html
>>>

>>>Hi James - Any experiences with this unit to report (drivers, latency,
>
>>>integration with PCI audio cards)? M-Audio never had a great rep for

>>>drivers and quality, but I know Lamont gave it a thumbs up, so it seems
>>
>>>worth considering. I could use an extra 4 lightpipe ports. I've been
>
>>>reluctant to put as much weight on firewire as PCI/

Subject: Re: Pawn shop score
Posted by [Neil](#) on Sun, 24 Jun 2007 07:46:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

cccebGrg24PZ2Wfj6DQvtquqMKWOFsKcoW7drdTfT2d2z9paQBXZd
ArOUqilG11adVR24XgVlj/8AGbOldDq6GpSqTIFqnTnTdlu+U3L953gByYaG
rQ1Fdxip09QrW27MMkrLH22O9bTj1ui6jS6TKjZUtrQICEE3hjsxdltn4FuAF

aqfbtZ0oxU4uSzsYytwrNjZs93s2GEvtqtKLi5x2qhHt/wDxKx8+wtAA5ctF
Ura6nWawUtPGShhtc3JWfglx2nUAAAAAAAAAAAAAARaneZKItTvMDZQ7TcaaH
abgAAAAAAAAAAAAA1y09KTtICLfFlyhThT7iS9CsMgAAAAAAAAAPlxUFZFJK5H
oAAAAAAPFCMW2kk3vPQAAAAAAAAAAAAABgMCEUzrn6+fluxLmUzrn6+flux
