Subject: Summer
Posted by Deej [4] on Wed, 27 Jun 2007 16:13:54 GMT
View Forum Message <> Reply to Message

ds to me like=20
you
>   may=20
=3D
 >   =2 0
>not
>   > =20
=3D3D
>   > =20
>be=3D3D20
>   > =
> =20
hooking up the correct eds card
to the master=20
=3D
 >   =2 0
=
>mec.
Rod
"DJ"=3D3D20
>   =
; =20
> > <animix _ at _ animas _ dot _=20
net>=3D3D20
>   > =
> =20
wrote:
>
>&a mp;lt;BR>>
> =
"Tom=20
Bruhl" <<A=3D3D20
>   =
>&

Subject: Re: Summer
Posted by TCB on Wed, 27 Jun 2007 16:31:23 GMT
View Forum Message <> Reply to Message

amp;nbsp;=20
> href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A'>mailto:arpegi=
o@comcast.net">arpegio@comcast.net</A</A>
>   =
 =20
<<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A'>mailto:arpegi=
o@comcast.net">arpegio@comcast.net</A</A>>>>=20
=3D
>   >wrote=20
=3D3D
>   > >in=20
message=3D3D20
>   > =
> =20
=3D3D3D
>news:46972376@linux...
> This =
is really a=20
=3D3D
>   > =
>novice=20
oriented=3D3D20
>   > =

> question but . . .
> It doesn't matter =
which card=20
is the =3D3D
>   &n

Subject: Re: Summer
Posted by rick on Wed, 27 Jun 2007 16:47:00 GMT
View Forum Message <> Reply to Message

es, and =
the=20
orientation of the =3D3D
>   =
> =20
>slots=3D3D20
>   =
> =20
> you are using in =3D3D3D
>combination =
with the=20
orientation
>   of=20
the
>   =20
=3D
 >   =2 0
>=3D3D
>   > =20
>ribbon=3D3D20
>   =
> =20
> cables will determine =3D3D3D
>this. Have =
you=20
changed them
>   =20
around
>   =20
=3D
 >   =2 0
>=3D3D
>   > =
>during=20
your=3D3D20
>   > =
> =20
reconfiguration?
>
 > Start with a new =
SCSI cable=20
and =3D3D
>   > =20

Subject: Re: Summer
Posted by wireline[30] on Wed, 27 Jun 2007 16:59:01 GMT
View Forum Message <> Reply to Message

;=20
problem there, add a new SCSI cable and=20
another
>   =
=3D3D3D
>card.=20

Put
>   =20
=3D
 &a

Subject: Re: Summer
Posted by Carl Amburn on Wed, 27 Jun 2007 17:31:05 GMT
View Forum Message <> Reply to Message

p;nbsp;   =
> =20
=3D
 >   =2 0
=
>>href=3D3D3D'news:46972376@linux">news:46972376@linux</A>=
....</DIV'>news:469=3D
 >   =2 0
>723=3D3D
>   > =20
=
>76@linux&

Subject: Re: Summer
Posted by Bill L on Thu, 28 Jun 2007 02:08:52 GMT
View Forum Message <> Reply to Message

one EDS=20
(Pretty =3D
 >   =2 0
>sure=3D20
>   > =
that's card=20
A =3D3D
>right?!!!)
& amp;gt;and plugged it into =
each of=20
=3D
>   >my=20
two=3D20
>   > =
working Mecs.=20
Paris will boot but
>even internal clock was=20
=3D
 >   =2 0
>never=3D20
>   > =
found nor=20
were the in/outs on each Mec.
>The 442 on the other=20
=3D
>   >hand=20
works=3D20
>   > like =
a champ=20
one card only. I suspect
>either all my Mecs=20
=3D
 >   =2 0
>are=3D20
>   > =
screwy now=20
or the SCSI cables are intermitant=20
=3D
 >   =2 0

=
>at
=3D3D
>b est.
>It's=3D20
>&n=

Subject: Re: Summer
Posted by Sarah on Thu, 28 Jun 2007 08:17:37 GMT
View Forum Message <> Reply to Message

doesn't=20
matter which card is the "A" card
> > in=20
=3D
 >   =2 0
>your=3D20
>   > =
system as=20
far as Paris' ID orientation right?
>=20
=3D
>   >>
> =

=3D20
>   > > Yes, =
it does,=20
and the orientation of the slots you are=20
=3D
>   >using=20
in=3D20
>   > =20
=3D3D3D
> >combination with the orientation of =
the ribbon=20
=3D
 >   =2 0
>cables=3D20
>   > =
will=20
determine
=3D3D
>=3 D3D3D
> =
>this. Have=20
you =3D
>   >changed=20
them=3D20
>   > =
around during=20
your reconfiguration?
> >
>=20
=3D20
>   > > =
Start with a=20
new SCSI cable and a single EDS card. Test=20
=3D
> &amp

Subject: Re: Summer
Posted by Deej [4] on Thu, 28 Jun 2007 11:23:29 GMT
View Forum Message <> Reply to Message

;nbsp;   >each=20
MEC.=3D20
>   > =20
=3D3D
>Once
&gt ; =3D3D3D
> =
>you know if=20

=3D
>   >there is=20
a=3D20
>   > problem =
there, add=20
a new SCSI cable and =3D3D
>another=20
=3D
>   =
>=3D3D3D
>=20
=3D20
>   > >card. =
Put=20
different modules in the MECs so you can see which one=20
=3D
 >   =2 0
>is=3D20
>   > =20
=3D3D
>on =3D3D3D
> >card A, B, C at =
all times.=20
this =3D
>   >will=20
give=3D20
>   > you =
the info as=20
to how the
=3D3D
>=3D3D3D& amp;lt;BR>> =
>cards=20
=3D
 >   =2 0
>are=3D20
>   > =
initializing=20
and which card is card A, B, C as you=20
start=3D20
>   > =20
=3D3D
>=3D3D3D
&amp ;gt; >adding more =
hardware. the MEC i=20
=3D
>   >sent you is=20
one=3D20
>   > of 4 =
that were=20
=3D3D
>working =3D3D3D
> >perfectly=20
=3D
>   >when I took=20
my=3D20
>

Subject: Re: Summer
Posted by Bill L on Thu, 28 Jun 2007 12:59:34 GMT
View Forum Message <> Reply to Message

<META=20
=3D
 >   =2 0
=
>content=3D3D3D3D"MSHTML=3D20
 >   =2 0
> 6.00.6000.16414" =
name=3D3D3D3DGENERATOR>
>=20
=3D20
>   > =20
><STYLE></STYLE><B R>>=20
=3D
 >   =2 0
>></HEAD>
& gt;=20
=3D20
>   > =

><BODY=20
bgColor=3D3D3D3D#ffffff>
>=20
=3D
 >   =2 0
=
>><BLOCKQUOTE=3D20
 >   =2 0
> dir=3D3D3D3Dltr=3D3D3D20
>=20
>style=3D3D3D3D"PADDING-RIGHT: =
=3D
 >   =2 0
>0px;=3D20
>   > =20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D3D
>=3D3D3D
&amp ;gt;=20
=3D20
>   > =
>BORDER-LEFT:=20
#000000 2px solid; MARGIN-RIGHT: =
=3D
 >   =2 0
>0px">
> =
=3D20
 >   =2 0
> > <DIV><FONT face=3D3D3D3DArial=20
=3D
 >   =2 0
=
>size=3D3D3D3D2></FONT>=3D20
>   &=
nbsp;=20
> </DIV>

Subject: Re: Summer
Posted by rick on Thu, 28 Jun 2007 17:54:31 GMT
View Forum Message <> Reply to Message

>that's card=20
A=3D20
>   > =20
=
right?!!!)</FONT></DIV><B R>><DIV><FONT=20
=3D
 >   =2 0
>face=3D3D3DArial=3D20
>   =
> =20
size=3D3D3D2>and plugged it into each of my=20
two=3D20
>   > =20
=3D3D
>working=3D3D20<BR& gt;>Mecs. Paris will=20
boot=3D20
>   > =20
but</FONT></DIV><BR&g t;><DIV><FONT=20
face=3D3D3DArial =3D
 >   =2 0
>
>   > =
size=3D3D3D2>even=20
internal clock was never found =
=3D
 >   =2 0
=
>nor
=3D3D
> were=3D20
>   &n=

bsp; =20
> the=3D3D20
>in/outs on=20
each=3D20
>   > =20
Mec.</FONT></DIV><BR& gt;><DIV><FONT=20
=3D
 >   =2 0
>face=3D3D3DArial=3D20
>   =
> =20
size=3D3D3D2>The 442 on the other hand works like=20
=3D
 >   =2 0
=
>a
=3D3D
>ch amp=3D20
>   &nb=
sp; =20
> one=3D3D20
>card only.=20
I=3D20
>   > =20
=
suspect</FONT></DIV><BR&a mp;gt;><DIV><FONT=20
=3D
 >   =2 0
>face=3D3D3DArial=3D20<BR

Subject: Re: Summer
Posted by EK Sound on Thu, 28 Jun 2007 18:02:46 GMT
View Forum Message <> Reply to Message

>>   =
> =20
size=3D3D3D2>either all my Mecs are screwy now or=20
=
=3D3D
>the=3D20
>   =
> =20
SCSI=3D3D20
>cables are intermitant=20
at=3D20
>   > =20
best.</FONT></DIV><BR&amp ;gt;><DIV><FONT=20
=3D
 >   =2 0
>face=3D3D3DArial=3D20
>   =
> =20
size=3D3D3D2>It's working fine with the 442 so I'm=20
=3D
 >   =2 0
=
>=3D3D
>sticking=3D20
>   =
;=20
> with=3D3D20
>that=20
for=3D20
>   > =20
today.</FONT></DIV><BR&am p;gt;><DIV><FONT =

=3D
 >   =2 0
>face=3D3D3DArial=3D20
>   =
> =20

size=3D3D3D2>I'll add my EDS cards one by one and =
=3D3D
>see=20
if =3D
 >   =2 0
>that=3D20
>   > =20
is=3D3D20
>back =
to=3D20
 >   =2 0
> =20
=
normal.</FONT></DIV><BR&a mp;gt;><DIV><FONT=20
=3D
 >   =2 0
>face=3D3D3DArial=3D20
>   =
> =20
size=3D3D3D2></FONT>=20
</DIV>
><DIV&am p;gt;<FONT=20
=3D
 >   =2 0
>face=3D3D3DArial=3D20
>   =
> =20
size=3D3D3D2>Thanks for the help and if I need=20
=3D
 >   =2 0
=
>scsi
=3D3D
&gt ;cables=3D20
>   =
;&nb

Subject: Re: Summer
Posted by rick on Fri, 29 Jun 2007 08:29:26 GMT
View Forum Message <> Reply to Message

;BR>&amp ;gt;<STYLE></STYLE>&l=
t;BR>></HEA=3D3D
 >   =2 0
> =20
=
>D>
><BODY=3D3D 20
>   &nb=
sp;=20
> > =20
=
bgColor=3D3D3D3D#ffffff>
>&am p;lt;BLOCKQUOTE=3D3D20
>&nb=
sp;   =20
> > =20
=
dir=3D3D3D3Dltr=3D3D3D20
>style=3D3D 3D3D "PADDING-RIGHT: 0px; =

=3D
>   =
>PADDING-LEFT:=20
=3D3D
>   > =20
>5px;=3D3D20
>   =
> =20
> MARGIN-LEFT: 5px; =

=3D3D3D
>BORDER-LEFT:=20
#000000 2px solid; =
=3D3D
 >   =2 0
> =20
=
>MARGIN-RIGHT:=3D3D20
 >   =2 0
> > 0px">
> =
<DIV><FONT=20
=
face=3D3D3D3DArial=3D3D20
 >   =2 0
> > size=3D3D3D3D2></FONT>=20
</DIV>
> <DIV>"Tom=20
=3D3D
>   > =20
>Bruhl"=3D3D20
>   =
> =20
> <<A=3D3D3D20
>=20
=
href=3D3D3D3D"<A=3D3D20
 >   =2 0
> > =
=3D3D
 >   =2 0
> =3D
 >   =2 0
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&lt=
;/A'>mailto:arp=3D
 >   =2 0
>egi=3D3D
>   =
> =20
=
>o@comcast.net">arpegio@comcast.net</A</A>>>=3D3D20<=
BR> >   =2 0
> > wrote =3D3D3D<BR&am

Subject: Re: Summer
Posted by Deej [4] on Fri, 29 Jun 2007 13:30:39 GMT
View Forum Message <> Reply to Message

bsp;   =
> =20
> =
=3D3D3D
>orientation=3D3D3D20&lt ;BR>>=20
=3D3D20
>   > =
> =20
right?</FONT></DIV><BR&am p;gt;> =
<DIV><FONT=20
=3D3D
>   > =20
=
>face=3D3D3D3DArial=3D3D20
 >   =2 0
> > size=3D3D3D3D2></FONT>=20

</DIV>
>=20
=3D3D
> &

Subject: Re: Summer
Posted by pauln[2] on Fri, 29 Jun 2007 14:33:35 GMT
View Forum Message <> Reply to Message

R>>   SCSI=20
=3D3D
>   > =
>cable and=20
a=3D3D20
>   > =
> =20
=3D3D3D
>single EDS=3D3D3D20
> =
card. Test each=20
MEC. Once
>   you=20
=3D3D
>   > =
>know=20
if=3D3D20
>   > =

> there is a problem there, add=20
a
=3D3D3D
>new=20
=3D3D
>   > =20
>SCSI=3D3D3D20
>=20
cable=3D3D20
>   =
> =20
> and another card. Put different modules in the =
MECs so=20
you<BR&g

Subject: Re: Summer
Posted by Deej [4] on Fri, 29 Jun 2007 14:53:02 GMT
View Forum Message <> Reply to Message

nbsp;=2 0
> >initializing=20
and=3D3D20
>   =
> =20
> which card is card A, B, C as you=20
=3D3D3D
>start=3D3D3D20<BR&am p;gt;>=20
=3D3D
>   > =
>adding=20
more=3D3D20
>   =
> =20
> hardware. the MEC i sent you is one of 4 that=20
were=3D3D20
>   =

> =20
> =
working
=3D3D3D
>&a mp;lt;BR>>=20
perfectly when I took my system=20
=3D3D
>   > =
>off line.=20
I=3D3D20
>   > =
> =20
can't imagine it being a=20
=3D3D3D
>problem.=3D3D3D20
> Bent=20
=3D3D
>   > =
>pins on=20
SCSI=3D3D20
>   =
> =20
> cables can be a serious issue though. Your =
system=20
=3D
 >   =2 0
=
>=3D3D3D
&

Subject: Re: Summer
Posted by wireline[30] on Fri, 29 Jun 2007 15:46:44 GMT
View Forum Message <> Reply to Message

amp;gt;will=3D3D20
>   =
;=20
> > not=3D3D3D20
> function =
with bad=20
SCSI=3D3D20
> &a

Subject: Re: Summer
Posted by rick on Fri, 29 Jun 2007 18:24:38 GMT
View Forum Message <> Reply to Message

R> >   =2 0
=
>charset=3D3Diso-8859-1">
 >   =2 0
><META content=3D3D"MSHTML 6.00.2800.1400"=20
=
name=3D3DGENERATOR>
 >   =2 0
=
><STYLE></STYLE>
 >   =2 0
></HEAD><BR&gt

Subject: Re: Summer
Posted by Deej [4] on Fri, 29 Jun 2007 23:29:14 GMT
View Forum Message <> Reply to Message

amp;gt;   > =20
asking.
>
>I n any event I scaled =
down to=20
one EDS (Pretty =3D
 >   =2 0
>sure=3D20
>   =
> =20
that's card A =
=3D3D
>right?!!!)
& amp;gt;and plugged=20
it into each of =3D
>   =
>my=20
two=3D20
>   > =
working=20
Mecs. Paris will boot but
>even internal clock =
was=20
=3D
 >   =2 0
>never=3D20
>   =
> =20
found nor were the in/outs on each Mec.
>The =
442 on=20
the other =3D
> &am

Subject: Re: Summer
Posted by rick on Sat, 30 Jun 2007 09:19:53 GMT
View Forum Message <> Reply to Message

TA=3D20
>   =
> =20
http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=20
=3D
>   =
>=3D3D3D
>=20
=3D20
>   > =20
>charset=3D3D3D3Diso-8859-1">
> =
><META=20
=3D
 >   =2 0
=
>content=3D3D3D3D"MSHTML=3D20
 >   =2 0
> 6.00.6000.16414" =
name=3D3D3D3DGENERATOR>
>=20
=3D20
>   > =20
><STYLE></STYLE><B R>>=20
=3D
 >   =2 0
>></HEAD>
& gt;=20

=3D20
>   > =
><BODY=20
bgColor=3D3D3D3D#ffffff>
>=20
=3D
 >   =2 0
=
>