

---

Subject: Well.....I've discovered something interesting here.

Posted by [Deej \[1\]](#) on Mon, 05 Sep 2005 20:07:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

00000 2px solid; MARGIN-RIGHT: 0px">

> <DIV>"Aaron Allen" <<A=20

> href=3D"mailto:nospam@not\_here.dude">nospam@not\_here.dude</A>> =

>wrote in=20

> message <A =

>href=3D"news:4346957e@linux">news:4346957e@linux</A>...</DIV>USB 2.0=20

> External drive bay could be your answer.... they're cheap too=20

> now.<BR>AA<BR><BR><BR>"Rod Lincoln" <<A=20

> href=3D"mailto:rlincoln@kc.rr.com">rlincoln@kc.rr.com</A>> wrote in =

>message=20

> <A =

>href=3D"news:43455e37\$1@linux">news:43455e37\$1@linux</A>...<BR>><BR>&g=

>t;=20

> Yeah, I'm using a short rounder cable, I've tried several, all with =

>the=20

> <BR>> same<BR>> results. I've tried CS. The results are still =

>the same.=20

> The guy i

---

---

Subject: Re: Well.....I've discovered something interesting here.

Posted by [Rob Arsenault](#) on Mon, 05 Sep 2005 21:39:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

boot (this is the system drive). It =3D

>is on ide=3D20

> bus 1 by itself and<BR>> is<BR>>>><BR>>>>=3D20

> set<BR>>>><BR>>>>>>properly with the jumper =3D

>for single=3D20

> master.<BR>>>>>>I already tried different ide =3D

>cables...no=3D20

> worky, BUT, when I switched<BR>>>><BR>>>>=3D20

> to<BR>>>><BR>>>>>>a mobile rack that I use, it =3D

>worked=3D20

> fine. So I figured it was just=3D20

> <BR>>>>>>crappy<BR>>>>>>racks. (mines =3D

>beige and=3D20

> this guy wants black).<BR>>>>>>I went to comp usa and =3D

>bought=3D20

> one of their "brand" black mobile =3D

>drives<BR>>>><BR>>>>=3D20

> on<BR>>>><BR>>>>>>a recomendation from a =3D

>friend and=3D20

> get the same dang error again. Now,<BR>>>><BR>>>>=3D20

> it<BR>>>><BR>>>>>could be that this drive =3D  
>from CRAP=3D20  
> USA is also bad, but I'm starting<BR>> =3D  
>to<BR>>>><BR>>>>=3D20  
> wonder<BR>>>><BR>>>>>if something else is =3D  
>going on=3D20  
> that I'm missing. I'll do some more=3D20  
> <BR>>>>>troubleshooting<BR>>>>>as I =3D  
>get the=3D20  
> time, but I would welcome any suggestions as to what=3D20  
> may<BR>>>><BR>>>>=3D20  
> be<BR>>>><BR>>>>>another reason fkor the=3D20

---

---

Subject: Re: Well.....I've discovered something interesting here.  
Posted by [Rod Lincoln](#) on Mon, 05 Sep 2005 21:46:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>&gt;Yes but it STILL has to be=20  
black...<BR>&gt;Tom<BR>&gt;&nbsp; "Aaron Allen" &lt;<A=20  
href=3D"mailto:nospam@not\_here.dude">nospam@not\_here.dude</A>&gt; =  
wrote in=20  
message =3D<BR>&gt;news:4346957e@linux...<BR>&gt;&nbsp; USB 2.0 =  
External drive=20  
bay could be your answer.... they're cheap =  
too<BR>=3D<BR>&gt;now.<BR>&gt;&nbsp;=20  
AA<BR>&gt;<BR>&gt;<BR>&gt;&nbsp; "Rod Lincoln" &lt;<A=20  
href=3D"mailto:rlincoln@kc.rr.com">rlincoln@kc.rr.com</A>&gt; wrote in =  
message=20  
=3D<BR>&gt;news:43455e37\$1@linux...<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; =  
&gt; Yeah,=20  
I'm using a short rounder cable, I've tried several, all=20  
with<BR>=3D<BR>&gt;the=3D20<BR>&gt;&nbsp; &gt; same<BR>&gt;&nbsp; &gt; =  
results.=20  
I've tried CS. The results are still the same. The guy is=20  
=3D<BR>&gt;REALLY<BR>&gt;&nbsp; &gt; stuck on wanting the WHOLE =  
computer black,=20  
or, I would just use the<BR>=3D<BR>&gt;beige<BR>&gt;&nbsp; &gt; drive =  
that=20  
works.<BR>&gt;&nbsp; &gt; I may just put the sys drive in an internal =  
bracket=20  
and slap the

---

---

Subject: Re: Well.....I've discovered something interesting here.  
Posted by [Deej \[1\]](#) on Mon, 05 Sep 2005 21:49:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>  
> problem.<BR>>>>>I have a hard time believing that this =3D  
>mobo=3D20  
> just doesn't like "black"<BR>>>><BR>>>>=3D20  
> =3D  
>rack<BR>>>><BR>>>>>drives.<BR>>>>>&g=3D  
>t;Rod<BR>>>><BR>>>><BR>>=3D20  
> <BR><BR></BLOCKQUOTE></BODY></HTML>  
>  
>

-----=\_NextPart\_000\_0254\_01C5CB43.ADDA7630

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =  
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV><FONT face=3DArial size=3D2>Rod,</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>I have removable SATAs in my =  
comp.&nbsp; I wanted=20  
beige and got them.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>The second pair I purposely bought =  
black to=20  
differentiate them.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Sometimes it's a good thing.&nbsp; XP =  
black, ME=20  
beige.?.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Rod Lincoln" &lt;A=20

=

href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g=  
t;=20

wrote in message <A=20

=

href=3D"news:4346ab89\$1@linux">news:4346ab89\$1@linux</A>...</DIV><BR>Yeah=  
, I=20

don't think that would fly anyway. I think I'll just put the =  
system<

---

Subject: Re: Well.....I've discovered something interesting here.

Posted by [Deej \[1\]](#) on Mon, 05 Sep 2005 22:03:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

=3D<BR>&gt;cover=3D20<BR>&gt;&nbsp; &gt; =  
over<BR>&gt;&nbsp; &gt; the=20  
hole and call it good, but this kind of bugs me, and I'd like=20  
to<BR>=3D<BR>&gt;<BR>&gt;&nbsp; &gt; figure<BR>&gt;&nbsp; &gt; it out. =  
I=20  
appreciate the suggestions. Keep those cards and letters=20  
=3D<BR>&gt;coming.<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt; =  
Rod<BR>&gt;&nbsp; &gt;=20  
&gt;<BR>&gt;&nbsp; &gt; EK Sound &lt;<A=20  
=  
href=3D"mailto:spamnot.info@eksoundNO.com">spamnot.info@eksoundNO.com</A>=  
&gt;=20  
wrote:<BR>&gt;&nbsp; &gt;&gt;Are you using a nice "short" high density =  
IDE=20  
cable?&nbsp; Try CS mode on<BR>&gt;&nbsp; &gt;&gt;the drive to see if =  
this=20  
helps also.<BR>&gt;&nbsp; &gt;&gt;<BR>&gt;&nbsp; &gt; =  
&gt;&gt;David.<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;Rod Lincoln wrote:<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;&gt; they say 66/100/133<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;&gt; Rod<BR>&gt;&nbsp; &gt;&gt;&gt; EK Sound &lt;<A=20  
=  
href=3D"mailto:spamnot.info@eksoundNO.com">spamnot.info@eksoundNO.com</A>=  
&gt;=20  
wrote:<BR>&gt;&nbsp; &gt;&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;&gt;&gt;Are =  
these=20  
rated for 133?? I had a similar problem with 66 trays=20  
in<BR>=3D<BR>&gt;XP.<BR>&gt;&nbsp; &gt;&gt;&gt;&gt;<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;&gt;&gt;David.<BR>&gt;&nbsp; &gt;&gt;&gt;&gt;<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;&gt;&gt;Rod Lincoln wrote:<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;&gt;&gt;&gt;I'm building a =  
computer for=20  
a friend to run cubase on. Got =3D<BR>&gt;everything<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;&gt; going<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;&gt;&gt;fine, EXCEPT the mobile =  
rack=20  
tray (IDE) for the system drive.<BR>&gt;&nbsp; &gt; =  
&gt;&gt;&gt;&gt;&gt;Here's the=20  
history. I bought 2 of these on line (he wanted=20  
black,<BR>=3D<BR>&gt;so<BR>&gt;&nbsp; &gt; I<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;&gt; had<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;&gt;&gt;&gt;to go with a different =  
brand=20  
than I normally use) neither one of<BR>=3D<BR>&gt;them<BR>&gt;&nbsp; &gt;=20  
&gt;&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;&gt; worked<BR>&gt;&nbsp; &gt;=20

&gt;&gt;&gt;<BR>&gt;&nbsp; &gt;&gt;&gt;&gt;&gt;&gt;I got "ERROR in READING =  
DRIVE)<BR>&gt;&nbsp; &gt;&gt;&gt;&gt;&gt;&gt;on boot (this is the system =  
drive).=20  
It is on ide bus 1 by itself<BR>=3D&lt

---

---

Subject: Re: Well.....I've discovered something interesting here.  
Posted by [Rod Lincoln](#) on Mon, 05 Sep 2005 23:40:06 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

amp;&gt;&gt;&gt;&lt;BR>&gt;&nbsp; &gt;&gt;&gt;&gt;&gt;&gt;Rod=3D20<BR>  
>&gt;&nbsp; &gt;&gt;&nbsp;=20  
Lincoln =  
wrote:&lt;BR>&gt;&gt;&gt;&gt;&gt;&gt;&nbsp; &lt;BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;I'm=20  
building =3D<BR>&gt;&a=3D20<BR>&gt;&nbsp; &gt;&nbsp; computer for a friend to run =  
cubase on.=20  
Got=3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
=  
everything&lt;BR>&gt;&gt;&gt;&gt;&gt;&lt;BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;=3D20 <BR>&gt;&nbsp; &gt;&nbsp;=  
=20  
going&lt;BR>&gt;&gt;&gt;&gt;&lt;BR>&am p;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&fine, EXCEPT =  
the=20  
mobile =3D<BR>&gt;&rack tray=3D20<BR>&gt;&nbsp; &gt;&nbsp; (IDE) for the system=20  
drive.&lt;BR>&gt;&gt;&gt;&gt;&gt;&gt;&nbsp; &gt;&gt;&Here's the history.=20  
=3D<BR>&gt;&I=3D20<BR>&gt;&nbsp; &gt;&nbsp; bought 2 of these on line (he wanted =  
black,=20  
so&lt;BR>&gt;&=3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
I&lt;BR>&gt;&gt;&gt;&gt;&lt;BR>&gt;&nbsp; &gt;&gt;&=3D20 <BR>&gt;&nbsp; &gt;&nbsp;=20  
had&lt;BR>&gt;&gt;&gt;&gt;&lt;BR>&gt;&nbsp; &gt;&gt;&to go with a =  
different=20  
=3D<BR>&gt;&brand than I=3D20<BR>&gt;&nbsp; &gt;&nbsp; normally use) neither one =  
of=20  
them&lt;BR>&gt;&gt;&gt;&gt;&lt;BR>&am p;&gt;&gt;&gt;&gt;&=3D20 <BR>&gt;&nbsp; &gt;&nbsp;=20  
worked&lt;BR>&gt;&gt;&gt;&gt;&lt;BR>&a mp;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&I got "ERROR =  
in=20  
READING=3D20<BR>&gt;&nbsp; &gt;&nbsp; DRIVE)&lt;BR>&gt;&gt;&gt;&gt;&gt;&nbsp; &gt;&gt;&on boot =  
(this is=20  
the system drive). It =3D<BR>&gt;&is on ide=3D20<BR>&gt;&nbsp; &gt;&nbsp; bus 1 by =  
itself=20  
and&lt;BR>&gt;&=20  
is&lt;BR>&gt;&gt;&gt;&gt;&lt;BR>&g t;&gt;&gt;&=3D20 <BR>&gt;&nbsp; &gt;&nbsp;=20  
set&lt;BR>&gt;&gt;&gt;&gt;&lt;BR>&gt;&nbsp; &gt;&gt;&properly with =  
the=20  
jumper =3D<BR>&gt;&for single=3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
master.&lt;BR>&gt;&gt;&gt;&gt;&gt;&nbsp; &gt;&gt;&I already tried different ide=20  
=3D<BR>&gt;&cables...no=3D20<BR>&gt;&nbsp; &gt;&nbsp; worky, BUT, when I=20  
=  
=

switched<br>&gt;&gt;&gt;&lt;br> &gt;&gt;&gt;&gt;=3D20 <br>&gt;&nbsp;=20  
to<br>&gt;&gt;&gt;&gt;&lt;br>&g t;&gt;&gt;&gt;&gt;&gt;a mobile rack =  
that l=20  
use, it =3D<br>&gt;worked=3D20<br>&gt;&nbsp; fine. So I figured it was =  
  
just=3D20<br>&gt;&nbsp;=20  
=  
&lt;br>&gt;&gt;&gt;&gt;&gt;&lt;br>&gt;&gt;&gt;&gt;&gt;cr appy<br>&gt;&gt;&gt;&gt;&gt;&g t;racks. =  
  
(mines =3D<br>&gt;beige and=3D20<br>&gt;&nbsp; this guy wants=20  
black).&lt;br>&gt;&gt;&gt;&gt;&gt;&am p;&gt;l went to comp usa and=20  
=3D<br>&gt;bought=3D20<br>&gt;&nbsp; one of their "brand" black mobile =  
  
=  
=3D<br> &gt;drives<br>&gt;&gt;&gt;&gt;&gt;& ;lt;br>&gt;&gt;&gt;&gt;=3D20 <br>&gt;=  
&nbsp;=20  
on<br>&gt;&gt;&gt;&gt;&lt;br>&g t;&gt;&gt;&gt;&gt;&gt;a recomendation =  
from a=20  
=3D<br>&gt;friend and=3D20<br>&gt;&nbsp; get the same dang error =  
again.=20  
Now,&lt;br>&gt;&gt;&gt;&gt;&lt;br>&am p;&gt;&gt;&gt;&gt;=3D20 <br>&gt;&nbsp;=20  
it<br>&gt;&gt;&gt;&gt;&lt;br>&g t;&gt;&gt;&gt;&gt;&gt;could be that =  
this drive=20  
=3D<br>&gt;from CRAP=3D20<br>&gt;&nbsp; USA is also bad, but l'm=20  
starting<br>&gt;&gt;=20  
=  
=3D<br> &gt;to<br>&gt;&gt;&gt;&gt;&lt;br> BR&gt;&gt;&gt;&gt;=3D20 <br>&gt;&nb=  
sp;=20  
wonder<br>&gt;&gt;&gt;&gt;&lt;br>&a mp;&gt;&gt;&gt;&gt;&gt;&gt;if something =  
else is=20  
=3D<br>&gt;going on=3D20<br>&gt;&nbsp; that l'm missing. I'll do some=20  
more=3D20<br>&gt;&nbsp;=20  
=  
&lt;br>&gt;&gt;&gt;&gt;&gt;&tr oubleshooting<br>&gt;&gt;&gt;&gt;&g t;&g=  
t;as=20  
l =3D<br>&gt;get the=3D20<br>&gt;&nbsp; time, but I would welcome any =  
suggestions=20  
as to what=3D20

---

Subject: Well.....here's something else really cool  
Posted by [Deej \[1\]](#) on Tue, 06 Sep 2005 01:28:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>  
=  
>=3D  
> >just=3D20

> > >>>>crappy  
 > > >>>>racks. (mines beige and this guy wants black).  
 > > >>>>I went to comp usa and bought one of their "brand" black =  
 >mobile =3D  
 > >drives  
 > > >>>  
 > > >>> on  
 > > >>>  
 > > >>>>a recomendation from a friend and get the same dang error =  
 >again.  
 > =3D  
 > >Now,  
 > > >>>  
 > > >>> it  
 > > >>>  
 > > >>>>could be that this drive from CRAP USA is also bad, but I'm =  
 >=3D  
 > >starting  
 > > > to  
 > > >>>  
 > > >>> wonder  
 > > >>>  
 > > >>>>if something else is going on that I'm missing. I'll do some =  
 >more  
 > =3D  
 > >  
 > > >>>>troubleshooting  
 > > >>>>as I get the time, but I would welcome any suggestions as to =  
 >what  
 > =3D  
 > >may  
 > > >>>  
 > > >>> be  
 > > >>>  
 > > >>>>another reason fkor the problem.  
 > > >>>>I have a hard time believing that this mobo just doesn't like  
 =  
 >=3D  
 > >"black"  
 > > >>>  
 > > >>> rack  
 > > >>>  
 > > >>>>drives.  
 > > >>>>Rod  
 > > >>>  
 > > >>>  
 > > >=3D20  
 > >

> >  
> >  
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
> ><HTML><HEAD>  
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D  
> > charset=3D3Diso-8859-1">  
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>  
> ><STYLE></STYLE>  
> ></HEAD>  
> ><BODY bgColor=3D3D#ffffff>

---

Subject: Re: Well.....here's something else really cool

Posted by [rick](#) on Tue, 06 Sep 2005 11:25:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

gt; =

>wrote in=20

>External drive=20

> bay could be your answer.... they're cheap =

> href=3D"mailto:rlincoln@kc.rr.com">rlincoln@kc.rr.com</A>> wrote in =

>message=20

>> Yeah,=20

> I'm using a short rounder cable, I've tried several, all=20

>results.=20

> I've tried CS. The results are still the same. The guy is=20

>computer black,=20

>that=20

>bracket=20

> hole and call it good, but this kind of bugs me, and I'd like=20

>I=20

> appreciate the suggestions. Keep those cards and letters=20

> =

>href=3D"mailto:spamnot.info@eksoundNO.com">spamnot.info@eksoundNO.com</A>=

>>=20

>IDE=20

>this=20

> =

>href=3D"mailto:

---