

---

Subject: When recording w/both MECs, How do you bring up both mixers?

Posted by [Stevehwan](#) on Wed, 19 Mar 2008 03:05:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

face=3DArial size=3D2>Ha!</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Tripple thanks,</FONT></

---

---

Subject: Re: When recording w/both MECs, How do you bring up both mixers?

Posted by [rick](#) on Wed, 19 Mar 2008 08:54:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

oder can be changed from a menu on the control surface. My initial menu control work is being done with a 2x16 LCD display - after I'm successful with the 2x16, I'll look into something bigger - either a 2x40 or some kind of touch screen. I may try to leverage the design work from the sequencer I did - it has a separate tiltable display panel with LEDs and encoders associated with each channel. I haven't updated the contents of the web page in a while, but you can get the general idea at:

---

---

Subject: Re: When recording w/both MECs, How do you bring up both mixers?

Posted by [Don Nafe](#) on Wed, 19 Mar 2008 10:42:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

neral idea at:

>

> <http://www.analognotes.com/mbmatrixseq>

>

> Doug

>

> <http://www.parisfaqs.com>EK Sound wrote:

> Disassemble an Alps fader completely, clean and reassemble. You will

> quickly appreciate the P&G... ;-)

Is that something you have to do very often?

Doug

<http://www.parisfaqs.com>I maintain a number of field mixers for location sound guys... they ALL have P&G's. One mixer in particular has its faders completely stripped about every 8 months.

In the studio, for passive faders, I would remove the faders and clean

them annually for best performance. For motorized units running VCA's, about one every two years.

David.

Doug Wellington wrote:

> EK Sound wrote:

>> Disassemble an Alps fader completely, clean and reassemble. You will

>> quickly appreciate the P&G... ;-)

>

> Is that something you have

---

Subject: Re: When recording w/both MECs, How do you bring up both mixers?  
Posted by [rick](#) on Wed, 19 Mar 2008 13:31:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

& 4) on IRQ 19 aand 20 of the new DAW and in the other Magma

> hat is interfacing via PCIe, I'm running an RME HDSP 9652, a MADI and an

> AES32 in slots 1, 5 and 11 of the Magma and these cards are populating IRQ

> 18 of the new DAW.

>

> It runs like a bat outta' hell with 1.5ms latency so this would indicate

> to me that the new PCIe Host card for the recent generation of Magmas that

> use the round cable (can be had for around \$500.00 on EBay) will definitely

> carry the EDS card (at least 6 x of them)into the future with PCIe based

> mobos.

>

> Worry about other things.....not this.

>

> ;o)

>I was thinking about the Dual core and quad core systems availvble, and the

MSFT link Mike A. posted that would allow you to instruct Paris which CPU

to run on. Does anyone know if you could instruct, say, the UAD cards to

run on another cpu, and would that work? In other words have Paris open with

UAD plugs on inserts, with Paris running off one CPU and UAD running off

another? Anyone know?

Rod<http://www.msnbc.msn.com/id/24933262/?GT1=43001>Dang, they're dropping like flies!

"James McCloskey" <[excelsm@hotmail.com](mailto:excelsm@hotmail.com)> wrote in message

news:48442094\$1@linux...

>

> <http://www.msnbc.msn.com/id/24933262/?GT1=43001>I can't think of any reason why not, though I haven't tried a UAD on a multicore yet.

AA

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message  
news:4843f87d\$1@linux...  
>  
> I was thinking about the Dual core and quad cor

---

---

Subject: Re: When recording w/both MECs, How do you bring up both mixers?  
Posted by [Stevehwan](#) on Wed, 19 Mar 2008 13:39:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

to do very often?  
>  
> Doug  
>  
> <http://www.parisfaqs.com> Good point.

I have one of Rick's EDS cards here that is not in use. I was going  
to ship it back to him, but if you can use it, it would seem to be OK  
with Rick to send it to you instead.

You can email me offlist if you'd like.

pab

On Wed, 28 May 2008 04:55:30 -0400, rick <parnell68@hotmail.com>  
wrote:

>if you're not using the card and he can use it...  
>  
>On Tue, 27 May 2008 23:06:30 -0500, Paul Braun  
><cygnus\_nospam@ctgonline.org> wrote:  
>  
>>On Mon, 26 May 2008 21:39:19 -0700, Kerry Galloway  
>><kg@kerrygalloway.com> wrote:  
>>  
>>>  
>>>Now - on the other hand...  
>>>  
>>>... Would developments that involved OSX interest you? :)  
>>>  
>>  
>>Effin' A skippy it would.... I've been an OS9 guy since I started, and  
>>recently, begrudgingly, decided to start building an XP box because of  
>>the available goodness.  
>>  
>>However, if Mike can make OSX - flavored versions, and your dudes can  
>>make Paris work under OSX, then I'm ready to score a G4 and stay in  
>>the family.

>>

>>I'd be pissed that I sold my dual-1GHz Quicksilver after I got my G5,

---

---

Subject: Re: When recording w/both MECs, How do you bring up both mixers?

Posted by [Kim W](#) on Wed, 19 Mar 2008 15:54:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

effect processor for

>> Paris.

>> Throwing in a UAD or 2 will certainly push the system. :)

>>

>> Chris

>>

>> Rod Lincoln wrote:

>>> I was thinking that would be a great thing if it worked. Any way to

>>> try it

>>> again?

>>> Rod

>>> Chris Ludwig <[chrisl@adkproaudio.com](mailto:chrisl@adkproaudio.com)> wrote:

>>>> HI Rod,

>>>>

>>>> The EDS cards seem to behave fine with limiting both the EDS card

>>>> and PARIS

>>> to using

>>>> the 1 (same) CPU.

>>>> The UAD cards have never behaved nice for me when I've tried

>>>> limiting their

>>> hardware

>>>> to on CPU.

>>>> But haven't tested it in a while.

>>>>

>>>>

>>>> Chris

>>>>

>>>>

>>>> Rod Lincoln wrote:

>>>>> I was thinking about the Dual core and quad core systems

>>>>> available, and

>>> the

>>>>> MSFT link Mike A. posted that would allow you to instruct Paris which

>>> CPU

>>>>> to run on. Does anyone know if you could instruct, say, the UAD cards

>>> to

>>>>> run on another cpu, and would that work? In other words have Paris

>>>>> open

>>> with

>>>>> UAD plugs on inserts, with Paris running off one CPU and UAD

— —

Chris Ludwig

ADK Pro Audio  
(859) 635-5762  
[www.adkproaudio.com](http://www.adkproaudio.com)

Subject: Re: When recording w/both MECs, How do you bring up both mixers?  
Posted by [Stevehwan](#) on Wed, 19 Mar 2008 16:03:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

arget=" blank">chrisl@adkproaudio.comThis is a multi-part message in MIME format.

```
-----=_NextPart_000_0015_01C8C4E3.EC2D4830
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

Hi David,  
Ya, Chris had that working 4 years ago in a friends comp  
with Paris and Cubase tied together via midi/no cables.  
He also had two Mecs and 4 ADATs in XP. WOW.

I hope this will work with this new shindig. I shipped the Paris gear to Chris along with my friend to get the R&D happening. If it's workable I'll buy and include 5 EDS, 1 UAD, 4 Mec, 1 Magma, 1 Scope Pro, Cubase 4.1. My existing dualcore=20 Cubase rig will be using FX Teleport for extra softsynth/processing=20 grunt via cat5 only. The cool thing is that the UAD shows up in both Paris/Cubase. I love that.

Bwahahahaha !!!  
Tom

"Chris Ludwig" <chrisl@adkproaudio.com> wrote in message =  
news:48447698\$1@linux...

Hi David,

Not sure I'll have to try and see if it works.

The had to use the motherboard for a system build so gotta wait for =  
another one to show up.

Chris

EK Sound wrote:

> It's been a while since I checked, but doesn't the Paris MIDI driver =

> show up in Cubase as an available MIDI input? I seem to remember it =

> doing that at one point.

>=20

> Could this be used for MTC sync running both on the same computer?

>=20

> David.

>=20

> Chris Ludwig wrote:

>> Hi Rod,

>> Unless Mike Audet gets chance before me I'll probably be able to =  
test=20

>> it end of this week or beginning of next week.

>> I'm currently testing a 2 EDS card setup with a 442 and a c16. I =  
will=20

>> be adding a RME Digiface/pCI-e combo to the setup too.

>> Probably gonna test it running Cubase and Paris at once.

>> Won't be able to do the time code sync part because of not having a =

>> MEC and ADAT card.

>> But should be able to test running Paris thru Cubase as hardware=20

>> effects inserts and using Cubase as a external effect processor for =

>> Paris.

>> Throwing in a UAD or 2 will certainly push the system. :)

>>

>> Chris

>>

>> Rod Lincoln wrote:

>>> I was thinking that would be a great thing if it worked. Any way =  
to=20

>>> try i

Subject: Re: When recording w/both MECs, How do you bring up both mixers?  
Posted by [Kim W](#) on Wed, 19 Mar 2008 16:33:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

gt; wrote:

>>>> HI Rod,  
>>>>  
>>>> The EDS cards seem to behave fine with limiting both the EDS card =  
  
>>>> and PARIS  
>>> to using  
>>>> the 1 (same) CPU.  
>>>> The UAD cards have never behaved nice for me when I've tried=20  
>>>> limiting their  
>>> hardware  
>>>> to on CPU.  
>>>> But haven't tested it in a while.  
>>>>  
>>>>  
>>>> Chris  
>>>>  
>>>>  
>>>> Rod Lincoln wrote:  
>>>>> I was thinking about the Dual core and quad core systems=20  
>>>>> available, and  
>>> the  
>>>>> MSFT link Mike A. posted that would allow you to instruct Paris =  
which  
>>> CPU  
>>>>> to run on. Does anyone know if you could instruct, say, the UAD =  
cards  
>>> to  
>>>>> run on another cpu, and would that work? In other words have =  
Paris=20  
>>>>> open  
>>> with  
>>>>> UAD plugs on inserts, with Paris running off one CPU and UAD=20  
>>>>> running off  
>>>>> another? Anyone know?  
>>>>> Rod  
>>>> --=20  
>>>> Chris Ludwig  
>>>>  
>>>> ADK Pro Audio  
>>>> (859) 635-5762  
>>>> www.adkproaudio.com  
>>>> chrisl@adkproaudio.com  
>>>  
>>

--=20

Chris Ludwig

ADK Pro Audio

(859) 635-5762

www.adkproaudio.com

chrisl@adkproaudio.com

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0015\_01C8C4E3.EC2D4830

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =  
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2900.2180" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV><FONT face=3DArial size=3D2>Hi David,</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Ya, Chris had that working 4 years ago =  
in a friends=20

comp</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>with Paris and Cubase tied together via =  
midi/no=20

cables.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>He also had two Mecs and 4 ADATs in =  
XP.&nbsp;=20

WOW.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2>I hope this will work with this new =  
shindig.&nbsp;=20

I shipped the</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Paris gear to Chris along with my =  
friend to get the=20

R&D</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>happening. If it's workable I'll buy =  
and include 5=20

EDS, 1 UAD,</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>4 Mec, 1 Magma, 1 Scope Pro, Cubase =  
4.1.&nbsp;My=20

existing dualcore </FONT></DIV>



<DIV><FONT face=3DArial size=3D2>Cubase </FONT><FONT face=3DArial =  
size=3D2>rig=20  
</FONT><FONT face=3DArial size=3D2>will be using FX Teleport for extra=20  
softsynth/proc

---

---

Subject: Re: When recording w/both MECs, How do you bring up both mixers?  
Posted by [Kim W](#) on Wed, 19 Mar 2008 16:47:09 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

use the=20  
motherboard for a system build so gotta wait for another one to show=20  
up.<BR><BR>Chris<BR><BR><BR>EK Sound wrote:<BR>&gt; It's been a while =  
since I=20  
checked, but doesn't the Paris MIDI driver <BR>&gt; show up in Cubase =  
as an=20  
available MIDI input?&nbsp; I seem to remember it <BR>&gt; doing that =  
at one=20  
point.<BR>&gt; <BR>&gt; Could this be used for MTC sync running both =  
on the=20  
same computer?<BR>&gt; <BR>&gt; David.<BR>&gt; <BR>&gt; Chris Ludwig=20  
wrote:<BR>&gt;&gt; Hi Rod,<BR>&gt;&gt; Unless Mike Audet ge5ts chance =  
before=20  
me I'll probably be able to test <BR>&gt;&gt; it end of this week or =  
beginning=20  
of next week.<BR>&gt;&gt; I'm currently testing a 2 EDS card setup =  
with a 442=20  
and a c16. I will <BR>&gt;&gt; be adding a RME Digiface/pCI-e combo to =  
the=20  
setup too.<BR>&gt;&gt; Probably gonna test it running Cubase and Paris =  
at=20  
once.<BR>&gt;&gt; Won't be able to do the time code sync part because =  
of not=20  
having a <BR>&gt;&gt; MEC and ADAT card.<BR>&gt;&gt; But should be =  
able to=20  
test running Paris thru Cubase as hardware <BR>&gt;&gt; effects =  
inserts and=20  
using Cubase as a external effect processor for <BR>&gt;&gt;=20  
Paris.<BR>&gt;&gt; Throwing in a UAD or 2 will certainly push the =  
system.=20  
)<BR>&gt;&gt;<BR>&gt;&gt; Chris<BR>&gt;&gt;<BR>&gt;&gt; Rod Lincoln=20  
wrote:<BR>&gt;&gt;&gt; I was thinking that would be a great thing if =  
it=20  
worked. Any way to <BR>&gt;&gt;&gt; try it<BR>&gt;&gt;&gt;=20  
again?<BR>&gt;&gt;&gt; Rod<BR>&gt;&gt;&gt; Chris Ludwig &lt;<A=20  
href=3D"mailto:chrisl@adkproaudio.com">chrisl@adkproaudio.com</A>&gt;=20  
wrote:<BR>&gt;&gt;&gt; HI =  
Rod,<BR>&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt; The=20

EDS cards seem to behave fine with limiting both the EDS card=20  
 <BR>&gt;&gt;&gt; and PARIS<BR>&gt;&gt;&gt; to =  
 using<BR>&gt;&gt;&gt;=20  
 the 1 (same) CPU.<BR>&gt;&gt;&gt; The UAD cards have never behaved =  
 nice=20  
 for me when I've tried <BR>&gt;&gt;&gt; limiting =  
 their<BR>&gt;&gt;&gt;=20  
 hardware<BR>&gt;&gt;&gt;&gt; to on CPU.<BR>&gt;&gt;&gt;&gt; But =  
 haven't tested=20  
 it in a =  
 while.<BR>&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;=20  
 Chris<BR>&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt; Rod =  
 Lincoln=20  
 wrote:<BR>&gt;&gt;&gt;&gt;&gt; I was thinking about the Dual core and =  
 quad=20  
 core systems <BR>&gt;&gt;&gt;&gt;&gt; availvable, and<BR>&gt;&gt;&gt;=20  
 the<BR>&gt;&gt;&gt;&gt;&gt; MSFT link Mike A. posted that would allow =  
 you to=20  
 instruct Paris which<BR>&gt;&gt;&gt; CPU<BR>&gt;&gt;&gt;&gt;&gt; to =  
 run on.=20  
 Does anyone know if you could instruct, say,&nbsp; the UAD=20  
 cards<BR>&gt;&gt;&gt; to<BR>&gt;&gt;&gt;&gt;&gt; run on another cpu, =  
 and would=20  
 that work? In other words have Paris <BR>&gt;&gt;&gt;&gt;=20  
 open<BR>&gt;&gt;&gt; with<BR>&gt;&gt;&gt;&gt;&gt; UAD plugs on =  
 inserts, with=20  
 Paris running off one CPU and UAD <BR>&gt;&gt;&gt;&gt;&gt; running=20  
 off<BR>&gt;&gt;&gt;&gt;&gt; another? Anyone =  
 know?<BR>&gt;&gt;&gt;&gt;=20  
 Rod<BR>&gt;&gt;&gt;&gt; -- <BR>&gt;&gt;&gt;&gt; Chris=20  
 Ludwig<BR>&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt; ADK Pro=20  
 Audio<BR>&gt;&gt;&gt;&gt; (859) 635-5762<BR>&gt;&gt;&gt;&gt; <A=20  
 =  
[href=3D"http://www.adkproaudio.com"](http://www.adkproaudio.com)>www.adkproaudio.com</A><BR>&gt;&gt;&g=  
 t;&gt;=20  
 <A=20  
 =  
[href=3D"mailto:](mailto:)

---

Subject: Re: When recording w/both MECs, How do you bring up both mixers?  
 Posted by [Stevehwan](#) on Wed, 19 Mar 2008 20:50:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

; what do you think? It's a lot less money than the Magma, about half the  
 > price.  
 >  
 > It would be no big deal to modify the case or drop it in to a larger case

> so you could use full size Paris cards.  
>  
> Chris Ludwig <chrisl@adkproaudio.com> wrote:  
>> opps sent this via email instead of news group.  
>>  
>> HI James,  
>> We tried it here and it didn't seem to on anything.  
>> Also the power supply will be way under powered for anything like a UAD.  
>> Too short for a Paris card.  
>>  
>> Chris  
>>  
>>  
>> James McCloskey wrote:  
>>> I wonder if these would work for Paris or UAD-1 cards? I think DeeJ spotted  
>>> these first.  
>>>  
>>> <http://virtuavia.eu/shop/pci-express-to-pci-expansion-box-p2-9809.html>  
>>>  
>>> <http://virtuavia.eu/shop/pdf/pcie2pci.pdf>  
>>>  
>>> <http://www.virtuavia.eu/shop/expresscard-34-to-pci-expansion-box-p29858.html>  
>>>  
>>> <http://virtuavia.eu/shop/pdf/exp2pci.pdf>  
>>>  
>>  
>> --  
>> Chris Ludwig  
>>  
>> ADK Pro Audio  
>> (859) 635-5762  
>> [www.adkproaudio.com](http://www.adkproaudio.com)  
>> [chrisl@adkproaudio.com](mailto:chrisl@adkproaudio.com)  
>IIRC, it was a voltage issue. The 'key' in the PCI slot will be on the wrong  
side (front/back relevant) if it does not work, I believe. EDS needs 5v, I  
think the spec for 2.3 might be 3.3vdc... working off memory here, but if  
somebody wants to google it that might get them started.

AA

"Kerry Galloway" <kg@kerrygalloway.com> wrote in message  
news:C46B1ADF.B0D5%kg@kerrygalloway.com...  
> Hmm, good questions; never occurred to me to mod the case. Thinking about  
> giving it a try? If you did it carefully, you could probably reassemble it  
> fairly easily.  
>  
> Here's something that would give me pause, though - "PCI Slots are fully

> Compliant PCI Bus Rev. 2.3". I wish I knew more about this, but isn't it  
> 2.3  
> and forward that PARIS cards don't work with any more?  
>  
> - Kerry  
>  
> On 6/3/08 1:58 PM, in article 4845b075\$1@linux, "James McCloskey"  
> <excelsm@hotmail.com> wrote:  
>  
>>  
>> Chris did You test this out personally? Which one did you test out, the  
>> PCIe  
>> or Card Bus? I'm wondering how hard it would be to add a bigger power  
>> supply,  
>> what do you think? It's a lot less money than the Magma, about half the  
>> price.  
>>  
>> It would be no big deal to modify the case or drop it in to a larger case  
>> so you could use full size Paris cards.  
>>  
>> Chris Ludwig <chrisl@adkproaudio.com> wrote:  
>>> opps sent this via email instead of news group.  
>>>  
>>> HI James,  
>>> We tried it here and it didn't seem to on anything.  
>>> Also the power supply will be way under powered for anything like a UAD.  
>>> Too short for a Paris card.  
>>>  
>>> Chris  
>>>  
>>>  
>>> James McCloskey wrote:  
>>>> I wonder if these would work for Paris or UAD-1 cards? I think DeeJ  
>>>> spotted  
>>>> these first.  
>>>>  
>>>> <http://virtuavia.eu/shop/pci-express-to-pci-expansion-box-p2-9809.html>  
>>>>  
>>>> <http://virtuavia.eu/shop/pdf/pcie2pci.pdf>  
>>>>  
>>>> <http://www.virtuavia.eu/shop/expresscard-34-to-pci-expansion-box-p29858.html>  
>>>>  
>>>> <http://virtuavia.eu/shop/pdf/exp2pci.pdf>  
>>>>  
>>>  
>>> --  
>>> Chris Ludwig  
>>>

>>> ADK Pro Audio  
>>> (859) 635-5762  
>>> [www.adkproaudio.com](http://www.adkproaudio.com)  
>>> [chrisl@adkproaudio.com](mailto:chrisl@adkproaudio.com)  
>>  
>Can this help?

[http://h20000.www2.hp.com/bc/docs/support/SupportManual/c002\\_56779/c00256779.pdf](http://h20000.www2.hp.com/bc/docs/support/SupportManual/c002_56779/c00256779.pdf)

Erling

"Aaron Allen" <[know-spam@not\\_](mailto:know-spam@not_)

---