Subject: PING! Dimitrios...
Posted by Neil on Sun, 24 Jun 2007 06:18:06 GMT
View Forum Message <> Reply to Message

2LF+8zj17T1lUyLZShGU4qzvJbLVwt9Gw2VOi6epXWoeJSxxq
WJ+y5R3PcZ6bpFDSxnCmmozUlZs9lS32Oy3m2BDo/cNKOmp19QnGdRSeGK7I
72tu4lvrGmzFTi3K1ReKKtSx9230mEuh6eVOlT9pZKahLZbY9+9NfsNk+k0J
Vs9Yov2bYwdkZYd1voA16DqU9Vqa9CUMKpNKLs9e3lwOmRtPoqenq1K0LcVV
qUreFxJAAAAAAAAAAAAAABFqd5koi1O8wNlDtNxpodpuAAAAAAAAAEXXVpUo
JQ2SlJRTutJRrr0I14YJc7gOfJ1NM1PHKStSkpO0nanUKgk7LXKShFcWaIaB
4lKpNzS3Kywl1KUaqwzVqA5tTqjlStpxsm1J+jCZrqVjjFxtf9uMnu2zVpJe
ioOKhhVi/eevSUW1JxVqss/DcBq0depVnVjPdGViNdavVpVI+1apTUdyw2XW
78RNhSjTbcVY5O1+kw+VpYseFW22/iBp1WryKiW1rDKVmzsM9Lq1qMSswuOF
/hJWo21NPTqu2atdjj+DFOhCk24KxuxP8NwGw5jlU1M5vHKMYycUouzcdMh1
dDim505uGLvKy0D3RVZzUoTdrg7LbzB9SiqmDC8OK

Subject: Re: PING! Dimitrios...
Posted by Chris Ludwig on Sun, 24 Jun 2007 14:19:57 GMT
View Forum Message <> Reply to Message

gN4NGe7kM93IDeDRnu5DPd
yA3g0Z7uQz3cgN4NGe7kM93IDeDRnu5DPdyA3g0Z7uQz3cgN4NGe7kM93IDe
DRnu5DPdyA3g0Z7uQz3cgN4NGe7kM93IDeHuNGe7kYyquSsA1lM65+vn7sS5
lM65+vn7sQIBuoaurprcqTjbvsNIIJMddXjhSm/YxYf92/mKeur0pOcJtOW+
wiJuW2MZNXqJ7bL+iXhYG/UaqrqWnVk5WbjdoOqV+nqUaKi1J2vEQcUv6ZeF
i2X9EvCwOu/uHVueZZC1Kw0a/q2o18FTqqKimpezwlFsv6JeFnmJ/wBMvCB2
Pt2rClq3Ko1FYN79I+4qsKurjKm1JYLLV6TjP2t8JP8A2iKa3Qkv9oFo+3NR
Tp6ZxnKMXmN+00th3VrqGNvNhZYv50fOXFPa6b8J5hj5b8JM+R9EWso4IrMh
amrfbX8TkaupTqSrSjKLtezbG5f6k/2MqWGK3waXGJllwuXISYPafdRv0/xY
e9H1mrcbdP8AFh70fWUWwAFEvVbijVO/L0svOq3FGqd+XpZKLB9rfAq/mv1I
sdHvIrn2t8Cr+a/Uix0e8iiSAAAAAAAAB5KKmsMkmn2M9PJSUVbJ2JdrA1
fKUPLh4UbkktiNXzVH+uPiRtTt2oAaflKD//ABw8KNxq+ao/1x8SA2QhGCGC
SSuRGeRnGati01ej0AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

K0pqLqSqqSitnsv03cntLZYrhYgOP1yvQoRhKtJudtlOkp4FJvZbJ7LEr7bE
S+kxcNLTi6qrNKzMi7U/x7bN34E1pPeLLAAAAAAAAAAAAAAAAAAAAAEWp3mSi
LU7zA2UO03Gig95vtQAC1C1AALULUAAtQtQAC1C1AALULUBxur9Tq6SrCnBx
hGUZSzJptNr+XZ2+i18DmQ6lX0+uqytthOrp6UoO3Zjg91u6xrdh28C1uxjZ
wAqcvuLVYpqyCahVlluPtQcNye39yM117VNZfsY8zTxx4dllaDlut7LL9paf
Z4DZwAq0vuDVyp0nCMVKWNOcrFFyj2e04pW+lvgyf0qrUqa7VqpamlQ9i21R
bhtSO17PAWoCr/5BqransxtjGrLDY7aeDdi97/aS6nUdZR0kdVUwf3HSswp2
QjJbZS3dvZsS/qZ3dnAWoCm6Xq+q0+nhGnZLHOr/AHKjWG1blbKSSt970JnY
0+u1up1dTTpQhGmqMp27WsUbZJWbHt7dn4na9ngLUBT4da1NOFlPCv1E3anL
4e3tl2kiv9w6hVIYVGEZKg1GStclVVsmns7u7cy0ezwI2o0VHUTjOra8FjUc
Tw2rtw7gJQFqFqAAWoWoABahagAFqFqAAWoWoAGLUeNoCGUzrn6+fuxLmUzr
n6+fuxAgAAgxUXHZGUkrlLYLJf1y8TMgB57f9c/ExbP+ufiZ6ANeSn2vmeZK
vfM2gDXkq98zzJV75m0Aa1RS7XzNltTzJ+JgAeSUpd+UpK6UrT0AAbdP8WHv
R9Zq

Subject: Re: PING! Dimitrios...
Posted by Deej [4] on Sun, 24 Jun 2007 15:10:16 GMT
View Forum Message <> Reply to Message

br />
LuyclY/QzTHqVF1q1GTwujgc5SsUfbVq22+uw4z+2puMU5p4XUtW1Jxn6Npu
rfb+LPUXFwqqlGKnb7OXHDbbeB2HrKKpSrqadOKblKLxLZv3Eej1SlUUJSTp
xnDNTqSgrI9lqxW7fRZe7dhhDp1RaCWjnPFOUJQx2Xqw59b7clOEYQnGOGgq
G7+bFicvxA7j1dBJydSFkbMTxLZbutI1brGmpTpU8alnNqMoyi1sv237PSRt
Z0WFbSLSUowjubbT71neVnaevpNST0sqk1KVBtzbXetQHXAAAAAAAAAAAMBg
Qimdc/Xz92Jcymdc/Xz92IEAAEAAEAAAAAAAAAAAAAANun+LD3o+s1G3T/Fh
70fWUWwAFEvVbijVO/L0svOq3FGqd+XpZKLB9rfAq/mv1IsdHvIrn2t8Cr+a
/Uix0e8iiSAAAAAAAAAABD6pqp6TTTrU0nJYbMW7bJL95MIXVtNPVaWdKltm
8LVvCSf7gOZU1vUqdN1G6LSVtmCX/Y7elquvRp1Xsc4xk/xVpwqtDqFSm6eT
FWqy3GjuaSk6NCnTlvjCMX+CsA2zeGLdyK9puodR1NONaLopSVqTjL/sWGax
RaXaiuaXS9Q01KNFUovCrLcaA6fTNdLUad1tRhi4ylGTWyPs9u09h1rRzjKS
qbI4bbYyT9vu2Jq129lhq6f06S0c9PqVZmOeJRfZLiaIfbdOKliqScnlOMrF
sylZH07ANum6/p6lHOrf27ZTio7ZOyPbsVvp2bDZDrNOpq4aWCbjOmqqqWPt
3bLN1nbbw3kV/bVPLUFUliWZ7Vi3VO8rCbQ6VChWp1lJt06KoJXpdoGPU+rR
0KahF1aqTm4J2WRW+Un2K69kzSV/maFOtZZjjGdm+zErTRrelafWqWZFY5Rw
Y7PaX/wSNNQWnowop2qEYwt91WAbQAAAAAAAAAAAAAAAAAAAAItTvMlEWp3mBs
odpuNNDtNwAAAAAAAAAAAAQeq6uWkoOdPvNqMfSzkVamp0MfmXWlUw2Y4S3N
dtlwFlBE12vhoqOfNNrYkl2t7jl1fuJOlLLg1WbrQjFtbHSjib/C7tA74K7T
+5FTowdSDnPBTlUasSWPcTNBrq9fW6mhUVkKWDDu2Wr9tu/gB1gcz6upVp0Y
Qk1B4JT7FKy3ddxOf0/7kXy+PVp5ipurbHdJY3D8Nti/aBYwcL/Io24cqWPM
VLDiW9q3eeS+5qKUZxhJxlTzZP8ApWPA/TYwO8Dj/wCQUXqPl4xb2qOL/U1d
dxImk+4ZR02nlXi5VK2NYtkY7JNLbuAsYOV1fX1NLGiqex1akYNpYmk7l2sj
R68oVJU3GdRutVpRSS/ksu37/SB3gcnUda+XqUqM6UlOqtmJpJO63daNJrq9
XqFfTTX9umoYd2y1fv38AOsAAAAAAAAAAYDAhFM65+vn7sS5lM65+vn7sQI
AAIAAIAAAAAAAAAAAAAAAbdP8WHvR9ZqNun+LD3o+sotgAKJeq3FGqd+XpZed
VuKNU78vSyUWD7W+BV/NfqRY6PeRXPtb4FX81+pFjpd5FEkAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAItTvMlEWp3mBsodpuNNDtNwAAAAA

AAAAAAadXpYaum6VTc7uw5keiTlJLUV3UpRaeDCo22bsT7f2HZAGqvpqeog6
VWOKD7CJ9F0eDLy/ZxSn3pW2yVj2227Vv22M6AA58+i6OainT2RSivaktkd1
u3bZxJVPS0qVSdaEbJ1MON34diNwAiPpumdXPcFj327d99m63jZaa4dG0cFY
qaswOlY237LeKzfftt3k8AQIdG0kGnGntUsdrlJ+0u3azz6JosODL9nDl96X
dxYrN/8AVtOgAI0NBQp1HVhHDJqx2Sdj7NqtsfpatND6Lo3CFJ0/Yh3Y4pYd
7e62x7W950ABpraSlXwOpG3Lkpw7LGtxpj0vTRqKqoe2pyq22vvy3vf2kwAR
NR03T6qaqVo43FppOTw7P9NuH9hthpaVOrOvGNlSpYpyvw7jcAAAAAAAAAAA
ABgMCEUzrn6+fuxLmUzrn6+fuxAgAAgAAgAAAAAAAAAAAABt0/xYe9H1mo2
6f4sPej6yi2AAol6rcUap35ell51W4o1Tvy9LJRYPtb4FX81+pFgTsdqKj0L
qVPROdGu8MZyxxl2Fg+raPzoeJFHUz+Az+By/q2j86HiQ+raPzoeJAdTP4DP
4HL+raPzoeJD6to/Oh4kB1M/gM/gcv6to/Oh4kPq2j86HiQHUz+Az+By/q2j
86HiQ+raPzoeJAdTP4DP4HL+raPzoeJD6to/Oh4kB1M/gM/gcv6to/Oh4kPq
2j86HiQHUz+Az+By/q2j86HiQ+raPzoeJAdTP4DP4HL+raPzoeJD6to/Oh4k
B1M/gM/gcv6to/Oh4kPq2j86HiQHUz+Az+By/q2j86HiQ+raPzoeJAdTP4DP
4HL+raPzoeJD6to/Oh4kB1M/gM/gcv6to/Oh4kPq2j86HiQHUz+Az+By/q2j
86HiQ+raPzoeJAdTP4DP4HL+raPzoeJD6to/Oh4kB1M/gM/gcv6to/Oh4kPq
2j86HiQHUz+Az+By/q2j86HiQ+raPzoeJAdTP4DP4HL+raPzoeJD6to/Oh4k
B03XuRqbtIP1bR+dDxIfVtH50PEgJ8JuDtRtz+By/q2j86HiQ+raPzoeJAdT
P4DP4HL+raPzoeJD6to/Oh4kB1M/gM/gcv6to/Oh4kPq2j86HiQHUz+Az+By
/q2j86HiQ+raPzoeJAdTP4DP4HL+raPzoeJD6to/Oh4kB1M/gM/gcv6to/Oh
4kPq2j86HiQHUz+Az+By/q2j86HiQ+raPzoeJAdTP4DP4HL+raPzoeJD6to/
Oh4kB1M/gM/gcv6to/Oh4kPq2j86HiQHUz+Az+By/q2j86HiQ+raPzoeJAdT
P4DP4HL+raPzoeJD6to/Oh4kB1M/gM/gcv6to/Oh4kPq2j86HiQHUz+Az+By
/q2j86HiQ+raPzoeJAdTP4DP4HL+raPzoeJD6to/Oh4kB1M/gM/gcv6to/Oh
4kPq2j86HiQHUz+Az+By/q2j86HiQ+raPzoeJAdTP4DP4HL+raPzoeJD6to/
Oh4kB1M/gYyrNqxKw5v1bR+dDxIfVtH50PEgJpTOufr5+7EssusaOKtzoP0S
tKjrdUtZqZ10rIuxR9CA0nb6d0Fa2gq7qqFrw2Ybf3o4hY9PWUOkOx2SU7Vz
IOXLpdSOs+T/AJrbMVnZfyJvUOgLR0JV1VU8LSsw2dvpZ2VrdPKiupOzNUMF
nH/5/YQlqIT6Zire1bUUpxT2tYkBVzq9O6M9ZSlWnUVKCdlrVtv7UZTlodTZ
S09KUakmkpSkrEdnW1NDRoR0VSo4qKTeBW2gV3qfTpdPq5cniTVqlZZabOpd
L+RhTljxZit3WWftO3rvl+paL+zPFOjuctjdh7rNLT6tQoulVjFwVjxAcPQd
L+dpVKuPDl9lltv7SbT+3oOjCtU1Cgprtj/9idp9PT6VpayqVYylNbFEy1Gi
XUNFRpxqRi47XiAgL7chUi3Q1EZyStsUf/bIk+jSjpPmse23Dgw9ttm+39x2
emaCPSnOtVqwacbNjMKmoh9MUrf51Kzt79oESX23Ckln6iMJNbsP/tGFX7eS
ozrUK0auBWtJXfizpdV6dHqk41qVWCWGzazzS6aHSdLXzasZOcdmH0P+IFRN
un+LD3o+s1G3T/Fh70fWBbAeAomapbCjVO/L0svep3FMrd59zeyUQ2k955lx
uXI3P/aecgNWXG5chlxuXI28hyA1ZcblyGXG5cjbyHIDVlxuXIZcblyNvIcg
NWXG5chlxuXI28hyA1ZcblyGXG5cjbyHIDVlxuXIZcblyNvIcgNWXG5chlxu
XI28hyA1ZcblyGXG5cjbyHIDVlxuXIZcblyNvIcgNWXG5chlxuXI28hyA1Zc
blyGXG5cjbyHIDVlxuXIZcblyNvIcgNWXG5chlxuXI28hyA1ZcblyGXG5cjb
yHIDVlxuXIZcblyNvIcgNWXG5chlxuXI28hyA1ZcblyGXG5cjbyHIDVlxuXI
ZcblyNvIcgNWXG5chlxuXI28hyA1ZcblyGXG5cjbyHIDVlxuXIZcblyNvIcg
NWXG5chlxuXI28hyA1ZcblyGXG5cjbyHIDVlxuXIZcblyNvIcgNWXG5chlxu
XI28hyA1ZcblyGXG5cjbyHIDVlxuXIZcblyNvIcgNWXG5chlxuXI28hyA1Zc
blyGXG5cjbyHIDVlxuXIZcblyNvIcgNWXG5chlxuXI28hyA1ZcblyGXG5cjb
yHIDVlxuXIZcblyNvIcgNWXG5chlxuXI28hyA1ZcblyGXG5cjbyHIDVlxuXI
ZcblyNvIcgNWCNy5GRnyHIDAGfIciDAGfIcgMAZ8hyAwBnyHIowBnyHIDAGf
IcgMAZ8hyAwNun+

Subject: Re: PING! Dimitrios...
Posted by Neil on Sun, 24 Jun 2007 17:55:07 GMT
View Forum Message <> Reply to Message

ml" target="_blank">http://www.m2cables.com/SCSI2toSCSI2CablesHDB50MtoML6.html
> >
> > I'm thinking of cleaning the female jacks on the mec and EDS to be
> > sure all is well. Any sprays anyone suggests? I've got Deoxit.
> > Good?
> > Tom
> >
> > "Rod Lincoln" <rlincoln@nospam.kc.rr.com
> <mailto:rlincoln@nospam.kc.rr.com>
> > <mailto:rlincoln@nospam.kc.rr.com>> wrote in message
> > news:4697f7e2$1@linux...
> >
> > Tom, sounds like it probably is a scsi issue. Your running xp
> right?
> > The new
> > Scherzo drivers are for xp verses 98 not for 3.0 verses 2.x
> > Come to think of it. you probably whoudn't have had any old
> drivers
> > on your
> > xp sys drive anyway...never mind.
> > Rod
> > "Tom Bruhl" <arpegio@comcast.net <mailto:arpegio@comcast.net>
> <mailto:arpegio@comcast.net>> wrote:
> > >
> > >
> > >Hey Rod,
> > >Hiding the default project didn't help anything. I've never
> > >had 2.?? installed on this comp so I think I'm safe there
> regarding
> > >drivers.
> > >
> > >I am only able to intermitantly get the 442 working as the
> master.
> > >I think that's do to the scsi cable issue. I need four new
> ones.
> > >I am unable to get more than one EDS card working WITH the 442.
> > >Not sure why. The ribbons are all wired correctly.
> > >
> > >I'm off to a hellish gigging weekend. No more time for
> hell in Paris.
> > >Thanks for all your input,
> > >Tom
> > > "Rod Lincoln" <rlincoln@nospam.kc.rr.com
> <mailto:rlincoln@nospam.kc.rr.com>
> > <mailto:rlincoln@nospam.kc.rr.com>> wrote in message =

> > >news:4697ab8a@linux...
> > >
> > > Did you try hiding the default ppj to see if it would boot up
> > with a =
> > >MEC when
> > > creating a new session?=20
> > > Rod
> > > "Tom

Subject: Re: PING! Dimitrios...
Posted by Chris Ludwig on Mon, 25 Jun 2007 01:32:08 GMT
View Forum Message <> Reply to Message

0
>cables are intermitant at=20
> > > best.</FONT></DIV>
><DIV><FONT =
> > >face=3D3DArial=20
> > > size=3D3D2>It's working fine with the 442 so I'm =
> > >=3D
>sticking=20
> > > with=3D20
>that for=20
> > > today.</FONT></DIV>
><DIV><FONT =
> > >face=3D3DArial=20
> > > size=3D3D2>I'll add my EDS cards one by one and
> =3D
>see if =
> > >that=20
> > > is=3D20
>back to=20
> > > normal.</FONT></DIV>
><DIV><FONT =
> > >face=3D3DArial=20
> > > size=3D3D2></FONT> </DIV>
><DIV><FONT =
> > >face=3D3DArial=20
> > > size=3D3D2>Thanks for the help and if I need =
> > >scsi
=3D
>cables=20
> > > what=3D20
>and where to buy them would be good info=20
> > > too.</FONT></DIV>
><DIV><FONT =
> > >face=3D3DArial=20
> > > size=3D3D2>Mr=20
> > > =
> > >Testy</FONT></DIV>
><BLOCKQUOTE=3D20
>style=3D=
> > >3D"PADDING-RIGHT:=20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;
> =3D
>BORDER-LEFT: =
> > >#000000 2px=20
> > > solid; MARGIN-RIGHT: 0px">
> <DIV>"Rod Lincoln"=20
> > > <<A=3D20
> =3D
>href=3D3D"<A=20
> > > =
> >
> >href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&a=
> >

> >mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=
> > >A>&g</A>=3D
>t;=3D20
> =20
> > > wrote in message <A=3D20
> href=3D3D"<A=20
> > > =
> >
> >href=3D'news:469780ce$1@linux">news:469780ce$1@linux</A>...</DIV>
I'>n=
> > >ews:469780ce$1@linux">news:469780ce$1@linux</A>...</DIV>&l=
> > >t;BR>I</A>
=3D
>think=20
> > > Tom=3D20
> was asking if there was a "3.0" version of
> the =
> > >EDS card=20
> > > that =3D
>needed
to be=3D20
> connected to =
> > >the master.=20
> > > The answer to that would be no.
Is this =3D
>what=20
> > > you=3D20
> were asking Tom?
DJ's advice is very =
> > >important=20
> > > though. I would do =3D
>it, if=3D20
> you haven't=20
> > > already.
I don't want to sound like a "RTFM" kind of =
> > >=3D
>guy,=20
> > > but=3D20
> the Paris manual describes
this =
> > >procedure pretty=20
> > > well.
It's on =3D
>page 4=3D20
> and 5 of =
> > >the 3.0=20
> > > version.
It kind of sounds to me like you may=20
> > > not
=3D
>be=3D20
> hooking up the correct eds=20
> > > card
to the master =
> > >mec.
Rod
"DJ"=3D20
> =20
> > > <animix _ at _ animas _ dot _ net>=3D20
> =20
> > > wrote:
>
>
>
> "Tom =
> > >Bruhl"=20
> > > <<A=3D20
> href=3D3D"<A=20
> > > =
> >
> >href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A'>mailto:arpegi=
> > >o@comcast.net">

Subject: Re: PING! Dimitrios...
Posted by Chris Ludwig on Mon, 25 Jun 2007 01:55:13 GMT
View Forum Message <> Reply to Message

>novice oriented=3D20
> question but . . =
> > >.
> It=20
> > > doesn't matter which card is the =3D
>"A"=3D20
> =20
> > > card
> in your system as far as Paris' ID=20
> > > orientation=3D20
> right?
>
> Yes, =
> > >it does,=20
> > > and the orientation of the =3D
>slots=3D20
> you are =

> > >using in=20
> > > =3D3D
>combination with the orientation of the=20
> > > =3D
>ribbon=3D20
> cables will determine =
> > >=3D3D
>this.=20
> > > Have you changed them around =3D
>during your=3D20
> =
> > >
> > > reconfiguration?
>
> Start with a new SCSI =
> > >cable and=20
> > > =3D
>a=3D20
> single EDS card. Test each MEC.=20
> > > Once
=3D3D
>you know if there =3D
>is=20
> > > a=3D20
> problem there, add a new SCSI cable and
> another=20
> > > =3D3D
>card. Put =3D
>different=3D20
> =
> > >modules in the=20
> > > MECs so you can see which one is on =3D3D
>card A, =
> > >=3D
>B, C=20
> > > at=3D20
> all times. this will give you the info as to
> how =
> > >the=20
> > > =3D3D
>cards =3D
>are=3D20
> =
> > >initializing and which=20
> > > card is card A, B, C as you start =3D
>=3D3D
>adding =
> > >
> > > more=3D20
> hardware. the MEC i sent you is one of 4
> that =
> > >were=20
> > > working =3D
>=3D3D
>perfectly=3D20
> =
> > >when I took my=20
> > > system off line. I can't imagine it being a=20
> > > =3D
>=3D3D
>problem.=3D20
> Bent pins on =
> > >SCSI cables=20
> > > can be a serious issue though. Your=20
> > > =3D
>=3D3D
>system=3D20
> will not =
> > >function with bad=20
> > > SCSI cables.
>
><!DOCTYPE=20
> > > =3D
>HTML=3D20
> PUBLIC "-//W3C//DTD HTML =
> > >4.0=3D20
> =20
> > > =
> > >Transitional//EN">
><HTML><HEAD>
>=
> > ><META=3D20
> =20
> > > http-equiv=3D3D3DContent-Type =
> > >content=3D3D3D"text/html;=3D20
> =20
> > > =3D3D
>charset=3D3D3Diso-8859-1">
><META =
> > >
> > > =3D
>content=3D3D3D"MSHTML=3D20
> =20
> > > 6.00.6000.16414"=3D20
> =20
> > > =
> > >=3D
>name=3D3D3DGENERATOR>
><STYLE></STYLE&=

```
>     >     >gt;<BR>></HEA=3D<BR>>D><BR>><BODY=3D20<BR>&=
>     >     >gt; =20
>     >     >  =
>     >     >bgColor=3D3D3D#ffffff><BR>><BLOCKQUOTE=3D20<BR>> =
>     >     >
>     >     >  dir=3D3D3Dltr=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: 0px; =
>     >     >PADDING-LEFT:=20
>     >     >  =3D<BR>>5px;=3D20<BR>> MARGIN-LEFT: 5px; =
>     >     >=3D3D<BR>>BORDER-LEFT:=20
>     >     >  #000000 2px solid; =3D<BR>>MARGIN-RIGHT:=3D20<BR>> =20
>     >     >  0px"><BR>> <DIV><FONT =
>     >     >face=3D3D3DArial=3D20<BR>> =20
>     >     >  size=3D3D3D2></FONT> </DIV><BR>> =
>     >     ><DIV>"Tom=20
>     >     >  =3D<BR>>Bruhl"=3D20<BR>> <<A=3D3D20<BR>>=20
>     >     >  href=3D3D3D"<A=3D20<BR>> =20
>     >     >  =
>     >
>     >=3D<BR>>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
>     >     >t;/A'>mailto:arpegi=3D<BR>>o@comcast.net">arpegio@comcast.net<=
>     >     >;/A</A>>>=3D20<BR>> =20
>     >     >  wrote =3D3D<BR>>in message=3D3D20<BR>> <A=20
>     >     >  href=3D3D3D"<A=3D20<BR>> =20
&
```

Subject: Re: PING! Dimitrios...
Posted by erlilo on Mon, 25 Jun 2007 07:15:25 GMT
View Forum Message <> Reply to Message

```
   >  >  ><HTML><HEAD>
   >     >  >  ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
   >     >=3D3D3D
   >     >  >  >charset=3D3D3D3Diso-8859-1">
   >     >  >  ><META content=3D3D3D3D"MSHTML 6.00.6000.16414"
   >    name=3D3D3D3DGENERATOR>
   >     >  >  ><STYLE></STYLE>
   >     >  >  ></HEAD>
   >     >  >  ><BODY bgColor=3D3D3D3D#ffffff>
   >     >  >  ><BLOCKQUOTE dir=3D3D3D3Dltr=3D3D3D20
   >     >  >  >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px;
   >    MARGIN-LEFT: =3D
   >     >5px; =3D3D
   >     >  >=3D3D3D
   >     >  >  >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
   >     >  >  >  <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =
</DIV>
```

> > > > <DIV>"Tom Bruhl" <<A=3D3D3D20
> > > >=20
> =
href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A
> <mailto:arpegio@comcast.net">arpegio@comcast.net</A>>>
> =3D
> >=3D3D
> > >wrote =3D3D3D
> > > >in message=3D3D3D20
> > > > <A =3D
> =
>href=3D3D3D3D"news:46972376@linux">news:46972376@linux</A>...</DIV
> <news:46972376@linux">news:46972376@linux</A>...</DIV>>
> > > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This is =
really a
> novice
> =3D
> >=3D3D
> > >oriented =3D3D3D
> > > >question but . .=3D3D3D20
> > > > .</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>It =
doesn't matter
> which
> =3D
> >card =3D3D
> > >is the =3D3D3D
> > > >"A"=3D3D3D20
> > > > card</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>in your =
system as
> far =3D
> >as =3D3D
> > >Paris' ID =3D3D3D
> > > >orientation=3D3D3D20
> > > > right?</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =
</DIV>
> > > > <DIV>
> > > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Yes, it =
does, and
> the =3D
> >=3D3D
> > >orientation of
> > > =3D3D3D
> > > >the slots=3D3D3D20
> > > > you are using in combination with the orientation of =
the =3D3D

> > >ribbon=3D3D3D20
> > > > cables will determine this. Have you changed them =
around
> during
> =3D
> >=3D3D3D
> > > >your=3D3D3D20
> > > > reconfiguration?</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =
</DIV>
> > > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Start =
with a new
> SCSI =3D
> >cable =3D3D
> > >and a =3D3D3D
> > > >single EDS=3D3D3D20
> > > > card. Test each MEC. Once you know if there is a =
problem
> there,
> =3D
> >add
> > =3D3D
> > >a
> > > =3D3D3D
> > > >new SCSI=3D3D3D20
> > > > cable and another card. Put different modules in the =
MECs
> so you
> =3D
> >=3D3D
> > >can =3D3D3D
> > > >see which=3D3D3D20
> > > > one is on card A, B, C at all times. this will give =
you
> the info
> =3D
> >=3D3D
> > >=3D3D3D
> > > >as to=3D3D3D20
> > > > how the cards are initializing and which card is =
card A,
> B, C as
> =3D
> >=3D3D
> > >you =3D3D3D
> > > >start=3D3D3D20
> > > > adding more hardware. the MEC i sent you is one of 4 =
that

> were =3D
> >=3D3D
> > >working
> > > =3D3D3D
> > > >
> > > > perfectly when I took my system off line. I can't =
imagine it =3D
> >being
> > =3D3D
> > >a =3D3D3D
> > > >problem.=3D3D3D20
> > > > Bent pins on SCSI cables can be a serious issue =
though. Your =3D
> >system
> > =3D3D
> > >=3D3D3D
> > > >will not=3D3D3D20
> > > > f

Subject: Re: PING! Dimitrios...
Posted by Tom Bruhl on Mon, 25 Jun 2007 07:18:57 GMT
View Forum Message <> Reply to Message

unction with bad SCSI =3D3D3D
> > > >cables.</FONT></DIV></DIV></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > >
> > >
> > >
> > >I choose Polesoft Lockspam to fight spam, and you?
> > >http://www.polesoft.com/refer.html =3D20
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3DContent-Type =
content=3D3D3D"text/html; =3D3D
> > >charset=3D3D3Diso-8859-1">
> > ><META content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3DArial =
size=3D3D3D2>Guys,</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm all set with =

the
> cables and
> =3D
> >the =3D3D
> > >which card is A=3D3D20
> > >bit.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Rod you were =
right about
> what I
> =3D
> >was=3D3D20
> > >asking.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>In any event I =
scaled down
> to =3D
> >one EDS =3D3D
> > >(Pretty sure=3D3D20
> > >that's card A right?!!!)</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>and plugged it =
into each
> of my =3D
> >two =3D3D
> > >working=3D3D20
> > >Mecs. Paris will boot but</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>even internal =
clock was
> never =3D
> >found nor
> > =3D3D
> > >were the=3D3D20
> > >in/outs on each Mec.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>The 442 on the =
other hand
> works
> =3D
> >like a
> > =3D3D
> > >champ one=3D3D20
> > >card only. I suspect</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>either all my =
Mecs are
> screwy =3D
> >now or =3D3D
> > >the SCSI=3D3D20
> > >cables are intermitant at best.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>It's working =
fine with the

> 442 =3D
> >so I'm =3D3D
> > >sticking with=3D3D20
> > >that for today.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'll add my EDS =
cards one
> by one
> =3D
> >and =3D3D
> > >see if that is=3D3D20
> > >back to normal.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Thanks for the =
help and if I =3D
> >need scsi
> > =3D3D
> > >cables what=3D3D20
> > >and where to buy them would be good info =
too.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mr =
Testy</FONT></DIV>
> > ><BLOCKQUOTE=3D3D20
> > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT:
> 5px; =3D
> >=3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Rod Lincoln" <<A=3D3D20
> > > =3D3D
> > =3D
> =
>>href=3D3D3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com=
</A
> =
<mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>=3D
> >>&g=3D3D
> > >t;=3D3D20
> > > wrote in message <A=3D3D20
> > > =3D
> =
>href=3D3D3D"news:469780ce$1@linux">news:469780ce$1@linux</A>...</DIV><BR=
>I
> =
<news:469780ce$1@linux">news:469780ce$1@linux</A>...</DIV>
I>
> > =3D3D
> > >think Tom=3D3D20
> > > was asking if there was a "3.0" version of the EDS card =
that =3D3D

> > >needed
to be=3D3D20
> > > connected to the master. The answer to that would be =
no.
Is =3D
> >this =3D3D
> > >what you=3D3D20
> > > were asking Tom?
DJ's advice is very important =
though. I
> would =3D
> >do =3D3D
> > >it, if=3D3D20
> > > you haven't already.
I don't want to sound like a =
"RTFM"
> kind of
> =3D
> >=3D3D
> > >guy, but=3D3D20
> > > the Paris manual describes
this procedure pretty
> well.
It's =3D
> >on =3D3D
> > >page 4=3D3D20
> > > and 5 of the 3.0 version.
It kind of sounds to me =
like you
> may =3D
> >not
> > =3D3D
> > >be=3D3D20
> > > hooking up the correct eds card
to the master =3D
> >mec.
Rod
"DJ"=3D3D20
> > > <animix _ at _ animas _ dot _ net>=3D3D20
> > > wrote:
>
>
>
> "Tom Bruhl" <<A=3D3D20
> > > =
href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A
> <mailto:arpegio@comcast.net">arpegio@comcast.net</A>>> =3D
> >wrote =3D3D
> > >in message=3D3D20
> > > =3D3D3D
>news:46972376@linux...
> This is really =
a =3D3D
> > >novice oriented=3D3D20
> > > question but . . .
> It doesn't matter which card is =
the =3D3D
> > >"A"=3D3D20
> > > card
> in your system as far as Paris' ID =
orientation=3D3D20
> > > right?
>
> Yes, it does, and the orientation of =
the =3D3D
> > >slots=3D3D20
> > > you are using in =3D3D3D
>combination with the =
orientation

> of the
> =3D
> >=3D3D
> > >ribbon=3D3D20
> > > cables will determine =3D3D3D
>this. Have you =
changed them
> around
> =3D
> >=3D3D
> > >during your=3D3D20
> > > reconfiguration?
>
> Start with a new SCSI cable =
and =3D3D
> > >a=3D3D20
> > > single EDS card. Test each MEC. Once
=3D3D3D
>you =
know if
> there
> =3D
> >=3D3D
> > >is a=3D3D20
> > > problem there, add a new SCSI cable and another
> =3D3D3D
>card. Put
> =3D
> >=3D3D
> > >different=3D3D20
> > > modules in the MECs so you can see which one is on
> =3D3D3D
>card =3D
> >A, =3D3D
> > >B, C at=3D3D20
> > > all times. this will give you the info as to how the =
=3D
> >=3D3D3D
>cards =3D3D
> > >are=3D3D20
> > > initializing and which card is card A, B, C as you =
start =3D3D
> > >=3D3D3D
>adding more=3D3D20
> > > hardware. the MEC i sent you is one of 4 that were =
working =3D3D
> > >=3D3D3D
>perfectly=3D3D20
> > > when I took my system off line. I can't imagine it =
being a =3D3D
> > >=3D3D3D
>problem.=3D3D20
> > > Bent pins on SCSI cables can be a serious issue though. =
Your =3D3D
> > >=3D3D3D
>system=3D3D20
> > > will not function with bad SCSI =
cables.
>
><!DOCTYPE =3D3D
> > >HTML=3D3D20
> > > PUBLIC "-//W3C//DTD HTML 4.0=3D3D20

> > > Transitional//EN">
><HTML><HEAD>
><META=3D3D20
> > > http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D3D20
> > > =3D3D3D
>charset=3D3D3D3Diso-8859-1">
><META =
=3D3D
> > >content=3D3D3D3D"MSHTML=3D3D20
> > > 6.00.6000.16414"=3D3D20
> > > =3D3D
> > =
>name=3D3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D3D
> > >D>
><BODY=3D3D20
> > > bgColor=3D3D3D3D#ffffff>
><BLOCKQUOTE=3D3D20
> > > =
dir=3D3D3D3Dltr=3D3D3D20
>style=3D3D3D3D"PADDING-RIGHT: 0px; =3D
> >PADDING-LEFT: =3D3D
> > >5px;=3D3D20
> > > MARGIN-LEFT: 5px; =3D3D3D
>BORDER-LEFT: #000000 2px =
solid; =3D3D
> > >MARGIN-RIGHT:=3D3D20
> > > 0px">
> <DIV><FONT face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2></FONT> </DIV>
> <DIV>"Tom =3D3D
> > >Bruhl"=3D3D20
> > > <<A=3D3D3D20
> href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A'>mailto:=
arp=3D
> >egi=3D3D
> > >o@comcast.net">arpegio@comcast.net</A</A>>>=3D3D20
> > > wrote =3D3D3D
>in message=3D3D3D20
> <A =
href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>href=3D3D3D'news:46972376@linux">news:46972376@linux</A>...</DIV'>news:=
469=3D
> >723=3D3D
> > =
>76@linux">news:46972376@linux</A>...</DIV</A>>
>&nbs=3D3D
> > >p;=3D3D20
> > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This is =
really a =3D3D
> > >novice oriented=3D3D20
> > > =3D3D3D
>question but . .=3D3D3D20
> =3D3D20
> > > .</FONT></DIV>
> <DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>It doesn't matter which card is the =

=3D3D
> > >=3D3D3D
>"A"=3D3D3D20
> =3D3D20
> > > card</FONT></DIV>
> <DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>in your system as far as Paris' =
ID=3D3D20
> > > =3D3D3D
>orientation=3D3D3D20
> =3D3D20
> > > right?</FONT></DIV>
> <DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2></FONT> </DIV>
> =3D3D
> > ><DIV>
> =3D3D20
> > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Yes, it =
does, and
> the =3D3D
> > >orientation=3D3D20
> > > of
=3D3D3D
>the slots=3D3D3D20
> you are using =
in =3D3D
> > >combination with=3D3D20
> > > the orientation of the ribbon=3D3D3D20
> cables will
> determine =3D3D
> > >this.=3D3D20
> > > Have you changed them around during
> =3D3D3D
>your=3D3D3D20
> =3D3D
> > >
> > > reconfiguration?</FONT></DIV>
> =3D3D
> > ><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> =
=3D3D20
> > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Start with =
a new
> SCSI =3D3D
> > >cable and a=3D3D20
> > > =3D3D3D
>single EDS=3D3D3D20
> card. Test each =
MEC. Once
> you =3D3D
> > >know if=3D3D20
> > > there is a problem there, add a
=3D3D3D
>new =
=3D3D
> > >SCSI=3D3D3D20
> cable=3D3D20
> > > and another card. Put different modules in the MECs so =
you
> can =3D3D
> > >=3D3D3D
>see=3D3D20
> > > which=3D3D3D20
> one is on card A, B, C at all =
times. this =3D3D
> > >will give you=3D3D20
> > > the info =3D3D3D
>as to=3D3D3D20
> how the cards =
are =3D3D

> > >initializing and=3D3D20
> > > which card is card A, B, C as you =
=3D3D3D
>start=3D3D3D20
> =3D3D
> > >adding more=3D3D20
> > > hardware. the MEC i sent you is one of 4 that =
were=3D3D20
> > > working
=3D3D3D
>
> perfectly when I took my =
system =3D3D
> > >off line. I=3D3D20
> > > can't imagine it being a =
=3D3D3D
>problem.=3D3D3D20
> Bent =3D3D
> > >pins on SCSI=3D3D20
> > > cables can be a serious issue though. Your system =3D
> >=3D3D3D
>will=3D3D20
> > > not=3D3D3D20
> function with bad SCSI=3D3D20
> > > =3D3D
> > >=3D3D3D
>cables.</FONT></DIV></DIV></BLOCKQUOTE>=3D3D
> > >;</BODY></HTML>
>
>
</BLOCKQUOTE>
> > ><DIV><FONT size=3D3D3D2>

I choose Polesoft =
Lockspam to fight =3D
> >spam, =3D3D
> > >and=3D3D20
> > >you?
<A=3D3D20
> > =3D
> =
>>href=3D3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com=
/re
> =
<http://www.polesoft.com/refer.html">http://www.polesoft.com/re>=3D
> >fer=3D3D
> > >.html</A> </FONT></DIV></BODY></HTML>
> > >
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =
=3D
> >charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" =
name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>Hey Rod,</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Hiding the default =

project didn't
> help=3D20
> >anything. I've never</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>had 2.?? installed on =
this comp
> so I =3D
> >think I'm safe=3D20
> >there regarding</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>drivers.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I am only able to =
intermitantly
> get the
> =3D
> >442 working=3D20
> >as the master.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I think that's do to =
the scsi cable =3D
> >issue. I=3D20
> >need four new ones.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I am unable to get more =
than one
> EDS =3D
> >card working=3D20
> >WITH the 442.</FONT></DIV>
> ><DIV><FONT

Subject: Re: PING! Dimitrios...
Posted by Dimitrios on Mon, 25 Jun 2007 11:04:54 GMT
View Forum Message <> Reply to Message

<DIV>"Rod Lincoln" <<A=3D20
> > =3D
> =
>href=3D3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A=
>&g
> =
<mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&g>=3D
> >t;=3D20
> > wrote in message <A=3D20
> >=20
> =
href=3D3D"news:4697ab8a@linux">news:4697ab8a@linux</A>...</DIV>
Did
> <news:4697ab8a@linux">news:4697ab8a@linux</A>...</DIV>
Did> =
=3D
> >you try=3D20
> > hiding the default ppj to see if it would boot up with a =

MEC =3D
> >when
creating=3D20
> > a new session?
Rod
"Tom Bruhl" <<A=3D20
> > =
href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20
&g

Subject: Re: PING! Dimitrios...
Posted by erlilo on Mon, 25 Jun 2007 15:14:39 GMT
View Forum Message <> Reply to Message

=20
"Tom Bruhl" <<A =
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>=20
<<A=20
=
href=3D"mailto:arpegio@comcast.net">mailto:arpegio@comcast.net</A>>&gt=
;=20
wrote:
 >   =2 0
>
 >   =2 0
>
>   >Hey=20
Rod,
>   >Hiding the default =
project=20
didn't help anything. I've =
never
 >   =2 0
>had 2.?? installed on this comp so I think I'm safe there=20
regarding
 >   =2 0
>drivers.
 >   =2 0
>
>   >I am only able to=20
intermitantly get the 442 working as the=20
master.
>   >I think that's do =
to the=20
scsi cable issue. I need four new=20
ones.
>   >I am unable to get =
more than=20
one EDS card working WITH the =
442.
 >   =2 0
>Not sure why. The ribbons are all wired=20
correctly.
 >   =2 0
>
>   >I'm off to a hellish =
gigging=20
weekend. No more time for hell in=20
Paris.
>   >Thanks for all your =

input,
 >   =2 0
>Tom
>   > "Rod =
Lincoln"=20

<<A=20
=
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A><B=
R>>   =20
<<A=20
=
href=3D"mailto:rlincoln@nospam.kc.rr.com">mailto:rlincoln@nospam.kc.rr.co=
m</A>>>=20
wrote in message =3D
 >   =2 0
>news:4697ab8a@linux...
 >   =2 0
>
>   > Did you try =
hiding the=20
default ppj to see if it would boot =
up
>   with=20
a =3D
>   >MEC=20
when
>   > creating a new =

session?=3D20
>   > =20
Rod
>   > "Tom Bruhl" =
<<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A> <<A=20
=
href=3D"mailto:arpegio@comcast.net">mailto:arpegio@comcast.net</A>>&gt=
;
>   =20
wrote:
>   > =20
>
>   > =20
>
>   > =20
>Guys,
>   > >I'm =
all set=20
with the cables and the which card is A=20
bit.
>   > >Rod you =
were right=20
about what I was asking.
>   =
> =20
>
>   > >In any =
event I=20
scaled down to one EDS (Pretty sure that's=20
card
>   A=20
=3D3D
>   > =20
>right?!!!)
>   > =
>and=20
plugged it into each of my two working Mecs. Paris=20
will
>   boot=20
but
>   > >even =
internal clock=20
was never found nor were the in/outs =
on
>   each=20
Mec.
>   > >The 442 on =

the=20
other hand works like a champ one card only. I=20
=3D
 >   =2 0
>suspect
>   > =
>either all=20
my Mecs are screwy now or the SCSI cables=20
are
>   =20
intermitant
>   =20
=3D
 >   =2 0
>at
>   > =20
=3D3D
>   > =20
>best.
>   > >It's =
working=20
fine with the 442 so I'm sticking with that for=20
today.
>   > >I'll add =
my EDS=20
cards one by one and see if that is back to=20
normal.
>   > =20
>
>   > >Thanks for =
the=20
help and if I need scsi cables what and where=20
to
>   buy=20
=3D
 >   =2 0
>them
>   > =20
=3D3D
>   > >would be =
good info=20
too.
>   > >Mr=20
Testy
>   > > =
"Rod=20
Lincoln" <<A=20
=
href=3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A><B=
R>>   =20
<<A=20
=
href=3D"mailto:rlincoln@nospam.kc.rr.com">mailto:rlincoln@nospam.kc.rr.co=
m</A>>>=20
wrote in message =3D3D
>   =
> =20
>news:469780ce$1@linux...
 >   =2 0
> >
>   > =
> =20
I think Tom was asking if there was a "3.0" version of=20
the
>   EDS =
card
>   =20
=3D
 >   =2 0
>=3D3D
>   > >that=20
needed
>   > > =

to be=20
connected to the master. The answer to that would=20
be
>   =20
no.=3D3D20
>   > =
> Is this=20
what you were asking Tom?
>   =
> =20
> DJ's advice is very important though. I would do it, if=20
you
>   =
haven't
>   =20
=3D
 >   =2 0
>=3D3D
>   > =20
>already.
>   > =
> I=20
don't want to sound like a "RTFM" kind of guy, but the Paris=20
=3D
 >   =2 0
>manual
>   > =20
=3D3D
>   > =20
>describes
>   > =
> =20
this procedure pretty well.
>   =
> =20
> It's on page 4 and 5 of the 3.0=20
version.
>   > > =
It kind=20
of sounds to me like you may not be hooking up=20
the
>   =
correct
>   =20
=3D
 >   =2 0
>eds
>   > =20
=3D3D
>   > =20
>card
>   > > =
to the=20
master mec.
>   > =
> =20
Rod
>   > > "DJ" =

<animix _ at _ animas _ dot _ net>=20
wrote:
>   > > =20
>
>   > > =20
>
>   > > =20
>
>   > > =
> =20
"Tom Bruhl" <<A=20
=
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>
> =
   =20
<<A=20

=
href=3D"mailto:arpegio@comcast.net">mailto:arpegio@comcast.net</A>>&gt=
;=20
wrote in message =3D3D3D
>   =
> =20
> =
>news:46972376@linux...
 >   =2 0
> > > This is really a novice oriented =
question=20
but . . .
>   > =
> =20
> It doesn't matter which card is the "A"=20
card
>   > > =
> =20
in your system as far as Paris' ID orientation=20
right?
>   > > =20
>
>   > > =
> =20
Yes, it does, and the orientation of the slots you=20
are
>   using =
in
>   =20
=3D
 >   =2 0
>=3D3D3D
>   > =
> =20
>combination with the orientation of the ribbon cables will=20
=3D
 >   =2 0
>determine
>   > =20
=3D3D
>   > =20
>=3D3D3D
>   > =
> =20
>this. Have you changed them around during your=20
reconfiguration?
>   > =
> =20
>
>   > > =
> =20
Start with a new SCSI cable and a single EDS card. Test each=20
=3D
>   >MEC.=20
=3D3D
>   > =20
>Once
>   > > =

=3D3D3D
>   > > =
>you=20
know if there is a problem there, add a new SCSI=20
cable
>   and=20
=3D3D
>   > >another=20
=3D3D3D
>   > > =
>card.=20
Put different modules in the MECs so you can see=20

which
>   one=20
=3D
>   >is=20
=3D3D
>   > >on=20
=3D3D3D
>   > > =
>card=20
A, B, C at all times. this will give you the info as=20
to
>   how=20
=3D
 >   =2 0
>the
>   > =20
=3D3D
>   > =20
>=3D3D3D
>   > =
> =20
>cards are initializing and which card is card A, B, C as=20
you
>   =
start
>   =20
=3D
 >   =2 0
>=3D3D
>   > =20
>=3D3D3D
>   > =
> =20
>adding more hardware. the MEC i sent you is one of 4=20
that
>   were=20
=3D3D
>   > >working=20
=3D3D3D
>   > > =20
>perfectly when I took my system off line. I can't imagine=20
it
>   =
being
>   =20
=3D
 >   =2 0
>a
>   > =20
=3D3D
>   > =20
>=3D3D3D
>   > =
> =20
>problem. Bent pins on SCSI cables can be a serious=20
issue
>   though.=20
=3D
 >   =2 0
>Your
>   > =20
=3D3D
>   > =20
>=3D3D3D
>   > =
> =20
>system will not function with bad SCSI=20
cables.
>   > > =20
>
>   > > =20
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
>   =
> =20
> =20
><HTML><HEAD>
 >   =2 0
> > ><META http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html; =

=3D
 >   =2 0
>=3D3D3D
>   > =
> =20
=
>charset=3D3D3D3Diso-8859-1">
>   =
=20
> > ><META content=3D3D3D3D"MSHTML=20
6.00.6000.16414"
>   =20
name=3D3D3D3DGENERATOR>
>   =
> =20
> =20
=
><STYLE></STYLE>
 >   =2 0
> > =20
></HEAD>
>   > =20
> ><BODY=20
bgColor=3D3D3D3D#ffffff>
>   =
> =20
> ><BLOCKQUOTE=20
dir=3D3D3D3Dltr=3D3D3D20
>   =
> =20
> >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT:=20
5px;
>   MARGIN-LEFT:=20
=3D
>   >5px;=20
=3D3D
>   > =20
>=3D3D3D
>   > =
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20
0px">
>   > > =

>&am