
Subject: *****FreakQ Update*****

Posted by [Mike Audet](#) on Tue, 25 Sep 2007 01:49:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

br />

new C=20

drive =3D3D
> >which I will=3D3D20
> =

> >load XP=20

and no pace. >Any =3D3D3D3D
> =3D3D20
> =

> >=20

> >other=3D3D3D3D3D20
> > > > =

=3D3D20
> >=20

> > >suggestions?
> > > >=20

=3D3D
> >>
> =3D3D20
> =

> >=20

> > >More frustrated than my =3D3D
> >=20

>
> =3D3D20
> > > >=

> >&Tom
> > > =

=3D3D20
> >=20

> >
> > > >=20

>
> > >=3D3D
> =

>
> >=20

> > >
> > > >=20

>
> >=3D3D
> >
> =

> >=20

> > >I choose Polesoft Lockspam to fight spam,=20

=3D3D
> >&and=3D3D20
> > >=20

you?
> > > =3D3D20
> =

> >=20

>&http://www.polesoft.com/refer.html > =

=3D3D3D3D3D20
> >=20

=3D3D
> >> =3D3D20
> > >=20

>
> > >
> =

> >=20

=3D3D
> >><!DOCTYPE=3D3D20
> =

> >HTML=20

PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>=20

=3D3D20
> > > >=20

><HTML><HEAD><BR&a mp;gt;> > > =

=3D3D
> >=20

>><META=3D3D20
> > >=20

http-equiv=3D3D3D3D3D3DContent-Type=20

=3D
>&content=3D3D3D3D3D3D"text/html;=3D3D20
> =

> >=20

=3D3D3D
>=3D3D3D3D<BR&g t;gt; > =

=3D3D20
> >=20

> >& charset=3D3D3D3D3D3DISO-8859-1">
> > =

cards,
because I just have to know!

Good luck!

Mike=20

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>After installing a network card it showed up.
>
>Repeating the process using the same PCI slot
>with an eds card made Windows hang.
>
>Are all my EDS cards toast? They weren't a few weeks
>ago? Even when the Mecs weren't showing up the 442 allowed
>5 EDS cards to work in the Magma.
>
>What the heck?
>Tom
>
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =3D
>news:471c381e@linux...
> Mastercard=3D3D0 was correct also.
>
> I am going to try a clean OS with Paris on it too
> if the PCI slots are still working.
>
> Don't bother wishing me luck. There's none to be found.
> Tom
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =3D
>news:471c3137@linux...
> Mike,
> I removed the default project and .cfg from the folder as you =3D
>suggested.
> Now the computer won't even boot with either of three eds cards =
=3D
>installed.
> No Magma, no word clock, no word clock line in the existing =
config.
>
> I'm going to check with a network card to see if the PCI slots =
are =3D
>burn't.
> I tried three different ones with the eds. The one time Windows =

=3D
>worked
> with an eds card, the eds card didn't show up in device manager. =
=3D
>That's=3D20
> probably why.
>
> There is some serious funk going on over here. Maybe mobo? If =
this
=3D
>is the
> case I give up. It's not worth any more BS to me. There is no =
=3D
>person
> in my neighborhood to walk me through this. My tech helps me
> but the problem seems to be from the ground up. I'm guessing 3-4
> things still so wrong that nothing makes sense.
>
> Cubase is looking more and more inviting, learning curve and all.
> Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message =
news:471bcb77\$1@linux...
>
> Hi Tom,
>
> I have an idea.
>
> Try removing UseHouseSync=3D3D1 from the paris.cfg file.
>
> Next, remove your default project from the program =
files\emu\paris
=3D
>pro folder.
> =3D20
>
> Let me know if it makes a difference.
>
> Good luck!
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Mike,

> >I used to use a Lucid but since all of this mess I stopped.
 > >I'm trying to get stable from square one with the least =3D
 >amount=3D3D20
 > >of hardware. I am using the default project for sure. The =
 =3D
 >only=3D3D20
 > >other thing that I still question is my move of Paris to =3D
 >C:ParisPro .
 > >I should think the default project will either work or not. =
 =3D
 >Maybe
 > >configs or something else is fighting during Paris startup?
 > >
 > >Pats 42 - Miami 7 . . . Halftime and the games over.
 > >Tom
 > >
 > >
 > >
 > > "Mike Audet" <mike@....> wrote in message =3D
 >news:471b6eb0\$1@linux...
 > >
 > > Hi Tom,
 > >
 > > Are you using a default project with PARIS? I'm so sorry of =
 =3D
 >this has
 > =3D3D
 > >been
 > > asked and answered already. If so, perhaps it is telling =
 card
 =3D
 >zero to
 > =3D3D
 > >lock
 > > to an external clock, which it can't because there isn't =
 one.
 > >
 > > It would be interesting to attach an external clock source =
 to =3D
 >the MEC
 > =3D3D
 > >and
 > > then start PARIS to see how it behaves. Or, if the clock =
 =3D
 >generator is
 > =3D3D
 > >fried,
 > > tell paris to lock externally and see what happens when an =

```

=3D
>external =3D3D3D
>    >clock
>    > source is applied.
>    >
>    > Isn't there a master house synch switch in the cfg file? =
I've
=3D
>never =3D3D3D
>    >used
>    > it. Maybe DJ could help with what that should/shouldn't be =
set
=3D
>to.
>    >
>    > Wish I could do more than think out loud...
>    >
>    > Mike
>    >
>    > "Tom Bruhl" <arpeggio@comcast.net> wrote:
>    > >
>    > >
>    > >Hi Mike,
>    > >Well I've been to .cfg many a time.
>    > >I've seen that Mastercard setting as being 0
>    > >but maybe it changed after removing the 4 other
>    > >eds cards for this round of testing.
>    > >
>    > >If it's still 0 what else could this be? Busted mobo?
>    > >I'm really in an idunno place right now. I'll be checking
>    > >seriously today again because of a session tomorrow =
morning.
>    > >Tom
>    > >
>    > >
>    > > "Mike Audet" <mike@....> wrote in message =3D
>news:471b2ec2$1@linux...
>    > >
>    > > Hi Tom,
>    > >
>    > > If you've only got one card in, then the Mastercard =
=3D3D3D3D3D
=3D
>0 setting
>    =3D3D3D
>    >is =3D3D3D3D
>    > >right.
>    > > The file is Paris.cfg, and it lives in the c:\program =

```

=3D3D

```
> >files\Emu\PARIS
> > =3D3D3D
> > >PRO
> > > folder.
> > >
> > > I'd still check it out to see what it is set to.
> > >
> > > If it is wrong, what you are describing will happen.
> > >
> > > Good luck!
> > >
> > > Mike
> > >
> > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > >
> > > >
> > > >Thanks Dimitrios.
> > > >
> > > >Mike said the same thing. Is the ini in the Paris folde =
```

or

=3D

```
>system
```

```
> =3D3D
```

```
> >=3D3D3D
```

```
> > >32?
```

```
> > > >Do I want the Master card to be 0 absolutely? I only =
```

have

=3D

```
>one =3D3D
```

```
> >card
```

```
> > > >in there right now and it's all freaky just the same.
```

```
> > > >Tom
```

```
> > > >
```

```
> > > >
```

```
> > > >
```

```
> > > > "Dimitrios" <musurgio@otenet.gr> wrote in message =
```

=3D3D3D3D

```
> > > >news:471a0486$1@linux...
```

```
> > > >
```

```
> > > > Hi Tom !@
```

```
> > > > Sorry to hear you still having problems like this ~!!
```

```
> > > > Must be very frustrating.
```

```
> > > > Open the Paris ini file and there change the =3D
```

```
>mastercardoutput =3D3D
```

```
> >with
```

```
> > =3D3D3D
```

```
> > >=3D3D3D3D
```

> > > >your other
 > > > > cards and see what happens !!
 > > > > Let me know.
 > > > > Regards,
 > > > > Dimitrios
 > > > >
 > > > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
 > > > >
 > > > >
 > > > > >Rick,
 > > > > >1 mec, no BNC involved. Paris boots up so the 1 mec =
 =3D
 >that
 > > > > >I'm using shows up but never any A to Ds or any =3D
 >installed =3D3D
 > >modules.
 > > > > >This is the same symptom before I repaired one of my =
 =3D
 >mecs with
 > =3D3D
 > >a
 > > > > >new chip. The clock light continues to flash too. =
 =3D
 >Never locks
 > =3D3D
 > >=3D3D3D
 > > >in.
 > > > >
 > > > > >I am using the simplest setup I can imagine and still =
 =3D
 >it's not
 > =3D3D
 > >=3D3D3D3D
 > > > >working.
 > > > > >Mike A. suggested the .ini file to make sure card A =
 is
 =3D
 >0. =3D3D
 > >I'll =3D3D3D
 > > >try
 > > > =3D3D3D3D
 > > > >=3D3D3D3D3D
 > > > > >that.
 > > > > >Pretty sure it's right but who knows?
 > > > > >Thanks,
 > > > > >Tom
 > > > > >
 > > > > >

> > > >
 > > > >
 > > > >
 > > > > "rick" <parnell68@hotmail.com> wrote in message =3D
 >=3D3D3D3D3D3D
 > > > > news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
 > > > > i know this as dumb as it gets but the bnc is =
 attached
 =3D
 >in the
 > =3D3D
 > >=3D3D3D
 > > >right
 > > > > order...right?
 > > > > all the cards show up in paris with the single mec?
 > > > > how many i/o cards in each mec?
 > > > >
 > > > >
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D
 >=3D3D3D3D3D
 > > > ><arpeggio@comcast.net>
 > > > > wrote:
 > > > >
 > > > > >I thought I was groovin' but once the second Mec =
 was
 =3D
 >=3D3D
 > >introduced
 > > > > >the system stopped. That was a few weeks ago.
 > > > > >
 > > > > >Today I tried different cables, eds cards, mecs, =
 =3D
 >eliminated
 > =3D3D
 > >the
 > > =3D3D3D
 > > >=3D3D3D3D3D
 > > > >magma
 > > > > =3D3D3D3D3D3D
 > > > > >and
 > > > > >still no clock lock or modules showing up in the =
 =3D
 >paris =3D3D3D3D
 > > >patchbay.
 > > > > >
 > > > > >This means to me software unless someone tells me =
 =3D3D3D
 > >differently.

```

> > > > >
> > > > > >I have a new C drive which I will load XP and no =
=3D
>pace. Any
> =3D3D
> >=3D3D3D3D
> > > >other=3D3D3D3D3D20
> > > > >suggestions?
> > > > >
> > > > > >More frustrated than my clients,
> > > > > >Tom
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > >
> > > > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > > >http://www.polesoft.com/refer.html =3D3D3D3D3D20
> > > > >
> > > > >
> > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D
>Transitional//EN">
> > > > ><HTML><HEAD>
> > > > ><META http-equiv=3D3D3D3D3D3DContent-Type =3D3D
> >content=3D3D3D3D3D3D"text/html; =3D3D3D
> > >=3D3D3D3D3D3D
> > > > >charset=3D3D3D3D3D3DDiso-8859-1">
> > > > ><META content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =
=3D3D
> >name=3D3D3D3D3D3DGENERATOR>
> > > > ><STYLE></STYLE>
> > > > ></HEAD>
> > > > ><BODY bgColor=3D3D3D3D3D3D#ffffff>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =3D
>size=3D3D3D3D3D3D2>Rick,</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>1 mec,
=3D
>no BNC =3D3D
> >involved. =3D3D3D
> > >Paris =3D3D3D3D
> > > >=3D3D3D3D3D3D
> > > > >boots up so the=3D3D3D3D3D20
> > > > >1 mec that</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>I'm =3D
>using shows up
> =3D3D
> >but =3D3D3D

```

```

> > >never any
> > > =3D3D3D3D
> > > >A to =3D3D3D3D3D
> > > > >Ds or any=3D3D3D3D3D20
> > > > >installed modules.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>This is
=3D
>the same =3D3D
> >symptom
> > =3D3D3D
> > >before
> > > =3D3D3D3D
> > > >I =3D3D3D3D3D
> > > > >repaired one of=3D3D3D3D3D20
> > > > >my mecs with a</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>new =3D
>chip. The =3D3D
> >clock light
> > =3D3D3D
> > >=3D3D3D3D3D
> > > > >continues to flash=3D3D3D3D3D20
> > > > >too. Never locks in.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT>
=3D
></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>I am =3D
>using the =3D3D
> >simplest =3D3D3D
> > >setup I
> > > =3D3D3D3D
> > > >can =3D3D3D3D3D
> > > > >imagine and=3D3D3D3D3D20
> > > > >still it's not working.</FONT></DIV>
> > > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>Mike A.
=3D
>suggested
> =3D3D
> >the =3D3D3D
> > >.ini file
> > > =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >to make sure=3D3D3D3D3D20
> > > > >card A is 0. I'll try that.</FONT></DIV>

```

```

> > > > <DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>Pretty
=3D
>sure it's =3D3D
> >right =3D3D3D
> > >but who =3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >knows?</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D3D2>Thanks,</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial =3D
>size=3D3D3D3D3D3D2>Tom</FONT></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT>
=3D
></DIV>
> > > > <DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2></FONT>
=3D
></DIV>
> > > > <DIV> </DIV>
> > > > <DIV> </DIV>
> > > > <DIV> </DIV>
> > > > <DIV>"rick" <<A=3D3D3D3D3D20
> > > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com=
</A=3D
>>>
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >=3D3D3D3D3D
> > > > >wrote in=3D3D3D3D3D20
> > > > >message <A=3D3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>>href=3D3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">n=
ews=3D
>:in=3D3D
> >qgh=3D3D3D
> > >393=3D3D3D3D
> > > >an5=3D3D3D3D3D

```

> > > > s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
 > > > > <BLOCKQUOTE=3D3D3D3D3D20
 > > > > style=3D3D3D3D3D3D" PADDING-RIGHT: 0px; PADDING-LEFT: =
 5px;
 =3D
 >=3D3D
 > > MARGIN-LEFT: =3D3D3D
 > > > 5px; =3D3D3D3D
 > > > > =3D3D3D3D3D3D
 > > > > > BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
 > 0px">i=3D3D3D3D3D20
 > > > > > know this as dumb as it gets but the bnc is =
 attached =3D
 > in =3D3D3D
 > > > the=3D3D3D3D3D20
 > > > > right
order...right?
all the cards show up in =
 =3D
 > paris =3D3D
 > > with =3D3D3D
 > > > the
 > > > =3D3D3D3D
 > > > > =3D3D3D3D3D3D
 > > > > > single=3D3D3D3D3D20
 > > > > > mec?
how many i/o cards in each =
 mec?

On
 =3D
 > Fri, 19
 > =3D3D
 > > =3D3D3D
 > > > Oct =3D3D3D3D
 > > > > 2007
 > > > > > =3D3D3D3D3D3D
 > > > > > >
 > > > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D3D20
 > > > > > =3D3D3D3D3D3D
 > > > > =3D3D3D3D3D
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>>> href=3D3D3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A=
 >><=3D
 > BR>=3D3D
 > > wro=3D3D3D
 > > > te:=3D3D3D3D3D
 > > > > =3D3D3D3D3D3D
 > > > > >

>I=3D3D3D3D3D20
 > > > > > thought I was groovin' but once the second Mec was =

```

=3D
>=3D3D3D3D3D
> > > > introduced<BR>>the=3D3D3D3D3D20
> > > > > system stopped. That was a few weeks =3D
> ago.<BR>><BR>>Today I =3D3D
> >=3D3D3D3D3D
> > > > > tried=3D3D3D3D3D20
> > > > > different cables, eds cards, mecs, eliminated the =
=3D
>magma =3D3D
> >=3D3D3D3D3D
> > > > > and<BR>>still no=3D3D3D3D3D20
> > > > > clock lock or modules showing up in the paris =3D
>=3D3D3D3D3D
> > > > > patchbay.<BR>><BR>>This=3D3D3D3D3D20
> > > > > means to me software unless someone tells me =
=3D3D3D3D3D
> > > > > differently.<BR>><BR>>I=3D3D3D3D3D20
> > > > > have a new C drive which I will load XP and no =
pace. =3D
>Any =3D3D3D
> > > other=3D3D3D3D3D20
> > > > > <BR>>suggestions?<BR>><BR>>More frustrated than =3D
> my=3D3D3D3D3D20
> > > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose =
=3D
>=3D3D3D3D3D
> > > > > Polesoft=3D3D3D3D3D20
> > > > > Lockspam to fight spam, and=3D3D3D3D3D20
> > > > > you?<BR>>http://www.polesoft.com/refer.html =3D
>=3D3D3D3D3D20
> > > > > <BR></BLOCKQUOTE></BODY></HTML>
> > > > >
> > > > >
> > > >
> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =3D
> Transitional//EN">
> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
> content=3D3D3D3D3D"text/html; =3D3D
> >=3D3D3D3D3D
> > > > charset=3D3D3D3D3Diso-8859-1">
> > > ><META content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> name=3D3D3D3D3DGENERATOR>
> > > ><STYLE></STYLE>
> > > ></HEAD>
> > > ><BODY bgColor=3D3D3D3D3D#fffff>

```

```

> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Thanks =
=3D3D
> >Dimitrios.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike =
said the
=3D
>same thing.
> =3D3D
> > Is =3D3D3D
> > >the =3D3D3D3D
> > > >ini in the=3D3D3D3D20
> > > >Paris folde or system 32?</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Do I =
want the
=3D
>Master card
> =3D3D
> >to be
> > =3D3D3D
> > >0=3D3D3D3D20
> > > >absolutely? I only have one card</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>in =
there right
=3D
>now and =3D3D
> >it's all
> > =3D3D3D
> > >freaky
> > > =3D3D3D3D
> > > >just the=3D3D3D3D20
> > > >same.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
=3D
>MARGIN-LEFT: =3D3D
> >5px; =3D3D3D
> > >=3D3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

```

```

> > > <DIV>"Dimitrios" <<A=3D3D3D3D20
> > > > =3D
> href=3D3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
=3D3D
> > wrote
> > =3D3D3D
> > > in =3D3D3D3D
> > > > message=3D3D3D3D20
> > > > <A =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>> href=3D3D3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</=
DIV=3D
>><B=3D3D
> > R>H=3D3D3D
> > > i
> > > =3D3D3D3D
> > > > Tom=3D3D3D3D20
> > > > !@<BR>Sorry to hear you still having problems like =
this =3D
>=3D3D
> > ~!!<BR>Must
> > =3D3D3D
> > > be
> > > =3D3D3D3D
> > > > very=3D3D3D3D20
> > > > frustrating.<BR>Open the Paris ini file and there =
change
=3D
> the =3D3D
> > =3D3D3D3D
> > > > mastercardoutput=3D3D3D3D20
> > > > with your other<BR>cards and see what happens =
!!<BR>Let =3D
>=3D3D
> > me=3D3D3D3D20
> > > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" =3D
><<A=3D3D3D3D20
> > > > =3D3D
> =3D
=
>> href=3D3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D=
3D3D3=3D
> D20
> > > > wrote:<BR>><BR>><BR>>Rick,<BR>>1 mec, no BNC =3D3D3D3D
> > > > involved. Paris=3D3D3D3D20

```

> > > boots up so the 1 mec that
>I'm using shows up but =
=3D
>never any
> =3D3D
> >A =3D3D3D
> > >=3D3D3D3D
> > > >to Ds or=3D3D3D3D20
> > > > any installed modules.
>This is the same symptom =
=3D
>before I =3D3D
> >=3D3D3D3D
> > > >repaired one=3D3D3D3D20
> > > > of my mecs with a
>a new chip. The clock light =3D
>continues to =3D3D
> >=3D3D3D3D
> > > >flash=3D3D3D3D20
> > > > too. Never locks in.
>
>I am using the simplest =
=3D
>=3D3D3D3D
> > > >setup I can=3D3D3D3D20
> > > > imagine and still it's not working.
>Mike A. =
suggested
=3D
> the =3D3D
> >=3D3D3D3D
> > > >.ini=3D3D3D3D20
> > > > file to make sure card A is 0. I'll try =3D3D3D3D
> > > >=3D3D3D3D3D
>that.
>Pretty=3D3D3D3D20
> > > > sure it's right but who=3D3D3D3D20
> > > > =3D3D3D3D
> > > =
>knows?
>Thanks,
>Tom
>
>
>
>
>
>
>
>
> > > >
>"rick"=3D3D3D3D20
> > > > <<A =3D3D3D3D
> > > =3D3D
> =3D
=
>>>href=3D3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com=
>>
=3D
>=3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >wrote=3D3D3D3D20
> > > > in message=3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D

> =3D
 =
 >>>>=3D3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...<BR=
 >>&=3D
 >nbs=3D3D
 > >=3D3D3D3D=3D3D3D
 > > >
 > > > >p; i=3D3D3D3D20
 > > > > know this as dumb as it gets but the bnc is attached =
 in =3D
 >=3D3D
 > >the=3D3D3D3D20
 > > > > right
> order...right?
> all the cards show up =
 =3D
 >=3D3D3D3D
 > > > >in=3D3D3D3D20
 > > > > paris with the single mec?
> how many i/o cards in =
 =3D
 >=3D3D
 > >each=3D3D3D3D20
 > > > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 =
 -0400,
 =3D
 >=3D3D3D3D
 > > > >"Tom=3D3D3D3D20
 > > > > Bruhl" <<A=3D3D3D3D20
 > > > > =3D3D3D3D
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net><=
 BR>=3D
 >>&n=3D3D
 > >=3D3D3D3D=3D3D3D
 > > >
 > > > >bsp;=3D3D3D3D20
 > > > > wrote:
>
> >I thought I was groovin' but once =
 the
 =3D
 >=3D3D3D3D
 > > > >second=3D3D3D3D20
 > > > > Mec was introduced
> >the system stopped. That =
 =3D
 >=3D3D3D3D
 > > > >was a few=3D3D3D3D20
 > > > > weeks ago.
> >
> >Today I tried =3D3D3D3D
 > > > >different=3D3D3D3D20

> > > cables, eds cards, mecs, eliminated the =3D3D3D3D
 > > > >magma
=3D3D3D3D3D3D
>and
> =3D3D3D3D3D20
 > > > >still no clock lock or modules showing up in the =3D
 >paris=3D3D3D3D20
 > > > > patchbay.
> >
> >This means to me =3D3D3D3D3D
 > > > >software=3D3D3D3D3D20
 > > > > unless someone tells me differently.
> >
> =3D
 >=3D3D3D3D3D
 > > > >>I=3D3D3D3D3D20
 > > > > have a new C drive which I will load XP and no pace. =
 =3D
 >Any=3D3D3D3D3D20
 > > > > other=3D3D3D3D3D3D20
> >suggestions?
> =3D3D3D3D3D
 > > > >>
> =3D3D3D3D3D20
 > > > > >More frustrated than my clients,
> =3D3D3D3D3D
 > > > >>Tom
> =3D3D3D3D3D20
 > > > >>
> >
> >
> =3D3D3D3D3D
 > > > >>
> =3D3D3D3D3D20
 > > > > >I choose Polesoft Lockspam to fight spam, and =
 you?
>
 =3D
 >=3D3D3D3D3D20
 > > > > >http://www.polesoft.com/refer.html =3D3D3D3D3D20
 > > > > =3D3D3D3D3D3D20
>
>
><!DOCTYPE HTML PUBLIC =3D
 >"-//W3C//DTD =3D3D3D3D3D
 > > > >HTML 4.0=3D3D3D3D3D20
 > > > > =
 Transitional//EN">
><HTML><HEAD>
><META=3D3D3D3D3D20
 > > > > http-equiv=3D3D3D3D3D3D3DContent-Type =3D3D
 > >content=3D3D3D3D3D3D3D"text/html;=3D3D3D3D3D20
 > > > > =
 =3D3D3D3D3D3D
>charset=3D3D3D3D3D3D3Diso-8859-1">
><META =3D
 >=3D3D3D3D3D
 > > > >content=3D3D3D3D3D3D3D"MSHTML=3D3D3D3D3D20
 > > > > 6.00.2800.1400"=3D3D3D3D3D20
 > > > > =3D3D3D3D3D
 > > > =3D
 >>name=3D3D3D3D3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D3D3D3D3D
 > > > >D>
><BODY=3D3D3D3D3D20
 > > > > bgColor=3D3D3D3D3D3D3D#ffffff>
><DIV><FONT =3D3D
 > >face=3D3D3D3D3D3D3DArial=3D3D3D3D3D20
 > > > > =3D3D3D3D3D
 > > > =
 >size=3D3D3D3D3D3D3D2>Rick,</DIV>
><DIV><FONT=3D3D3D3D3D20
 > > > > face=3D3D3D3D3D3D3DArial size=3D3D3D3D3D3D3D2>1 mec, no =
 BNC =3D
 >involved. Paris
 > =3D3D

```

> >=3D3D3D3D
> > > >=3D3D3D3D3D3D<BR>>boots up so=3D3D3D3D20
> > > > the=3D3D3D3D3D3D20<BR>>1 mec =3D3D3D3D
> > > >that</FONT></DIV><BR>><DIV><FONT=3D3D3D3D20
> > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using =
shows up
=3D
>but never =3D3D
> >any A to
> > =3D3D3D
> > >=3D3D3D3D
> > > >=3D3D3D3D3D3D<BR>>Ds or=3D3D3D3D20
> > > > any=3D3D3D3D3D3D20<BR>>installed=3D3D3D3D20
> > > > modules.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>This is the same symptom before I =
=3D3D
> >=3D3D3D3D3D<BR>>repaired =3D3D3D
> > >=3D3D3D3D
> > > >one=3D3D3D3D20
> > > > of=3D3D3D3D3D3D20<BR>>my mecs with=3D3D3D3D20
> > > > a</FONT></DIV><BR>><DIV><FONT =3D
>face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>new chip. The clock light =3D
>=3D3D3D3D3D3D<BR>>continues =3D3D
> >to=3D3D3D3D20
> > > > flash=3D3D3D3D3D3D20<BR>>too. Never locks=3D3D3D3D20
> > > > in.</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3D3DArial =
=3D
>=3D3D3D3D
> > > >
> > > > size=3D3D3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =
=3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>I am using the simplest setup I can =
=3D
>=3D3D3D
> > >=3D3D3D3D3D3D<BR>>imagine=3D3D3D3D20
> > > > and=3D3D3D3D3D3D20<BR>>still it's not=3D3D3D3D20
> > > > working.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>Mike A. suggested the .ini file =3D
>=3D3D3D3D3D3D<BR>>to =3D3D
> >make=3D3D3D3D20
> > > > sure=3D3D3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D3D20
> > > > that.</FONT></DIV><BR>><DIV><FONT =3D3D3D3D
> > > >face=3D3D3D3D3D3DArial=3D3D3D3D20
> > > > size=3D3D3D3D3D3D2>Pretty sure it's right but =

```

who=3D3D3D3D20
 > > > > =
 =3D3D3D3D3D
>knows?</DIV>
><DIV><FONT=3D3D3D3D20
 > > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
 > > > > =3D3D3D3D
 > > > > =
 >size=3D3D3D3D3D3D2>Thanks,</DIV>
><DIV><FONT=3D3D3D3D
 > > > > =3D3D3D3D20
 > > > > face=3D3D3D3D3D3DArial=3D3D3D3D20
 > > > > =
 size=3D3D3D3D3D3D2>Tom</DIV>
><DIV><FONT=3D3D3D3D20
 > > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2> =
 =3D3D3D3D
 > > > ></DIV>
><DIV><FONT=3D3D3D3D20
 > > > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2> =
 =3D3D3D3D
 > > > ></DIV>
><DIV>=3D3D3D3D20
 > > > > </DIV>
><DIV> </DIV>
><DIV>=3D3D3D3D20
 > > > > </DIV>
><DIV>"rick" =3D3D3D3D
 > > > ><<A=3D3D3D3D3D3D20
>href=3D3D3D3D3D3D"<A=3D3D3D3D20
 > > > > =3D3D3D3D
 > > > > =3D3D3D
 > > > > =3D3D
 > > > > =3D
 =
 >>>>href=3D3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</=
 A'>=3D
 >mai=3D3D
 > >lto=3D3D3D
 > > >:pa=3D3D3D3D
 > > > >=3D
 >>rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D3D3D3D20
 > > > > =3D3D3D3D3D
>wrote in=3D3D3D3D3D3D20
>message =
 =3D3D
 > ><A=3D3D3D3D3D3D20
>href=3D3D3D3D3D3D3D"<A
 > > >=3D3D3D
 > > >=3D3D3D3D
 > > > >
 > > > > =3D3D3D3D
 > > > > =3D3D3D
 > > > > =3D3D
 > > > > =3D
 =
 >>>>href=3D3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
 :in=3D
 >qgh=3D3D
 > >393=3D3D3D
 > > >an5=3D3D3D3D

> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>'>news:
