
Subject: Apple unveils the iLaunch
Posted by [John \[1\]](#) on Thu, 20 Sep 2007 14:36:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

otmail.com" target="_blank">parnell68@hotmail.com</A'>mailto:pa=rnell68@hotmail.com">

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Thu, 20 Sep 2007 16:27:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

r />

> =20
> face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but =
never any A=20
to
=3D
>=3D3D
> >=3D3D3D
>>Ds=20
or=3D3D20
> > =20
any=3D3D3D20
>>installed=3D3D20
&a

Subject: Re: Apple unveils the iLaunch
Posted by [John \[1\]](#) on Thu, 20 Sep 2007 16:57:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

; & lt;/BLOCKQUOTE></BODY></HTML& ;=
>
> =20
>
> >
&am

Subject: Re: Apple unveils the iLaunch
Posted by [John \[1\]](#) on Thu, 20 Sep 2007 19:30:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

; >other
>cards and=3D20
> see what =
happens=20
!!
>Let me=3D3D20
>> =3D20
>

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Thu, 20 Sep 2007 21:15:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

>> =
=3D20
> =20
=3D3D
>>Tom
> >=3D3D20
>> =20

=3D
>
> =3D20
> =
>
> =20
>
> =20
=3D
 >=3D3D
>><BR&am p;gt;>=3D20
> =20
=3D3D20
> >I choose Polesoft Lockspam to fight =
spam,=20
and=3D20
> you?
> =3D3D20
>

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Thu, 20 Sep 2007 21:35:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

=20
=3D
>>http://www.polesoft.com/refer.html=3D20
> =20
=3D3D20
> =20
=
=3D
 >=3D3D3D20
>
 >
><!DOCTYPE=
E=3D20
> =20
HTML PUBLIC "-//W3C//DTD =3D3D
>HTML =
4.0=3D3D20
>=20
=3D20
> =20
=
=3D
>Transitional//EN" >
><HTML>&l t;HEAD><=
&BR>>=3D
><META=3D3D20
>=20
=3D20
> http-equiv=3D3D3D3DContent-Type=20
=3D
>content=3D3D3D3D"text/html;=3D3D20
> =
=3D20
> =20
=
=3D3D3D
>charset=3D3D3D3Diso-8859-1">
><MET=
A=20
=3D
>
> =20
=3D3D
>content=3D3D3D3D"MSHTML=3D3D20
> =20
=3D
>6.00.2800.1400"=3D3D20
> =3D20
> =20
=
=3D
 >=3D3D
>name=3D3D3D3DGENERATO R>
><=
&STYLE></STYLE&=3D
 >>
></HEA=3D3D&l t;BR&=
gt;>D><BR&

Subject: Re: Apple unveils the iLaunch
Posted by [John \[1\]](#) on Fri, 21 Sep 2007 11:50:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

br />
> > 6.00.2800.1400"=3D20
> > =3D

> >name=3D3D3DGENERATOR>
><STYLE></S

Subject: Re: Apple unveils the iLaunch
Posted by [DJ](#) on Fri, 21 Sep 2007 14:18:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

to:parnell68@hotmail.com">parnell68@hotmail.c=3D=
>
> >om</A'>mailto:pa=3D3D
>rnell68@hotmail.com">parnell68@hotmail=3D
> >l.com</A/A>>>=3D3D20
> =3D20
> > =3D3D3D
>wrote in=3D3D3D20
>message=3D20
> > <A=3D3D3D20
>href=3D3D3D3D"<A =3D3D
>
> =3D20
> > =3D
> =
>>=3D3D
>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=3D=
>
> =
>>news:inqgh393an5=3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r

Subject: Re: Apple unveils the iLaunch
Posted by [IOUOI](#) on Fri, 21 Sep 2007 16:07:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

ng problems like this ~!!
> > > Must be very frustrating.
> > > Open the Paris ini file and there change the mastercardoutput =
=3D
>with
> =3D3D
> >=3D3D3D
> > >your other
> > > cards and see what happens !!
> > > Let me know.
> > > Regards,
> > > Dimitrios
> > >
> > > "Tom Bruhl" <arpegio@comcast.net> wrote:
> > > >
> > > >
> > > >Rick,
> > > >1 mec, no BNC involved. Paris boots up s

Subject: Re: Apple unveils the iLaunch

Posted by [excelav](#) on Fri, 21 Sep 2007 16:34:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

= "mailto:arpegio@comcast.net" target="_blank">arpegio@comcast.net>
=
wro=3D
>te'=3D3D
> >>ma=3D3D3D
> > >mailto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D3D
> > >rote:=3D3D3D3D
>

>I=3D3D3D3D20
> =3D3D3D20
> > > thought I was groovin' but once the second Mec was=3D3D3D20
> > > =3D3D3D3D
>introduced
>the=3D3D3D3D20
> system =
=3D3D3D
> > >stopped. That was=3D3D3D20
> > > a few weeks ago.
>
>Today I=3D3D3D20
> > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, eds =
cards, =3D
>mecs, =3D3D3D
> > >eliminated=3D3D3D20
> > > the magma =3D3D3D3D
>and
>still no=3D3D3D3D20
> =
=3D3D3D
> > >c

Subject: Re: Apple unveils the iLaunch

Posted by [excelav](#) on Fri, 21 Sep 2007 16:44:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

D3D20

> > > my=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > >clients,
>Tom
>
>
>
=3D3D3D
> > >>>
>I=3D3D3D20
> > > choose =3D3D3D3D
>Polesoft=3D3D3D3D20
> Lockspam to =
fight =3D
>spam,=3D3D3D20
> > > and=3D3D3D3D20
> =3D3D3D
> > >you?
>http://www.polesoft.com/refer.html=3D3D3D20
> > > =3

Subject: Re: Apple unveils the iLaunch

Posted by [DJ](#) on Fri, 21 Sep 2007 17:06:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

D3D20
>href=3D3D3D3D3D"<A =3D3D3D
>
> =3D3D20
> > =3D3D
> =3D
=

>>=3D3D3D
>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=om">=3D3D=3D
>
> =3D
=
>>news:inqgh393an5=3D3D3D
>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=3D3D=3D
>
> >ax.com">news:inqgh393an5</A=3D3D3D
>>=3D3D3D3D
>s4m99q=3D3D
> >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D
&=3D3D
> =3D
=
>>gt;gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D
=
20=3D3D
> >
> =3D3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> >=3D3D3D3D
>BORDER-LEFT:=3D3D20
> > =3D3D3D
>#000000 2px=3D3D3D20
> solid; =
MARGIN-RIGHT:=3D3D20
> > 0px">i=3D3D3D3D20
> know this as dumb as =3D3D
> >=3D3D3D
>it=3D3D20
> > gets=3D3D3D20
> but the bnc is attached in =3D3D
> >the=3D3D3D3D20
>=3D3D20
> > =3D3D3D20
> right
order...right?
all the =3D3D
> >cards show up=3D3D20
> > in paris =3D3D3D
>with the=3D3D3D20<

Subject: Re: Apple unveils the iLaunch
Posted by [John \[1\]](#) on Fri, 21 Sep 2007 18:13:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;
> > > =
> =20
> >

Subject: Re: Apple unveils the iLaunch
Posted by [John \[1\]](#) on Fri, 21 Sep 2007 18:15:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

>> > > > =20
>
> > > > > > > I choose =
Polesoft=20
Lockspam to fight spam, and you?
>

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Fri, 21 Sep 2007 18:43:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

p;gt; =
> =20
> system stopped. That was a few weeks=20
ago.

>Toda y I =
=3D
>=3D3D3D3D
> =20
> > >tried=3D3D3D3D20
> > =
> =20
> different cables, eds cards, mecs, eliminated the magma=20
=3D
>=3D3D3D3D
> > > =20
>&and
>still no=3D3D3D3D20
&

Subject: Re: Apple unveils the iLaunch
Posted by [Jamie K](#) on Fri, 21 Sep 2007 19:02:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

amp;gt; =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master =
card
=3D
>to=20
be
> =3D3D
> >0=3D3D3D20
> =
> =20
>absolutely? I only have one=20
card</DIV>
> > =
><DIV><FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>in there right now and =
=3D
>it's=20
all
> =3D3D
> >freaky
> =
> =20
=3D3D3D
> > >just the=3D3D3D20
> =
> =20
>same.</DIV>
> > =20
><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Tom</DIV&a mp;gt;
> =
> =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > ><DIV><FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2> </DIV>
> > =20
><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
</DIV>
> > =
><BLOCKQUOTE=3D3D3D20
> =20

Subject: Re: Apple unveils the iLaunch
Posted by [John \[1\]](#) on Fri, 21 Sep 2007 19:03:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Fri, 21 Sep 2007 19:16:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: Apple unveils the iLaunch
Posted by [John \[1\]](#) on Fri, 21 Sep 2007 19:20:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Fri, 21 Sep 2007 19:29:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Page 7 of 113 ---- Generated from The PARIS Forums

<<A=3D3D3D20
> > > =
=3D
>;href=3D3D3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio&#

64;comcast.net>=3D3D3D20'>ma=
ilto:

D3D3D3D"MSHTML=3D3D20
> =

> =20

6.00.2800.1400"=3D3D20
> > =3D3D
> =20

=

>name=3D3D3D3DGENERATOR>
& ;gt;<STYLE></STYLE>
></HEA=3D3D
> =20

>D>
><BODY=3D3D 20
> > =20

bgColor=3D3D3D3D#ffffff>
>&am p;lt;DIV><FONT=20

face=3D3D3D3DArial=3D3D20
> > =20

size=3D3D3D3D2>Thanks=3D3D20
> > =20

Dimitrios.</DIV><B R>><DIV><FONT=20

=3D3D
> >face=3D3D3D3DArial=3D3D20
> =

> =20

size=3D3D3D3D2> =

</DIV>
><DIV&am p;gt;<FONT=20

=3D3D
> >face=3D3D3D3DArial=3D3D20
> =

> =

p;gt;>have=20
a new=3D3D3D20
>> C drive which I will load XP=20
=3D3D
>> >>and no pace.=3D3D20
>> >> >>=
Any=20
other=3D3D3D3D20
>> >> =

=3D3D3D
>
>= 20
=3D3D20
> > =20

>suggestions?
& amp ;
>More=20
frustrated=3D3D20
> > =20
=3D3D3D
>than=3D3D3D20
& amp ;> =
my=3D3D3D3D20
>>=20
=3D3D
> >=3D3D3D20
> =3D3D20
> =
> =20
=3D3D
> =20
=
>=3D3D3D
>clients,
 amp ;>>Tom
>
g t=
>
>=3D3D
> =20
=
>;
=3D3D3D
> >>
>l=3D3D3D20
 B=
R>>=20
=3D3D20
> > choose=20
=3D3D3D3D
>>Polesoft=3D3D3D3D20&l t;BR>> =
Lockspam=20
=3D3D
> >to fight=3D3D20
> &a

Subject: Re: Apple unveils the iLaunch
Posted by [DJ](#) on Sat, 22 Sep 2007 01:28:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

"mailto:arpeggio@comcast.net" target="_blank">arpeggio@comcast.net&l=
t;/A>>
>wro'>mail=3D
>to:arpeggio@comcast.net">a=
rpeggio@comcast.net>
>wro=3D
>=3D3D&l=
t;BR>>>te=3D3D3D
>>=20
=3D20
> >=3D3D3D3D
>> > =
=3D20
> =20
>
>
>l=3D3D3D 3D20
>> =
> =20
=3D
>> =3D20
> thought I was groovin' but once =
the second Mec=20
was =3D
>=3D3D3D3D
>> =3D20
> > =20
>introduced
>>the=3D3D3D3D20&a mp;l;BR>>> =
=3D
>>=20
=3D20
> > system stopped. That was a few=20
weeks=3D20
> ago.
>
>Toda y I=20
=3D3D3D3D
>> =3D
>> =3D20
> =20
>tried=3D3D3D3D20
>> > > =
different=20
=3D
>cables, eds=3D20
> cards, mecs, eliminated the =
magma=20
=3D3D3D3D
>&

Subject: Re: Apple unveils the iLaunch
Posted by [DJ](#) on Sat, 22 Sep 2007 01:31:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

amp;gt; > =3D20
> =
>
>still=20
no=3D3D3D3D20
> > =3D
> =20
clock=3D20
> lock or modules showing up in the paris=20
=3D3D3D3D
> =3D
> =3D20
> =20
=
>patchbay.
>
 >This=3D3D3D3D20
>&nb=
sp;=20
=3D
> =3D20
> > means to me software =
unless someone=20
tells me =3D
>=3D3D3D3D
> =3D20
> =
> =20
=
=3D
 >>differently.
>
>I=3D3D3D3D20
=
>>=20
=3D20
> > > have a new C drive which I =
will load=20
XP and no =3D
>pace. Any=3D20
> =20
=3D3D
>other=3D3D3D3D20

Subject: Re: Apple unveils the iLaunch
Posted by [Neil](#) on Sat, 22 Sep 2007 02:24:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

ilto:arpeggio@comcast.net">arpeggio@comcast.net>
=
>&n=3D
>=3D3D3D=3D3D
> >
> > >bsp;=3D3D3D20
> > > wrote:
>
> >I thought I was groovin' but once the =
=3D3D3D
> > >second=3D3D3D20
> > > Mec was introduced
> >the system stopped. That =3D3D3D
> > >was a few=3D3D3D20
> > > weeks ago.
> >
> >Today I tried =3D3D3D
> > >different=3D3D3D20
> > > cables, eds cards, mecs, eliminated the =3D3D3D
> > >magma
=3D3D3D3D
>and
> =3D3D3D20
> > >still no clock lock or modules showing up in the =
paris=3D3D3D20
> > > patchbay.
> >
> >This means to me =3D3D3D
> > >software=3D3D3D20
> > > unless someone tells me differently.
&

Subject: Re: Apple unveils the iLaunch
Posted by [Erling](#) on Sat, 22 Sep 2007 08:30:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

to the MEC
start=20
PARIS to see how it behaves. Or, if the clock generator
is=3D
>fried,
> tell paris to lock externally =
and see what=20
happens when an external =3D
>clock
> source is=20
applied.
>
> Isn't there a master house synch switch =
in the=20
cfg file? I've never =3D
>used
> it. =
Maybe DJ=20
could help with what that should/shouldn't be set =
to.
>
> =20
Wish I could do more than think out loud...
>
> =20
Mike
>
> "Tom Bruhl" <A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
> >
> >
> >
> >Hi=20
Mike,
> >Well I've been to .cfg many a =
time.
> =20
>I've seen that Mastercard setting as being 0
> >but =
maybe=20
it changed after removing the 4 other
> >eds cards for =
this=20
round of testing.
> >
> >If it's still 0 =
what=20
else could this be? Busted mobo?
> >I'm really in =
an=20
idunno place right now. I'll be checking
> =
>seriously=20
today again because of a session tomorrow morning.
> =20
>Tom
> >
> >
> > =20
"Mike=20
Audet" <

Subject: Re: Apple unveils the iLaunch
Posted by [Erling](#) on Sat, 22 Sep 2007 08:40:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

`href="mailto:mike@...." target="_blank">mike@....>`; wrote in message <`A=20`

=
`href=3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...<BR>> = `

=`20`
 >
> >

Subject: Re: Apple unveils the iLaunch
Posted by [rick](#) on Sat, 22 Sep 2007 09:33:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

ong, what you are describing will happen.
> =20
>
> > > Good luck!
> =
>
> =20
> Mike
> >
> > "Tom =
Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
> > >
> > =20
>
> > >Thanks Dimitrios.
> =
> =20
>
> > >Mike said the same thing. Is =
the ini=20
in the Paris folde or system
=3D
>=3D3D
> =20
>32?
> > >Do I want the Master card to be 0 =

absolutely? I only have one =3D
>card
> =
> =20
>in there right now and it's all freaky just the =
same.
> =20
> >Tom
> > >
>

Subject: Re: Apple unveils the iLaunch
Posted by [Aaron Allen](#) on Sat, 22 Sep 2007 09:55:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

ni in =
the=3D3D3D20
> =20
> >Paris folde or system=20
32?</DIV>
> > =
></DIV></FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master =
card
=3D
>to=20
be
> =3D3D
> >0=3D3D3D20
> =
> =20
>absolutely? I only have one=20
card</DIV>
> > =
></DIV></FONT=20
face=3D3D3D3DArial size=3D3D3D3D2&

Subject: Re: Apple unveils the iLaunch
Posted by [Erling](#) on Sat, 22 Sep 2007 12:23:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

amp;lt;BR>folder.

 ;gt;l'd still =
check it out=20
to see
=3D
>=3D3D
> >what it =
is=3D3D20
> =20
> set to.

If it is wrong, what you are =
describing=20
will=3D3D20
> > happen.

Good=20
luck!

Mike
 >

 "Tom Bruhl"=20
<<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D3D20'>mail=
to:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D20<B=
R>&

Subject: Re: Apple unveils the iLaunch
Posted by [Nil](#) on Sat, 22 Sep 2007 14:39:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

64;hotmail.com</A>
=3D
=
>>=3D3D
> =20
>wrote in=3D3D20
> > message =
=3D3D3D3D
>>=20
=3D3D20
> > =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>>=20
=3D3D20
> > > i know this as dumb as it =
gets but=20
the bnc is attached in =3D3D
> =
>the=3D3D20
> > =20
right
> > =
order...right?
>>=20
> =3D3D
> >all the=3D3D20
> =
> cards=20
show up in paris wit

Subject: Re: Apple unveils the iLaunch
Posted by [DJ](#) on Sat, 22 Sep 2007 15:50:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

the system stopped. That was a few weeks=20
ago.
> =3D3D20
> > =20
>
> > >Today I tried different=20
=3D3D
> >cables,=3D3D20
> > eds =
cards, mecs,=20
eliminated the =3D3D3D
>>magma
>& ;gt; =
=3D3D
> =20

>=3D3D3D3D
>=3D3D20
> > >=20
>&andlt;BR>>> > >still no clock lock or =
modules=20
=3D3D
> >showing up=3D3D20
> > > in =
the paris=20
patchbay.
> > >
> >=20
=3D3D
> >>=3D3D20
> > >This =
means to me=20
software unless someone tells me=3D3D20
> > >=20
differently.
> > >
> >=20
> >=3D3D
> >>I have=3D3D20&l

Subject: Re: Apple unveils the iLaunch
Posted by [JeffH](#) on Sat, 22 Sep 2007 16:44:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

f="mailto:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"
target="_blank">inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh393
>=3D3D3D
>=3D3D
> >=20
>R>>an5=3D3D3D3D
>& gt;=3D3D20
> >=
> >=20
=3D3D
> >=20
=
>>s4m99qcaojn09vn112t4u6r@4ax.com
>...
>
>=20
=3D3D
> >=3D3D20
> > >=20
>&BLOCKQUOTE=3D3D3D3D20
>& gt; >=3D3D
> >=20
>>style=3D3D3D3D3D"padding-right: 0px;=3D3D20
> >=
> >=20
padding-left: 5px; margin-left: 5px; =
=3D3D3D
>>=3D3D3D3D
>>=20
=3D3D20
> > >BORDER-left: #000000 2px solid;=20
margin-right: =3D3D
> >=
>0px">i=3D3D3D3D20
>&am

Subject: Re: Apple unveils the iLaunch
Posted by [DJ](#) on Sat, 22 Sep 2007 17:12:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

mp;
=
gt;w=3D3D
> >=20
>rote
>=3D3D3D
>& >=3D3D3D3D
>>=20
=3D3D20
> > >=20
>
>
>>I=3D3D3D 3D20
>> >=
> >thought=20

V&am p;gt;<FONT=20
=3D3D
> >face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D3D2>Mike said the same thing. Is the =
=3D3D3D
>>ini=20
in =3D3D
> >
> > =20
the=3D3D3D20
>>Paris folde or system=3D3D20
> =
> =20
32?</DIV><BR& g t;><DIV><FONT =
face=3D3D3D3DArial=20
=3D3D
> >
> > size=3D3D3D3D2>Do =
I want the=20
Master card to be =3D3D
> =20
>0=3D3D3D20
>>absolutely? I=3D3D20

Subject: Re: Apple unveils the iLaunch
Posted by [DJ](#) on Sat, 22 Sep 2007 19:12:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

;> =
> =20
only have one =
card</DIV><BR& gt;><DIV><FONT=20
=3D3D
> >
> > face=3D3D3D3DArial=20
size=3D3D3D3D2>in there right now and it's all=3D3D20
> =
> =20
freaky
>=3D3D3D
>>jus t=3D3D20
> =
> =20
=3D3D
> =20
=
>the=3D3D3D20
>>same.</ FONT></DIV>
>=
;<DIV><FONT=3D3D
> =20
>=3D3D20
> > =
face=3D3D3D3DArial=3D3D20
> =20
> =20
=
size=3D3D3D3D2>Tom</DIV&a mp;gt;
><DIV><I=
t;FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
></DIV>
><I t;DIV><FONT=3D3D20
> =

>&nb

Subject: Re: Apple unveils the iLaunch

[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: Apple unveils the iLaunch
Posted by [Dedric Terry](#) on Sat, 22 Sep 2007 19:23:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

Page 17 of 113 ---- Generated from The PARIS Forums

>
> >
> =3D3D
> =20
>=3D3D3D
>><BR& amp;gt;>=3D3D20
> =
> =20

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Sat, 22 Sep 2007 19:24:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

p;lt;BR>>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'news:471a0486\$1@linux">news:471a0486\$1@linu=
x...</DIV>
 H=3D
>i'>=3D3D
> =
=20
=
>news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV&=
>&=3D3D
> =20
=
>lt;BR>Hi
= 3D3D3D
>Tom=3D3D3D20<B=
R>&=20
=3D3D20
> > <A href=3D3D3D"<A=20
=
href=3D'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry ">=
!@
Sorry>=20
to hear you still
=3D
>=3D3D
> =
>having=3D3D20
> =20
> problems like this ~!!
Must =3D3D
> =20
>be
=3D3D3D
> ;very=3D3D3D20
>=20
=3D3D20
> > fru

Subject: Re: Apple unveils the iLaunch
Posted by [John \[1\]](#) on Sat, 22 Sep 2007 19:28:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

; =20
> the =
=3D3D3D
>

Subject: Re: Apple unveils the iLaunch
Posted by [Neil](#) on Sat, 22 Sep 2007 20:17:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

=3D3D3D20
>> >&I choose Polesoft Lockspam to fight =
spam,=20
and=3D3D20
> > you?
>&=20
=3D3D3D20
> =3D3D<

Subject: Re: Apple unveils the iLaunch
Posted by [Jamie K](#) on Sat, 22 Sep 2007 20:20:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike Audet" <mike@....> wrote in message <A=20
=
href=3D"news:471bcb77\$1@linux">news:471bcb77\$1@linux...</DIV>
Hi=20
Tom,

I have an idea.

Try removing UseHouseSync=3D1 =
from the=20
paris.cfg file.

Next, remove your default project from the =
program=20
files\emu\paris pro folder.

Let me know if it makes =
a=20
difference.

Good luck!

Mike

"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
>
>
>Mike,
>I used to use a Lucid but =
since=20
all of this mess I stopped.
>I'm trying to get stable from =
square one=20
with the least amount=3D20
>of hardware. I am using the =
default=20
project for sure. The only=3D20
>other thing that I =
still question=20
is my move of Paris to C:ParisPro .
>I should think the =
default=20
project will either work or not. Maybe
>configs or =
something=20
else is fighting during Paris startup?
>
>Pats 42 - =
Miami 7 . .=20
. Halftime and the gam

Subject: Re: Apple unveils the iLaunch
Posted by [Jamie K](#) on Sat, 22 Sep 2007 20:23:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

es=20

over.
>Tom
>
>
>
> "Mike Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...
>
&g=
t; =20
Hi Tom,
>
> Are you using a default project with=20
PARIS? I'm so sorry of this =
has
=3D
>been
> asked=20
and answered already. If so, perhaps it is telling card zero=20
to
=3D
>lock
> to an external clock, which it =
can't=20
because there isn't one.
>
> It would be =
interesting to=20
attach an external clock source to the =
MEC
=3D
>and
> =20
then start PARIS to see how it behaves. Or, if the clock =
generator=20
is
=3D
>fried,
> tell paris to lock externally =
and see=20
what happens when an exteral =3D
>clock
> source =
is=20
applied.
>
> Isn't there a master house synch =
switch in=20
the cfg file? I've never =3D
>used
> =
it. Maybe=20
DJ could help with what that should/shouldn't be set=20
to.
>
> Wish I could do more than think out=20
loud...
>
> Mike
>
> "Tom Bruhl" =
<<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
> >
> >
> >Hi=20
Mike,
> >Well I've been to .cfg many a =
time.
> =20
>I've seen that Mastercard setting as being 0
&g

Subject: Re: Apple unveils the iLaunch
Posted by [Aaron Allen](#) on Sat, 22 Sep 2007 21:00:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

t; =
>but maybe=20
it changed after removing the 4 other
> >eds cards =
for this=20
round of testing.
> >
> >If it's still =
0 what=20
else could this be? Busted mobo?
> >I'm really =
in an=20

wrote:
> > >
> > >=20
>
> > >Thanks Dimitrios.
> >=20
>
> > >Mike said the same thing. Is =
the ini=20
in the Paris folde or system
=3D
>=3D3D
> =20
>32?
> > >Do I want the Master card to be =
0=20
absolutely? I only have one =3D
&g

Subject: Re: Apple unveils the iLaunch
Posted by [Jamie K](#) on Sun, 23 Sep 2007 01:04:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

t; > >I'm using =
shows up=20
but never any A to Ds or any installed =
=3D
>modules.
> =20
> > >This is the same symptom before I repaired =
one of=20
my mecs with
=3D
>a
> > > =
>new=20
chip. The clock light continues to flash too. Never=20
locks
=3D
>=3D3D
> >in.
> =
> =20
> >
> > > >I am using =
the=20
simplest setup I can imagine and still it's=20
not
=3D
>=3D3D3D
> > =
>working.
> =20
> > >Mike A. suggested the .ini file to =
make sure=20
card A is 0. =3D
>I'll =3D3D
> =
>try
> =20
> =3D3D3D
> >

Subject: Re: Apple unveils the iLaunch
Posted by [Dedric Terry](#) on Sun, 23 Sep 2007 02:06:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

; =
>=3D3D3D3D
> =20
> > >that.
> > > =20
>Pretty sure it's right but who knows?
> > =20
> >Thanks,
> > > =20

>Tom
> > > > >
> > =
>>=20
>> >
> > > > > =
>
>=20
>> >> >
> > > > >=20
>
> > > > >>"rick" <A=20
href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com > =
wrote in=20
message =3D3D3D3D
> > > > >=20
>>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > =

> > > > > i know this as dumb as it gets but =
the bnc=20
is attached in the
=3D
>=3D3D
> > =
>right
>=20
> > > > > order...right?
> > =
>>=20
> > > all the cards show up in paris with the single =

mec?
> > > > > > h

Subject: Re: Apple unveils the iLaunch
Posted by [DJ](#) on Sun, 23 Sep 2007 04:09:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

p; >> >> >>=20
>
> > > > > > >Today I =
tried=20
different cables, eds cards, mecs, =
eliminated
=3D
>the
> >=20
=3D3D
> > >=3D3D3D
> > > =
>magma
>=20
> > > =3D3D3D3D
> > > > >=20
>and
> > > > > > >still no =
clock=20
lock or modules showing up in the paris =3D3D
> >=20
>patchbay.
> > > > > >=20
>
> > > > > > >This means =
to me=20
software unless someone tells me =
=3D
>differently.
> >=20
> > > > > >
> > > > =
>>=20
> > >I have a new C drive which I will load XP and no =
pace.>=20
Any
=3D
>=3D3D3D
> > > >=20
>other=3D3D3D3D20
> > > > > >=20

Subject: Re: Apple unveils the iLaunch
Posted by [Jamie K](#) on Sun, 23 Sep 2007 08:32:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

Page 24 of 113 ---- Generated from The PARIS Forums

> >boots up so the=3D3D3D3D20
> > =
>&

Subject: Re: Apple unveils the iLaunch
Posted by [Jamie K](#) on Sun, 23 Sep 2007 08:37:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

amp; =20
>1 mec that</DIV>
> > =
> =20
></DIV>I'm =
using shows=20
up
=3D
>but =3D3D
> > never any
> =
> =20
=3D3D3D
> > > A to =3D3D3D3D
> =
> =20
> >&Ds or any=3D3D3D3D20
> > =
> =20
>&installed modules.</DIV>
> =
> =20
> ></DIV></FONT face=3D3D3D3DArial =
size=3D3D3D3D2>This=20
is the same =3D
>symptom
> =3D3D
> =20
>&before
> > =3D3D3D
> > =
>&I=20
=3D3D3D3D
> > > >&repaired one=20
of=3D3D3D3D20
> > > >&my mecs with=20
a</DIV>
> > > =20
></DIV>new =
chip. The=20
=3D
>clock light
> =3D3D
> =20
>=3D3D3D3D
> > > >&continues to=20
flash=3D3D3D3D20
> > > >&too. Never =
locks=20
in.</DIV>
> > > =20
></DIV></FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
></DIV>
> > > =
></DIV></FONT=20
face=3D3D3D3DArial size=3D3D3D3D2>I am using the =
=3D
>simplest=20
=3

Subject: Re: Apple unveils the iLaunch
Posted by [Erling](#) on Sun, 23 Sep 2007 09:22:45 GMT

D3D
> >setup l
> > > =
=3D3D3D
> =20
 > >can =3D3D3D3D
> > > =
>imagine=20
 and=3D3D3D3D20
> > > > still it's =
not=20
 working.</DIV>
> > > =
> =20
 ></DIV></FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Mike A.=20
 suggested
=3D
>the =3D3D
> >.ini =
file
> =20
 > =3D3D3D
> > =
>=3D3D3D3D
> =20
 > > >to make sure=3D3D3D3D20
> =
> =20
 > >card A is 0. I'll try=20
 that.</DIV>
> > > =20
 ></DIV></FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Pretty sure=20
 it's =3D
>right =3D3D
> >but who =
=3D3D3D
> =20
 > >=3D3D3D3D
> > > =20
 >knows?</DIV>
> > =
> =20
 ></DIV></FONT face=3D3D3D3D3DArial=20
 =
=3D
 >size=3D3D3D3D3D2>Thanks, </DIV>
>&n=
bsp;=20
 > > ></DIV></FONT face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2>Tom</DIV >
> =
> =20
 > ></DIV></FONT face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2> </DIV>
> =
> =20
 > ></DIV></FONT face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2> </DIV>
> =
> =20
 > ></DIV> </DIV>
> > =
> =20
 ></DIV> </DIV>
> > > =20
 ></DIV> </DIV>
> > > =20
 ></DIV>"rick&q

Subject: Re: Apple unveils the iLaunch

Posted by [DJ](#) on Sun, 23 Sep 2007 14:17:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
;nbsp; =
&gt;&nbsp;=20
  &gt;&nbsp; you?&lt;BR&gt;&gt;http://www.polesoft.com/refer.html=20
  =3D3D3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp;=20
  =
&gt;&lt;BR&gt;&lt;/BLOCKQUOTE&gt;&lt; /BODY&gt;&lt;/HTML&gt; <BR>&gt;&nbsp;=
=20
  &gt;&nbsp; &gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp;=20
  &gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;&nbsp;=20
  &gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;&lt;!DOCTYPE HTML PUBLIC =
"/W3C//DTD HTML=20
  4.0 Transitional//EN"&gt;<BR>&gt;&nbsp; &gt;&nbsp;=20
  &gt;&lt;HTML&gt;&lt;HEAD&gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;&lt;META=20
  http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
  =3D<BR>&gt;=3D3D3D<BR>&gt;&nbsp; &gt;&nbsp;=20
  &gt; charset=3D3D3D3Diso-8859-1"&gt;<BR>&gt;&nbsp; &gt;&nbsp; =
&gt;&lt;META=20
  content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR&gt;<BR>&gt;&nbsp;=20
  &gt;&nbsp; &gt;&lt;STYLE&gt;&lt;/STYLE&gt;<BR>&gt;&nbsp; &gt;&nbsp;=20
  &gt;&lt;/HEAD&gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;&lt;BODY=20
  bgColor=3D3D3D3D#ffffff&gt;<BR>&gt;&nbsp; &gt;&nbsp; =
&gt;&lt;DIV&gt;&lt;FONT=20
  face=3D3D3D3DArial size=3D3D3D3D2&gt;Thanks=20
  =3D<BR>&gt;Dimitrios.&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&nbsp; =
&gt;&nbsp;=20
  &gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial =
size=3D3D3D3D2&gt;&lt;/FONT&gt;=20
  &lt;/DIV&gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT=20
  face=3D3D3D3DArial size=3D3D3D3D2&gt;Mike said the same =
thing.<BR>=3D<BR>&gt; ls=20
  =3D3D<BR>&gt;&n
```

Subject: Re: Apple unveils the iLaunch

Posted by [Jamie K](#) on Sun, 23 Sep 2007 15:26:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
quot;PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT:=20
  =3D<BR>&gt;5px; =3D3D<BR>&gt;&nbsp; &gt;=3D3D3D<BR>&gt;&nbsp; =
&gt;&nbsp;=20
  &gt;BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px"&gt;<BR>&gt;&nbsp;=20
  &gt;&nbsp; &gt;&nbsp; &lt;DIV&gt;"Dimitrios" =
```

<<A=3D3D3D20
> =20
> > href=3D3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.grmailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A> =20
=3D
>wrote
> =3D3D
> >in =
=3D3D3D
> =20
> >message=3D3D3D20
> > > =
<A=20
=3D3D3D
> > =3D3D
> =20
=3D
>>href=3D3D3D3D"<A=20
=
href=3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV><B'>news=
:471a0486\$1@linux">news:471a0486\$1@linux...</DIV><B=
=3D
>R>H=3D3D
> =20
>i
> > =3D3D3D
> > =20
>Tom=3D3D3D20
> > > <A=20
href=3D"mailto:!!@
Sorry">!!
Sorry to hear you still =
having=20
problems like this =3D
>~!!
Must
> =20
=3D3D
> >be
> > =
=3D3D3D
> =20
> >very=3D3D3D20
> > > =20
frustrating.
Open the Paris ini file and there change the=20
=3D
>=3D3D3D
> > =20
>mastercardoutput=3D3D3D20
> > > =
with your=20
other
cards and see what happens !!
Let=20
=3D
>me=3D3D3D20
> > > =20
know.
Regards,&

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Sun, 23 Sep 2007 18:24:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

> =
> =20
> unless someone tells me differently.
> =20
>
> =3D3D3D
> > =20
>>I=3D3D3D20
> > > have a new C =
drive=20
which I will load XP and no pace. Any=3D3D3D20
> =
> =20
> other=3D3D3D3D20
> =20
>suggestions?
> =3D3D3D
> =
> =20
>>
> =3D3D3D20
> > > =

>More=20
 frustrated than my clients,
> =
 =3D3D3D
> =20
 > >>Tom
> =3D3D3D20
> =
 > =20
 > >
> >
> =20
 >
> =3D3D3D
> > =20
 >>
> =3D3D3D20
> > > =20
 >|=20
 choose Polesoft Lockspam to fight spam, and you?
>=20
 =3D3D3D20
> > > =20
 >http://www.polesoft.com/refer.html =3D3D3D20
> =
 > =20
 > =
 =3D3D3D3D20
>
& >
><!DOCTYPE=20
 HTML PUBLIC "-//W3C//DTD =3D3D3D
> > >HTML=20
 4.0=3D3D3D20
> > > =20
 =
 Transitional//EN" >
><HTML>& l t;HEAD>
>=
 <META=3D3D3D20
> =20
 > > http-equiv=3D3D3D3D3DContent-Type=20
 =3D
>content=3D3D3D3D3D"text/html;=3D3D3D20
> =
 > =20
 > =20
 =
 =3D3D3D3D
>charset=3D3D3D3D3Diso-885 9-1 ">
><=
 ;META=20
 =3D3D3D
> > =20
 >content=3D3D3D3D3D"MSHTML=3D3D3D20
> > =
 > =20
 6.00.2800.1400"=3D3D3D20
> > > =20
 =3D3D3D
> > =20
 =
 >name=3D3D3D3D3DGENERATOR>
&a mp;gt;<STYLE></STYLE>=

></HEA=3D3D3D
> =20
 > >D>
><BODY=3D3D 3D20
> =
 > =20
 > =
 bgColor=3D3D3D3D3D#ffffff>
>& amp;lt;DIV><FONT=20
 =3D
>face=3D3D3D3D3DArial=3D3D3D20
> > =
 > =20
 =3D3D3D
> > =20
 =
 >size=3D3D3D3D3D2>Rick,&a mp;lt;/DIV>
><D=
 IV><FONT=3D3D3D20
> =20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 =
 mec, no BNC=20
 involved. Paris
=3D
>=3D3D3D
> > =20

>=3D3D3D3D
>boots up so=3D3D3D20
>=20
>=20
>=3D3D3D3D20
>1 mec =3D3D3D
>=20
>=20
=
>that></DIV>>
>
></DIV>>
>=3D3D3D=20
>=20
>=20
>=20
face=3D3D3D3D3DArial size=3D3D3D3D3D2>>I'm =
using shows=2

Subject: Re: Apple unveils the iLaunch
Posted by [DJ](#) on Sun, 23 Sep 2007 18:31:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

0
up but never =3D
>any A to
>=20
>=3D3D3D
>=20
or=3D3D3D20
>=20
any=3D3D3D3D20
>installed=3D3D3D20
>=20
>=20
>=20
modules.></DIV>>
>>
></DIV>>
>=20
=3D3D3D
>=20
>face=3D3D3D3D3DArial=3D3D3D20
>=20
>=20
>=20
size=3D3D3D3D3D2>>This is the same symptom =
before I=20
=3D
>=3D3D3D3D
>repaired =3D3D
>=20
>=3D3D3D
>=20
>=20
>=20
of=3D3D3D3D20
>my mecs =
with=3D3D3D20
>=20
>=20
>=20
a></DIV>>
>>
></DIV>>
>=20
face=3D3D3D3D3DArial=3D3D3D20
>=20
size=3D3D3D3D3D2>>new chip. The clock light =
=3D3D3D3D
>=20
=3D
>to=3D3D3D20
>=20
flash=3D3D3D3D20
>too. Never =
locks=3D3D3D20
>=20
>=20
>=20
in.></DIV>>
>>
></DIV>>
>=20
face=3D3D3D3D3DArial =3D3D3D
>=20
>
>=20
>=20
>=20
size=3D3D3D3D3D2>>>=20
</DIV>>
>>
></DIV>&am p;>>
> =3D3D3D
>=20
>=20
>face=3D3D3D3D3DArial=3D3D3D20
>=20

>=20
size=3D3D3D3D2>I am using the simplest setup I can =
=3D3D
>=20
>=3D3D3D3D
>>imagine=3D3D3D20
>>=20
>=20
and=3D3D3D3D20
>>still it's not=3D3D3D20
>>=20
>=20
>=20
working.</DIV>
></DIV>=20
=3D3D3D
>>=20
>face=3D3D3D3DArial=3D3D3D20
>>=20
>&a

Subject: Re: Apple unveils the iLaunch
Posted by [Aaron Allen](#) on Sun, 23 Sep 2007 18:44:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

mp;=20
file=20
=3D3D3D3D
>>to =3D
>>make=3D3D3D20
>>=20
>=20
> sure=3D3D3D3D20
>>card A is 0. I'll=20
try=3D3D3D20
>>=20
that.</DIV>
></DIV>=20

Subject: Tribute to MS and Gates!
Posted by [excelav](#) on Sun, 23 Sep 2007 18:53:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

/>
=3D3D3D
>>=20
>face=3D3D3D3DArial=3D3D3D20
>>=20
>>>size=3D3D3D3D2>Pretty sure it's right but =

who=3D3D3D20
>>=20
=
=3D3D3D3D
>>knows?</DIV>
>></D=
IV>=3D3D3D20
>>=20
>>>face=3D3D3D3DArial=3D3D3D20
>>=20
>=20
>=3D3D3D
>>=20
=
>size=3D3D3D3D2>Thanks,</DIV>
>></D=
>=3D3D3D
>>=20
>>=3D3D3D20
>>=20

face=3D3D3D3D3DArial=3D3D3D20
> > > > =20
 =
 size=3D3D3D3D3D2>Tom</DIV >
></DIV>=
 <FONT=3D3D3D20
> =20
 > > face=3D3D3D3D3DArial =
 size=3D3D3D3D3D2>=20
 =3D3D3D
> > =20
 =
 ></DIV>
></DIV><FONT=3D3D3D20
> =
 > > face=3D3D3D3D3DArial =
 size=3D3D3D3D3D2>=20
 =3D3D3D
> > =20
 ></DIV>
></DIV>=3D3D3D20
> =
 > =20
 > </DIV>
></DIV>=20
 </DIV>
></DIV>=3D3D3D20
> =
 > =20
 > </DIV>
></DIV> "rick" =
 =3D3D3D
> =20
 > =20
 =
 ><<A=3D3D3D3D20
&g t;href=3D3D3D3D3D "<A=3D3D3D20
&= > =20
 > > =3D3D3D
> > =
 =3D3D
> =20
 =
 =3D
>&g t;href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell=
 68@hotmail.com</A'>mai=3D
><to=3D3D
> =20
 >&pa=3D3D3D
> > =20
 =
 >&rnell68@hotmail.com">parnell68@hotmail.com</A>>=
 =3D3D3D20
> =20
 > > =3D3D3D3D
>wrote=20
 in=3D3D3D3D20
>message=20
 =
 =3D
> ><A=3D3D3D3D20
&g t;href=3 D3D3D3D3D "<A
>&nb= &sp;=20
 =3D3D
> >=3D3D3D
> > =
 >
> =20
 > > =3D3D3D
> > =
 =3D3D
> =20
 =
 =3D
> >&g t;href=3D3D3D3D'news:inqgh393an5s4m99q caojn09vn112t4u6r@= &4ax.com">news:inqgh=3D
>393=3D3D
> =20
 >&an5=3D3D3D
> > =3D3D
> =20
 =
 =3D
>&g t;'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"&=

gt;news:inqgh393an5</A=3D3D=3D
>3D=3D3D
> =20
>
> > =20
=
=3D
>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com=
...</DIV>
& amp;amp;=3D3D3D
> =20
> =20
=
>gt;<BLOCKQUOTE=3D3D3D3D20
&a mp;gt;style=3D3D3D3D3D "PADDING-RI=
GHT:=3D3D3D20
> =20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> =20
>=3D3D3D
> > >#000000 =
2px=3D3D3D20
> =20
> >&a

Subject: Re: Apple unveils the iLaunch
Posted by [Aaron Allen](#) on Sun, 23 Sep 2007 18:55:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

mp;gt;single=3D3D3D3D20< BR>> =20
mec?
how many i/o cards =3D
>=3D3D3D
> =
> =20
>in each=3D3D3D20
> > > =20
mec?

On Fri, 19 =
Oct=3D3D3D20
> =20
> > =20
2007
=3D3D3D3D
>&am p;lt;BR>> 00:22:39 =
-0400, "Tom=20
Bruhl"=3D3D3D20
> > > =20
<<A=3D3D3D3D20
> =20
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=
=3D
>>href=3D3D3D3D'mailto:arpeggio@comcast.net">arpeggio@c=
omcast.net&g

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Sun, 23 Sep 2007 18:57:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

mp; solid; MARGIN-RIGHT:=20
0px">i=3D3D3D3D20
> know this as dumb=20
as
=3D
>=3D3D3D
> > >it=20
gets=3D3D3D20
> > > but the bnc is =

attached in=20
the=3D3D3D3D20<lt;BR>> =3D3D3D20
> > > =
> > =20
right<lt;BR>>order...right?<lt;BR>>all the cards show up in =
paris=20
=3D3D3D
> > > >with the=3D3D3D20
> >=
> > =20
> > =
=3D3D3D3D<lt;BR>>&a

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Sun, 23 Sep 2007 19:24:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

egio@comcast.net<lt;/A>><lt;BR>=
gt;w=3D3D3D
> > =20
> > =20
=
>rote<lt;/A>>:=3D3D3D3D<lt;BR>>&a mp;gt;<lt;BR>><lt;BR>>>l=3D3D3D=
D3D20<lt;BR>>>=20
=3D3D3D20
> > > > > thought I was groovin' =
but once=20
the second Mec was=3D3D3D20
> > > > =20
=
=3D3D3D3D<lt;BR>>>introduced<lt;BR> gt;>the=3D3D3D3D20<lt;BR>>&g=
t; > =20
system =3D3D3D
> > > >stopped. That=20
was=3D3D3D20
> > > > > a few weeks=20
ago.<lt;BR>>><lt;BR>>>Toda y l=3D3D3D20
>>=
> > =20
> > =
=3D3D3D3D<lt;BR>>>tried=3D3D3D3D20<lt;B R>>> > > different=20
cables, eds cards, =3D
>mecs, =3D3D3D
> > > =

><lt;BR>> > > > > the =
magma=20
=3D3D3D3D<lt;BR>>>and<lt;BR>>& gt;still =
no=3D3D3D3D20<lt;BR>>> > =20
=3D3D3D
> > > > > clock lock =
or=3D3D3D20
>> > =20
> > > > modules showing up in the =
paris=3D3D3D20
>> > =20
> > > =3D3D3D
> > > > =20
=
>=3D3D3D3D<lt;BR>>>patchbay.<lt; BR>>><lt;BR>>>This=3D3D=
3D3D20<lt;BR>>> > =20
=3D3D3D
> > > > > means to=3D3D3D20
>> > =

> =20
> me software unless someone tells =
me=3D3D3D20
> =20
> > =3D3D3D
> > =20
=
>=3D3D3D3D
>differently.& lt;BR>>
>I=3D3D=3D3D20
> =20
=3D3D3D
> > >have a =
new=3D3D3D20
> =20
> > C drive which I will load XP and no pace. Any=20
=3D
 >other=3D3D3D3D20
> =3D3D
> =20
>=3D3D3D
> > >
> > =
> =20

>suggestions?
& >
>More =
frustrated=20
=3D3D3D
> > >than=3D3D3D20
> =
> =20
> my=3D3D3D3D20
> =3D3D3D20
> =
> =20
> =3D3D3D
> > =20
=
>clients,
>Tom<BR& gt;>
>
& gt;&I=
t;BR=3D3D3D
> =20
> >>
>I=3D3D3D20
> =
> =20
> choose =
=3D3D3D3D
>Polesoft=3D3D3D3D20
> =20
Lockspam to fight =3D
>spam,=3D3D3D20
> > =
> =20
and=3D3D3D3D20
> =3D3D3D
> > =20
=
>you?
>http://www.polesoft.com/refer.html=3D3D3D20
>=
 =20
> > =3D3D3D
> > =20
=
>=3D3D3D3D20
><BR& gt;</BLOCKQUOTE></BODY>&I=
t;/HTML>
&=3D3D3D
> =20
> =20
=
>gt;
&g

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Sun, 23 Sep 2007 20:00:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

 =
><DIV><FONT=20

face=3D3D3DArial size=3D3D3D2> =
 </DIV>
> =20
 ><DIV>If it's =
 still 0 what=20
 else could
=3D
>this =3D3D
> >be? =
 =3D3D20
> =20
 >Busted mobo?</DIV>
> =20
 ><DIV>I'm really =
 in an idunno=20
 place =3D
>right =3D3D
> >now. =20
 I'll=3D3D20
> >be=20
 checking</DIV>
> =
 ><DIV><FONT=20
 face=3D3D3DArial size=3D3D3D2>seriously today again because =
 of
=3D
>a=20
 =3D3D
> >session tomorrow=3D3D20
> =20
 >morning.</DIV>
> =
 ><DIV><FONT=20
 face=3D3D3DArial =
 size=3D3D3D2>Tom</DIV>& >
> =20
 ><DIV><FONT face=3D3D3DArial =
 size=3D3D3D2></DIV>& ><DIV><FONT face=3D3D3DArial=20
 size=3D3D3D2> </DIV>
> =20
 ><BLOCKQUOTE=3D3D20
> =
 >style=3D3D3D"PADDING-RIGHT: 0px;=20
 PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D
> =20
 >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
 0px">
> =20
 > <DIV>"Mike Audet" <mike@....> wrote in =
 message=20
 <A=3D3D20
> > =3D3D
> =20
 =3D
>>href=3D3D3D"<A=20
 =
 href=3D'news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...</DIV>
H'>n=
 ews:471b2ec2\$1@linux">news:471b2ec2\$1@linux...</DIV><A=20
 t;BR>H=3D
>i=3D3D20
> =20
 > Tom,
>
>If you've only got one card in, =
 then the=20
 Mastercard =3D
>=3D3D3D 0
> =3D3D
> =
 >setting=20
 is=3D3D20
> > right.
> The file is =
 Paris.cfg, and=20
 it lives in the =3D
>c:\program=3D3D20
> =
 > =20
 files\Emu\PARIS PRO
>folder.
>
>& I'd still =
 check it=20
 out to see
=3D
>=3D3D
> >what it =

is=3D3D20
> =20
> set to.

If it is wrong, what you are=20
describing will=3D3D20
> > =20
happen.

Good=20
luck!

Mike

 "Tom Bruhl"=20
<<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20'>mail=
to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=
R>> =20
> wrote:
>
>&a mp;
>Thanks=20
Dimitrios.
>
> t;Mike =3D3D
> =
>said=20
the=3D3D20
> > same thing. Is the ini in =
the Paris=20
folde or system =3D3D
> >32?
>Do I=20
want=3D3D20
> > the Master card to be 0 =
absolutely? =20
I only have one =3D3D
> >card
>in=20
there=3D3D20
> > right now and it's all freaky =
just=20
the=3D3D20
> > =20
=
same.
>Tom
>
>
>

Subject: Re: Apple unveils the iLaunch
Posted by [rick](#) on Sun, 23 Sep 2007 20:20:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

< BR>=
;> =20
"Dimitrios" =3D3D
> ><<A=3D3D20
> =
> =20
href=3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr'>mailto:musurgio=
@otenet.gr">musurgio@otenet.gr</A/A>>=20
wrote
=3D
>in =3D3D
> =
>message=3D3D20
> =20
> =20
=
=3D3D3D
>news:471a0486\$1@linux...
>
>=
 =20
Hi Tom=3D3D20
> > <A=20
href=3D'mailto:!!@
!!
>> Sorry to hear you =
still=20
having problems like this=3D3D20
> > =20

~!!
> Must be very =
frustrating.
> Open=20
the =3D3D
> >Paris ini=3D3D20
> =
> file and=20
there change the mastercardoutput with=20
=3D3D3D
> your=3D3D20
> > =20
other
> cards and see what happens =
!!
> =20
Let me =3D3D
> >
> > =20
know.&

Subject: Re: Apple unveils the iLaunch
Posted by [dc\[3\]](#) on Sun, 23 Sep 2007 21:12:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

ast.net" target="_blank">arpegio@comcast.net>=3D3D20'>mail=
to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=
R>> =20
> wrote:
> >
> =20
>
> =3D3D20
> > =20
>Rick,
> >1 mec, no BNC involved. =
Paris boots=20
=3D3D
> >up so=3D3D20
> > the 1 =
mec=20
that
> >I'm using shows up but never any A to=20
=3D3D
> >Ds or=3D3D20
> > any =
installed=20
modules.
> >This is the same symptom =
=3D3D
> =20
>before I=3D3D20
> > repaired one of my mecs =
with=20
a
> >new chip. The =3D3D
> =20
>clock=3D3D20
> > light continues to flash =
too. =20
Never locks in.
> =3D3D20
> > =20
>
> >I am using the simplest setup I can =
imagine and=20
=3D3D
> >still=3D3D20
> > it's =
not=20
=3D3D3D
> working.
> > Mike A. =
suggested =20
=3D3D
> >the .ini=3D3D20
> > =
file to make=20
sure card A is 0. I'll =3D3D
> =20
>try
>=3D3D3D
> >=3D3D3D3D
> =20
=3D3D20
> > >that.
> =
>Pretty sure=20

it's right but who=3D3D20
> > > =
 knows?
> > > =20
 > Thanks,
> > Tom
> > =
 =3D3D20
> > =20
 > >
> >
> > =20
 >
> > =3D3D
> >
> > =20
 =3D3D20
> > >
> > "rick" =

 <<A=3D3D20
> > href=3D3D3D"<A=20
 =
 href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
 rnell68@hotmail.com">parnell68@hotmail.com</A>
=3D
=
 >>=3D3D
> > =20
 > wrote in=3D3D20
> > message =
 =3D3D3D3D
> > =20
 =3D3D20
> > =20
 > news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > =

 =3D3D20
> > > > i know this as dumb as =
 it gets but=20
 the bnc is attached in =3D3D
> > =
 > the=3D3D20
> > =20
 > right
> > > =20
 order...right?
> > > =3D3D
> > =
 > all=20
 the=3D3D20
> > cards show up in paris with the =
 single=20
 mec?
> > > =3D3D
> > > how=20
 many=3D3D20
> > > i/o cards in each=20
 mec?
> >
> > =
 =3D3D
> > =20
 >
> =3D3D20
> > > > =
 On Fri, 19=20
 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> > =20
 > =3D3D3D
> <<A=3 D3D20
> > > =20
 =3D3D
> > =3D
> href=3D3D3D"<A=20
 =
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>
> > n=3D=
 3D'>mailto:arpeggio@comcast.net">arpeggio@comcast.net> <B=
 R>> > n=3D3D=3D
>
> > =20
 > bsp;=3D3D20
> > > > =
 wrote:
> > =20
 >
> > > > I =3D3D
> > =
 > thought=20
 I=3D3D20
> > > was groovin' but once the second =
 Mec was=20
 introduced
> > =3D3D
> > > =20
 =3D3D20
> > > the system stopped. That =

was a few=20

weeks ago.
> =3D3D20
> =

>
> > >Today I tried different=20

=3D3D
> >cables,=3D3D20
> > eds =
cards, mecs,=20

eliminated the

=3D3D
> >=3D3D3D3D
>=

=3D3D20
> > =20

>and
> > >still no clock lock or =

modules=20

=3D3D
> >showing up=3D3D20
> > >=

in the paris=20

patchbay.
> > >
> =20

=3D3D
> >> =3D3D20
> > =

>This means $t_0=20$

me software unless someone tells me=3D3D20
> > =20

differently.
> > >
> =

> =3D3D
> >>I have=3D3D20
> =

> a=20

new C drive which I will load XP and no pace. =

Any=3D3D20
> =20

> =3D3D3D
>other=3D3D3D3D20
 &>> =

>=20

=3D3D
> >>suggestions?
> =

=3D3D20
> =20

> > >
> > >More=20

frustrated than my=3D3D20
> > =20

clients,
> > > Tom
>> =

 ≥ 20

=3D3D20
> > >
> > =

>
> > =3D3D
> =

>>
>=20

=3D3D20
> > > >
> =

> >I choose Polesoft =3D3D
> >Lockspam=20

to=3D3D20
> > fight spam, and =

you?
> =20

>=3D3D20
> > =20

><http://www.polesoft.com/refer.html> =

=3D3D3D3D20
>=20

=3D3D20
> > >
> =20

>
> ><!DOCTYPE HTML =

PUBLIC=3D3D20
> =20

>
 <!--W3C//DTD HTML 4.0 Transitional//EN-->

```

=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20
&gt;&lt;HTML&gt;&lt;HEAD&gt;&lt;BR&a mp;gt;&gt;&nbsp;=20
&gt;&lt;META=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=
http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html"; =3D3D<BR>&gt;&nbsp;=
&gt;=3D3D3D3D&lt;BR&gt;&gt;=20
=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20
&gt; charset=3D3D3D3DDiso-8859-1"&gt;&lt;BR&gt;&gt;&nbsp;=
&gt;&lt;META=20
=3D3D<BR>&gt;&nbsp;=
&gt; content=3D3D3D3D"MSHTML=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20
6.00.2800.1400" name=3D3D3D3DGENERATOR&gt;&lt;BR&gt;&gt;=
=3D3D20<BR>&gt;&nbsp;=20
&gt;&nbsp; &gt;&lt;STYLE&gt;&lt;/STYLE&gt;&lt;B R&gt;&gt;&nbsp;=20
=3D3D<BR>&gt;&nbsp; &gt;&gt;&lt;/HEAD&gt;&lt;BR&gt;& gt;=
=3D3D20<BR>&gt;&nbsp;=20
&gt;&nbsp; &gt;&lt;BODY =
bgColor=3D3D3D3D#ffffff&gt;&lt;BR&gt;&gt;& amp;nbsp;=20
=3D3D<BR>&gt;&nbsp; &gt;&gt;&lt;DIV&gt;&lt;FONT=3D3D20<BR>&gt;&nbsp;=
&gt;&nbsp;=20
face=3D3D3D3DArial =3D3D<BR>&gt;&nbsp;=20
&gt; size=3D3D3D3D2&gt;Rick,&lt;/FONT&gt;&a mp;lt;/DIV&gt;&lt;BR&gt;&gt;=

=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2&gt;1 mec, no BNC =3D3D<BR>&gt;&nbsp;=20
&gt;involved.=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; Paris=20
=3D3D3D&lt;BR&gt;&gt;=3D3D3D3D&lt;BR&gt; &gt;&nbsp; &gt;boots up so=20
=3D3D<BR>&gt;&nbsp; &gt;the=3D3D3D3D20&lt;BR&gt;&gt;&nbsp;=2 0
&gt;1=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; mec=20
that&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& gt;&gt;&nbsp;=
=3D3D<BR>&gt;&nbsp;=20
&gt;&gt;&lt;DIV&gt;&lt;FONT=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=
face=3D3D3D3DArial=20
size=3D3D3D3D2&gt;I'm using shows up but never =3D3D<BR>&gt;&nbsp;=

&gt;any&lt;BR&gt;=3D3D3D&lt;BR&gt;&g t;A to=3D3D20<BR>&gt;&nbsp;=
&gt;&nbsp;=20
=3D3D3D3D&lt;BR&gt;&gt;&nbsp; &gt;Ds or =
any=3D3D3D3D20&lt;BR&gt;&gt;&nbsp;=20
&gt;installed=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20
modules.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& amp;gt;&gt;&nbsp;=
=3D3D<BR>&gt;&nbsp;=20
&gt;&gt;&lt;DIV&gt;&lt;FONT=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=
face=3D3D3D3DArial=20
size=3D3D3D3D2&gt;This is the same symptom =3D3D<BR>&gt;&nbsp;=20
&gt;before&lt;BR&gt;=3D3D3D&lt;BR&gt;&am p;gt;l=3D3D20 <BR>&gt;&nbsp;=
&gt;&nbsp;=20

```

=3D3D3D3D
> >repaired one =
 of=3D3D3D3D20
> >=20
 >my =3D3D
> >mecs with=3D3D20
> >=
 > >=20
 a
> >=20
 > >=20
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D2>new chip. The clock light =3D3D
> >=20
 >=3D3D3D3D
> =3D3D20
> >=
 >continues to=20
 flash=3D3D3D3D20
> >too. Never =
 locks=3D3D20
> >=20
 > > in.
> >=20
 > >=20
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D2> >=3D3D
> >=20
 > >=3D3D20
> >=20
 > >face=3D3D3D3D3DArial size=3D3D3D3D2>I =
 am using=20
 =3D3D
> >the simplest=3D3D20
> >=
 setup=20
 I
>=3D3D3D
>can =3D3D3D3D
> >=
 >imagine=20
 =3D3D
> >and=3D3D3D3D20
> >=
 =3D3D20
> >=20
 > >still it's not=20
 working.
> >=
 =3D3D20
> >=20
 > > >DIV> >FONT face=3D3D3D3D3DArial =
 size=3D3D3D3D2>Mike=20
 A. =3D3D
> >suggested the=3D3D20
> >=
 > >.ini=20
 file
>=3D3D3D
>=3D3D 3D3D
> >=
 >to make=20
 =3D3D
> >sure=3D3D3D3D20
> >=
 =3D3D20
> >=20
 > >card A is 0. I'll try=20
 that.
> >=
 =3D3D
> >=20
 >
> > >DIV> >FONT =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D2>Pretty sure =3D3D
> >it's=20
 right=3D3D20
> >but who=20
 =3D3D3D
>=3D3D3D3D
> =3D3D20
> >=
 > >=20
 >knows?
> >=20
 =3D3D
> >=20
 > >DIV> >FONT=3D3D20
> >=
 > >=20

face=3D3D3D3D3DArial=20
=3D3D
> =20
=
>size=3D3D3D3D3D2>Thanks, </DIV>
>=20
=3D3D20
> > ></DIV><FONT=20
face=3D3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D3D2>Tom</DIV >
>=20
=3D3D20
> > ></DIV><FONT =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> =3D3D
> =
>
> =20
> </DIV>
> ></DIV><FONT=20
face=3D3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D3D2> </DIV>
> =20
=3D3D
> >></DIV>=3D3D20
> =
> =20
</DIV>
> ></DIV> =
</DIV>
>=20
=3D3D20
> > & ></DIV>=20
</DIV>
> =
></DIV>"rick"=3D3D20
> =20
> & <<A=3D3D3D3D20
> =20
>&href=3D3D3D3D3D"<A=3D3D20
> & > & =
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.commailto=3D
>:pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> =20
> & =3D3D3D
>=3D3D3D3D
 > =
>wrote=20
in=3D3D3D3D20
> =3D3D
> =20
>>message=3D3D20
> & > &=20
<A=3D3D3D3D20
> &=20
=3D3D3D
>>href=3D3D3D3D3D"<A=3D3D20
> & =
> &=20
=3D3D
> =20
=
=3D
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.co=
m">news:inqgh393=3D
>>'>n=3D3D
> &=20
=
=3D
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh393=3D3D3D<B=3D
>=3D3D
> &=20
>&R>>an5=3D3D3D3D
& > =3D3D20
> & =
> &=20
=3D3D
> &=20
=
=

>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
=
;>=20
=3D3D
> >;=3D3D20
> > =20
><BLOKQUOTE=3D3D3D3D20
& > =
=3D3D
> =20
>>style=3D3D3D3D3D"Padding-Right: 0px;=3D3D20
> =
> =20
padding-left: 5px; margin-left: 5px;=20
=3D3D3D
>=3D3D3D3D
 > =3D3D20
> =
> =20
>BORDER-left: #000000 2px solid; margin-right: =
=3D3D
> =20
>0px">i=3D3D3D3D20
> =3D3D20
> =
> =20
> know this as dumb as it gets but the bnc is attached=20
in=3D3D20
> > =
the=3D3D3D3D20
> > =20
=3D3D
> =20
>right
order...right?<BR& >all=3D3D20
> =
> =20
the cards show up in paris with=20
the
=3D3D3D
>=3D3D3 D3D
> =
=3D3D20
> =20
> >single=3D3D3D3D20
> > =20
mec?
how many i/o =3D3D
> >cards =
in=3D3D20
> =20
> each mec?

On Fri, 19=20
Oct=3D3D20
> > =20
=3D3D3D
>2007
& > =
=3D3D3D3D
> =20
>
> =3D3D
> >> =
=3D3D20
> =20
> 00:22:39 -0400, "Tom Bruhl"=20
<<A=3D3D3D3D20
> > =3D3D20
> =
> =20
=3D3D3D3D
> =20
=3D3D3D
>>href=3D3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net'>arpegio@comcast=
..net>
wrote'=3D
>ma=3D3D
> =20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><BR&=
>w=3D3D
> =20
>rote:=3D3D3D
& >=3D3D3D3D
>=20
=3D3D20
> > =20
>

l=3D3D3D 3D20
> =

 =20
 thought =3D3D
 I was=3D3D20
 =
 groovin'=20
 but once the second Mec was =3D3D3D3D
 =
 =3D3D20
 =20
 =
 introduced
 the=3D3D3D3D20&a mp;lt;BR> =20
 system =3D3D
 =
 stopped.=3D3D20
 =20
 That was a few weeks =
 ago.

 Toda y I=20
 =3D3D
 =3D3D3D3D
 =
 =3D3D20
 =20
 tried=3D3D3D3D20
 different =
 cables, eds=20
 cards, =3D3D
 mecs,=3D3D20
 =
 eliminated=20
 the magma =3D3D3D3D
 =20
 and
 still=3D3D20
 =20
 no=3D3D3D3D20
 clock lock or modules =
 showing up=20
 in =3D3D
 the paris=3D3D20
 =

 =3D3D3D3D
 =3D3D20
 =20
 =
 patchbay.

 ; This=3D3D3D3D20
 =20
 =3D3D
 =3D3D20
 means =
 to me=20
 software unless someone tells me =3D3D3D3D
 =
 =3D3D20
 =20
 =20
 =
 differently.

 I=3D3D3D3D20
 =20
 =3D3D
 =3D3D20
 have a =
 new C drive=20
 which I will load XP and no pace. Any=3D3D20
 =
 =20
 other=3D3D3D3D20
 =3D3D20
 =
 =20

 suggestions?
 & ;
 More =
 frustrated=20
 =3D3D
 than=3D3D20
 =20
 my=3D3D3D3D20
 =3D3D20
 =
 =20
 =3D3D
 =20
 =

[illegible]

size=3D3D3D2>Mike said the same thing. Is the=20
=3D3D3D
>ini in =3D3D
> >
> =
> =20
the=3D3D3D20
>Paris folde or system=3D3D20
> =
> =20
32?</DIV>
></DIV><FONT=20
face=3D3D3D3DArial =3D3D
> >
> > =

size=3D3D3D3D2>Do I want the Master card to be =
=3D3D
> =20
>0=3D3D3D20
>absolutely? I=3D3D20
> =
> =20
only have one =
card</DIV>
></DIV><FONT=20
=3D3D
> >
> > face=3D3D3D3DArial =

size=3D3D3D3D2>in there right now and it's =
all=3D3D20
> =20
> =
freaky
=3D3D3D
>jus t=3D3D20
> =20
> =3D3D
> =20
=
>the=3D3D3D20
>same.</ FONT></DIV>
>=
</DIV><FONT=3D3D
> =20
>=3D3D20
> > =
face=3D3D3D3DArial=3D3D20
> =20
> =20
=
size=3D3D3D3D2>Tom</DIV&a mp;gt;
></DIV><I=
t;FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
=
></DIV>
><I t;DIV><FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
=
></DIV>
><I t;DIV><FONT=3D3D20
> =20
> face=3D3D3D3DArial =
size=3D3D3D3D2>=3D3D20
> =20
> =3D3D
> =20
=
></DIV>
><I t;BLOCKQUOTE=3D3D3D20
>style=3D=
3D3D3D"PADDING-RIGHT:=20
=3D3D
> >0px;=3D3D20
> > =
PADDING-LEFT: 5px;=20
MARGIN-LEFT: 5px; =3D3D3D
>BORDER-LEFT:=20
#000000
=3D
>=3D3D
> >2px =

solid;=3D3D20
> =20
 > MARGIN-RIGHT: 0px">
> =20
 <DIV>"Dimitrios"=3D3D20
> > =20
 <<A=3D3D3D20
> p; =
 href=3D3D3D3D"<A=3D3D20
> =20
 > =3D3D
> =20
 =
 =3D
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.=
 gr</A'>mailto:musur=3D
>gio=3D3D
> =20
 =
 >@otenet.gr">musurgio@otenet.gr</A>>=3D3D20
&=
 gt; =20
 > wrote in =
 =3D3D3D
>message=3D3D3D20<BR& amp;gt;> =20
 <A =3D3D
> =20
 >=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
 > =20
 =3D3D
> =20
 =
 =3D
>>href=3D3D3D'news:471a0486\$1@linux">news:471a0486\$1@linu=
 x...</DIV>
> H=3D
>'>=3D3D
> =
 =20
 =
 >news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV&=
 gt;&=3D3D
> =20
 =
 >lt;BR>>Hi
>= 3D3D3D
>>Tom=3D3D3D20<B=
 R>>=20
 =3D3D20
> > <A href=3D3D3D"<A=20
 =
 href=3D'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry ">=
 !@
Sorry</A>=20
 to hear you still
=3D
>=3D3D
> =20
 >having=3D3D20
> > problems like this=20
 ~!!
>Must =3D3D
> =20
 >be
>=3D3D3D
>>very=3D3D3D20
>>=20
 =3D3D20
> > frustrating.
>Open the =
 Paris ini file=20
 and there change the=3D3D20
> > =20
 =3D3D3D
>>mastercardoutput=3D3D3D20&a mp;lt;BR>>> =
 with your=20
 =3D3D
> >other
>cards =
 and=3D3D20
> > =20
 see what happens !!
>Let me=3D3D3D20
>> =
 =3D3D20
> =20
 > =20
 know.
>Regards,
>Dimitrios&a mp;lt;BR>>
> "Tom=20
 =3D3D
> >Bruhl"=3D3D20
> > =20

<<A=3D3D3D20
> p; =
 href=3D3D3D3D"<A=3D3D20
> =20
 =3D3D
> =20
 =
 =3D
> href=3D3D3D'mailto:arpegio@comcast.net" arpegio@comcast=
 ..net<A> =3D3D3D20' m=3D
> ailto=3D3D
> =20
 =
 arpegio@comcast.net" arpegio@comcast.net<A> =3D3D3D20&l=
 t;/A>
 &g=3D3D
> =20
 t; =3D3D20
> =20
 wrote:
>
> a mp;lt;BR>> Rick,
> 1 =

 =3D3D
> mec, no=3D3D20
> BNC=20
 =3D3D3D
> involved. =
 Paris=3D3D3D20
> boots up=20
 so =3D3D
> the 1 mec=3D3D20
> =

 that
> I'm using shows up but never any A =
 =3D3D3D
> to=20
 Ds=3D3D20
> or=3D3D3D20
> =
 any installed=20
 modules.
> This is the =3D3D
> =20
 same=3D3D20
> symptom before I=20
 =3D3D3D
> repaired one=3D3D3D20
> of my =
 mecs=20
 =3D3D
> with=3D3D20
> =
 a
> new=20
 chip. The clock light continues to=3D3D20
> =
 =20
 =3D3D3D
> flash=3D3D3D20
 p; too. =
 Never=20
 locks=3D3D20
> =
 in.
>
> I am=20
 using the simplest =3D3D
> =
 =3D3D3D
> setup=20
 I=3D3D20
> can=3D3D3D20
> =
 imagine and=20
 still it's not =3D3D
> working.
> Mike=20
 A.=3D3D20
> suggested the=20
 =3D3D3D
> .ini=3D3D3D20
 p; file to make=20
 =3D3D
> sure card A is=3D3D20
> =
 0. =20
 I'll try=3D3D20
> =3D3D
> =20
 =
 =3D3D3D
> =3D3D3D3D
 that.
> Pretty=
 =3D3D3D20
> =20
 =3D3D
> sure it's=3D3D20
> =
 right but=20

who=3D3D3D20
> =3D3D20
> > > =
=3D3D
> =20
=
>=3D3D3D
>>knows?<BR&am p;gt;>Thanks,
>Tom<=
BR>><=3D3D
> =20
=
>BR>>
>< BR>>
><=3D3D3D& amp;lt;BR=
>>BR>=3D3D
> =20
>>"rick"=3D3D3D20
> =3D3D20
> =
> <<A=20
=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>:pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> =20
> =3D3D3D
>wrote=3D3D3D20<BR&am p;gt;> =
in=20
message=3D3D3D20
> =3D3D20
> > =20
=3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcao=
jn09vn112t4u6r@4ax=3D3D
> =20
=
>.com...
>&nbs=3D3D3D
>p;=3D3D20
>&n=
bsp;=20
> i=3D3D3D20
> know this as dumb as it =
gets but the=20
bnc is =3D3D
> >attached in=3D3D20
> =
> =20
the=3D3D3D20
> right
> =
=3D3D20
> =20
> order...right?
> all the cards show=20
up=3D3D20
> > =20
=3D3D3D
>in=3D3D3D20<BR&g t;gt; paris with the =
single=20
=3D3D
> >mec?
> =3D3D20
> =
> how=20
many i/o cards in each=3D3D3D20
> =3D3D20
> =
> =20
mec?
>
>& ;lt;BR>> On Fri, 19 Oct=20
=3D3D
> >2007=3D3D20
> > =
00:22:39 -0400,=20
=3D3D3D
>"Tom=3D3D3D20
> =
Bruhl"=3D3D20
> =20

> <<A=3D3D3D20
> p;=20
 =3D3D3D
>>href=3D3D3D3D"<A=3D3D20
> =
 > =20
 =3D3D
> =20
 =
 =3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
 ..net>
>&am p; n'>=3D3D=3D
>> =
 =20
 =
 >mailto:arpegio@comcast.net">arpegio@comcast.net><B=
 R>=3D3D
> =20
 =
 >,>&am p;n=3D3D3D< BR>>bsp;=3D3D3D20
>=
 =20
 =3D3D20
> > =
 wrote:
>
>&a mp; =20
 >I thought I was groovin' =3D3D
> >but=20
 once=3D3D20
> > the=20
 =3D3D3D
>second=3D3D3D20<BR&a mp;gt;> Mec was=20
 =3D3D
> >introduced
> =
 =3D3D20
> =20
 > >the system stopped. That =
 =3D3D3D
>was a=20
 =3D3D
> >few=3D3D3D20
> =20
 weeks=3D3D20
> > ago.
> =20
 >
> >Today I tried=3D3D20
> =
 > =20
 =3D3D3D
>different=3D3D3D20<B R>> cables, =
 eds cards,=20
 mecs, =3D3D
> >eliminated the=3D3D20
> =
 > =20
 =
 =3D3D3D
>magma
=3D3 D3D3D
>and
&=
 gt;=20
 =3D3D
> >=3D3D3D20
> =
 =3D3D20
> > =20
 >still no clock lock or modules showing up in the =
 =3D3D
> =20
 >paris=3D3D3D20
> =3D3D20
> > =20
 patchbay.
> >
> >This =
 means=20
 =3D3D
> >to me=3D3D20
> > =20
 =3D3D3D
>software=3D3D3D20
> unless =
 someone tells=20
 me=3D3D20
> > differently.
> =20
 >
> =3D3D20
> > =20
 =3D3D3D
>>I=3D3D3D20<B R>> have a new C =
 drive which=20

=3D3D
> >6.00.2800.1400"=3D3D3D20
> =20
 =3D3D20
> > >=3D3D
> =20
 =
 >=3D3D3D
>>name=3D3D3D3D3DGENE RATOR>
><ST=
 YLE></STYLE&=3D3D
> =20
 =
 >>
></HEA=3D3D3D& ;lt;BR>>>D>
>>&am p;lt;=
 BODY=3D3D3D20
>&=3D3D
> =20
 >> =3D3D20
> > =20
 =
 bgColor=3D3D3D3D3D#ffffff>
>& <DIV><FONT=3D3D20
=
 > =20
 > face=3D3D3D3D3DArial=3D3D3D20
>& =
 =3D3D20
> =20
 > =3D3D
> =20
 =
 >=3D3D3D
>>size=3D3D3D3D3D2&am p;gt;Rick,</DIV&g=
 t;
>>&=3D3D
> =20
 >t;DIV><FONT=3D3D3D20
> > =3D3D20
> =
 > =20
 face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved.=20
 =3D
>Paris=3D3D20
> > =20
 =3D3D3D
>&=3D3D3D3D
> >boots up=20
 so=3D3D3D20
> =3D3D
> =20
 >the=3D3D3D3D20
>&1=3D3D20
> > =20
 mec=3D3D20
> > =3D3D
> =20
 =
 >=3D3D3D
>>that</FONT&a mp;gt;</DIV>
>< D=
 IV><FONT=3D3D
> =20
 >=3D3D3D20
>& =3D3D20
> > =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2>I'm using shows up but never any
=3D
>A =
 to=20
 =3D3D
> >
> > =20
 =3D3D3D
>&=3D3D3D3D
> >Ds =
 or=3D3D3D20
>&=20
 =3D3D20
> > =20
 any=3D3D3D3D20
>&installed=3D3D3D20&a mp;lt;BR>>& =
 =3D3D20
> =20
 > =20
 =
 modules.</DIV><BR& amp;gt;><DIV><FONT=3D3D20=

> =20
 > =
 =3D3D3D
>>face=3D3D3D3D3DArial=3D3D3D 20
> =20
 size=3D3D3D3D3D2>This is =3D
>=3D3D
> >the=20
 same=3D3D20
> > symptom before I=20
 =3D3D3D3D
>&repaired =3D3D
> =20

>=3D3D3D
>one=3D3D3D20
> =
=3D3D20
> =20
> of=3D3D3D3D20
>my mecs =
with=3D3D3D20
>=20
=3D3D20
> > =20
=
a</DIV>
 ></DIV><FONT=3D3D20
>=
 =20
> face=3D3D3D3D3DArial=3D3D3D20
> =20
size=3D3D3D3D2>new chip. The =3D3D
> >clock=20
light=3D3D20
> > =
=3D3D3D3D
>continues=20
to=3D3D3D20
> =3D3D
> =20
>flash=3D3D3D3D20
>too.=3D3D2 0
> =
> Never=20
locks=3D3D3D20
> =3D3D20
> > =20
in.</DIV>
></DIV><FONT=20
=3D3D
> >face=3D3D3D3D3DArial=3D3D20
> =
> =20
=3D3D3D
>
> =20
size=3D3D3D3D2>=3D3D20
> > =20
</DIV>
></DIV><FONT=3D3D20
> =
> =20
=
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D2>I am =3D3D
> >using the=20
simplest=3D3D20
> > setup I can=20
=3D3D3D3D
>imagine=3D3D3D20
> =
=3D3D20
> =20
> and=3D3D3D3D20
>still it's =
not=3D3D3D20
>=20
=3D3D20
> > =20
=
working.</DIV>
></DIV><FONT=3D3D20=

> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D2>Mike A. =3D
>=3D3D
> =
>suggested=20
the=3D3D20
> > .ini file =
=3D3D3D3D
>to=20
make=3D3D3D20
> =3D3D20
> > =20
sure=3D3D3D3D20
>card A is 0. I'll =
try=3D3D3D20
>=20
=3D3D20
> > =20
=
that.</DIV>
></DIV><FONT=3D3D20
>=
>> =20

> =
 =3D3D3D
>>face=3D3D3D3D3DArial=3D3D3D 20
>> =20
 size=3D3D3D3D3D2
>>Pretty =3D3D
>> >>sure it's=20
 right=3D3D20
>> >> but who=3D3D3D20
>> =

 =3D3D20
>> >> =3D3D
>> =20
 =
 >=3D3D3D3D
>>knows?</FO NT></DIV>
>>& ;=
 lt;DIV&g=3D3D
>> =20
 >t;<FONT=3D3D3D20
>> =3D3D20
>> =
 > =20
 face=3D3D3D3D3DArial=3D3D3D20
>> =3D3D20
>> =
 > =20
 =3D3D
>> =20
 =
 >=3D3D3D
>>size=3D3D3D3D3D2&am p;>Thanks,</DIV=
 >
>>=3D3D
>> =20
 ><DIV><FONT=3D3D3D
& ;>>=3D3D3D20
>>=20
 =3D3D20
>> > =
 face=3D3D3D3D3DArial=3D3D3D20
>>=20
 =3D3D20
>> > =3D3D
>> =20
 =
 >size=3D3D3D3D3D2
>>Tom& ;</DIV>
>><DIV=
 ><=3D3D
>> =20
 >FONT=3D3D3D20
>> =3D3D20
>> > =20
 face=3D3D3D3D3DArial =
 size=3D3D3D3D3D2
>>>=3D3D20
>> =20
 > =3D3D
>> =20
 =
 >=3D3D3D
>></DIV> ;
>><DIV><FONT=3 D=
 3D3D20
>>& nbs=3D3D
>> =20
 >p;=3D3D20
>> > face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2
>>>=3D3D20
>> > =20
 =
 =3D3D3D
>></DIV>
>><DIV>=3D3D3D20
=
 >>=20
 =3D3D20
>> > =20
 </DIV>
>><DIV&am p;>=3D3D20
>> =
 > =20
 </DIV>
>><DIV&am p;>=3D3D3D20
>>=20
 =3D3D20
>> > =20
 </DIV>
>><DIV&am p;> "rick"=3D3D20
>> =
 > =20
 =3D3D
>> =20
 =
 >=3D3D3D
>></A=3 D3D3D3D20
>>href=3D3D3D3D3D=
 D"
>>
>>& n=3D3D
>> =20
 >bsp;=3D3D20
>> > =3D3D
>> =20

=
 =3D
 >>=3D3D3D
>href=3D3D3D 3D'mailto:parnell68@hotmail=
 l.com">parnell68@hotmail.c=3D3D=3D
>
> =20
 =
 >om</A'>mailto:pa=3D3D3D<BR& gt;>rnell68@hotmail.com">pa=
 rnell68@hotmail=3D3D
> =20
 >l.com</A>>=3D 3D3D20
> =
 =3D3D20
> =20
 > =3D3D3D3D
>wrote=20
 in=3D3D3D3D20
>message=3D3D20
> > =20
 <A=3D3D3D3D20
>href=3D3D3D3D3 D "<A=20
 =3D3D3D
>
> =3D3D20
> > =

=3D3D
> =20
 =
 =3D
 >>=3D3D3D
>href=3D3D3D 3D'news:inqgh393an5s4m99qc=
 aojn09vn112t4u6r@4ax.com">=3D3D=3D
>
> =20
 =
 =3D
 >>news:inqgh393an5=3D3D3D
&am p;gt;'>news:inqgh393an5=
 s4m99qcaojn09vn112t4u6r@4=3D3D=3D
>
> =20
 =
 >ax.com" >news:inqgh393an5</A=3D3D3D
& amp;gt;>=3D3D3D3D&l=
 t;BR>>s4m99q=3D3D
> =20
 =
 >caojn09vn112t4u6r@4ax.com ...</DIV>
& amp;amp;=3D3=
 D3D
&=3D3D
> =20
 =
 =3D
 >>gt;gt;<BLOCKQUOTE=3D3D3D3D20<B R>>style=3D3D3D3=
 D3D"PADDING-RIGHT:=3D3D3D20=3D3D
> =20
 >
> =3D3D20
> > 0px; =
 PADDING-LEFT: 5px;=20
 MARGIN-LEFT: 5px; =3D3D
> =20
 >=3D3D3D3D
>BORDER-LEFT:=3D3D 20
> =
 > =20
 =3D3D3D
>#000000 2px=3D3D3D20
> solid; =

MARGIN-RIGHT:=3D3D20
> > =20
 0px">i=3D3D3D3D20
> know this as dumb as=20
 =3D3D
> >=3D3D3D
>it=3D3D20
> =
 > =20
 gets=3D3D3D20
> but the bnc is attached in =
 =3D3D
> =20
 >the=3D3D3D3D20
>=3D3D20
> > =20
 =3D3D3D20
> =
 right
order...right?
all the=20
 =3D3D
> >cards show up=3D3D20
> =
 > in paris=20
 =3D3D3D
>with the=3D3D3D20
> =

=3D3D20
>=20
 > =
 =3D3D3D3D
>single=3D3D3D3D20< BR>> =20
 mec?
how =3D3D
> >many =
 i/o=3D3D20
> =20
 > cards =3D3D3D
>in =
 each=3D3D3D20
> =20
 =3D3D
> =20
 >mec?

<BR&a mp;gt;On=3D3D20
> =
 > Fri,=20
 19 Oct=3D3D3D20
> =3D3D20
> > =20
 2007
=3D3D3D3D
>&am p;lt;BR>> 00:22:39 =
 -0400,=20
 =3D3D
> >"Tom=3D3D20
> > =20
 Bruhl"=3D3D3D20
> =
 <<A=3D3D3D3D20
>=20
 =3D3D20
> > =20
 =3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
>=20
 =3D3D20
> > =3D3D
> =20
 =
 =3D
 >>=3D3D3D
>href=3D3D3D 3D'mailto:arpeggio@comcast.=
 net">arpeggio@comcast.net&l=3D3D=3D
>
> =20
 =
 >t;/A>>
wrote'> ma=3D3D3D
>ilto:arpeggio@c=
 omcast.net">=3D3D
> =20
 =
 >;arpeggio@comcast.net >
w=3D3D3D< BR>>rot=
 e:=3D3D3D=3D3D
> =20
 =
 >3D
>
&l t;BR>>l=3D3D3D3D20
>=3 D=
 3D20
> =20
 > =3D3D3D20
> thought I was groovin' but =
 once the=20
 second Mec=3D3D20
> > =
 was=3D3D3D20
>=20
 =3D3D20
> > =3D3D
> =20
 =
 >=3D3D3D3D
>introduced< BR>>the=3D3D3D3D20<BR&g=
 t;>=20
 =3D3D
> > system=3D3D20
> > =20
 =3D3D3D
>stopped. That was=3D3D3D20
> =
 a few=20
 weeks=3D3D20
> > =
 ago.
>
>Toda y=20
 l=3D3D3D20
> =3D3D20
> > =20
 =3D3D3D3D
>tried=3D3D3D3D20<B R>> =
 different cables,=20
 =3D3D
> >eds cards,=3D3D20
> > =
 =3D3D
> > =

mecs,=20
 =3D3D3D
>eliminated=3D3D3D20
> the=20
 magma=3D3D20
> > =20
 =3D3D3D3D
>>and
>& ;gt;still =3D3D
> =20
 >no=3D3D3D3D20
>& =3D3D20
> > =20
 =3D3D3D
>>clock lock or=3D3D3D20
>> =
 modules showing=20
 up in the=3D3D20
> > =
 paris=3D3D3D20
>>=20
 =3D3D20
> > =3D3D
> =20
 =
 >=3D3D3D
>>=3D3D3D3D
>>patchbay.
>>I=
 t;
>>This=3D3D3D=3D3D
> =20
 >3D20
>> =3D3D20
> > =20
 =3D3D3D
>>means to=3D3D3D20
>> me =
 software unless=20
 someone =3D3D
> >tells=3D3D20
> =
 > =20
 me=3D3D3D20
>> =3D3D20
> > =
 =3D3D
> =20
 =
 >=3D3D3D
>>=3D3D3D3D
>>differently.
>>=
 ;
>>I=3D3D3D=3D3D
> =20
 >3D20
>> =3D3D20
> > =20
 =3D3D3D
>>have a new=3D3D3D20
>> C drive =
 which I=20
 will load XP =3D3D
> >and no =
 pace.=3D3D20
> =20
 > Any other=3D3D3D3D20
>> =20
 =3D3D3D
>>
>> =3D3D20
> > =

>>suggestions?
>>& ;gt;
>>More=20
 frustrated=3D3D20
> > =20
 =3D3D3D
>>than=3D3D3D20
>>& ;gt;> =
 my=3D3D3D3D20
>>=20
 =3D3D
> >=3D3D3D20
>> =
 =3D3D20
> > =20
 =3D3D
> =20
 =
 >=3D3D3D
>>clients,
>>& ;gt;>Tom
>>
>>=
 ;>
>>=3D3D
> =20
 =
 >,>
>>=3D3D3D
>> >>
>>I=3D3D3D20
>> B=
 R>>=20
 =3D3D20
> > choose=20
 =3D3D3D3D
>>Polesoft=3D3D3D3D20
>>& ;gt;> =
 Lockspam=20
 =3D3D
> >to fight=3D3D20
> > =20

spam,=3D3D3D20
> and=3D3D3D3D20
>=20
=3D3D20
> > > =3D3D
> =20
=
>=3D3D3D
>you?
 >>http://www.polesoft.com/refer.=
html=3D3D3D20
>&=3D3D
> =20
>> =3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D20< BR>>
</BLOCKQUOTE=
TE></BODY>=3D3D
> =20
=
></HTML>
>&=3D 3D3D
>>
>& &=
t;BR>></B=3D3D
> =20
=
>LOCKQUOTE></BODY></HTML& >
>
>& &=
t;BR>></BLOCKQUOTE><=3D3D
> =20
>/BODY></HTML>
> >
> =20
>
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
HTML 4.0=20
=
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20
=
size=3D3D2>Mike,</DIV& >
><DIV><FONT=20
face=3D3DArial size=3D3D2>I used to use a Lucid but since all=20
of
=3D
>this mess=20
=
I=3D20
>stopped.</DIV>
><DIV><FON=
T=20
face=3D3DArial size=3D3D2>I'm trying to get stable from square =
=3D
>one=20
with the=3D20
>least amount=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>of hardware. I am using the =3D
>default=20
project=3D20
>for sure. The only=20
</DIV>
><DIV><FONT face=3D3DArial=20
size=3D3D2>other thing that I still question is =
my
=3D
>move=20
of=3D20
>Paris to C:ParisPro=20
.</DIV>
><DIV><FONT face=3D3DArial =
size=3D3D2>I should think the default project =

will
=3D
>either=20
work=3D20
>or not. =20
Maybe</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2>configs or something else is =3D
>fighting=20
during=3D20
>Paris=20
startup?</DIV>
></DIV></FONT =
face=3D3DArial=20
size=3D3D2> </DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>Pats 42 - Miami 7 . . . Halftime and =
=3D
>the=20
=
games=3D20
>over.</DIV>
></DIV></FO=
NT=20
face=3D3DArial=20
=
size=3D3D2>Tom</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
</DIV>
></DIV></FONT face=3D3DArial=20
size=3D3D2> </DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>=20
=
</DIV>
></BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: #000000 =
2px=20
solid; MARGIN-RIGHT: 0px">
> </DIV>"Mike Audet"=20
</mike@....> wrote in message </A=3D20
> =20
=3D
>href=3D3D"<A=20
=
href=3D'news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...</DIV>
Hi=3D=
20'>news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...</DIV&=
gt;</BR>Hi=3D20
> =20
Tom,</BR></BR>Are you using a default project with =
PARIS? =20
I'm so =3D
>sorry of=3D20
> this has =
been</BR>asked and=20
answered already. If so, perhaps it =
=3D
>is=3D20
> =20
telling card zero to lock</BR>to an external clock, which it =
can't=20
=3D
>because=3D20
> there isn't =
one.</BR></BR>It=20
would be interesting to attach an=20
external
=3D
>clock=3D20
> source to the MEC=20
and</BR>then start PARIS to see how it behaves. =
=3D
>Or,=20
if=3D20
> the clock generator is fried,</BR>tell =

paris to=20
 lock externally and see
=3D
>what=3D20
> =
 happens when an=20
 exteral clock
source is applied.

Isn't=20
 there
=3D
>a=3D20
> master house synch switch =
 in the cfg=20
 file? I've never =3D
>used
it. =
 =3D20
> Maybe DJ=20
 could help with what that should/shouldn't be set=20
 =3D
>to.

Wish I=3D20
> could do =
 more than=20
 think out loud...

Mike
 "Tom =
 Bruhl"=20
 =3D
><A=3D20
> href=3D3D"<A=20
 =
 href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=3D20'>mailto=
 :arpegio@comcast.net">arpegio@comcast.net>=3D20
&g=
 t; =20
 wrote:
>
> Hi =
 Mike.
>Well=20
 I've been to .cfg =3D
>many a=3D20
> =
 time.
>I've=20
 seen that Mastercard setting as being 0
>but =
 =3D
>maybe=20
 it=3D20
> changed after removing the 4 =
 other
>eds=20
 cards for this round of=3D20
> =20
 testing.
>
> If it's still 0 what else could =
 this=20
 be? =3D
>Busted=3D20
> =
 mobo?
>I'm really in=20
 an idunno place right now. I'll be=3D20
> =20
 checking
>seriously today again because of a session=20
 tomorrow=3D20
> =20
 =
 morning.
>Tom
>
> =20
 "Mike Audet"=3D20
> <mike@....> wrote in message=20
 <A=3D20
> =3D
>href=3D3D"<A=20
 =
 href=3D'news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
&=
 g'>news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
=
 >
&g'=3D
>t;=20
 =3D20
> Hi Tom,
>
> If =
 you've only=20
 got one card in, then the =3D
>
> Mastercard =
 =3D3D3D 0 setting=20
 is =3D3D
>right.
> =

=3D
>The file=20
 is=3D20
> Paris.cfg, and it lives in the=20
 c:\program=3D20
> =20
 files\Emu\PARIS
=3D3D
> ;PRO
> =20
 =3D
 >folder.
>>
& >=3D20
> =
 I'd still=20
 check it out to see what it is set =
 to.
>>
> =20
 =3D
>If it=3D20
> is wrong, what you are =
 describing will=20
 happen.
>>
>& =20
 =3D
>Good=3D20
> =20
 luck!
>>
>& =20
 Mike
>>
>& "Tom Bruhl"=20
 =3D
><<A=3D20
> href=3D3D"<A=20
 =
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D20'>mailto=
 :arpeggio@comcast.net">arpeggio@comcast.net>=3D20
&g=
 t; =20
 wrote:
> >
> =
 >
> =20
 >Thanks=3D20
> Dimitrios.
> =20
 >
> >Mike said the same=3D20
> =20
 thing. Is the ini in the Paris folde or =
 system=3D20
> =20
 =3D3D
>>32?
>& >Do I want the Master =
 card to be=20
 0=3D20
> absolutely? I only have one=20
 card
> >in there =3D
>&right =
 now=3D20
> =20
 and it's all freaky just the same.
> =20
 >Tom
> =3D
>
> =
 >
> =20
 >
> >
> > =
 =3D20
> =20
 "Dimitrios" <<A =3D
>href=3D3D"<A=20
 =
 href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr=3D20'>mailto:m=
 usurgio@otenet.gr">musurgio@otenet.gr>=3D20
>&n=
 bsp;=20
 wrote in message =3D3D3D
> =20
 =3D
>>news:471a0486\$1@linux...
>& =
 =3D20
> =20
 >
> > Hi Tom <A=20
 href=3D"mailto:!!@
">!!
> > Sorry =
 =3D
>&to=20
 hear=3D20
> you still having problems like this=20
 ~!!
> > Must =3D
>&be =

very=3D20
> =20
 frustrating.
> > Open the Paris ini file =
 and=20
 =3D
>there change=3D20
> the mastercardoutput=20
 with
>=3D3D
>=3D3D3D
> =20
 >your=3D20
> other
> > =
 cards and see=20
 what happens =3D
>!!
> =3D20
> =
 > Let me=20
 know.
> > =
 =3D
>Regards,
>=20
 =3D20
> > Dimitrios
> =20
 >
> > "Tom =
 =3D
>Bruhl"=3D20
> =20
 <<A href=3D3D"<A=20
 =
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.netmailto:arpegi=
 o@comcast.net">arpeggio@comcast.net</A>=20
 =3D
>
> wrote:
> > =20
 >
> > =3D20
> =
 >
> =20
 > >Rick,
> > >1 =
 =3D
>mec,=20
 no=3D20
> BNC involved. Paris boots up so the 1 =
 mec=20
 that
> =3D
>> =3D20
> >I'm =
 using shows=20
 up but never any A to Ds or any installed=3D20
> =20
 modules.
> > >This is the same symptom =
 before=20
 =3D
>I=3D20
> repaired one of my mecs with=20
 a
> > >new =3D
>chip. =
 =3D20
> =20
 The clock light continues to flash too. Never =
 locks=3D20
> =20
 =3D3D
>>in.
> > =
 >
> =20
 > =3D
>>I am=3D20
> using the simplest =
 setup I can=20
 imagine and still it's not =3D
>=3D3D3D
>> =
 =3D20
> =20
 >working.
> > >Mike A. =
 suggested the=20
 =3D
>.ini=3D20
> file to make sure card A is =
 0. I'll=20
 =3D3D
>>try
> =3D
>
> =
 =3D3D3D
> >=3D3D3D3D
> =

 =20
 =3D
>that.
> =3D20
> > =
 >Pretty=20
 sure it's right but who knows?
> =3D
>=20
 =3D20
> >Thanks,
> > =20
 >Tom
> > =3D20
> =
 >
> =20
 > >
> > =
 =3D
>
>=20
 =3D20
> > >
> > =20
 >
> > =3D
>
> =
 >"rick"=20
 <<A=3D20
> href=3D3D"<A=20
 =
 href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.commailto:pa=
 rnell68@hotmail.com">parnell68@hotmail.com>=20
 =3D
>wrote in=3D20
> message =
 =3D3D3D3D
> >=20
 =3D20
> =20
 >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =

 =3D20
> > > i know this as dumb as it =
 gets but=20
 the bnc is =3D
>attached=3D20
> in the=20
 =3D3D
>right
> t; > > =
 =3D20
> =20
 order...right?
> > > all the =
 cards show=20
 =3D
>up in=3D20
> paris with the single=20
 mec?
> > > how =3D
>many=20
 i/o=3D20
> cards in each mec?
> =
 > =20
 >
> =3D
>> =3D20
> =20
 >
> > > On Fri, 19 Oct 2007 =
 00:22:39=20
 =3D
>-0400,=3D20
> "Tom Bruhl" =
 =3D3D3D
> =20
 ><<A=3D20
> =3D
>href=3D3D"<A=20
 =
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n'>=
 mailto:arpeggio@comcast.net">arpeggio@comcast.net>
=
 ;>&n=3D
>bsp;=3D20
> =20
 > > wrote:
> > =20
 =3D
>
> =3D20
> > =
 > >l=20
 thought I was groovin' but once the second =3D
>Mec =
 was=3D20
> =20
 introduced
> > > >the system=20

=3D
>stopped. =3D20
> That was a few weeks=20
 ago.
> > > =3D20
> =20
 >
> > > >Today I tried =
 different=20
 =3D
>cables,=3D20
> eds cards, mecs, eliminated=20
 the
>=3D3D
>>=3D3D3D& amp;lt;BR>>> =
 =3D20
> =20
 >magma
>> > > =
 =3D3D3D3D
>> >=20
 =3D20
> >and
>> > > =
 > =20
 >still no clock lock or =3D
>modules=3D20
> =
 showing up in=20
 the paris =3D3D
>>patchbay.
>& amp;gt; > =
 > =20
 =3D
>> =3D20
> >
>> > =
 > =20
 > >This means to me software =
 =3D
>unless=3D20
> =20
 someone tells me differently.
>> > >=20
 =3D20
> >
>> > > =
 >I have=20
 a new C drive =3D
>which I will=3D20
> load XP and =
 no=20
 pace. Any =3D3D3D
>> =3D20
> =20
 >other=3D3D3D3D20
>> > > =
 =3D20
> =20
 >suggestions?
>> > > =20
 =3D
>>
>> =3D20
> > > =
 > >More=20
 frustrated than my =3D
>>clients,
>> =
 =3D20
> =20
 > > >Tom
>> > >=20
 =3D20
> >
>> > > =20
 >
>> > >=3D
>>
>> > =
 > =20
 >
>> > > > =
 >
>> =20
 =3D
>>
>> > > >I choose =
 Polesoft Lockspam=20
 to fight spam, =3D
>>and=3D20
> =
 you?
>> =20
 > > =3D20
> =20
 >http://www.polesoft.com/refer.html > =
 =3D3D3D3D20
>> =20
 =3D
>> =3D20
> >
>> > =
 > =20
 >
>> > >=20

```

=3D<BR>&gt;&lt;!DOCTYPE=3D20<BR>&gt;&nbsp; HTML PUBLIC =
"/W3C//DTD HTML 4.0=20
Transitional//EN"&gt;&lt;BR>&gt; =3D20<BR>&gt;&nbsp; &gt;&nbsp;=20
&gt;&lt;HTML&gt;&lt;HEAD&gt;&lt;BR&a mp;gt;&gt;&nbsp; &gt;&nbsp;=20
=3D<BR>&gt;&lt;META=3D20<BR>&gt;&nbsp; =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html;=3D20<BR>&gt;&nbsp;=20
=3D3D&lt;BR>&gt;=3D3D3D3D&lt;BR>&a mp;gt;&gt;&nbsp; &gt; =
=3D20<BR>&gt;&nbsp;=20
&gt; charset=3D3D3D3D3Diso-8859-1"&gt;&lt;BR>&gt;&nbsp; &gt;&nbsp; =

=3D<BR>&gt;&lt;META=3D20<BR>&gt;&nbsp; content=3D3D3D3D3D"MSHTML =

6.00.2800.1400" =
=3D<BR> &gt;name=3D3D3D3D3DGENERATOR&gt;&lt;BR>&a mp;gt;=20
=3D20<BR>&gt;&nbsp; &gt;&nbsp;=20
&gt;&lt;STYLE&gt;&lt;/STYLE&gt;&lt;B R&gt;&gt;&nbsp; &gt; =
=3D20<BR>&gt;&nbsp;=20
&gt;&lt;/HEAD&gt;&lt;BR>&gt;&nbsp; &gt;&nbsp;=20
&gt;&lt;BODY=3D20<BR>&gt;&nbsp;=20
bgColor=3D3D3D3D3D#ffffff&gt;&lt;BR>&gt;& amp;nbsp; &gt;&nbsp;=20
=3D<BR>&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;&nbsp; =
face=3D3D3D3D3DArial=20
=
=3D<BR> &gt;size=3D3D3D3D3D2&gt;Rick,&lt;/FONT&gt;&a mp;lt;/DIV&gt;&lt;BR>&gt;g=
t;=20
=3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT =
face=3D3D3D3D3DArial=20
=3D<BR>&gt;size=3D3D3D3D3D2&gt;1 mec, no=3D20<BR>&gt;&nbsp; BNC =
involved.=20
=3D3D&lt;BR>&gt;Paris =3D3D3D&lt;BR>&gt;&nbsp;=20
=3D<BR>&gt;=3D3D3D3D&lt;BR>&gt; =3D20<BR>&gt;&nbsp; =
&gt;&nbsp; &gt;boots up=20
so the=3D3D3D3D20&lt;BR>&gt;&nbsp; &gt;&nbsp; &gt;1=20
=3D<BR>&gt;mec=3D20<BR>&gt;&nbsp;=20
that&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& gt;&gt;&nbsp; &gt;&nbsp;=20
=3D<BR>&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;&nbsp; =
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2&gt;I'm using shows up but=20
=3D<BR>&gt;=3D3D&lt;BR>&gt;never=3D20<BR >&gt;&nbsp; =
any&lt;BR>&gt;&nbsp;=20
=3D3D3D&lt;BR>&gt;&nbsp; &gt;A to =3D3D3D3D&lt;BR>&gt;&nbsp; =
=3D<BR>&gt;=20
=3D20<BR>&gt;&nbsp; &gt;Ds or any=3D3D3D3D20&lt;BR>&gt;&nbsp; =
&gt;&nbsp;=20
&gt;installed=3D20<BR>&gt;&nbsp;=20
modules.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& amp;gt;&gt;&nbsp; &gt; =
=3D20<BR>&gt;&nbsp;=20

```

<<DIV><FONT face=3D3D3D3D3DArial =
 size=3D3D3D3D3D2>This is=20
 =3D
>the same=3D20
> =20
 symptom
=3D3D
>befo re
> =20
 =3D3D3D
> >I=3D20
> =
 =3D3D3D3D
> =20
 > >repaired one =3D
>of=3D3D3D3D20
>=20
 =3D20
> > >my mecs with=20
 a</DIV>
 > =3D20
> =
 > =20
 ><DIV><FONT face=3D3D3D3D3DArial =
 =3D
>size=3D3D3D3D3D2>new=20
 chip.=3D20
> The clock=20
 light
=3D3D
>=3D3D3 D3D
> =
 > =20
 =3D
>>continues to=3D20
> =20
 flash=3D3D3D3D20
> > >too. Never=20
 locks=3D20
> =
 in.</DIV>
> =20
 > =3D
>><DIV><FONT=3D20
> =20
 face=3D3D3D3D3DArial size=3D3D3D3D3D2>=20
 =3D
></DIV>
> =3D20
> > =

><DIV><FONT face=3D3D3D3D3DArial =
 =3D
>size=3D3D3D3D3D2>I am=20
 using=3D20
> the simplest =3D3D
>setup=20
 I
> =3D3D3D
> =20
 =3D
>>can=3D20
> =3D3D3D3D
> =
 > =20
 >imagine =3D
>and=3D3D3D3D20
> > =
 =3D20
> =20
 >still it's not =
 working.</DIV>
> =20
 =3D
>> =3D20
> ><DIV><FONT =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2>Mike A. =3D
>suggested =
 the=3D20
> =20
 =3D3D
>.ini file
> =
 =3D3D3D
> =20
 =3D
>>=3D3D3D3D
> =3D20
> =
 > >to make=20
 sure=3D3D3D3D20
> > >card =3D
>A =
 is=20
 0.=3D20
> I'll try=20
 that.</DIV>
> > =
 =3D20
> =20
 ><DIV><FONT face=3D3D3D3D3DArial =
 size=3D3D3D3D3D2>Pretty=20

=3D
>sure it's=3D20
> right =3D3D
>but =
who=20
=3D3D3D
> >=3D3D3D3D
> =
=3D
>>=20
=3D20
> =
>knows?</DIV>& lt;BR>> =20
> =3D20
> ><DIV><FONT=20
face=3D3D3D3D3DArial=3D20
> =20
=
size=3D3D3D3D2>Thanks,< /DIV>
> =

=3D
>> =3D20
> ><DIV><FONT=20
face=3D3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>Tom</DIV >
> =

=3D
>> =3D20
> ><DIV><FONT =
face=3D3D3D3D3DArial=20
=3D
>&size=3D3D3D3D2>=3D20
> =20
</DIV>
> > ><DIV><FONT=20
=3D
>&face=3D3D3D3D3DArial=3D20
> =
size=3D3D3D3D2>=20
</DIV>
> > =3D20
> =
><DIV>=20
</DIV>
> > =
><DIV>=3D20
> =20
</DIV>
> > =
><DIV>=3D20
> =20
</DIV>
> > =20
><DIV>"rick"=3D20
> =20
<<A=3D3D3D3D20
>&n bsp; > =20
=
=3D
 >=3D3D
>>href=3D3D3D3D 3D "<A=3D20
> =
;=20
=
=3D
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
ommailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmail=
l.com</A>>=3D20
> =20
=3D3D
>=3D3D3D
& > =
>=3D3D3D3D
> =20
> =3D
>>wrote=3D20
> =20
in=3D3D3D3D20
> > >message=20
=3D
><A=3D3D3D3D20
> =3D20
> =
> =20
=3D3D3D
> =20
=3D3D
>>>href=3D3D3D3D 3D "<A=3D20
> =20
=
=3D
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=
news:inqgh'>news=3D
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com=

" >news:inqgh=3D3D
& amp;gt;=3D
>393=3D3D3D<BR&g=
t;>=20
=3D20
> >an5=3D3D3D3D
> > =
=3D20
> =20
=
=3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>&l=
t;BR>>=20
=3D
>=3D20
> > =20
><BLOCKQUOTE=3D3D3D3D20
& gt; > =
=3D20
> =20
>style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT:=20
=3D
>
> =3D3D
>5px; =
=3D3D3D
> =20
>=3D3D3D3D
> =3D
>> =
=3D20
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20
> =

0px">i=3D3D3D3D20
> > > know =
this as=20
=3D
>dumb as it=3D20
> gets but the bnc is =
attached in=20
=3D3D
>the=3D3D3D3D20<BR& gt;> =
=3D
>>=20
=3D20
> > =
right
order...right?
all the=20
cards show =3D
>up in=3D20
> paris with=20
=3D3D
>the
> =3D3D3D
>=20
=3D20
> >=3D3D3D3D
> > =20
>single=3D3D3D3D20
> ; =3D
>> =
=3D20
> =20
> mec?
how many i/o cards in =
each=3D20
> =20
mec?

On Fri, 19 =3D3D
>Oct=20
=3D
>=3D3D3D
> =3D20
> =
>2007
> =20
> =3D3D3D3D
> > =3D20
> =20
>
> > > 00:22:39 -0400, "Tom=20
Bruhl"=3D20
> <<A=3D3D3D3D20
>&n bsp; =
> =20
> =3D
>=3D3D3D3D
> =3D20
> =
> =20
=3D3D3D
> =20
=3D3D
>>href=3D3D3D3D 3D "<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
wro'>mail=3D
>to:arpegio@comcast.net">a=
rpegio@comcast.net>
wro=3D
>=3D3D&l=

t;BR>>>te:=3D3D3D
>>=20
 =3D20
>> >=3D3D3D3D
>> > =
 =3D20
>> =20
 >
>
>>l=3D3D3D 3D20
>> =
 > =20
 =3D
>>=3D20
>> thought I was groovin' but once =
 the second=20
 Mec was =3D
>>=3D3D3D3D
>>=3D20
>> =
 > =20
 >introduced
>>the=3D3D3D3D20&a mp;
>> =
 =3D
>>=20
 =3D20
>> > system stopped. That was a few=20
 weeks=3D20
>> ago.
>>
>>Toda y l=20
 =3D3D3D3D
>> =3D
>>=3D20
>> =20
 >tried=3D3D3D3D20
>> > > =
 different=20
 =3D
>>cables, eds=3D20
>> cards, mecs, eliminated =
 the magma=20
 =3D3D3D3D
>> >=3D20
>> =20
 >and
>>still no=3D3D3D3D20
>> =
 > =20
 =3D
>> clock=3D20
>> lock or modules =
 showing up in the=20
 paris =3D3D3D3D
>> =3D
>>> =
 =3D20
>> =20
 =
 >patchbay.
>>
> ;>This=3D3D3D3D20
>>&nb
 sp;=20
 =3D
>>=3D20
>> > means to me software =
 unless=20
 someone tells me =3D
>>=3D3D3D3D
>> =
 =3D20
>> > =20
 =
 =3D
> >>differently.
>>l t;BR>>>l=3D3D3D3D20
=
 >>=20
 =3D20
>> > > have a new C drive which I =
 will load=20
 XP and no =3D
>>pace. Any=3D20
>> =20
 =3D3D
>>>other=3D3D3D3D20
&am p;>> > =
 >=20
 =3D20
>> =

>>suggestions?
>& >
>>More=20
 frustrated =3D
>>than=3D20
>> =
 my=3D3D3D3D20
>> =20
 > >=3D20
>> =20
 =
 =3D
> >clients,
>>Tom
 >>
>>
>=20
 ;>
=3D
>>>
>>l=3D20
>> =20

choose =3D3D3D3D
>> > =20
 =3D
 >>Polesoft=3D3D3D3D20
> > ; =3D20
> =
 > =20
 > Lockspam to fight spam, =
 =3D
>&=3D3D3D3D20
>=20
 =3D20
> > > =20
 =
 =3D
>you?
>http://www.polesoft.com/refer.html=3D20
&=
 gt; =20
 =3D3D3D3D20
> > =3D20
> =20
 =
 =3D
 >>
>/BLOCKQUOTE> ;</BODY></HTML><=
 ;BR>>=20
 =3D
>=3D20
> > >
> =
 > =20
 >
> =3D
>
> =
 =3D20
> =20
 >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
 HTML=20
 4.0=3D20
> Transitional//EN">
> =20
 =3D
 >><HTML><HEAD>&
> =
 =3D20
> =20
 ><META http-equiv=3D3D3D3DContent-Type=20
 content=3D3D3D3D"text/html;=3D20
> =
 =3D3D3D
> =20
 > charset=3D3D3D3Diso-8859-1">
> =20
 =3D
><META=3D20
> content=3D3D3D3D"MSHTML =
 6.00.2800.1400"=20
 =3D
 >name=3D3D3D3DGENERATOR>
>& > =
 =3D20
> =20
 ><STYLE></STYLE><B R>> =20
 =3D
 >></HEAD>
> > =3D20
> =
 ><BODY=20
 bgColor=3D3D3D3D#ffffff>
>& & p; =20
 =3D
><DIV><FONT=3D20
> =
 face=3D3D3D3DArial=20
 size=3D3D3D3D2>Thanks=3D20
> =20
 Dimitrios.</DIV><B R>> =20
 =3D
><DIV><FONT=3D20
> =
 face=3D3D3D3DArial=20
 size=3D3D3D3D2> =
 =3D
></DIV>
>=20
 =3D20
> ><DIV><FONT face=3D3D3D3DArial=20
 size=3D3D3D3D2>Mike said the =3D
>same=3D20
> =
 thing. =20
 =3D3D
>the =3D3D3D
> >ini =
 in=3D20
> =20
 the=3D3D3D20
> >Paris folde or =

system=3D20
> =20
 32?</DIV><BR&g t;> =20
 ><DIV><FONT=3D20
> face=3D3D3D3DArial =
 size=3D3D3D3D2>Do=20
 I want the Master card to=3D20
> =20
 be
=3D3D
>0=3D3D3D2 0
> =20
 >absolutely? I only =3D
>have one=3D20
> =20
 card</DIV><BR& g t;> =20
 ><DIV><FONT=3D20
> face=3D3D3D3DArial =
 size=3D3D3D3D2>in=20
 there right now and it's=3D20
> =20
 all
=3D3D
>freaky&a mp;lt;BR>> =20
 =3D3D3D
> >just=3D20
> =20
 the=3D3D3D20
> =20
 =3D
 >>same.</DIV&g t;
> =
 =3D20
> =20
 ><DIV><FONT face=3D3D3D3DArial=3D20
> =20
 size=3D3D3D3D2>Tom</DIV&a mp;gt;
> =
 =3D20
> =20
 ><DIV><FONT face=3D3D3D3DArial =
 size=3D3D3D3D2>=20
 =3D
>
> </DIV>
> =20
 ><DIV><FONT face=3D3D3D3DArial=3D20
> =20
 size=3D3D3D3D2> </DIV>
> =20
 =3D
>><DIV><FONT=3D20
> =
 face=3D3D3D3DArial=20
 size=3D3D3D3D2> =
 =3D
></DIV>
>=20
 =3D20
> ><BLOCKQUOTE=3D3D3D20
> =20
 =3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> =
 PADDING-LEFT:=20
 5px; MARGIN-LEFT: 5px; =3D3D
>=3D3D3D
>& >=20
 =3D20
> >BORDER-LEFT: #000000 2px solid; =
 MARGIN-RIGHT:=20
 =3D
>0px">
> =3D20
> > =20
 <DIV>"Dimitrios" <<A=3D3D3D20
> p; =
 =3D
>>=20
 =3D20
> href=3D3D3D3D"<A=3D20
> =20
 =
 =3D
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr<=
 /A'>mailto:musurgio=3D
>@otenet.gr">musurgio@otenet.gr</A&=
 lt;/A>>>=3D20
> =20
 wrote
=3D3D
>in =3D3D3D
> =20
 =3D
>>message=3D3D3D20
> =3D20
> =
 > <A=20
 =3D3D3D
> =20
 =3D3D
>>href=3D3D3D3D"<A=3D20
> =20
 =

=3D
>href=3D3D'news:471a0486\$1@linux">news:471a0486\$1@linux</=
 A>...</DIV>
H'> n=3D
>ews:471a0486\$1@linux">=
 news:471a0486\$1@linux...</DIV>&l=3D
>t;BR>H&=
 lt;/A>=3D3D
>i<BR& gt;>=20
 =3D20
> =3D3D3D
> =20
 >Tom=3D3D3D20
> > =
 <A=3D20
> =20
 href=3D3D"<A=20
 =
 href=3D'mailto:!!@
Sorry">!!@
Sorry</A'>mailto:!!@
Sorry ">=
 !@
Sorry</A>=20
 to hear you still =3D
>having=3D20
> problems like =
 this=20
 ~!!
Must
=3D3D<BR&a mp;gt;>be
>=20
 =3D20
> =3D3D3D
> =20
 >very=3D3D3D20
> > =3D20
> =20
 frustrating.
Open the Paris ini file and there change=20
 the=3D20
> =3D3D3D
> =20
 >mastercardoutput=3D3D3D20
>& amp; =
 =3D
>> with=20
 your=3D20
> other
cards and see what happens=20
 !!
Let=3D20
> me=3D3D3D20
> =
 >=20
 =3D20
> =20
 know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20
 =3D
>Bruhl"=3D20
> =
 <<A=3D3D3D20
> p;=20
 > href=3D3D3D3D"<A=3D20
> =20
 =
 =3D
>href=3D3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net&l=
 t;/A>>=3D3D3D20'>mail=3D
>to:arpeggio@comcast.net">arpeg=
 io@comcast.net >=3D3D3D20<B=3D
>R>> =
 =3D20
> > =3D20
> =20
 wrote:
>
>&a mp;lt;BR>>Rick,
>1 =
 =3D
>mec, no=3D20
> BNC =
 =3D3D3D
> =20
 >involved. Paris=3D3D3D20
> =
 =3D
>>=20
 =3D20
> boots up so the 1 mec that
>I'm =
 using shows up=20
 but never =3D
>any A=3D20
> =20
 =3D3D
>=3D3D3D
>& amp; > >to Ds=20
 or=3D3D3D20
> =3D
>> =
 any=3D20
> =20
 installed modules.
>This is the same symptom before=20
 l=3D20
> =3D3D3D
> >repaired=20

[illegible]

know this=20
 as dumb as it gets =3D
>but the=3D20
> bnc is =
 attached in=20
 the=3D3D3D20
> > =
 =3D
>right
>=20
 =3D20
> order...right?
> all the cards =
 show up=20
 =3D
>=3D3D3D
> =3D20
> =20
 >in=3D3D3D20
> > paris with the=20
 single=3D20
> mec?
> how many i/o =
 cards in=20
 =3D
>each=3D3D3D20
> =3D20
> =
 > =20
 mec?
>
> On =
 =3D
>Fri, 19=20
 Oct=3D20
> 2007 00:22:39 -0400, =
 =3D3D3D
> =20
 >"Tom=3D3D3D20
> =3D
>> =
 =3D20
> Bruhl"=20
 <<A=3D3D3D20
> p; > =
 =3D3D3D
>=20
 =3D20
> =
 =3D3D
>>href=3D3D3D3D"<A=3D20
> =20
 =
 =3D
>href=3D3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net&l=
 t;/A>>
> n=3D3 D=3D
>3D'>mailto:arpeggio@com=
 cast.net">arpeggio@comcast.net><B=3D
>R>>&a=
 mp;n=3D3D3D=3D3D
>
>=20
 =3D20
> >bsp;=3D3D3D20
> > =
 =3D20
> =20
 wrote:
>
>&a mp; >I thought I was =
 groovin'=20
 =3D
>but once=3D20
> the =
 =3D3D3D
> =20
 >second=3D3D3D20
> > Mec=20
 =3D
>was=3D20
> introduced
> =
 >the system=20
 stopped. That=3D20
> =3D3D3D
> =
 >was a=20
 few=3D3D3D20
> > =
 =3D
>weeks=3D20
> =20
 ago.
> >
> >Today I=20
 tried=3D20
> =3D3D3D
> =20
 >different=3D3D3D20
> p; > =
 =3D
>cables,=20
 eds=3D20
> cards, mecs, eliminated the =
 =3D3D3D
>=20
 =3D20
> =

>magma
=3D3D3D3D
&a mp;gt;and
>=20
 =3D
>=3D3D3D20
> =3D20
> > >=20
 >still no=20
 clock lock or modules showing up in the=3D20
> =20
 paris=3D3D3D20
> > >=20
 patchbay.
>=20
 =3D20
> >
> >This means to me=20
 =3D3D3D
> =3D20
> =20
 >software=3D3D3D20
> > unless someone =
 tells=20
 me=3D20
> differently.
> =20
 >
> =3D
>=3D3D3D
> =
 =3D20
> =20
 >>I=3D3D3D20
> p; > have a new C drive =
 which I=20
 =3D
>will load=3D20
> XP and no pace. =20
 Any=3D3D3D20
> > =3D20
> =20
 other=3D3D3D3D20
> =
 =3D
>>suggestions?
>=20
 =3D20
> =3D3D3D
> =
 >>
>=20
 =3D3D3D20
> =3D
>> =3D20
> =
 >More=20
 frustrated than my clients,
> =
 =3D
>=3D3D3D
>=20
 =3D20
> >>Tom
> =
 =3D3D3D20
> >=20
 =3D20
> >
> =
 >
> =20
 =3D
>>
> =3D20
> =
 =3D3D3D
> =20
 >>
> =3D3D3D20
> =
 =3D
>> =20
 >I=3D20
> choose Polesoft Lockspam to fight spam, and =
 you?
>=3D20
> =3D3D3D20
> =
 > =20
 =
 =3D
>>http://www.polesoft.com/refer.html=3D20</BLOCKQUOTE></BLOC=
 KQUOTE></BODY></HTML>

-----=_NextPart_000_0092_01C8144B.E5D05E80--This is a multi-part message in MIME format.

-----=_NextPart_000_000A_01C8145D.50528B00

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

After installing a network card it showed up.

Repeating the process using the same PCI slot with an eds card made Windows hang.

Are all my EDS cards toast? They weren't a few weeks ago? Even when the Mecs weren't showing up the 442 allowed 5 EDS cards to work in the Magma.

What the heck?
Tom

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:471c381e@linux...
Mastercard=3D0 was correct also.

I am going to try a clean OS with Paris on it too if the PCI slots are still working.

Don't bother wishing me luck. There's none to be found.
Tom

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:471c3137@linux...
Mike,

I removed the default project and .cfg from the folder as you = suggested.

Now the computer won't even boot with either of three eds cards = installed.

No Magma, no word clock, no word clock line in the existing config.

I'm going to check with a network card to see if the PCI slots are = burn't.

I tried three different ones with the eds. The one time Windows = worked

with an eds card, the eds card didn't show up in device manager. =
That's=20
probably why.

There is some serious funk going on over here. Maybe mobo? If this = is the

case I give up. It's not worth any more BS to me. There is no = person

in my neighborhood to walk me through this. My tech helps me but the problem seems to be from the ground up. I'm guessing 3-4 things still so wrong that nothing makes sense.

Cubase is looking more and more inviting, learning curve and all.
Tom

"Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...

Hi Tom,

I have an idea.

Try removing UseHouseSync=3D1 from the paris.cfg file.

Next, remove your default project from the program files\emu\paris =
pro folder.
=20

Let me know if it makes a difference.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Mike,

>I used to use a Lucid but since all of this mess I stopped.

>I'm trying to get stable from square one with the least =
amount=3D20

>of hardware. I am using the default project for sure. The =
only=3D20

>other thing that I still question is my move of Paris to =
C:ParisPro .

>I should think the default project will either work or not. =
Maybe

>configs or something else is fighting during Paris startup?

>

>Pats 42 - Miami 7 . . . Halftime and the games over.

>Tom

>

>

>

> "Mike Audet" <mike@....> wrote in message =
news:471b6eb0\$1@linux...

>

> Hi Tom,

>

> Are you using a default project with PARIS? I'm so sorry of =
 this has
 =3D
 >been
 > asked and answered already. If so, perhaps it is telling card =
 zero to
 =3D
 >lock
 > to an external clock, which it can't because there isn't one.
 >
 > It would be interesting to attach an external clock source to =
 the MEC
 =3D
 >and
 > then start PARIS to see how it behaves. Or, if the clock =
 generator is
 =3D
 >fried,
 > tell paris to lock externally and see what happens when an =
 external =3D
 >clock
 > source is applied.
 >
 > Isn't there a master house synch switch in the cfg file? I've =
 never =3D
 >used
 > it. Maybe DJ could help with what that should/shouldn't be set =
 to.
 >
 > Wish I could do more than think out loud...
 >
 > Mike
 >
 > "Tom Bruhl" <arpeggio@comcast.net> wrote:
 > >
 > >
 > >Hi Mike,
 > >Well I've been to .cfg many a time.
 > >I've seen that Mastercard setting as being 0
 > >but maybe it changed after removing the 4 other
 > >eds cards for this round of testing.
 > >
 > >If it's still 0 what else could this be? Busted mobo?
 > >I'm really in an idunno place right now. I'll be checking
 > >seriously today again because of a session tomorrow morning.
 > >Tom
 > >
 > >

> > "Mike Audet" <mike@....> wrote in message =
news:471b2ec2\$1@linux...
> >
> > Hi Tom,
> >
> > If you've only got one card in, then the Mastercard =3D3D3D =
0 setting
=3D
>is =3D3D
> >right.
> > The file is Paris.cfg, and it lives in the c:\program =3D
>files\Emu\PARIS
> =3D3D
> >PRO
> > folder.
> >
> > I'd still check it out to see what it is set to.
> >
> > If it is wrong, what you are describing will happen.
> >
> > Good luck!
> >
> > Mike
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Thanks Dimitrios.
> > >
> > >Mike said the same thing. Is the ini in the Paris folde or =
system
=3D
>=3D3D3D
> >32?
> > >Do I want the Master card to be 0 absolutely? I only have =
one =3D
>card
> > >in there right now and it's all freaky just the same.
> > >Tom
> > >
> > >
> > >
> > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D3D
> > >news:471a0486\$1@linux...
> > >
> > > Hi Tom !@
> > > Sorry to hear you still having problems like this ~!!
> > > Must be very frustrating.

> > > Open the Paris ini file and there change the =
mastercardoutput =3D
>with
> =3D3D3D
> >=3D3D3D3D
> > >your other
> > > cards and see what happens !!
> > > Let me know.
> > > Regards,
> > > Dimitrios
> > >
> > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > > >
> > > >
> > > >Rick,
> > > >1 mec, no BNC involved. Paris boots up so the 1 mec =
that
> > > >I'm using shows up but never any A to Ds or any =
installed =3D
>modules.
> > > >This is the same symptom before I repaired one of my =
mecs with
=3D
>a
> > > >new chip. The clock light continues to flash too. =
Never locks
=3D
>=3D3D3D
> >in.
> > > >
> > > >I am using the simplest setup I can imagine and still =
it's not
=3D
>=3D3D3D3D
> > >working.
> > > >Mike A. suggested the .ini file to make sure card A is =
0. =3D
>I'll =3D3D3D
> >try
> > >=3D3D3D3D
> > >=3D3D3D3D3D
> > > >that.
> > > >Pretty sure it's right but who knows?
> > > >Thanks,
> > > >Tom
> > > >
> > > >
> > > >

> > > >
 > > > >
 > > > >"rick" <parnell68@hotmail.com> wrote in message =
 =3D3D3D3D3D
 > > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
 > > > > i know this as dumb as it gets but the bnc is attached =
 in the
 =3D
 >=3D3D3D
 > >right
 > > > > order...right?
 > > > > all the cards show up in paris with the single mec?
 > > > > how many i/o cards in each mec?
 > > > >
 > > > >
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =
 =3D3D3D3D
 > > ><arpeggio@comcast.net>
 > > > > wrote:
 > > > >
 > > > > >I thought I was groovin' but once the second Mec was =
 =3D
 >introduced
 > > > > >the system stopped. That was a few weeks ago.
 > > > > >
 > > > > >Today I tried different cables, eds cards, mecs, =
 eliminated
 =3D
 >the
 > =3D3D3D
 > >=3D3D3D3D
 > > >magma
 > > > =3D3D3D3D3D3D
 > > > >and
 > > > > >still no clock lock or modules showing up in the =
 paris =3D3D3D
 > >patchbay.
 > > > > >
 > > > > >This means to me software unless someone tells me =3D
 > > > > >differently.
 > > > > >
 > > > > >I have a new C drive which I will load XP and no =
 pace. Any
 =3D
 >=3D3D3D3D
 > > >other=3D3D3D3D3D20
 > > > > >suggestions?
 > > > > >

```

> > > > >More frustrated than my clients,
> > > > >Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> > > >
> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">
> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html; =3D3D
> >=3D3D3D3D3D
> > > > charset=3D3D3D3D3D3Diso-8859-1">
> > > ><META content=3D3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3D3D3DGENERATOR>
> > > ><STYLE></STYLE>
> > > ></HEAD>
> > > ><BODY bgColor=3D3D3D3D3D#ffffff>
> > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D3D2>Rick,</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 mec, =
no BNC =3D
>involved. =3D3D
> >Paris =3D3D3D
> > >=3D3D3D3D3D
> > > >boots up so the=3D3D3D3D20
> > > >1 mec that</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>I'm =
using shows up
=3D
>but =3D3D
> >never any
> > =3D3D3D
> > >A to =3D3D3D3D3D
> > > >Ds or any=3D3D3D3D3D20
> > > >installed modules.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>This is =
the same =3D
>symptom
> =3D3D
> >before
> > =3D3D3D
> > >I =3D3D3D3D3D
> > > >repaired one of=3D3D3D3D20

```

```

> > > >my mecs with a</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>new =
chip. The =3D
>clock light
> =3D3D
> >=3D3D3D3D
> > > >continues to flash=3D3D3D3D20
> > > >too. Never locks in.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>I am =
using the =3D
>simplest =3D3D
> >setup I
> > =3D3D3D
> > >can =3D3D3D3D
> > > >imagine and=3D3D3D3D20
> > > >still it's not working.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =
suggested
=3D
>the =3D3D
> >.ini file
> > =3D3D3D
> > >=3D3D3D3D
> > > >to make sure=3D3D3D3D20
> > > >card A is 0. I'll try that.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty =
sure it's =3D
>right =3D3D
> >but who =3D3D3D
> > >=3D3D3D3D
> > > >knows?</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Thanks,</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV>"rick" <<A=3D3D3D3D20
> > > =3D3D
> =3D
=

```

>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>
=3D
>=3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >wrote in=3D3D3D3D20
> > > >message <A=3D3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
>qgh=3D3D
> >393=3D3D3D
> > >an5=3D3D3D3D
> > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
=3D
>MARGIN-LEFT: =3D3D
> >5px; =3D3D3D
> > >=3D3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">i=3D3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached =
in =3D3D
> >the=3D3D3D3D20
> > > > right
order...right?
all the cards show up in =
paris =3D
>with =3D3D
> >the
> > =3D3D3D
> > >=3D3D3D3D
> > > >single=3D3D3D3D20
> > > > mec?
how many i/o cards in each mec?

On =
Fri, 19
=3D
>=3D3D
> >Oct =3D3D3D
> > >2007
> > > =3D3D3D3D
> > > >
> > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D

```

> =3D
=
>>>>href=3D3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>><=
BR>=3D
  >wro=3D3D
  > >te:=3D3D3D
  > > >=3D3D3D3D
  > > > ><BR><BR>>I=3D3D3D3D20
  > > > > thought I was groovin' but once the second Mec was =
=3D3D3D3D
  > > > >introduced<BR>>the=3D3D3D3D20
  > > > > system stopped. That was a few weeks =
ago.<BR>><BR>>Today I =3D
  >=3D3D3D3D
  > > > >tried=3D3D3D3D20
  > > > > different cables, eds cards, mecs, eliminated the =
magma =3D
  >=3D3D3D3D
  > > > >and<BR>>still no=3D3D3D3D20
  > > > > clock lock or modules showing up in the paris =
=3D3D3D3D
  > > > >patchbay.<BR>><BR>>This=3D3D3D3D20
  > > > > means to me software unless someone tells me =3D3D3D3D
  > > > > differently.<BR>><BR>>I=3D3D3D3D20
  > > > > have a new C drive which I will load XP and no pace. =
Any =3D3D
  > >other=3D3D3D3D20
  > > > > <BR>>suggestions?<BR>><BR>>More frustrated than =
my=3D3D3D3D20
  > > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose =
=3D3D3D3D
  > > > >Polesoft=3D3D3D3D20
  > > > > Lockspam to fight spam, and=3D3D3D3D20
  > > > > you?<BR>>http://www.polesoft.com/refer.html =
=3D3D3D3D20
  > > > ><BR></BLOCKQUOTE></BODY></HTML>
  > > > >
  > > > >
  > > >
  > > >
  > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">
  > > ><HTML><HEAD>
  > > ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
  >=3D3D3D
  > > > charset=3D3D3D3Diso-8859-1">
  > > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =

```

```

name=3D3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Thanks =3D
>Dimitrios.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the =
same thing.
=3D
> Is =3D3D
> >the =3D3D3D
> > >ini in the=3D3D3D20
> > >Paris folde or system 32?</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Do I want the =
Master card
=3D
>to be
> =3D3D
> >0=3D3D3D20
> > >absolutely? I only have one card</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>in there right =
now and =3D
>it's all
> =3D3D
> >freaky
> > =3D3D3D
> > >just the=3D3D3D20
> > >same.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Dimitrios" <<A=3D3D3D20
> > > =
href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =3D
>wrote
> =3D3D
> >in =3D3D3D
> > >message=3D3D3D20
> > > <A =3D3D3D

```

```

> > =3D3D
> =3D
=
>>>href=3D3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV=
><B=3D
>R>H=3D3D
> >i
> > =3D3D3D
> > >Tom=3D3D3D20
> > > !@<BR>Sorry to hear you still having problems like this =
=3D
>~!!<BR>Must
> =3D3D
> >be
> > =3D3D3D
> > >very=3D3D3D20
> > > frustrating.<BR>Open the Paris ini file and there change =
the =3D
>=3D3D3D
> > >mastercardoutput=3D3D3D20
> > > with your other<BR>cards and see what happens !!<BR>Let =
=3D
>me=3D3D3D20
> > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" =
<<A=3D3D3D20
> > > =3D
=
>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D3D=
D20
> > > wrote:<BR>><BR>><BR>>Rick,<BR>>1 mec, no BNC =3D3D3D
> > >involved. Paris=3D3D3D20
> > > boots up so the 1 mec that<BR>>>I'm using shows up but =
never any
=3D
>A =3D3D
> >=3D3D3D
> > >to Ds or=3D3D3D20
> > > any installed modules.<BR>>>This is the same symptom =
before I =3D
>=3D3D3D
> > >repaired one=3D3D3D20
> > > of my mecs with a<BR>>>new chip. The clock light =
continues to =3D
>=3D3D3D
> > >flash=3D3D3D20
> > > too. Never locks in.<BR>><BR>>I am using the simplest =
=3D3D3D
> > >setup I can=3D3D3D20

```

```

> > > imagine and still it's not working.<BR>>Mike A. suggested =
the=3D
>=3D3D3D
> > >.ini=3D3D3D20
> > > file to make sure card A is 0. I'll try =3D3D3D
> > >=3D3D3D3D<BR>>that.<BR>>Pretty=3D3D3D20
> > > sure it's right but who=3D3D3D20
> > > =3D3D3D
> > > knows?<BR>>Thanks,<BR>>Tom<BR>><BR>><BR>><BR>><BR>><BR>><BR>> >=3D3D3D
> > >BR>>"rick"=3D3D3D20
> > > <<A =3D3D3D
> > =3D
=
>>href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>> =
=3D
>=3D3D
> >=3D3D3D
> > >wrote=3D3D3D20
> > > in message=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>=3D3D3D3D<BR>>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...<BR>>&=
nbs=3D
>=3D3D3D=3D3D
> >
> > >p; i=3D3D3D20
> > > know this as dumb as it gets but the bnc is attached in =
=3D
>the=3D3D3D20
> > > right<BR>> order...right?<BR>> all the cards show up =
=3D3D3D
> > >in=3D3D3D20
> > > paris with the single mec?<BR>> how many i/o cards in =
=3D
>each=3D3D3D20
> > > mec?<BR>><BR>><BR>> On Fri, 19 Oct 2007 00:22:39 -0400, =
=3D3D3D
> > >"Tom=3D3D3D20
> > > Bruhl" <<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>><BR>=
>&n=3D
>=3D3D3D=3D3D

```

```

> >
> > > bsp;=3D3D3D20
> > > wrote:<BR>><BR>> >I thought I was groovin' but once the =
=3D3D3D
> > > second=3D3D3D20
> > > Mec was introduced<BR>> >the system stopped. That =
=3D3D3D
> > > was a few=3D3D3D20
> > > weeks ago.<BR>> ><BR>> >Today I tried =3D3D3D
> > > different=3D3D3D20
> > > cables, eds cards, mecs, eliminated the =3D3D3D
> > > magma<BR>=3D3D3D3D<BR>>and<BR>> =3D3D3D20
> > > >still no clock lock or modules showing up in the =
paris=3D3D3D20
> > > patchbay.<BR>> ><BR>> >This means to me =3D3D3D
> > > software=3D3D3D20
> > > unless someone tells me differently.<BR>> ><BR>> =
=3D3D3D
> > >>I=3D3D3D20
> > > have a new C drive which I will load XP and no pace. =
Any=3D3D3D20
> > > other=3D3D3D3D20<BR>> >suggestions?<BR>> =3D3D3D
> > >><BR>> =3D3D3D20
> > > >More frustrated than my clients,<BR>> =3D3D3D
> > >>Tom<BR>> =3D3D3D20
> > > ><BR>> ><BR>> ><BR>> =3D3D3D
> > >><BR>> =3D3D3D20
> > > >I choose Polesoft Lockspam to fight spam, and you?<BR>> =
=3D3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D20
> > > =3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE HTML PUBLIC =
"-//W3C//DTD =3D3D3D
> > >HTML 4.0=3D3D3D20
> > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type =3D
> content=3D3D3D3D3D"text/html;=3D3D3D20
> > > =3D3D3D3D<BR>> charset=3D3D3D3D3Diso-8859-1"><BR>><META =
=3D3D3D
> > > content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400"=3D3D3D20
> > > =3D3D3D
> > > =
> name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > >D><BR>><BODY=3D3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
> face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > > size=3D3D3D3D3D2>Rick,</FONT>></DIV><BR>><DIV><FONT=3D3D3D20

```

> > > face=3D3D3D3DArial size=3D3D3D3D2>1 mec, no BNC =
involved. Paris
=3D
>=3D3D3D
> > >=3D3D3D3D
>boots up so=3D3D3D20
> > > the=3D3D3D3D20
>1 mec =3D3D3D
> > >that</DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up =
but never =3D
>any A to
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D
>Ds or=3D3D3D20
> > > any=3D3D3D3D20
>installed=3D3D3D20
> > > modules.</DIV>
><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>This is the same symptom before I =3D
>=3D3D3D3D
>repaired =3D3D
> >=3D3D3D
> > >one=3D3D3D20
> > > of=3D3D3D3D20
>my mecs with=3D3D3D20
> > > a</DIV>
><DIV><FONT =
face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>new chip. The clock light =
=3D3D3D3D
>continues =3D
>to=3D3D3D20
> > > flash=3D3D3D3D20
>too. Never locks=3D3D3D20
> > > in.</DIV>
><DIV><FONT face=3D3D3D3D3DArial =
=3D3D3D
> > >
> > > size=3D3D3D3D3D2> </DIV>
><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>I am using the simplest setup I can =
=3D3D
> >=3D3D3D3D
>imagine=3D3D3D20
> > > and=3D3D3D3D20
>still it's not=3D3D3D20
> > > working.</DIV>
><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
=3D3D3D3D
>to =3D
>make=3D3D3D20
> > > sure=3D3D3D3D20
>card A is 0. I'll try=3D3D3D20
> > > that.</DIV>
><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
> > > =3D3D3D3D
>knows?</DIV>
><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D

```

> > >size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV>"rick" =3D3D3D
> > ><<A=3D3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>=>
mai=3D
>lto=3D3D
> >:pa=3D3D3D
> > =
>rnell68@hotmail.com">parnell68@hotmail.com</A></A>>>=3D3D3D20
> > > =3D3D3D3D<BR>>wrote in=3D3D3D3D20<BR>>message =3D
><A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A
> =3D3D
> >=3D3D3D
> > >
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >an5=3D3D3D
> > =3D3D
> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
=3D3D=3D
>3D=3D3D
> >
> > =3D
=
>>>=3D3D3D3D<BR>>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>&=3D3D3D=

> > =
>gt;<BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D

```

```

>=3D3D3D3D<BR>>BORDER-LEFT: =3D3D
> >=3D3D3D
> > >#000000 2px=3D3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20<BR>> know this as =
dumb as
=3D
>=3D3D3D
> > >it gets=3D3D3D20
> > > but the bnc is attached in the=3D3D3D3D20<BR>> =3D3D3D20
> > > right<BR>order...right?<BR>all the cards show up in paris =
=3D3D3D
> > >with the=3D3D3D20
> > > =3D3D3D3D3D<BR>>single=3D3D3D3D20<BR>> mec?<BR>how many =
i/o cards =3D
>=3D3D3D
> > >in each=3D3D3D20
> > > mec?<BR><BR><BR>On Fri, 19 Oct=3D3D3D20
> > > 2007<BR>=3D3D3D3D<BR>><BR>> 00:22:39 -0400, "Tom =
Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20<BR>> =
=3D3D3D3D<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>=
wro=3D
>te'=3D3D
> >>ma=3D3D3D
> > =
>ilto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>w=3D3D3D
> > >rote</A>:=3D3D3D3D<BR>><BR><BR>>I=3D3D3D3D20<BR>> =3D3D3D20
> > > thought I was groovin' but once the second Mec =
was=3D3D3D20
> > > =3D3D3D3D3D<BR>>introduced<BR>>the=3D3D3D3D20<BR>> system =
=3D3D3D
> > >stopped. That was=3D3D3D20
> > > a few weeks ago.<BR>><BR>>Today I=3D3D3D20
> > > =3D3D3D3D3D<BR>>tried=3D3D3D3D20<BR>> different cables, =
eds cards, =3D
>mecs, =3D3D3D
> > >eliminated=3D3D3D20
> > > the magma =3D3D3D3D<BR>>and<BR>>still no=3D3D3D3D20<BR>> =
=3D3D3D
> > >clock lock or=3D3D3D20
> > > modules showing up in the paris=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D3D20<BR>> =

```

=3D3D3D

> > > means to=3D3D3D20
> > > me software unless someone tells me=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D
>differently.
>
>I=3D3D3D3D20
> =

=3D3D3D

> > > have a new=3D3D3D20
> > > C drive which I will load XP and no pace. Any =3D
> other=3D3D3D3D20
> =3D3D
> >=3D3D3D
> > >
> > >
>suggestions?
>
>More frustrated =3D3D3D
> > > than=3D3D3D20
> > > my=3D3D3D3D20
> =3D3D3D20
> > > =3D3D3D
> > > clients,
>Tom
>
>
>
>=3D3D3D
> > >>
>I=3D3D3D20
> > > choose =3D3D3D3D
>Polesoft=3D3D3D3D20
> Lockspam =

to fight =3D

> spam,=3D3D3D20
> > > and=3D3D3D3D20
> =3D3D3D
> > > you?
><http://www.polesoft.com/refer.html>=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D20
>
</BLOCKQUOTE></BODY></HTML>
&=3D3D3D
> > >gt;
>
</BLOCKQUOTE></BODY></HTML>
> > >
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =

=3D3D

> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" =

name=3D3D3DGENERATOR>

> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV>Hi Mike,</DIV>
> ><DIV>Well I've been to =

..cfg many a =3D

>=3D3D
> >time.</DIV>
> ><DIV>I've seen that =

Mastercard =3D

> setting as =3D3D
> > being=3D3D20

> >0</DIV>
> ><DIV>but maybe it changed =
after =3D
> removing the
> =3D3D
> >4=3D3D20
> >other</DIV>
> ><DIV>eds cards for this =
round of =3D3D
> >testing.</DIV>
> ><DIV> </DIV>
> ><DIV>If it's still 0 what =
else could
=3D
> this =3D3D
> >be? =3D3D20
> >Busted mobo?</DIV>
> ><DIV>I'm really in an =
idunno place =3D
> right =3D3D
> >now. I'll=3D3D20
> >be checking</DIV>
> ><DIV>seriously today again =
because of
=3D
> a =3D3D
> >session tomorrow=3D3D20
> >morning.</DIV>
> ><DIV>Tom</DIV>
> ><DIV> </DIV>
> ><DIV> </DIV>

Subject: Re: Apple unveils the iLaunch
Posted by [DJ](#) on Sun, 23 Sep 2007 23:43:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt;>=3D3D20
> > wrote:
>
>
>Thanks Dimitrios.
>
>Mike =3D3D
> >said the=3D3D20
> > same thing. Is the ini in the Paris folde or system =3D3D
> >32?
>Do I want=3D3D20
> > the Master card to be 0 absolutely? I only have one =3D3D
> >card
>in there=3D3D20
> > right now and it's all freaky just the=3D3D20
> > same.
>Tom
>
>
>
> "Dimitrios" =3D3D

Subject: Re: Apple unveils the iLaunch

Posted by [Martin Harrington](#) on Mon, 24 Sep 2007 02:46:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

enet.gr" target="_blank">musurgio@otenet.gr">musurgio@otenet.gr> wrote

=3D

>in =3D3D

> >message=3D3D20

> > =3D3D3D
>news:471a0486\$1@linux...
>
> Hi =

Tom=3D3D20

> > !@
> Sorry to hear you still having problems like =

this=3D3D20

> > ~!!
> Must be very frustrating.
> Open the =3D3D

> >Paris ini=3D3D20

> > file and there change the mastercardoutput with =

=3D3D3D
>your=3D3D20

> > other
> cards and see what happens !!
> Let me =3D3D

> >

> > know.
> Regards,
> =3D3D

> >Dimitrios
>
> =3D3D20

> > "Tom Bruhl" <<A=3D3D20

> > =

href=3D3D3D"mailto:arpeggio@comcast.net">

Subject: Re: Apple unveils the iLaunch

Posted by [Martin Harrington](#) on Mon, 24 Sep 2007 03:05:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

>
> =3D3D

> >>
> =3D3D20

> > >
> >"rick" <<A=3D3D20

> > =

href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>

=3D

>=3D3D

> >wrote in=3D3D20

> > message =3D3D3D3D
> =3D3D20

> > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =

=3D3D20

> > > i know this as dumb as it gets but the bnc is attached in =

=3D3D

> >the=3D3D20

> > right
> > order...right?
> > =3D3D

> >all the=3D3D20

> > cards show up in paris with the single mec?
> > =3D3D

> >how many=3D3D20

> > i/o cards in each mec?
> >
> =3D3D

> >>
> =3D3D20
> > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> >=3D3D3D
>><A=3D3D20
> > =3D3D
>

Subject: Re: Apple unveils the iLaunch
Posted by [Martin Harrington](#) on Mon, 24 Sep 2007 03:06:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

=3D
=
>>href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
=3D3D=3D
>
> >bsp;=3D3D20
> > > wrote:
> >
> > >I =3D3D
> >thought I=3D3D20
> > was groovin' but once the second Mec was introduced
> =
=3D3D
> >> =3D3D20
> > >the system stopped. That was a few weeks ago.
> =3D3D20
> > > >
> > >Today I tried different =3D3D
> >cables,=3D3D20
> > eds cards, mecs, eliminated the =3D3D3D
>magma
> =
=3D3D
> >=3D3D3D3D
> =3D3D20
> > >and
> > >still no clock lock or modules =3D3D
> >showing up=3D3D20
> > in the paris patchbay.
> > >
> =3D3D
> >> =3D3D20
> > >This means to me software unless someone tells me=3D3D20
> > differently.
> > >
> > =3D3D
> >>I have=3D3D20
> > a new C drive which I will load XP and no pace. Any=3D3D20
> > =3D3D3D
>other=3D3D3D3D20
> > =3D3D
> >>suggestions?
> =3D3D20
> > > >
> > >More frustrated than my=3D3D20
> > clients,
> > >Tom
> > =3D3D20
> > >
> > >
> > =3D3D
> >>
> =3D3D20
> > > >
> > >I choose Polesoft =3D3D
> >Lockspam to=3D3D20
>

Subject: Re: Apple unveils the iLaunch

Posted by [Martin Harrington](#) on Mon, 24 Sep 2007 03:14:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

20

> > eliminated the magma =3D3D3D3D
> >and
>still=3D3D20
> > no=3D3D3D3D20
> > clock lock or modules showing up in =
=3D3D
> >the paris=3D3D20
> > =3D3D3D3D3D
> =3D3D20
> > >patchbay.
>
>This=3D3D3D3D20
> =3D3D
> >> =3D3D20
> > means to me software unless someone tells me =3D3D3D3D
> =
=3D3D20
> > >differently.
>
>I=3D3D3D3D20
> =3D3D
> >> =3D3D20
> > have a new C drive which I will load XP and no pace. =
Any=3D3D20
> > other=3D3D3D3D20
> > =3D3D20
> >
>suggestions?
>
>More frustrated =3D3D
> >than=3D3D20
> > my=3D3D3D3D20
> > =3D3D20
> > =3D3D
> >clients,
>Tom
>
>
>
>=3D3D
> >>
>I=3D3D20
> > choose =3D3D3D3D
> >Polesoft=3D3D3D3D20
> =3D3D
> >> Lockspam=3D3D20
> > to fight spam, and=3D3D3D3D20
> > =3D3D20
> > you?
>http://www.polesoft.com/refer.html =3D3D
> >=3D3D3D3D20
> =3D3D20
> > =3D3D
> >>
</BLOCKQUOTE></BODY></HTML>
> =3D3D
> >=3D3D20
> > >
> >
>
>
><!DOCTYPE HTML =3D3D
> >PUBLIC=3D3D20
> > "-//W3C//DTD HTML 4.0=3D3D20
> > Transitional//EN">
><HTML><HEAD>
><META=3D3D20
> > http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D3D20
> > =3D3D3D
>charset=3D3D3D3Diso-8859-1">
><META =3D3D
> >content=3D3D3D3D"MSHTML=3D3D20
> > 6.00.2800.1400"=3D3D20
> > =3D3D
> >name=3D3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D3D
> >D>
><BODY=3D3D20
> > bgColor=3D3D3D3D#ffffff>
><DIV><FONT =
face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Thanks=3D3D20
> > Dimitrios.</DIV>
><DIV><FONT =3D3D

```

> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Mike said the same thing. Is the =
=3D3D3D<BR>>ini in =3D3D
> >
> > the=3D3D3D20<BR>>Paris folde or system=3D3D20
> > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> >
> > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> >0=3D3D3D20<BR>>absolutely? I=3D3D20
> > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> >
> > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and =
it's all=3D3D20
> > freaky<BR>=3D3D3D<BR>>just=3D3D20
> > =3D3D
> >the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D20
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> =
></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =3D3D
> >0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D<BR>>BORDER-LEFT: #000000
=3D
>=3D3D
> >2px solid;=3D3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>'mailto:mu=
sur=3D
>gio=3D3D
> >@otenet.gr">musurgio@otenet.gr</A></A>>>=3D3D20
> > wrote in =3D3D3D<BR>>message=3D3D3D20<BR>> <A =3D3D
> >=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D

```

=
>>href=3D3D3D'news:471a0486\$

Subject: Re: Apple unveils the iLaunch
Posted by [Martin Harrington](#) on Mon, 24 Sep 2007 03:15:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

blank">1@linux">news:471a0486\$1@linux...</DIV><B=
R>H=3D
>i'>=3D3D
> =
>news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&=3D3D
> >lt;BR>Hi
=3D3D3D
>Tom=3D3D3D20
> =3D3D20
> > <A href=3D3D3D"mailto:!!@
Sorry">!!@
Sorry to hear =
you still
=3D
>=3D3D
> >having=3D3D20
> > problems like this ~!!
Must =3D3D
> >be
=3D3D3D
>very=3D3D3D20
> =3D3D20
> > frustrating.
Open the Paris ini file and there change =
the=3D3D20
> > =3D3D3D
>mastercardoutput=3D3D3D20
> with your =3D3D
> >other
cards and=3D3D20
> > see what happens !!
Let me=3D3D3D20
> =3D3D20
> > know.
Regards,
Dimitrios

"Tom =3D3D
> >Bruhl"=3D3D20
> > <<A=3D3D3D20
> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
20'>m=3D
>ailto=3D3D
> =
>:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20
&g=3D3D
> >t; =3D3D20
> > wrote:
>
>
>Rick,
>1 =3D3D
> >mec, no=3D3D20
> > BNC =3D3D3D
>involved. Paris=3D3D3D20
> boots up so =
=3D3D
> >the 1 mec=3D3D20
> > that
>I'm using shows up but never any A =3D3D3D
>to =
Ds=3D3D20
> > or=3D3D3D20
> any installed modules.
>This is the =
=3D3D
> >same=3D3D20

> > symptom before I repaired one of my mecs
> >with
> > a new chip. The clock light continues to
> > flash too. Never locks
> > in. I am using the simplest
> > setup I
> > can imagine and still it's not
> > working. Mike A.
> > suggested the .ini file to make =
=3D3D
> > sure card A is
> > 0. I'll try
> > =
> >=that. Pretty
> >; sure it's
> > right but who
> > =
> >=knows? Thanks, Tom
> >=BR>

=

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Mon, 24 Sep 2007 04:31:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

; > =
> > =Tom
> >
 =
> >

 =
> >=
=3D3D20
> > =3D3D3D20
 > I choose Polesoft Lockspam to fight spam, =
and
> > you?
> > >

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Mon, 24 Sep 2007 04:49:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

; > http://www.polesoft.com/refer.html
> > =
> >=3D3D3D20

<!DOCTYPE=3D3D20
> > HTML PUBLIC "-//W3C//DTD =3D3D3D
>HTML 4.0=3D3D3D20
> =
=3D3D20

```

> > =3D3D
> >Transitional//EN"><BR>><HTML><HEAD><BR>>=3D3D
> ><META=3D3D3D20<BR>> =3D3D20
> > http-equiv=3D3D3D3D3DContent-Type =3D3D
> >content=3D3D3D3D3D"text/html";=3D3D3D20<BR>> =3D3D20
> > =3D3D3D3D<BR>>charset=3D3D3D3D3Diso-8859-1"><BR>><META =3D3D
> >
> > =3D3D3D<BR>>content=3D3D3D3D3D"MSHTML=3D3D3D20<BR>> =3D3D
> >6.00.2800.1400"=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D3D
> >gt;<BR>></HEA=3D3D3D<BR>>D><BR>><BODY=3D3D3D20<BR>>&=3D3D
> >gt; =3D3D20
> > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D3D
> >t;DIV><FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC =
involved. =3D
>Paris=3D3D20
> > =3D3D3D<BR>>=3D3D3D3D<BR>>boots up so=3D3D3D20<BR>> =3D3D
> >the=3D3D3D3D20<BR>>1=3D3D20
> > mec=3D3D20
> > =3D3D
> >=3D3D3D<BR>>that</FONT></DIV><BR>><DIV><FONT=3D3D

```

Subject: Re: Apple unveils the iLaunch
 Posted by [excelav](#) on Mon, 24 Sep 2007 05:13:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

```

> >=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never any
=3D
>A to =3D3D
> >
> > =3D3D3D<BR>>=3D3D3D3D<BR>>Ds or=3D3D3D20<BR>> =3D3D20
> > any=3D3D3D3D20<BR>>installed=3D3D3D20<BR>> =3D3D20
> > modules.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>This is =3D
>=3D3D
> >the same=3D3D20
> > symptom before I =3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D<BR>>one=3D3D3D20<BR>> =3D3D20

```

```

> > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20<BR>> =3D3D20
> > a</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> size=3D3D3D3D3D2>new =
chip. The =3D3D
> >clock light=3D3D20
> > =3D3D3D3D<BR>>continues to=3D3D3D20<BR>> =3D3D
> >flash=3D3D3D3D20<BR>>too.=3D3D20
> > Never locks=3D3D3D20<BR>> =3D3D20
> > in.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3D3DArial=3D3D20
> > =3D3D3D<BR>><BR>> size=3D3D3D3D3D2></FONT>=3D3D20
> > </DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>I am =3D3D
> >using the simplest=3D3D20
> > setup I can =3D3D3D3D<BR>>imagine=3D3D3D20<BR>> =3D3D20
> > and=3D3D3D3D20<BR>>still it's not=3D3D3D20<BR>> =3D3D20
> > working.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Mike A. =3D
>=3D3D
> >suggested the=3D3D20
> > .ini file =3D3D3D3D<BR>>to make=3D3D3D20<BR>> =3D3D20
> > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20<BR>> =
=3D3D20
> > that.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Pretty =3D3D
> >sure it's right=3D3D20
> > but who=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=3D3D
> >t;<FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>>=3D3D
> ><DIV><FONT=3D3D3D<BR>>=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D3D
> >FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> >=3D3D3D<BR>></DIV><BR>><DIV><FONT=3D3D3D20<BR>>&nbs=3D3D
> >p;=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D3D<BR>></DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>=3D3D20

```

```

> > </DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>"rick"=3D3D20
> > =3D3D
> =
>=3D3D3D<BR>><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
<BR>>&n=3D3D
> >bsp;=3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D<BR>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotma=
il.c=3D3D=3D
>
> =
>om</A>'mailto:pa=3D3D3D<BR>>rnell68@hotmail.com">parnell68@hotmai=3D3D
> >l.com</A</A>>>=3D3D3D20<BR>> =3D3D20
> > =3D3D3D3D<BR>>wrote in=3D3D3D3D20<BR>>message=3D3D20
> > <A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A =3D3D3D<BR>><BR>> =
=3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D<BR>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=
om">=3D3D=3D
>
> =3D
=
>>news:inqgh393an5=3D3D3D<BR>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
=3D3D=3D
>
> =
>ax.com">news:inqgh393an5</A=3D3D3D<BR>>>=3D3D3D3D<BR>>s4m99q=3D3D
> >caojn09vn112t4u6r@4ax.com</A>...</DIV><BR>&=3D3D3D<BR>&=3D3D
> =3D
=
>>gt;gt;<BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D
=
20=3D3D
> ><BR>> =3D3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> >=3D3D3D3D<BR>>BORDER-LEFT:=3D3D20
> > =3D3D3D<BR>>#000000 2px=3D3D3D20<BR>> solid; =
MARGIN-RIGHT:=3D3D20
> > 0px">i=3D3D3D3D20<BR>> know this as dumb as =3D3D
> >=3D3D3D<BR>>it=3D3D20
> > gets=3D3D3D20<BR>> but the bnc is attached in =3D3D
> >the=3D3D3D3D20<BR>>gt

```

Subject: Re: Apple unveils the iLaunch

Posted by [excelav](#) on Mon, 24 Sep 2007 05:31:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

3D3D20

> > =3D3D3D
>stopped. That was=3D3D3D20
> a few =
weeks=3D3D20

> > ago.
>
>Today I=3D3D3D20
> =3D3D20

> > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =3D3D

> >eds cards,=3D3D20

> > mecs, =3D3D3D
>eliminated=3D3D3D20
> the magma=3D3D20

> > =3D3D3D3D
>and
>still =3D3D

> >no=3D3D3D3D20
> =3D3D20

> > =3D3D3D
>clock lock or=3D3D3D20
> modules showing up =
in the=3D3D20

> > paris=3D3D3D20
> =3D3D20

> > =3D3D

> >=3D3D3D
>=3D3D3D3D
>patchbay.
>
>This=3D3D3D=3D3D

> >3D20
> =3D3D20

> > =3D3D3D
>means to=3D3D3D20
> me software unless =
someone =3D3D

> >tells=3D3D20

> > me=3D3D3D20
> =3D3D20

> > =3D3D

> >=3D3D3D
>=3D3D3D3D
>differently.
>
>I=3D3D3D=3D3D

> >3D20
> =3D3D20

> > =3D3D3D
>have a new=3D3D3D20
> C drive which I will =
load XP =3D3D

> >and no pace.=3D3D20

> > Any other=3D3D3D3D20
> =3D3D3D
>
> =3D3D20

> >
>suggestions?
>
>More frustrated=3D3D20

> > =3D3D3D
>than=3D3D3D20
> my=3D3D3D3D20
> =3D3D

> >=3D3D3D20
> =3D3D20

> > =3D3D

> >=3D3D3D
>clients,
>Tom
>
>
=3D3D

> >;
=3D3D3D
>>
>I=3D3D3D20
> =3D3D20

> > choose =3D3D3D3D
>Polesoft=3D3D3D3D20
> Lockspam =
=3D3D

> >to fight=3D3D20

> > spam,=3D3D3D20
> and=3D3D3D3D20
> =3D3D20

> > =3D3D

> =

>=3D3D3D
>you?
><http://www.polesoft.com/refer.html>=3D3D3D20
>&=3D=
3D

> >gt; =3D3D20

> > =3D3D

> >=3D3D3D
>=3D3D3D3D20
>
</BLOCKQUOTE></BODY>=3D3D

> >;</HTML>
&=3D3D3D
>gt;
>
</B=3D3D

> >LOCKQUOTE></BODY></HTML>
>
>
</BLOCKQUOTE><=3D3D

```

> >/BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Mike,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I used to use a Lucid but =
since all of
=3D
>this mess I=3D20
>stopped.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I'm trying to get stable =
from square =3D
>one with the=3D20
>least amount </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>of hardware. I am using the =
=3D
>default project=3D20
>for sure. The only </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>other thing that I still =
question is my
=3D
>move of=3D20
>Paris to C:ParisPro .</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I should think the default =
project will
=3D
>either work=3D20
>or not. Maybe</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>config

```

Subject: Re: Apple unveils the iLaunch
 Posted by [Erling](#) on Mon, 24 Sep 2007 05:59:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

```

1@linux" target="_blank">1@linux">news:471b6eb0$1@linux</A>...</DIV><BR>H=
i=3D20
> Tom,<BR><BR>Are you using a default project with PARIS? I'm so =
=3D

```

>sorry of=3D20
> this has been
asked and answered already. If so, perhaps it =
=3D
>is=3D20
> telling card zero to lock
to an external clock, which it =
can't =3D
>because=3D20
> there isn't one.

It would be interesting to attach an =
external
=3D
>clock=3D20
> source to the MEC and
then start PARIS to see how it =

Subject: Re: Apple unveils the iLaunch
Posted by [Martin Harrington](#) on Mon, 24 Sep 2007 07:48:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;>right.
> =3D
>The file is=3D20
> Paris.cfg, and it lives in the c:\program=3D20
> files\Emu\PARIS
=3D3D
>PRO
> =3D
>folder.
>
> =3D20
> I'd still check it out to see what it is set to.
>
> =3D
>If it=3D20
> is wrong, what you are describing will happen.
>
> =3D
>Good=3D20
> luck!
>
> Mike
>
> "Tom Bruhl" =3D
><<A=3D20
> =
href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D20
> wrote:
> >
> >
> >Thanks=3D20
> Dimitrios.
> >
> >Mike said the same=3D20
> thing. Is the ini in the Paris folde or system=3D20
> =3D3D
>32?
> >Do I want the Master card to be 0=3D20
> absolutely? I only have one card
> >in there =3D
>right now=3D20
> and it's all freaky just the same.
> >Tom
> =3D
>
> >
> >
> >
> > =3D20
> "Dimitrios" <<A =3D
>href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr=3D20
> wrote in message =3D3D3D
> =3D
>>news:471a0486\$1@linux...
> =3D20
> >
> > Hi Tom !@
> > Sorry =3D
>to hear=3D20
> you still having problems like this ~!!
> > Must =3D
>be very=3D20

> frustrating.
> > Open the Paris ini file and =3D
 >there change=3D20
 > the mastercardoutput with
=3D3D
=3D3D3D
> >your=3D20
 > other
> > cards and see what happens =3D
 >!!
> =3D20
 > > Let me know.
> > =3D
 >Regards,
> =3D20
 > > Dimitrios
> >
> > "Tom =3D
 >Bruhl"=3D20
 > <<A =
 href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net> =3D
 >
 > wrote:
> > >
> > =3D20
 > >
> > >Rick,
> > >1 =3D
 >mec, no=3D20
 > BNC involved. Paris boots up so the 1 mec that
> =3D
 >> =3D20
 > >I'm using shows up but never any A to Ds or any installed=3D20
 > modules.
> > >This is the same symptom before =3D
 >I=3D20
 > repaired one of my mecs with a
> > >new =3D
 >chip. =3D20
 > The clock light continues to flash too. Never locks=3D20
 > =3D3D
>in.
> > >
> > =3D
 >>I am=3D20
 > using the simplest setup I can imagine and still it's not =3D
 >=3D3D3D
> =3D20
 > >working.
> > >Mike A. suggested the =3D
 >.ini=3D20
 > file to make sure card A is 0. I'll =3D3D
>try
> =3D
 >
 > =3D3D3D
> >=3D3D3D3D
> > =3D
 >>that.
> =3D20
 > > >Pretty sure it's right but who knows?
> =3D
 >> =3D20
 > >Thanks,
> > >Tom
> > =3D20
 > >
> > >
> > =3D
 >>
> =3D20
 > > >
> > >
> > =3D
 >
 > >"rick" <<A=3D20
 > =
 href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =3D
 >wrote in=3D20
 > message =3D3D3D3D
> > =3D20
 > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
 > > > i know this as dumb as it gets but the bnc is =3D
 >attached=3D20

> in the =3D3D
>right
> > > =3D20
> order...right?
> > > all the cards show =3D
>up in=3D20
> paris with the single mec?
> > > how =3D
>many i/o=3D20
> cards in each mec?
> > >
> =3D
>> =3D20
> >
> > > On Fri, 19 Oct 2007 00:22:39 =3D
>-0400,=3D20
> "Tom Bruhl" =3D3D3D
> ><<A=3D20
> =3D
=
>href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=3D=

>bsp;=3D20
> > > wrote:
> > =3D
>>
> =3D20
> > > >I thought I was groovin' but once the second =3D
>Mec was=3D20
> introduced
> > > >the system =3D
>stopped. =3D20
> That was a few weeks ago.
> > > =3D20
> >
> > > >Today I tried different =3D
>cables,=3D20
> eds cards, mecs, eliminated the
=3D3D
>=3D3D3D
> =3D20
> >magma
> > =3D3D3D3D3D
> > =3D20
> >and
> > > >still no clock lock or =3D
>modules=3D20
> showing up in the paris =3D3D
>patchbay.
> > =3D
>> =3D20
> >
> > > >This means to me software =3D
>unless=3D20
> someone tells me differently.
> > > =3D20
> >
> > > >I have a new C drive =3D
>which I will=3D20
> load XP and no pace. Any =3D3D3D
> =3D20
> >other=3D3D3D3D20
> > > =3D20
> >suggestions?
> > > =3D
>>
> =3D20
> > > >More frustrated than my =3D
>clients,
> =3D20
> > > >Tom
> > > =3D20
> >
> > > >
> > =3D
>
> > >
> > > >
> =3D
>
> > > >I choose Polesoft Lockspam to fight spam, =3D
>and=3D20

> you?
> > > =3D20

Subject: Re: Apple unveils the iLaunch

Posted by [Martin Harrington](#) on Mon, 24 Sep 2007 07:58:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

br />

```
> >http://www.polesoft.com/refer.html =3D3D3D3D20<BR>> =3D
>> =3D20
> ><BR>> > ><BR>> > =3D
>><!DOCTYPE=3D20
> HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D20
> > ><HTML><HEAD><BR>> > =3D
>><META=3D20
> http-equiv=3D3D3D3D3DContent-Type =
content=3D3D3D3D3D"text/html";=3D20
> =3D3D<BR>>=3D3D3D3D<BR>> > =3D20
> >charset=3D3D3D3D3DDiso-8859-1"><BR>> > =3D
>><META=3D20
> content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3D3DGENERATOR><BR>> =3D20
> > ><STYLE></STYLE><BR>> > =3D20
> ></HEAD><BR>> > ><BODY=3D20
> bgColor=3D3D3D3D3D#ffffff><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>1 mec, no=3D20
> BNC involved. =3D3D<BR>>Paris =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >boots up so the=3D3D3D3D20<BR>> > >1 =3D
>mec=3D20
> that</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
=3D
>=3D3D<BR>>never=3D20
> any<BR>> =3D3D3D<BR>> >A to =3D3D3D3D<BR>> =3D
>> =3D20
> >Ds or any=3D3D3D3D20<BR>> > >installed=3D20
> modules.</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is =3D
>the same=3D20
> symptom<BR>=3D3D<BR>>before<BR>> =3D3D3D<BR>> >I=3D20
> =3D3D3D3D<BR>> > >repaired one =3D
>of=3D3D3D3D20<BR>> =3D20
```

> > >my mecs with a</DIV>
> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>new chip.=3D20
> The clock light
=3D3D
>=3D3D3D3D
> > =3D
>>continues to=3D20
> flash=3D3D3D3D20
> > >too. Never locks=3D20
> in.</DIV>
> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2> =3D
&g

Subject: Re: Apple unveils the iLaunch
Posted by [excelav](#) on Mon, 24 Sep 2007 08:32:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;</DIV>
> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>I am using=3D20
> the simplest =3D3D
>setup I
> =3D3D3D
> =3D
>>can=3D20
> =3D3D3D3D
> > >imagine =3D
>and=3D3D3D3D20
> > =3D20
> >still it's not working.</DIV>
> =3D
>> =3D20
> ><DIV>Mike A. =3D
>suggested the=3D20
> =3D3D
>.ini file
> =3D3D3D
> =3D
>>=3D3D3D3D
> =3D20
> > >to make sure=3D3D3D3D20
> > >card =3D
>A is 0.=3D20
> I'll try that.</DIV>
> > =3D20
> ><DIV>Pretty =3D
>sure it's=3D20
> right =3D3D
>but who =3D3D3D
> >=3D3D3D3D
> =3D
>> =3D20
> >knows?</DIV>
> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Thanks,</DIV>
> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Tom</DIV>
> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>=3D20
> </DIV>
> > ><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2> </DIV>
> > =3D20

> ><DIV> </DIV>
> > ><DIV>=3D20
> </DIV>
> > ><DIV>=3D20
> </DIV>
> > ><DIV>"rick"=3D20
> <<A=3D3D3D3D20
> > =3D
>=3D3D
>>href=3D3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com'mailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A/>>=3D20
> =3D3D
>=3D3D3D
> >=3D3D3D3D
> > =3D
>>wrote=3D20
> in=3D3D3D3D20
> > >message =3D
><A=3D3D3D3D20
> =3D20
> > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>n=
ews=3D
=
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D3D
>=3D=

>393=3D3D3D
>&g

Subject: Re: Apple unveils the iLaunch
Posted by [Martin Harrington](#) on Mon, 24 Sep 2007 09:41:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

et="_blank">musurgio@otenet.gr</A/>>=3D20
> wrote
=3D3D
>in =3D3D3D
> =3D
>>message=3D3D3D20
> =3D20
> > <A =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>
H=
'>n=3D
>ews:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&l=3D
>t;BR>H=3D3D
>i
> =3D20
> =3D3D3D
> >Tom=3D3D3D20
> > <A=3D20
> href=3D3D'mailto:!!@
Sorry">!!@
Sorry to hear you still =
=3D
>having=3D20
> problems like this ~!!
Must
=3D3D
>be
> =3D20
> =3D3D3D
> >very=3D3D3D20
> > =3D20
> frustrating.
Open the Paris ini file and there change =
the=3D20
> =3D3D3D
> >mastercardoutput=3D3D3D20
> =3D

>> with your=3D20
> other
cards and see what happens !!
Let=3D20
> me=3D3D3D20
> > =3D20
> know.
Regards,
Dimitrios

"Tom =3D
>Bruhl"=3D20
> <<A=3D3D3D20
> > href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20'=
>mail=3D
=
>to:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20<B=3D
>R>> =3D20
> > =3D20
> wrote:
>
>
>Rick,
>1 =3D
>mec, no=3D20
> BNC =3D3D3D3D
> >involved. Paris=3D3D3D20
> =3D
>> =3D20
> boots up so the 1 mec that
>I'm using shows up but never =3D
>any A=3D20
> =3D3D
>=3D3D3D
> >to Ds or=3D3D3D20
> =3D
>> any=3D20
> installed modules.
>This is the same symptom before I=3D20
> =3D3D3D
> >repaired one=3D3D3D20
> > =3D
>of my mecs=3D20
> with a
>new chip. The clock light continues to=3D20
> =3D3D3D
> >flash=3D3D3D20
> > =3D
>too. Never=3D20
> locks in.
>
>I am using the simplest =3D
>=3D3D3D
> =3D20
> >setup I can=3D3D3D20
> > imagine and still it's =3D
>not=3D20
> working.
>Mike A. suggested the =3D3D3D
> =3D20
> >.ini=3D3D3D20
> > file to make sure card A is =3D
>0. =3D20
> I'll try =3D3D3D
> =3D20
> =3D
>>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D
>> =3D20
> sure it's right but who=3D3D3D20
> > =3D
>=3D3D3D
> =3D20
> =3D
>>knows?
>Thanks,
>Tom
>
>=&=3D
>gt;
>
>
><=3D3D3D
> =3D20
> >BR>>"rick"=3D3D3D20
> > <<A =3D
>=3D3D3D
> =3D20
> >href=3D3D3D3D"<A=3D20
