







Subject: Re: Would you be interested in a new chat board?

Posted by [Paul Braun](#) on Mon, 23 Jul 2007 22:52:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

bsp;&nbsp;=&nbsp;20

&lt;BLOCKQUOTE=&nbsp;20<BR> &gt;&nbsp;=&nbsp;20  
style=&nbsp;20" style="padding-right: 0px; padding-left: 5px; margin-left: =

=&nbsp;20<BR>&gt;5px;=&nbsp;20

BORDER-LEFT: #000000 2px solid; margin-right:=&nbsp;20

0px"&gt;<BR> &gt;&nbsp;=&nbsp;20

&lt;DIV&gt;"Neil" &lt;&lt;A =&nbsp;20<BR>&gt;href=&nbsp;20" <A=20

=

href=&nbsp;20'&nbsp;20" >mailto:IOU@OIU.com</A'>mailto:IOU@OIU.com"&gt;IOU@OIU.com</A>&gt;=&nbsp;20

=

wrote=&nbsp;20<BR> &gt;&nbsp;=&nbsp;20

---

Subject: Re: Would you be interested in a new chat board?

Posted by [Kim](#) on Mon, 23 Jul 2007 23:24:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

;nbsp;&nbsp;=&nbsp;20

in=&nbsp;20

message =

&lt;A=&nbsp;20<BR> &gt;&nbsp;=&nbsp;20

=&nbsp;20<BR>&gt;href=&nbsp;20" <A=20

=

href=&nbsp;20'&nbsp;20"&gt;news:46f46d03\$1 @linux"&gt;news:46f46d03\$1 @linux</A>...</DIV><BR>In=&nbsp;20=

20"&gt;news:46f46d03\$1 @linux"&gt;news:46f46d03\$1 @linux&lt;/A&gt;...&lt;/DIV&=

gt;&lt;BR&gt;In=&nbsp;20</A><BR> &gt;&nbsp;=&nbsp;20

;nbsp;&nbsp;=&nbsp;20

all seriousness - THREE bad MEC's??? What's the=&nbsp;20

=&nbsp;20<BR>&gt;real&lt;BR&gt;likelihood=&nbsp;20

of=&nbsp;20<BR> &gt;&nbsp;=&nbsp;20

that?=&nbsp;20  
Unless all 3 PSU's got hit hard with a&lt;BR&gt;voltage=&nbsp;20

=

spike<BR>=&nbsp;20<BR>&gt;or=&nbsp;20<BR> &gt;&nbsp;=&nbsp;20

something weird like that, is it really&lt;BR&gt;possible that ALL =

=&nbsp;20<BR>&gt;of=&nbsp;20

his=&nbsp;20<BR> &gt;&nbsp;=&nbsp;20

=

bad?&lt;BR&gt;&lt;BR&gt;Neil&lt;BR&gt;t;&lt;BR&gt;&lt;BR&gt;"DJ" =



I'm not familiar with. It will have been 10 years  
November since Paris shipped. I wonder if the  
lifespan of  
hardware is starting to fade. TG for  
TheSoniq,  
I guess.

---

---

Subject: Re: Would you be interested in a new chat board?

Posted by [Rod Lincoln](#) on Tue, 24 Jul 2007 00:40:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

De ej

"Tom Bruhl"

[mailto:arpegio@comcast.net](#)

[mailto:arpegio@comcast.net](#)

[mailto:arpegio@comcast.net](#)

wrote in

message

news:46f44c75\$1@linux...

meccs.

Hmmm?

I'll

know

for a fact

next Tuesday when there's

time to test

a couple

---

---

Subject: Re: Would you be interested in a new chat board?

Posted by [DJ](#) on Tue, 24 Jul 2007 02:19:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

r />

>Neil shouldn't be, just set up enough tracks.

On Tue, 25 Sep 2007 16:56:33 -0600, EK Sound <askme@nospam.com> wrote:

>Hey all you Logic guys!

>

>I need to know how many physical inputs from ProTools HD hardware that

>the previous version of Logic will access at one time... we have a

>rental for a live recording and the client would like to use his copy

>of Logic to front the HD hardware. I need to access all 48 analog

>192I/O inputs at one time. Is this doable?

>

>Thanks,

>

>David.rock, alternative. he's writing stuff for harley. he's on a mac running DP and PTle. i'm not sure of the programming thing.

On Tue, 25 Sep 2007 22:01:02 -0500, "Aaron Allen"

<know-spam@not\_here.dude> wrote:

>what kind of drummer (country, rock, fusion, progressive, marching, etc...),

>what experience does he have with programming and what kind of computer, if

>any, is he comfortable with/will be using?

>

>AA

>

>

>"rick" <parnell68@hotmail.com> wrote in message

>news:f3aif39pi0v085ctpdccq8pepc161k3n1q@4ax.com...

>> while on the road and away from his kit he needs to write drum

>> parts...suggestions.

>>

>> thanks

>Behringer sucks Maybe the war is almos

---

Subject: Re: Would you be interested in a new chat board?

Posted by [rick](#) on Tue, 24 Jul 2007 08:43:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

It;/FONT> =

&lt;/DIV><BR>&gt;&nbsp;=20

&lt;/DIV>&lt;/FONT face=3D3DArial =

size=3D3D2&gt;&lt;/FONT>=20

&lt;/DIV><BR>&gt;&nbsp; &lt;/DIV>&lt;/FONT=20

size=3D3D2&gt;&lt;BR&gt;&lt;BR&gt;I choose Polesoft =  
Lockspam to=20  
fight spam,<BR>=3D<BR>&gt;&and=3D20<BR>&gt;&nbsp;=20  
you?&lt;BR&gt;&lt;A=3D20<BR>&gt;&nbsp; =  
=3D<BR>&gt;href=3D3D"<A=20  
=  
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

---

---

Subject: Re: Would you be interested in a new chat board?  
Posted by [John \[1\]](#) on Tue, 24 Jul 2007 11:34:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

/>  
'>http://www.polesoft.com/refer.html"&gt;

---

---

Subject: Re: Would you be interested in a new chat board?  
Posted by [excelav](#) on Tue, 24 Jul 2007 15:50:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

target="\_blank">46f9d0ac@linux...

Hey Mike

Thank you for your work. Can't wait to try out the Freak.

Cheers

MR

"Mike Audet" <mike@.....> wrote in message news:46f86942\$1 @linux...

>

> Yo, yo!

>

> Attached is a new version of the FreakQ!

>

> New in this release (both mono and stereo versions):

>

> - All Mid and Hi Shelf EQs now have selectable frequency points.

> - I've added output metering to check for too much gain building up =  
from

> boosting bands (and because meters look cool).

> - The low shelf has been removed because of a problem in the dsp =  
code

that

> I don't know how to fix that caused massive distortion when it was =  
used.

>

>

> I had hoped to make this eq fully parametric by having a width =

control,  
but  
> it either isn't possible, or I just don't understand the math going =  
on in  
> the algo enough to make it happen. A friend of mine who is far =  
better in  
> math than I am has offered to look it over. If there is a =  
breakthrough,  
> I'll implement it.  
>  
> Let me know what you think!  
>  
> All the best,  
> Mike  
>  
>  
>  
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_

---

---

Subject: Re: Would you be interested in a new chat board?

Posted by [duncan](#) on Tue, 24 Jul 2007 16:16:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

href="mailto:1@linux..." target="\_blank">1@linux...

>>>

>>> DJ, trust me, ID is done with Paris. It's over. The fat lady has  
sung.

>>

>Software only

plugins etc that are executed entirely from within the computer hard drive,  
with no  
phy

---

---

Subject: Re: Would you be interested in a new chat board?

Posted by [duncan](#) on Tue, 24 Jul 2007 16:19:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

sical hardware aiding or associated with it (either inside the computer  
- like  
a pci card, or outside the computer - like a reverb unit).

So waves/psp/sonalksis/melodyne etc plugins are native, but Liquid Mix (a  
box  
outside the computer) UAD (a DSP card inside the computer).

The confusing part is that some non-native plugins are seen by host applications  
as  
if they are native. So Paris sees UAD plugins as native, even though they  
have their  
own separate DSP card.

Ted

"Sarah" <sarahjane@sarahtonin.com> wrote:

>Um . . . (blush) . . . what does "native" mean in this world of DAWs?

>

>Don't hit me . . .

>

>S

>

>Should be-

>So waves/psp/sonalksis/melodyne etc plugins are native, but Liquid Mix (a  
>box outside the computer) UAD (a DSP card inside the computer) \_are not\_."Sarah"  
<sarahjane@sarahtonin.com> wrote:

>Um . . . (blush) . . . what does "native" mean in this world of DAWs?

It means DAW's that run around with primitive weapons &  
loincloths.

:Dnative+computer does all the processing  
non-native additional hardware handles the audio/dsp (ie paris eds  
cards)

On Thu, 27 Sep 2007 02:35:33 -0700, "Sarah" <sarahjane@sarahtonin.com>  
wrote:

>Um . . . (blush) . . . what does "native" mean in this world of DAWs?

>

>Don't hit me . . .

>

>S

>Last night I loaded up those Antress Modern plugin's that (I  
think it was) Lamont came across & posted here.



<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV>"Mike R." &lt;<

---

Subject: Re: Would you be interested in a new chat board?

Posted by [Ab](#) on Tue, 24 Jul 2007 22:09:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

building up from<BR>&gt; boosting&nbsp;bands =  
(and=20  
because meters look cool).<BR>&gt;&nbsp;- The low shelf has been =  
removed=20  
because of a problem in the dsp code<BR>that<BR>&gt; I don't know how =  
to fix=20  
that caused massive distortion when it was =  
used.<BR>&gt;<BR>&gt;<BR>&gt; I had=20  
hoped to make this eq fully parametric by having a width=20  
control,<BR>but<BR>&gt; it either isn't possible, or I just don't =  
understand=20  
the math going on in<BR>&gt; the algo enough to make it happen. A =  
friend of=20  
mine who is far better in<BR>&gt; math than I am has offered to look =  
it=20  
over.&nbsp;If there is a breakthrough,<BR>&gt; I'll implement=20  
it.<BR>&gt;<BR>&gt; Let me know what you think!<BR>&gt;<BR>&gt; All =  
the=20  
best,<BR>&gt; =  
Mike<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt; <BR><BR></BLOCKQUOTE>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
and=20  
you?<BR><A=20  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>

-----=\_NextPart\_000\_0117\_01C800FC.A3B20290--only once but it was with paris on a 5 year old  
puter. i think i was  
using...hell i don't remember but i've used them since with no probs.

On 28 Sep 2007 00:29:57 +1000, "Neil" <OIUOIU@OIU.com> wrote:

>  
>Last night I loaded up those Antress Modern plugin's that (I  
>think it was) Lamont came across & posted here.  
>

>Anyone else getting operational issues with these things?  
>In my case, if I'm inserting & de-inserting them on the fly,  
>I've had several lockups where the CPU meter doesn't get close  
>to 100%, but Cubase locks up & I have to shut it down & restart  
>(just the app, not the whole computer).  
>  
>Standing still there's no problem, but if I'm in playback &  
>trying them out is when it happens - usually on the removal  
>of the plugin from the channel (stereo/mono, track/

---

Subject: Re: Would you be interested in a new chat board?

Posted by [BradLyons](#) on Tue, 24 Jul 2007 23:55:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

a rest willya at least until we find out what they are up to.

DCCarnac ! hahaha Oh the suspense. I can't wait !That's harsh.. I'd welcome something new from ID. Paris was still in it's infancy when they pulled the plug.

I remember Edmund showing me a "working" version of Paris "Native" on Mac OS back in 2000 NAMM. I mean it was working really good.

So, to have a native VST version of Paris that spealize in Tracking, routing, mixing would be great. Forget about the midi sequencer, vsti's..

Well??? If he had all that working , then okay..

I hold any ill feelings to ID what so ever. Only to Creative and EMU.

Even more, I stated back in 2000-2002 that EMU made a very bad strategic move when it pour most of it's resources into ROMplers. Most of them bombed, saved for the Planet Phatt module. Now look at them. Can't give away the samples for their softsampler. And, to this day, their Audio cards still suffer from "just okay" drivers..

"John" <no@no.com> wrote:

>

>Paris is DONE. He ain't doing anything else and if he is don't buy it.I have not noticed. I'll try your test this afternoon to see if I can replicate your results.

Those plugins(Antress) sound very good. The verb and delay is very natural.

As are the compressors.

Which (Plugin(s)) do you like?

"Neil" <OIUOIU@OIU.com> wrote:

>  
>Last night I loaded up those Antress Modern plugin's that (I  
>think it was) Lamont came across & posted here.  
>  
>Anyone else getting operational issues with these things?  
>In my case, if I'm inserting & de-inserting them on the fly,  
>I've had several lockups where the CPU meter doesn't get close  
>to 100%, but Cubase locks up & I have to shut it down & restart  
>(just the app, not the whole computer).  
>  
>Standing still there's no problem, but if I'm in playback &  
>trying them out is is when it happens - usually on the removal  
>of the plugin from the channel (stereo/mono, track/group  
>channel, 2-buss - doesn't matter).  
>  
>Some of 'em sound pretty good, tho, I must say!  
>  
>NeilYou may be onto something there LaMont. Releasing native versions of the  
software seems possible. The software side was ID's realm.

Any non-compete agreements may be about to expire with Creative.

With today's native hardware speeds, the fast PARIS hardware that  
offloaded DSP processing from the computer's CPU may be somewhat  
superfluous.

The PARIS software could rock on an octo-core box.

Things they could do include lifting the old hardware-bound 16 channel  
limit, and finish

---

Subject: Re: Would you be interested in a new chat board?

Posted by [rick](#) on Wed, 25 Jul 2007 09:00:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

uot; <jjdpro@ameritech.net> wrote:

>>>  
>>>That's harsh.. I'd welcome something new from ID. Paris was still in it's  
>>>infacy when they pulled the plug.  
>>>  
>>>I remember Edmund showing me a "working" version of Paris "Native" on  
Mac  
>>>OS back in 2000 NAMM. I mean it was wor