
Subject: Slow interface popups (old pc) is it ram?,Graphics?, cpu ?

Posted by [Dimitrios](#) on Wed, 18 Jul 2007 12:49:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

/a>> wrote:

>>>>That would be my guess - a German thing.....

>>>>

>>>>....hmmm, so what explains ProTools' office cubical grey and spreadsheet

>>>>

>>>>layout? A Silicon valley programmer thing? ;-)

>>>>

>>>>"LaMont" <

Subject: Re: Slow interface popups (old pc) is it ram?,Graphics?, cpu ?

Posted by [Chris Ludwig](#) on Wed, 18 Jul 2007 13:59:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

/>

>>>>>was just released - shipping in early October:

>>>>>>

>>>>>>Highlights:

>>>>>>

>>>>>>* New automation system (complete automation panel): new modes include

>>> the

>>>>>>ability to only write from an point, leaving previous sections absent

>>> of

>>>>>>automation (Virgin Territory option); fill modes, preview mode, and

> much

>>>>>>more. Looks like automation is about 15x more powerful than it was

>>>>>>before.

>>>>>>

>>>>>>* New key commands for Cut head/tail, selections (great for post)

>>>>>>

>>>>>>* Free routing: any group or fx to any other, plus post fader routing

>>>>>>

>>>>>>* Media Bay (I hear it's enhanced from Cubase 4 and works quite well

> for

>>>>> an

>>>>>>

Subject: Re: Slow interface popups (old pc) is it ram?,Graphics?, cpu ?

Posted by [TCB](#) on Wed, 18 Jul 2007 20:26:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

I still prefer analog EQ and compression for mastering or 2-bus work most of the time and a touch of the MD3 Stereo Mastering package for final when needed.

The 6000 is a serious box.

Gene

"Neil" <OIUOIU@OIU.com> wrote:

>

>Does anyone know of an EQ plugin that can go up to 32khz (a la'
>the Massenburg hardware units)? I'm experimenting with
>something & need an EQ plug that can boost or cut up in that
>range.

>TIA.

>

>NeilThis is a multi-part message in MIME format.

Subject: Re: Slow interface popups (old pc) is it ram?,Graphics?, cpu ?

Posted by [Aaron Allen](#) on Wed, 18 Jul 2007 23:35:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

d; MARGIN-RIGHT: 0px">

<DIV>"Tom Bruhl" <<A=20

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
in message=20

news:46f9621b@linux...</DIV>

<DIV>Most absolutely hardware. 3 =

Mecs down for=20

the count.</DIV>

<DIV>No word on the 10 modules that were =
onboard=20

during</DIV>

<DIV>the mishap.</DIV>

<DIV> </DIV>

<DIV>Anyone have a spare mec they can part =

with?</DIV>

<DIV>Assamundo</DI

Subject: Re: Slow interface popups (old pc) is it ram?,Graphics?, cpu ?

Posted by [Aaron Allen](#) on Wed, 18 Jul 2007 23:44:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

V>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
wrote in=20
message <A =
href=3D"news:46f4fa9a@linux">news:46f4fa9a@linux...</DIV>
<DIV>I'll double check =
Aaron.</DIV>
<DIV> </DIV>
<DIV>Continuity is my middle =
name.</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Aaron Allen" &a

Subject: Re: Slow inface popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Chris Ludwig](#) on Thu, 19 Jul 2007 00:30:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

mp;<A=20
=
href=3D"mailto:know-spam@not_here.dude">know-spam@not_here.dude>=20
wrote in message <A=20
href=3D"news:46f4e6c0@linux">news:46f4e6c0@linux...</DIV>
<DIV>Dude, if you have 3 toasted MEC's =
I think it=20
VERY likely you had a bad cable that put the hurt on them =
all &as you=20
swapped

Subject: Re: Slow inface popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Aaron Allen](#) on Thu, 19 Jul 2007 00:48:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

around parts. </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
wrote in=20
message <A =
href=3D"news:46f472e2@linux">news:46f472e2@linux...</DIV>
<DIV>Intersted people,</DIV>
<DIV>I know 3 fried mecs is =
unlikely. It's=20
not confirmed until Tuesday </DIV>
<DIV>when I'll check the two =
<FONT=20
face=3DArial size=3D2>that might 'still work'. The =
hardware=20
solution>

Subject: Re: Slow iniferace popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Dimitrios](#) on Thu, 19 Jul 2007 10:50:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

D2>It ain't over till it's =
over.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Neil" <<A =
href=3D"mailto:IOU@OIU.com">IOU@OIU.com> wrote=20
in message <A=20
=
href=3D"news:46f46d03\$1@linux">news:46f46d03\$1@linux...</DIV>
In=20
all seriousness - THREE bad MEC's??? What's the =
real
likelihood of=20
that? Unless all 3 PSU's got hit hard with a
voltage spike =
or=20
something weird like that, is it really
possible that ALL =
of his=20

Subject: Re: Slow iniferace popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Dimitrios](#) on Thu, 19 Jul 2007 11:28:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

;BR>>
>
>Tom,
>
>Do you think =
the one=20
I sent was bad ? It was working fine when I =
pulled
=3D
>it from=20
the rack.=3D20
>
>I've noticed a few posts =
recently=20
regarding errors. Maybe no more than =3D
>usual, but it =
seemed=20
like an unusually high number to me over the last =
=3D
>few weeks.=20
Errors I'm not familiar with. It will have been 10 years in=20
=3D
>November since Paris shipped. I wonder if the =
lifespan of=20
this hardware
=3D
>is starting to fade. TG for =
TheSoniq, I=20
guess.
>
>Deej
>
> "Tom Bruhl" =
<<A=20
=
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote in =
message =3D
>news:46f44c75\$1@linux...
> 3 =
bad=20
mecs.
>
> Hmmm?
>
> I'll =
know for=20
a fact next Tuesday when there's
> time to test a =
couple=20
on another =
system.
>
>
>
>
> I=20
choose Polesoft Lockspam to fight spam, and you?
> =
<A=20
=
=

Subject: Re: Slow inerface popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Aaron Allen](#) on Thu, 19 Jul 2007 14:21:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

;BR>> href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.netmailto:arpegi=
o@comcast.net">arpeggio@comcast.net</A>>=20
wrote =3D
>in message=3D20
> <A =
href=3D3D"<A=20
=
href=3D'news:46f44c75\$1@linux">news:46f44c75\$1@linux...</DIV>'news:46=
f44c75\$1@linux">news:46f44c75\$1@linux...</DIV>
=
> =20
<DIV>3 bad=20

mecs.</DIV>
 =
</DIV>=20
face=3D3DArial size=3D3D2> =
</DIV>
 =20
</DIV></FONT face=3D3DArial=20
size=3D3D2>Hmmm?</DIV& ;gt;
 =20
</DIV> =

</DIV>
 </DIV></FONT face=3D3DArial=20
size=3D3D2>I'll know for a fact next Tuesday=20
=3D
>when=3D20
 =20
there's</DIV>
 =
</DIV></FONT=20
face=3D3DArial size=3D3D2>time to test a couple on=20
another=3D20
 =20
system.</DIV>
 =
</DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
 =20
</DIV> =

&

Subject: Re: Slow interface popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Chris Ludwig](#) on Thu, 19 Jul 2007 14:37:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

y)
> interfaces.... I'd loooooove me some native Paris tone.
>
> -Carl
>
> "TCB" <nobody@ishere.com> wrote in message news:46f9b7cb\$1@linux...
>>
>> Even if they are, would it be useful for anyone other than someone who
> already
>> owns PARIS hardware and wants to edit on their laptop?
>>
>> TCB
>>
>> Randy Weaver <parisnewsgroup@emceesquared.net> wrote:
>> >Anybody notice that www.intDevices.com has updated their site.
>> >
>> >pro audio is "coming soon" with a PARIS screen shot.
>> >
>> >anybody hear what they're up to?
>> >

>> >Perhaps releasing a software only version?
>> >
>> >-Randy
>>
>
>what kind of drummer (country, rock, fusion, progressive, marching, etc...),
what experience does he have with programming and what kind of computer, if
any, is he comfortable with/will be using?

AA

"rick" <parnell68@hotmail.com> wrote in message
news:f3aif39pi0v085ctpdct8pepc161k3n1q@4ax.com...
> while on the road and away from his kit he needs to write drum
> parts...suggestions.
>
> thanksComplete rockness you guys.....Danke, danke, danke.
AA

"D-unit" <cof42_AT_embarqmail.com> wrote in message news:46f975cd\$1@linux...
> That should work. I've used several types of thumb drives
> and that driver works with all I've tried.
>
>
> db
>
>
> "rick" <parnell68@hotmail.com> wrote in message
> news:8hrif3h8mbjckfei27b25rj7q65f4a7v9k@4ax.com...
>> my last and only successful one has it up...the nusb31e.exe
>>
>>
>>
>> On Tue, 25 Sep 2007 16:20:00 -0400, "D-unit" <cof42_AT_embarqmail.com>
>> wrote:
>>
>> >Well I've tried to upload nusb30 driver but the file is too
>> >big and won't post. I can email it to you if you want.
>> >
>> >Its about 750K.
>> >
>> >
>> >db
>> >
>> >

Subject: Re: Slow interface popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Dimitrios](#) on Thu, 19 Jul 2007 16:27:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

>
>> >"Aaron Allen" <know-spam@not_here.dude> wrote in message
>> >news:46f94d5d\$1@linux...
>> >> 98se it is... but it doesn't even come up and see a new device upon
>> >> insertion, which I was surprised by.
>> >> All 98se drivers are generic?
>> >> Any size limitations that you are aware of ?
>> >> Thanks D !
>> >>
>> >> AA
>> >>
>> >> "D-unit" <cof42_AT_embarqmail.com> wrote in message
>> >news:46f91f71\$1@linux...
>> >> >
>> >> > "AA" <AA@nospam.net> wrote in message news:46f91cbb\$1@linux...
>> >> >>
>> >> >> I'm trying to get an old 98 box to see a USB stick for data
>> >> >> transfer
>> >for
>> >> >> a
>> >> >> friend.... my 4 GB USB stick is a no worky. Is there a known
>> >> > document/limitation
>> >> >> to using USB sticks in 98 w/o loading wierd drivers?
>> >> >
>> >> > You need win98SE for that.
>> >> > There are generic drivers on the web.
>> >> >
>> >> >
>> >> > db
>> >> >
>> >> >
>> >> >
>> >>
>> >>
>> >
>>
>
>Yup, I do. That Mantis was phenom man, total recall like the Paris Patchbay,
only in Adat land.
G'luck talking BT out of that, heh.. I think he said there were very few
made of them.

AA

"Dedric Terry" <dterry@keyofd.net> wrote in message news:46f96dfc@linux...
> "James McCloskey" <excelsm@hotmail.com> wrote in message
> news:46f94f01\$1@linux...
>>
>> Back when I was selling Paris some people expressed these same thoughts,
>> especially if they came from Cubase or Logic. I would try to get
>> potential
>> customers to look at that non hardware demo and they would get turned
>> off
>> by the color and the look. I got asked if it had skins here and there.
>> Some loved it and some thought it was yuk.
>
> I sold Paris for a while as well (did you ever work with Eddie Fritz?) -
> same responses. In some ways I liked it, but in others,
> not my favorite - still beat the pants off of ProTools interface - and
> more graphically creative than anything at the time.
>
> Did you (or anyone else) ever see Mantis? Brian T had it running at his
> place as a patch bay - iirc, it was a somewhat similar interface, but I
> think in the blue-grey color

Subject: Re: Slow inerface popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Rich\[4\]](#) on Thu, 19 Jul 2007 20:41:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt;>>>>* New key commands for Cut head/tail, selections (great for post)
>>>>>>
>>>>>>* Free routing: any group or fx to any other, plus post fader routing
>>>>>>
>>>>>>* Media Bay (I hear it's enhanced from Cubase 4 and works quite well
>> for
>>>>>> an
>>>>>>>FX database - also great for post)
>>>>>>>
>>>>>>>* VST3 - all included plugins are VST3 (biggest post advantage is
>>>>>>>automatic
>>>>>>>adapting to multichannel configs - Flux plugins already do, but now
>> VST3
>>>>>>>plugins and Nuendo's stock plugins will also).
>>>>>>>
>>>>>>>* New logical editor looks much more powerful
>>>>>>>
>>>>>>>...etc...
>>>>>>>
>>>>>>>I'll let you guys read the rest from Steinberg if interested.
>>>>>>>
>>>>>>>For post this is a great release - the new automation and key

>>>>>>commands
>>>>
>>>>>>alone
>>>>>>are worth the \$249 upgrade - free routing will be a big boost for me
>> as
>>>>>>well.
>>>>>>
>>>>>>Regards,
>>>>>>Dedric
>>>>>>
>>>>>>
>>>>>
>>>>
>>>>
>>>>
>>>
>>>
>>
>>
>This is a multi-part message in MIME format.

-----=_NextPart_000_0080_01C7FFC1.13352710
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I'll also toss out an edumacated guess that only the interface portion =
got fried and all y

Subject: Re: Slow interface popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Aaron Allen](#) on Fri, 20 Jul 2007 02:12:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

t neither works. If I'm wrong then we're back to software.

It ain't over till it's over.
Tom

=20
"Neil" <IOU@OIU.com> wrote in message news:46f46d03\$1@linux...

In all seriousness - THREE bad MEC's??? What's the real
likelihood of that? Unless all 3 PSU's got hit hard with a
voltage spike or something weird like that, is it really
possible that ALL of his MECs went bad?

Neil

"DJ" <animix _ at _ animas _ dot _ net> wrote:

- >
- >
- >Tom,
- >
- >Do you think the one I sent was bad ? It was working fine =

when I pulled

- =3D
- >it from the rack.=3D20
- >
- >I've noticed a few posts recently regarding errors. Maybe no =

more than =3D

- >usual, but it seemed like an unusually high number to me over =

the last =3D

- >few weeks. Errors I'm not familiar with. It will have been 10 =

years in =3D

- >November since Paris shipped. I wonder if the lifespan of =

this hardware

- =3D
- >is starting to fade. TG for TheSoniq, I guess.
- >
- >Deej
- >
- > "Tom Bruhl" <arpeggio@comcast.net> wrote in message =3D
- >news:46f44c75\$1@linux...
- > 3 bad mecs.
- >
- > Hmmm?
- >
- > I'll know for a fact next Tuesday when there's
- > time to test a couple on another system.
- >
- >
- >
- >
- > I choose Polesoft Lockspam to fight spam, and you?
- > <http://www.polesoft.com/refer.html> =20
- >
- ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =

Transitional//EN">

- ><HTML><HEAD>
- ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
- >charset=3D3Diso-8859-1">
- ><META content=3D3D"MSHTML 6.00.6000.16525" =

name=3D3DGENERATOR>

- ><STYLE></STYLE>
- ></HEAD>

<<BODY bgColor=#ffffff>
<<DIV>Tom,</DIV>
<<DIV> </DIV>
<<DIV>Do you think the one I =
sent was =3D
>bad ?=3D20
>It was working fine =
when I pulled it
=3D
>from the=3D20
>rack. </DIV>
><DIV> </DIV>
><DIV>I've noticed a few posts =
recently =3D
>regarding errors.=3D20
>Maybe no more than usual, but it seemed like an unusually =
high number to
=3D
>me over=3D20
>the last few weeks. Errors I'm not familiar with. It will =
have been =3D
>10=3D20
>years in November since Paris shipped. I wonder if the =
lifespan of this
=3D
>hardware=3D20
>is starting to fade. TG for TheSoniq, I guess.</DIV>
><DIV> </DIV>

Subject: Re: Slow interface popups (old pc) is it ram?,Graphics?, cpu ?
Posted by [Chris Ludwig](#) on Fri, 20 Jul 2007 03:43:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

ast.net> wrote =3D
>in message=3D20
> <A =
href=3D3D"news:46f44c75\$1@linux">news:46f44c75\$1@linux...</DIV>
> <DIV>3 bad =
mecs.</DIV>
> <DIV> </DIV>
> <DIV>Hmmm?</DIV>
> <DIV> </DIV>
> <DIV>I'll know for a fact =
next Tuesday =3D
>when=3D20
> there's</DIV>
> <DIV>time to test a couple =

```

on another=3D20
    > system.</FONT></DIV>
    > <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
    > <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
    > <DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to =
fight spam,
    =3D
    >and=3D20
    > you?<BR><A=3D20
    > =3D
    =
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
    >.html</A> </FONT></DIV></BLOCKQUOTE></BODY></HTML>
    >
    >

```

-----=_NextPart_000_0080_01C7FFC1.13352710

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16525" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>I'll also toss out an edumacated guess =
that only=20
the interface portion got fried and all your MEC cards are likely to be =
ok...=20
holla back on that man. </FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Sorry, no spare MEC's around here, in =
fact I'm=20
going to be growing my rig again shortly with a few more EDS cards=20
:)</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Say Tom, have you called The Soniq =
about repairing=20
yours... he offers warranty on his work yano :)</FONT></DIV>
<DIV>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>AA</FONT></DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

```

<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
in message=20
news:46f9621b@linux...</DIV>
<DIV>Most absolutely hardware. 3 =
Mecs down for=20
the count.</DIV>
<DIV>No word on the 10 modules that were =
onboard=20
during</DIV>
<DIV>the mishap.</DIV>
<DIV> </DIV>
<DIV>Anyone have a spare mec they can part =

with?</DIV>
<DIV>Assamundo</DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
wrote in=20
 message <A =
href=3D"news:46f4fa9a@linux">news:
