

---

Subject: Looking for a Delay Plug like the TC 2290  
Posted by [Bill L](#) on Fri, 21 Sep 2007 19:12:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

lto:musurgio@otenet.gr" target="\_blank">musurgio@otenet.gr</A>&gt;=20  
=3D<BR>&gt;wrote<BR>&gt;&nbsp;=3D3D<BR>&gt;&nbsp; &gt;

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290  
Posted by [TCB](#) on Fri, 21 Sep 2007 20:54:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

/>  
an idunno=20  
place =3D<BR>&gt;right =3D3D<BR>&gt;&nbsp; &gt;now.&nbsp;=20  
I'll=3D3D20<BR>&gt;&nbsp;=20  
&gt;be checking&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&nbsp; =  
&gt;&lt;/DIV&gt;&lt;/FONT=20  
face=3D3D3DArial size=3D3D3D2&gt;seriously today again because =  
of<BR>=3D<BR>&gt;a=20  
=3D3D<BR>&gt;&nbsp; &gt;session tomorrow=3D3D20<BR>&gt;&nbsp;=20  
&gt;morning.&lt;/FONT&gt;&lt;/DIV&gt;<BR >&gt;&nbsp; =  
&gt;

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290  
Posted by [laMont \[1\]](#) on Fri, 21 Sep 2007 21:05:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

amp;gt;=  
&lt;META=3D3D20<BR>&gt;&nbsp;=20  
&gt;&nbsp; http-equiv=3D3D3D3DContent-Type=20  
content=3D3D3D3D"text/html";=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
=  
=3D3D3D&lt;BR&gt;&gt; charset=3D3D3D3Diso-8859-1"&gt;&lt;BR&gt;&gt;&lt;MET=  
A=20  
=3D3D<BR>&gt;&nbsp; &gt;content=3

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290  
Posted by [DJ](#) on Sat, 22 Sep 2007 01:00:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

00"=20  
=3D<BR> &gt;name=3D3D3D3DGENERATOR&gt;&lt;BR&gt;&a mp;gt; =  
=3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
&gt;&lt;/STYLE&gt;&lt;/STYLE&gt;&lt;B R&gt;&gt;&nbsp; &gt; =

---

=3D20<BR>&gt;&nbsp;=20  
&gt;&lt;/HEAD&gt;&lt;BR&gt;&gt;&nbsp;=20  
&gt;&lt;BODY=3D20<BR>&gt;&nbsp;=20  
bgColor=3D3D3D3D3D#ffffff&gt;&lt;BR&gt;&gt;&nbsp;=20  
=3D<BR>&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;&nbsp;=  
face=3D3D3D3D3DArial=20  
=  
=3D<BR> &gt;size=3D3D3D3D3D2&gt;Rick,&lt;/FONT&gt;&a mp;lt;/DIV&gt;&lt;BR&gt;&g=  
t;=20  
=3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&lt;DIV&gt;&lt;

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [DJ](#) on Sat, 22 Sep 2007 01:02:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

FONT =

face=3D3D3D3D3DArial=20

=3D<BR>&gt;size=3D3D3D3D3D2&gt;1 mec, no=3D20<BR>&gt;&nbsp;BNC =  
involved.=20

=3D3D&lt;BR&gt;&gt;Paris =3D3D3D&lt;BR&gt;&gt;&nbsp;=20

=3D<BR>&gt;&=3D3D3D3D&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
&gt;boots up=20

so the=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;1=20

=3D<BR>&gt;mec=3D20<BR>&gt;&nbsp;=20

that&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp;=20

=3D<BR>&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;&nbsp; =

face=3D3D3D3D3DArial=20

size=3D3D3D3D3D2&gt;I'm using shows up but=20

=3D<BR>&gt;=3D3D&lt;BR&gt;&gt;never=3D20<BR>&gt;&nbsp; =

any&lt;BR&gt;&gt;&nbsp;=20

=3D3D3D&lt;BR&gt;&gt;&nbsp; &gt;A to =3D3D3D3D&lt;BR&gt;&gt;&nbsp; =

=3D<BR>&gt;&=20

=3D20<BR>&gt;&nbsp; &gt;Ds or any=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; =

&gt;&nbsp;=20

&gt;installed=3D20<BR>&gt;&nbsp;=20

modules.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt; =

=3D20<BR>&gt;&nbsp;=20

&gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2&gt;This =  
is=20

=3D<BR>&gt;the same=3D20<BR>&gt;&nbsp;=20

symptom&lt;BR&gt;=3D3D&lt;BR&gt;&gt;befo re&lt;BR&gt;&gt;&nbsp;

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [Neil](#) on Sat, 22 Sep 2007 02:56:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```

D<BR>> charset=3D3D3D3Diso-8859-1"><BR>><META =3D3D
> > content=3D3D3D3D"MSHTML=3D3D20
> > 6.00.2800.1400"=3D3D20
> > =3D3D
> > name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D
> > D><BR>><BODY=3D3D20
> > bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT =
face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Thanks=3D3D20
> > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Mike said the same thing. Is the =3D3D3D<BR>>ini =
in =3D3D
> >
> > the=3D3D3D20<BR>>Paris folde or system=3D3D20
> > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DA

```

---

Subject: Re: Looking for a Delay Plug like the TC 2290  
 Posted by [John Macy](#) on Sat, 22 Sep 2007 03:55:35 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```

rial =3D3D
> >
> > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> > 0=3D3D3D20<BR>>absolutely? I=3D3D20
> > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> >
> > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's =
all=3D3D20
> > freaky<BR>=3D3D3D<BR>>just=3D3D20
> > =3D3D
> > the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D
> > =3D3D20
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > </DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > </DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> > </DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =
=3D3D
> > 0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D<BR>>BORDER-LEFT: =

```

#000000  
=3D  
>=3D3D  
> >2px solid;=3D3D20  
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20  
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20  
> > =3D3D  
> =3D  
=  
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:mu=  
sur=3D  
>gio=3D3D  
> >@otenet.gr">musurgio@otenet.gr</A</A>>>=3D3D20  
> &g

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [TCB](#) on Sat, 22 Sep 2007 14:44:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

h the single mec?&lt;BR&gt;&gt;&nbsp; &gt;&nbsp;=20  
=3D3D<BR>&gt;&nbsp; &gt;how many=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; i/o =  
cards in each=20  
mec?&lt;BR&gt;&gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; =3D3D<BR>&gt;&nbsp;=20  
&gt;&gt;&lt;BR&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; On =  
Fri, 19=20  
Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D<BR>&gt;&nbsp;=20  
&gt;=3D3D3D&lt;BR&gt;&gt;&lt;&lt;A=3 D3D20 <BR>&gt;&nbsp; &gt;&nbsp;=20  
=3D3D<BR>&gt;&nbsp; =3D<BR>&gt;&gt;href=3D3D3D"<A=20  
=  
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>><BR>>&amp;n=3D=  
3D'>mailto:arpeggio@comcast.net"&gt;arpeggio@comcast.net&lt;/A&gt;&gt;&lt;B=  
R&gt;&gt;&amp;n=3D3D</A>=3D<BR>&gt;<BR>&gt;&nbsp;=20  
&gt;bsp;=3D3D20<BR>&gt;&a

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [Bill L](#) on Sat, 22 Sep 2007 18:41:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

&gt;Polesoft=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; sp;=20  
=3D3D<BR>&gt;&nbsp; &gt;&gt;&nbsp; Lockspam=3D3D20<BR>&gt;&nbsp; =  
&gt;&nbsp; to=20  
fight spam, and=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt; =  
=3D3D20<BR>&gt;&nbsp;=20  
&gt;&nbsp; you?&lt;BR&gt;&gt;http://www.polesoft.com/refer.html=20

=3D3D<BR>&gt;&nbsp; &gt;=3D3D3D3D20&lt;BR&gt;&gt; =  
=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;=20  
=3D3D<BR>&gt;&nbsp; &gt;=20  
=  
&gt;&gt;&lt;BR&gt;&lt;/BLOCKQUOTE&gt; &lt;/BODY&gt;&lt;/HTML&gt;&lt;BR&gt; ;=  
&gt;=20  
=3D3D<BR>&gt;&nbsp; &gt;=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt; =  
&gt;&lt;BR&gt;&gt;&nbsp; &gt;=20  
&gt;&lt;BR&gt;&gt;&lt;BR&gt;&gt; &lt;BR&gt;&gt;&lt;!DOCTYPE HTML=20  
=3D3D<BR>&gt;&nbsp; &gt;PUBLIC=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt; =  
"-//W3C//DTD HTML=20  
4.0=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;=20  
=  
Transitional//EN" &gt;&lt;BR&gt;&gt;&lt;HTML&gt;&lt;t;HEAD&gt;&lt;BR&gt;&gt;=  
&lt;META=3D3D20<BR>&gt;&nbsp; &gt;=20  
&gt;&nbsp; &gt;http-equiv=3D3D3D3DConte

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [Neil](#) on Sat, 22 Sep 2007 20:19:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

BR>&gt;&nbsp; &gt;=20  
&gt;&gt;http://www.polesoft.com/refer.html=3D3D20<BR>&gt;&nbsp; &gt;=  
&gt;&nbsp; &gt;=20  
=3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt;=3D3D<BR>&gt;&nbsp; &gt;=20  
=  
&gt;=3D3D3D3D20&lt;BR&gt;&gt;&lt;BR&gt;&gt;&lt;BR&gt;&gt;&lt;BR&gt;&gt;&lt;!DOCTYPE=3D3D=  
D20<BR>&gt;&nbsp; &gt;=20  
&gt;&nbsp; &gt;HTML PUBLIC "-//W3C//DTD =3D3D3D&lt;BR&gt;&gt;HTML=20  
4.0=3D3D3D20&lt;BR&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;=  
=3D3D<BR>&gt;&nbsp; &gt;=20  
=  
&gt;Transitional//EN" &gt;&lt;BR&gt;&gt;&lt;HTML&gt;&lt;t;HEAD&gt;&lt;BR&gt;=  
&gt;=3D3D<BR>&gt;&nbsp; &gt;=20  
&gt;&lt;META=3D3D3D20&lt;BR&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;=20  
http-equiv=3D3D3D3DContent-Type =3D3D<BR>&gt;&nbsp; &gt;=20  
&gt;content=3D3D3D3D"text/html;=3D3D3D20&lt;BR&gt;&gt; =  
=3D3D20<BR>&gt;&nbsp; &gt;=20  
&gt;&nbsp; &gt;=20  
=  
=3D3D3D3D&lt;BR&gt;&gt;charset=3D3D3D3DISO-8859-1 "&gt;&lt;BR&gt;&gt;&lt;=  
;META=20  
=3D3D<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;=20  
=  
=3D3D3D&lt;BR&gt;&gt;content=3D3D3D3D"MSHTML=3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt;=  
p;=20  
=3D3D<BR>&gt;&nbsp; &gt;6.00.2800.1400"&lt;BR&gt;&gt; =

=3D3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp;=3D3D<BR>&gt;&nbsp;=20  
 =  
 &gt;=3D3D3D&lt;BR&gt;&gt;name=3D3D3D3D3DGENE RATOR&gt;&lt;BR&gt;&gt;&lt;ST= YLE&gt;&lt;/STYLE&amp;=3D3D<BR>&gt;&nbsp;=20  
 =  
 &gt;&gt;&lt;BR&gt;&gt;&lt;/HEA=3D3D3D& amp ;lt;BR&gt;&gt;D&gt;&lt;BR&gt;&gt;&am p;lt;= BODY=3D3D3D20&lt;BR&gt;&amp;=3D3D<BR>&gt;&nbsp;=20  
 &gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =  
 bgColor=3D3D3D3D3D#ffffff&gt;&lt;BR&gt;&gt;& amp;lt;DIV&gt;&lt;FONT=3D3D20 <BR>=  
 &gt;&nbsp;=20  
 &gt;&nbsp; face=3D3D3D3D3DArial=3D3D3D20&lt;BR&gt;&gt; =  
 =3D3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp; =3D3D<BR>&gt;&nbsp;=20  
 =  
 &gt;=3D3D3D&lt;BR&gt;&gt;size=3D3D3D3D3D2&am p;gt;Rick,&lt;/FONT&gt;&lt;/DIV&g= t;&lt;BR&gt;&gt;&amp;l=3D3D<BR>&gt;&nbsp;=20  
 &gt;t;DIV&gt;&lt;FONT=3D3D3D20&lt;BR&gt;&gt; =3D3D20<BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 face=3D3D3D3D3DArial size=3D3D3D3D3D2&gt;1 mec, no BNC involved.=20  
 =3D<BR>&gt;Paris=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D3D3D&lt;BR&gt;&gt;=3D3D3D3D&lt;BR&gt;&gt;boots up =  
 so=3D3D3D20&lt;BR&gt;&gt;&nbsp;=20  
 =3D3D<BR>&gt;&nbsp; =  
 &gt;the=3D3D3D3D20&lt;BR&gt;&gt;1=3D3D20<BR >&gt;&nbsp;=20  
 &gt;&nbsp; mec=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=3D3D<BR>&gt;&nbsp;=20  
 =  
 &gt;=3D3D3D&lt;BR&gt;&gt;that&lt;/FONT&a mp;gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&lt; D= IV&gt;&lt;FONT=3D3D<BR>&gt;&nbsp;=20  
 &gt;=3D3D3D20&lt;BR&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 face=3D3D3D3D3DArial=20  
 size=3D3D3D3D3D2&gt;I'm using shows up but never any<BR>=3D<BR>&gt;A =  
 to=20  
 =3D3D<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D3D3D&lt;BR&gt;&gt;=3D3D3D3D&lt;BR&gt;&gt;Ds =  
 or=3D3D3D20&lt;BR&gt;&gt;=20  
 =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 any=3D3D3D3D20&lt;BR&gt;&gt;installed=3D3D3D20&a mp;lt;BR&gt;&gt; =  
 =3D3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp;=20  
 =  
 modules.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& amp;gt;&gt;&lt;DIV&gt;&lt;FONT=3D3D20=  
 <BR>&gt;&nbsp;=20  
 &gt;&nbsp; =  
 =3D3D3D&lt;BR&gt;&gt;face=3D3D3D3D3DArial=3D3D3D 20&lt;BR&gt;&gt;&nbsp;=20  
 size=3D3D3D3D3D2&gt;This is =3D<BR>&gt;=3D3D<BR>&gt;&nbsp; &gt;the=20  
 same=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; symptom before I=20

=3D3D3D3D<BR>&gt;repaired =3D3D<BR>&gt;&nbsp;=20  
 &gt;=3D3D3D<BR>&gt;&gt;one=3D3D3D20<BR>&gt;&gt; =  
 =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 of=3D3D3D3D20<BR>&gt;&gt;my mecs with=3D3D3D20<BR>&gt;&gt; =  
 =3D3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp;=20  
 =  
 a</FONT>&gt;&lt;/DIV>&gt;&lt;BR> &gt;&lt;/DIV>&gt;&lt;FONT=3D3D20 <BR>&gt;=  
 ;&nbsp;=20  
 &gt;&nbsp; face=3D3D3D3D3DArial=3D3D3D20<BR>&gt;& &nbsp; =  
 size=3D3D3D3D3D2&gt;&new=20  
 chip. The =3D3D<BR>&gt;& &gt;clock light=3D3D20<BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D3D3D3D<BR>&gt;&gt;continues to=3D3D3D20<BR>&gt;& &nbsp; =  
 =3D3D<BR>&gt;&nbsp;=20  
 &gt;flash=3D3D3D3D20<BR>&gt;&gt;too.=3D3D2 0 <BR>&gt;&nbsp; &gt;&nbsp; =  
 Never=20  
 locks=3D3D3D20<BR>&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 in.</FONT>&gt;&lt;/DIV>&gt;&lt;BR> &gt;&lt;/DIV>&gt;&lt;FONT=20  
 =3D3D<BR>&gt;&nbsp; &gt;face=3D3D3D3D3DArial=3D3D20<BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D3D3D<BR>&gt;& &lt;BR>&gt;& & &nbsp;=20  
 size=3D3D3D3D3D2&gt;&lt;/FONT>&gt;=3D3D20<BR>&gt;& &gt;&nbsp;=20  
 &lt;/DIV>&gt;&lt;BR>&gt;& &lt;/DIV& am p; &gt;&lt;FONT=3D3D20 <BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D3D3D<BR>&gt;&gt;face=3D3D3D3D3DArial=3D3D3D 20<BR>&gt;& &nbsp; =  
  
 size=3D3D3D3D3D2&gt;&I am =3D3D<BR>&gt;&nbsp; &gt;using the=20  
 simplest=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; setup I can=20  
 =3D3D3D3D<BR>&gt;&gt;imagine=3D3D3D20<BR>&gt;& B R&gt;&gt; =  
 =3D3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp; and=3D3D3D3D20<BR>&gt;&gt;still it's =  
 not=3D3D3D20<BR>&gt;& &gt;=20  
 =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =  
 working.</FONT>&gt;&lt;/DIV>&gt;&lt;BR& am p; &gt;&lt;/DIV>&gt;&lt;FONT=3D3D20=  
 <BR>&gt;&nbsp;=20  
 &gt;&nbsp; =  
 =3D3D3D<BR>&gt;&gt;face=3D3D3D3D3DArial=3D3D3D 20<BR>&gt;& &nbsp;=20  
 size=3D3D3D3D3D2&gt;&Mike A. =3D<BR>&gt;=3D3D<BR>&gt;&nbsp; =  
 &gt;& suggested=20  
 the=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; .ini file =  
 =3D3D3D3D<BR>&gt;&gt;to=20  
 make=3D3D3D20<BR>&gt;& &gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 sure=3D3D3D3D20<BR>&gt;& &gt;card A is 0. I'll =  
 try=3D3D3D20<BR>&gt;& &gt;=20  
 =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =



that.</FONT></DIV><BR>& ;gt;></DIV><FONT=3D3D20 <BR=>>&nbsp;=20  
 >>&nbsp; =  
 =3D3D3D<BR>>>face=3D3D3D3DArial=3D3D3D 20<BR>>>&nbsp;=20  
 size=3D3D3D3D2<P>Pretty =3D3D<BR>>&nbsp; >>sure it's=20  
 right=3D3D20<BR>>&nbsp; >>&nbsp; but who=3D3D3D20<BR>>>=20  
 =3D3D20<BR>>&nbsp; >>&nbsp; =3D3D<BR>>&nbsp;=20  
 =  
 >>=3D3D3D3D<BR>>>knows?</FO NT></DIV><BR>>>& ;=  
 lt;DIV&g=3D3D<BR>>&nbsp;=20  
 >>t;<FONT=3D3D3D20<BR>>> =3D3D20<BR>>&nbsp; >>&nbsp; =  
 face=3D3D3D3DArial=3D3D3D20<BR>>> =3D3D20<BR>>&nbsp; =  
 >>&nbsp;=20  
 =3D3D<BR>>&nbsp;=20  
 =  
 >>=3D3D3D<BR>>>size=3D3D3D3D2&am p;>Thanks,</FONT></DIV=  
 >><BR>>>=3D3D<BR>>&nbsp;=20  
 >><DIV><FONT=3D3D3D<BR>& ;gt;>=3D3D3D20<BR>>>=20  
 =3D3D20<BR>>&nbsp; >>&nbsp; =  
 face=3D3D3D3DArial=3D3D3D20<BR>>>=20  
 =3D3D20<BR>>&nbsp; >>&nbsp; =3D3D<BR>>&nbsp;=20  
 =  
 >>size=3D3D3D3D2<P>Tom</FONT>>& ;lt;/DIV><BR>>><DIV=  
 >><BR>>>=3D3D<BR>>&nbsp;=20  
 >>FONT=3D3D3D20<BR>>> =3D3D20<BR>>&nbsp; >>&nbsp;=20  
 face=3D3D3D3DArial =  
 size=3D3D3D3D2<P></FONT>>=3D3D20<BR>>&nbsp;=20  
 >>&nbsp; =3D3D<BR>>&nbsp;=20  
 =  
 >>=3D3D3D<BR>>></DIV>> ;lt;BR>>><DIV><FONT=3 D=  
 3D3D20<BR>>>& ;nbs=3D3D<BR>>&nbsp;=20  
 >>p;=3D3D20<BR>>&nbsp; >>&nbsp; face=3D3D3D3DArial=20  
 size=3D3D3D3D2<P></FONT>>=3D3D20<BR>>&nbsp; >>&nbsp;=20  
 =  
 =3D3D3D<BR>>></DIV>> ;BR>>><DIV>>=3D3D3D20<BR=  
 >>>=20  
 =3D3D20<BR>>&nbsp; >>&nbsp;=20  
 </DIV>>BR>>><DIV&am p;>=3D3D20 <BR>>&nbsp; >>&nbsp;=20  
 </DIV>>BR>>><DIV&am p;>=3D3D3D20<BR>>> =  
 =3D3D20<BR>>&nbsp;=20  
 >>&nbsp; =  
 </DIV>>BR>>><DIV&am p;> "rick"=3D3D20<BR>>&nbsp;=20  
 >>&nbsp; =3D3D<BR>>&nbsp;=20  
 =  
 >>=3D3D3D<BR>>><A=3 D3D3D3D20<BR>>>href=3D3D3D3D3=  
 D"<A=3D3D3D20<BR>>>& ;n=3D3D <BR>>&nbsp;=20  
 >>bsp;=3D3D20<BR>>&nbsp; >>&nbsp; =3D3D<BR>>&nbsp;=20



=  
 =3D<BR> &gt;&gt;=3D3D3D&lt;BR&gt;&gt;href=3D3D3D 3D'mailto:parnell68@hotmail=  
 l.com"&gt;parnell68@hotmail.c=3D3D=3D<BR>&gt;<BR>&gt;&nbsp;=20  
 =  
 &gt;om&lt;/A'&gt;mailto:pa=3D3D3D&lt;BR& gt;&gt;rnell68@hotmail.com"&gt;pa=  
 rnell68@hotmail=3D3D<BR>&gt;&nbsp;=20  
 &gt;l.com&lt;/A&lt;/A&gt;&gt;&gt;=3D 3D3D20&lt;BR&gt;&gt; =  
 =3D3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp;=3D3D3D3D&lt;BR&gt;&gt;wrote=20  
 in=3D3D3D3D20&lt;BR&gt;&gt;message=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 &lt;A=3D3D3D3D20&lt;BR&gt;&gt;href=3D3D3D3D3 D "&lt;A=20  
 =3D3D3D&lt;BR&gt;&gt;&lt;BR&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D3D<BR>&gt;&nbsp;=20  
 =  
 =3D<BR> &gt;&gt;=3D3D3D&lt;BR&gt;&gt;href=3D3D3D 3D'news:inqgh393an5s4m99qc=  
 aojn09vn112t4u6r@4ax.com"&gt;=3D3D=3D<BR>&gt;<BR>&gt;&nbsp;=20  
 =  
 =3D<BR> &gt;&gt;news:inqgh393an5=3D3D3D&lt;BR&gt;& am p;gt;'&gt;news:inqgh393an5=  
 s4m99qcaojn09vn112t4u6r@4=3D3D=3D<BR>&gt;<BR>&gt;&nbsp;=20  
 =  
 &gt;ax.com" &gt;news:inqgh393an5&lt;/A=3D3D3D&lt;BR&gt;& amp;gt;&gt;=3D3D3D3D&l=  
 t;BR&gt;&gt;s4m99q=3D3D<BR>&gt;&nbsp;=20  
 =  
 &gt;caojn09vn112t4u6r@4ax.com &lt;/A&gt;...&lt;/DIV&gt;&lt;BR&gt;& amp;amp;=3D3=  
 D3D&lt;BR&gt;& amp;=3D3D<BR>&gt;&nbsp;=20  
 =  
 =3D<BR> &gt;&gt;gt;gt;&lt;BLOCKQUOTE=3D3D3D3D20&lt;B R&gt;&gt;style=3D3D3D3D=  
 D3D"PADDING-RIGHT:=3D3D3D20=3D3D<BR>&gt;&nbsp;=20  
 &gt;&lt;BR&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp; 0px; PADDING-LEFT: =  
 5px;=20  
 MARGIN-LEFT: 5px; =3D3D<BR>&gt;&nbsp;=20  
 &gt;=3D3D3D3D&lt;BR&gt;&gt;BORDER-LEFT:=3D3D 20 <BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D3D3D&lt;BR&gt;&gt;#000000 2px=3D3D3D20&lt;BR&gt;&gt;&nbsp; solid;=20  
 MARGIN-RIGHT:=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 0px"&gt;i=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; know this as dumb as =  
 =3D3D<BR>&gt;&nbsp;=20  
 &gt;=3D3D3D&lt;BR&gt;&gt;it=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 gets=3D3D3D20&lt;BR&gt;&gt;&nbsp; but the bnc is attached in =  
 =3D3D<BR>&gt;&nbsp;=20  
 &gt;the=3D3D3D3D20&lt;BR&gt;&gt;=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D3D3D20&lt;BR&gt;&gt;&nbsp; =  
 right&lt;BR&gt;order...right?&lt;BR&gt;all the=20  
 =3D3D<BR>&gt;&nbsp; &gt;cards show up=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 in paris=20  
 =3D3D3D&lt;BR&gt;&gt;with the=3D3D3D20&lt;BR&gt;&gt; =  
 =3D3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp; =

=3D3D3D3D<BR>&gt;single=3D3D3D3D20<BR>&gt;&nbsp;=20  
 mec?&lt;BR>&gt;how =3D3D<BR>&gt;&nbsp; &gt;many =  
 i/o=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 cards =3D3D3D<BR>&gt;&gt;in each=3D3D3D20<BR>&gt;&nbsp; =  
 =3D3D<BR>&gt;&nbsp;=20  
 &gt;mec?&lt;BR>&gt;&lt;BR>&gt;&lt;BR>& mp;gt;On=3D3D20 <BR>&gt;&nbsp; =  
 &gt;&nbsp; Fri, 19=20  
 Oct=3D3D3D20<BR>&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 2007&lt;BR>&gt;=3D3D3D3D&lt;BR>&gt;&gt;& am p;lt;BR>&gt;&gt;&nbsp; 00:22:39 =  
 -0400,=20  
 =3D3D<BR>&gt;&nbsp; &gt;"Tom=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 Bruhl"=3D3D3D20<BR>&gt;&gt;&nbsp; &lt;&lt;A=3D3D3D3D20<BR>&gt;&gt; =  
  
 =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D3D3D3D&lt;BR>&gt;&gt;href=3D3D3D3D3D" &lt;A=3D3D3D20<BR>&gt;&gt;=20  
 =3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =3D3D<BR>&gt;&nbsp;=20  
 =  
 =3D<BR> &gt;&gt;=3D3D3D&lt;BR>&gt;&gt;href=3D3D3D 3D'mailto:arpeggio@comcast.=  
 net"&gt;arpeggio@comcast.net&amp;l=3D3D=3D<BR>&gt;&lt;BR>&gt;&nbsp;=20  
 =  
 &gt;t;/A&gt;&gt;&lt;BR>&gt;wrote'&gt; ma=3D3D3D&lt;BR>&gt;&gt;ilto:arpeggio@c=  
 omcast.net"&gt;=3D3D<BR>&gt;&nbsp;=20  
 =  
 &gt;;arpeggio@comcast.net &lt;/A&gt;&gt;&lt;BR>&gt;w=3D3D3D&lt;BR>&gt;&gt;rot=  
 e&lt;/A&gt;;=3D3D3D=3D3D<BR>&gt;&nbsp;=20  
 =  
 &gt;3D&lt;BR>&gt;&gt;&lt;BR>&gt;&lt;BR>&gt;l t;BR>&gt;&gt;l=3D3D3D3D20<BR>&gt;&gt;=3 D=  
 3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp; =3D3D3D20<BR>&gt;&gt;&nbsp; thought I was groovin' but =  
 once the=20  
 second Mec=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; was=3D3D3D20<BR>&gt;&gt;=20  
 =3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =3D3D<BR>&gt;&nbsp;=20  
 =  
 &gt;=3D3D3D3D&lt;BR>&gt;&gt;introduced&lt;BR>&gt;&gt;the=3D3D3D3D20<BR>&gt;g=  
 t;&gt;=20  
 =3D3D<BR>&gt;&nbsp; &gt; system=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D3D3D&lt;BR>&gt;&gt;stopped. That was=3D3D3D20<BR>&gt;&gt;&nbsp; a =  
 few=20  
 weeks=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 ago.&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;Toda y=20  
 l=3D3D3D20<BR>&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D3D3D3D&lt;BR>&gt;&gt;tried=3D3D3D3D20<BR>&gt;B R&gt;&gt;&nbsp; different =  
 cables,=20  
 =3D3D<BR>&gt;&nbsp; &gt;eds cards,=3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 mecs,=20  
 =3D3D3D&lt;BR>&gt;&gt;eliminated=3D3D3D20<BR>&gt;&gt;&nbsp; the=20  
 magma=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D3D3D3D&lt;BR>&gt;&gt;and&lt;BR>&gt;& amp ;gt;still =3D3D<BR>&gt;&nbsp;=20

&no=3D3D3D3D20<BR>&=3D3D20<BR>&&=20  
 =3D3D3D<BR>&&clock lock or=3D3D3D20<BR>&&=20  
 modules showing up=20  
 in the=3D3D20<BR>&&=20  
 =3D3D20<BR>&&=20  
 =  
 &=3D3D3D<BR>&&=3D3D3D3D<BR>&&patchbay.<BR>&&=20  
 t;<BR>&&This=3D3D3D=3D3D<BR>&&=20  
 &3D20<BR>&&=3D3D20<BR>&&=20  
 =3D3D3D<BR>&&means=20  
 to=3D3D3D20<BR>&&=20  
 =3D3D<BR>&&=20  
 &tells=3D3D20<BR>&&=20  
 =3D3D20<BR>&&=3D3D<BR>&&=20  
 =  
 &=3D3D3D<BR>&&=3D3D3D3D<BR>&&differently.<BR>&&=20  
 ;<BR>&&=3D3D3D=3D3D<BR>&&=20  
 &3D20<BR>&&=3D3D20<BR>&&=20  
 =3D3D3D<BR>&&have=20  
 a new=3D3D3D20<BR>&&=20  
 =3D3D<BR>&&and no pace.=3D3D20<BR>&&=20  
 Any=20  
 other=3D3D3D3D20<BR>&&=20  
 =3D3D3D<BR>&&=20  
 =3D3D20<BR>&&=20  
 <BR>&&suggestions?<BR>&&More=20  
 frustrated=3D3D20<BR>&&=20  
 =3D3D3D<BR>&&than=3D3D3D20<BR>&&=20  
 my=3D3D3D3D20<BR>&&=20  
 =3D3D<BR>&&=3D3D3D20<BR>&&=3D3D20<BR>&&=20  
 &&=20  
 =3D3D<BR>&&=20  
 =  
 &=3D3D3D<BR>&&clients,<BR>&&Tom<BR>&&=20  
 ;&<BR>&=3D3D<BR>&&=20  
 =  
 &&<BR>&&=3D3D3D<BR>&&=3D3D3D20<BR>&&B=  
 R<BR>&&=20  
 =3D3D20<BR>&&=20  
 =3D3D3D3D<BR>&&Polesoft=3D3D3D3D20<BR>&&=20  
 Lockspam=20  
 =3D3D<BR>&&to fight=3D3D20<BR>&&=20  
 spam,=3D3D3D20<BR>&&=20  
 =3D3D20<BR>&&=3D3D<BR>&&=20  
 =  
 &=3D3D3D<BR>&&you?<BR>&&http://www.polesoft.com/refer.=  
 html=3D3D3D20<BR>&&=3D3D<BR>&&=20  
 &&=3D3D20<BR>&&=3D3D<BR>&&=20



size=3D3D2&gt;&lt;/FONT&gt; &lt;/DIV&gt;<BR>&gt;&lt;/DIV&gt;&lt;FONT =  
face=3D3DArial=20  
size=3D3D2&gt;Pats 42 - Miami 7 . . . Halftime and =3D<BR>&gt;the=20  
=  
games=3D20<BR>&gt;over.&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;/DIV&gt;&lt;FO=  
NT=20  
face=3D3DArial=20  
size=3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;/DIV&gt;&lt;FONT=20  
face=3D3DArial size=3D3D2&gt;&lt;/FONT&gt; =  
&lt;/DIV&gt;<BR>&gt;&lt;/DIV&gt;&lt;FONT=20  
face=3D3DArial size=3D3D2&gt;&lt;/FONT&gt; =  
&lt;/DIV&gt;<BR>&gt;&lt;/DIV&gt;&lt;FONT=20  
face=3D3DArial size=3D3D2&gt;&lt;/FONT&gt;=20  
=  
&lt;/DIV&gt;<BR>&gt;&lt;BLOCKQUOTE=3D20<BR >&gt;style=3D3D"PADDING-RIGHT: =  
0px;=20  
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>&gt;BORDER-LEFT: #000000 =  
2px solid;=20  
MARGIN-RIGHT: 0px"&gt;<BR>&gt;&nbsp; &lt;/DIV&gt;"Mike Audet" =  
&lt;mike@....&gt;=20  
wrote in message &lt;A=3D20<BR>&gt;&nbsp; =3D<BR>&gt;href=3D3D"<A=20  
=  
href=3D'news:471b6eb0\$1@linux">news:471b6eb0\$1@linux</A>...</DIV><BR>Hi=3D=  
20'>news:471b6eb0\$1@linux"&gt;news:471b6eb0\$1@linux&lt;/A&gt;...&lt;/DIV&=  
&gt;&lt;BR>&gt;Hi=3D20</A><BR>&gt;&nbsp;=20  
Tom,&lt;BR>&gt;&lt;BR>&gt;Are you using a default project with =  
PARIS?&nbsp;I'm=20  
so =3D<BR>&gt;sorry of=3D20<BR>&gt;&nbsp; this has been&lt;BR>&gt;asked =  
and=20  
answered already.&nbsp;If so, perhaps it =  
=3D<BR>&gt;is=3D20<BR>&gt;&nbsp; telling=20  
card zero to lock&lt;BR>&gt;to an external clock, which it can't=20  
=3D<BR>&gt;because=3D20<BR>&gt;&nbsp; there isn't =  
one.&lt;BR>&gt;&lt;BR>&gt;It would=20  
be interesting to attach an =  
external<BR>=3D<BR>&gt;clock=3D20<BR>&gt;&nbsp; source=20  
to the MEC and&lt;BR>&gt;then start PARIS to see how it behaves.&nbsp;=20  
=3D<BR>&gt;Or, if=3D20<BR>&gt;&nbsp; the clock generator is =  
fried,&lt;BR>&gt;tell=20  
paris to lock externally and see<BR>=3D<BR>&gt;what=3D20<BR>&gt;&nbsp; =  
happens=20  
when an external clock&lt;BR>&gt;source is =  
applied.&lt;BR>&gt;&lt;BR>&gt;Isn't=20  
there<BR>=3D<BR>&gt;a=3D20<BR>&gt;&nbsp; master house synch switch in =  
the cfg=20  
file?&nbsp;I've never =3D<BR>&gt;used&lt;BR>&gt;it. =  
=3D20<BR>&gt;&nbsp; Maybe DJ=20  
could help with what that should/shouldn't be set=20

=3D<BR>&gt;to.&lt;BR>&lt;BR>Wish I=3D20<BR>&gt;&nbsp; could do =  
 more than=20  
 think out loud...&lt;BR>&lt;BR>Mike&lt;BR>&nbsp; ;&lt;BR> "Tom =  
 Bruhl"=20  
 =3D<BR>&gt;&lt;&lt;A=3D20<BR>&gt;&nbsp; href=3D3D"<A=20  
 =  
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D20'>mailto=  
 :arpeggio@comcast.net"&gt;arpeggio@comcast.net&lt;/A>&gt;=3D20</A><BR>&g=  
 t;&nbsp;=20  
 wrote:&lt;BR>&gt;&lt;BR>&gt;&a mp;&lt;BR>&gt;Hi =  
 Mike,&lt;BR>&gt;Well=20  
 I've been to .cfg =3D<BR>&gt;many a=3D20<BR>&gt;&nbsp; =  
 time.&lt;BR>&gt;I've=20  
 seen that Mastercard setting as being 0&lt;BR>&gt;but =  
 =3D<BR>&gt;maybe=20  
 it=3D20<BR>&gt;&nbsp; changed after removing the 4 =  
 other&lt;BR>&gt;eds cards=20  
 for this round of=3D20<BR>&gt;&nbsp; =  
 testing.&lt;BR>&gt;&lt;BR>&gt; If it's=20  
 still 0 what else could this be?&nbsp; =  
 =3D<BR>&gt;Busted=3D20<BR>&gt;&nbsp;=20  
 mobo?&lt;BR>&gt;I'm really in an idunno place right now.&nbsp; I'll =  
  
 be=3D20<BR>&gt;&nbsp; checking&lt;BR>&gt;seriously today again =  
 because of a=20  
 session tomorrow=3D20<BR>&gt;&nbsp;=20  
 =  
 morning.&lt;BR>&gt;Tom&lt;BR>&gt;&gt;&lt;BR>&gt;&nbsp;=  
 =20  
 "Mike Audet"=3D20<BR>&gt;&nbsp; &lt;mike@....&gt; wrote in message=20  
 &lt;A=3D20<BR>&gt;&nbsp; =3D<BR>&gt;href=3D3D"<A=20  
 =  
 href=3D'news:471b2ec2\$1@linux">news:471b2ec2\$1@linux</A>...<BR>><BR>&=amp;=  
 g'>news:471b2ec2\$1@linux"&gt;news:471b2ec2\$1@linux&lt;/A>&gt;...&lt;BR>&gt;=  
 &gt;&lt;BR>&gt;&g</A>=3D<BR>&gt;t;=20  
 =3D20<BR>&gt;&nbsp; Hi Tom,&lt;BR>&gt;&lt;BR>&gt;&nbsp; If =  
 you've only got=20  
 one card in, then the =3D<BR>&gt;<BR>&gt;&nbsp; Mastercard =3D3D3D 0 =  
 setting is=20  
 =3D3D&lt;BR>&gt;right.&lt;BR>&gt;&gt;&nbsp; =3D<BR>&gt;The =  
 file=20  
 is=3D20<BR>&gt;&nbsp; Paris.cfg, and it lives in the =  
 c:\program=3D20<BR>&gt;&nbsp;=20  
 files\Emu\PARIS&lt;BR>&gt;=3D3D&lt;BR>&gt;&nbsp; ;&lt;BR>&gt;&nbsp;=20  
 =3D<BR>&gt;&gt;folder.&lt;BR>&gt;&lt;BR>&gt;&nbsp; =3D20<BR>&gt;&nbsp; I'd =  
 still check=20  
 it out to see what it is set to.&lt;BR>&gt;&lt;BR>&gt;&nbsp; =  
 =3D<BR>&gt;If=20



it=3D20<BR>&gt;&nbsp; is wrong, what you are describing will=20  
 happen.&lt;BR>&gt;&lt;BR>&gt;& amp;&nbsp; =  
 =3D<BR>&gt;Good=3D20<BR>&gt;&nbsp;=20  
 luck!&lt;BR>&gt;&lt;BR>&gt;& am p;&nbsp; =  
 Mike&lt;BR>&gt;&lt;BR>&gt;& amp;&nbsp;=20  
 "Tom Bruhl" =3D<BR>&gt;&lt;A=3D20<BR>&gt;&nbsp; href=3D3D"<A=20  
 =  
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=>=3D20'>mailto=  
 :arpeggio@comcast.net"&gt;arpeggio@comcast.net&lt;/A>&gt;=3D20</A><BR>&g=  
 t;&nbsp;=20  
 wrote:&lt;BR>&gt;&nbsp; &gt;&lt;BR>&gt;&nbsp; =  
 &gt;&lt;BR>&gt;&nbsp;=20  
 &gt;Thanks=3D20<BR>&gt;&nbsp; Dimitrios.&lt;BR>&gt;&nbsp;=20  
 &gt;&lt;BR>&gt;&nbsp; &gt;Mike said the same=3D20<BR>&gt;&nbsp; =  
 thing.&nbsp;=20  
 Is the ini in the Paris folde or system=3D20<BR>&gt;&nbsp;=20  
 =3D3D&lt;BR>&gt;&gt;32?&lt;BR>&gt;& &nbsp; &gt;Do I want the Master =  
 card to be=20  
 0=3D20<BR>&gt;&nbsp; absolutely?&nbsp; I only have one =  
 card&lt;BR>&gt;&nbsp;=20  
 &gt;in there =3D<BR>&gt;right now=3D20<BR>&gt;&nbsp; and it's all =  
 freaky just the=20  
 same.&lt;BR>&gt;&nbsp; &gt;Tom&lt;BR>&gt;&nbsp; =  
 =3D<BR>&gt;<BR>&gt;&nbsp;=20  
 &gt;&lt;BR>&gt;&nbsp; &gt;&lt;BR>&gt;&nbsp; =  
 &gt;&lt;BR>&gt;&nbsp;=20  
 &gt; =3D20<BR>&gt;&nbsp; "Dimitrios" &lt;A =3D<BR>&gt;href=3D3D"<A =  
 =  
 href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>=>=3D20'>mailto:m=  
 usurgio@otenet.gr"&gt;musurgio@otenet.gr&lt;/A>&gt;=3D20</A><BR>&gt;&n=  
 bsp;=20  
 wrote in message =3D3D3D&lt;BR>&gt;&nbsp;=20  
 =3D<BR>&gt;&gt;news:471a0486\$1@linux...&lt;BR>&gt;& =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;&lt;BR>&gt;&nbsp; &gt;&nbsp; Hi Tom <A=20  
 href=3D"mailto:!!@<BR>>!!&lt;BR></A>&gt;&nbsp; &gt;&nbsp; Sorry =  
 =3D<BR>&gt;&to=20  
 hear=3D20<BR>&gt;&nbsp; you still having problems like this=20  
 ~!!&lt;BR>&gt;&nbsp; &gt;&nbsp; Must =3D<BR>&gt;&be =  
 very=3D20<BR>&gt;&nbsp;=20  
 frustrating.&lt;BR>&gt;&nbsp; &gt;&nbsp; Open the Paris ini file =  
 and=20  
 =3D<BR>&gt;there change=3D20<BR>&gt;&nbsp; the mastercardoutput=20  
 with&lt;BR>&gt;=3D3D&lt;BR>&gt;&=3D3D3D &lt;BR>&gt;&nbsp;=20  
 &gt;your=3D20<BR>&gt;&nbsp; other&lt;BR>&gt;&nbsp; &gt;&nbsp; cards =  
 and see=20  
 what happens =3D<BR>&gt;&!!&lt;BR>&gt;& =3D20<BR>&gt;&nbsp; =



&nbsp; Let me=20  
 know.&lt;BR>&gt;&nbsp; &gt;&nbsp; =3D<BR>&gt;Regards,&lt;BR>&gt; =  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp; Dimitrios&lt;BR>&gt;&nbsp;=20  
 &gt;&lt;BR>&gt;&nbsp; &gt;&nbsp; "Tom =  
 =3D<BR>&gt;Bruhl"=3D20<BR>&gt;&nbsp;=20  
 &lt;&lt;A href=3D3D"<A=20  
 =  
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A'>mailto:arpegi=  
 o@comcast.net"&gt;arpeggio@comcast.net&lt;/A</A>&gt;=20  
 =3D<BR>&gt;<BR>&gt;&nbsp; wrote:&lt;BR>&gt;&nbsp; &gt;&nbsp;=20  
 &gt;&lt;BR>&gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp; =  
 &gt;&lt;BR>&gt;&nbsp;=20  
 &gt;&nbsp; &gt;Rick,&lt;BR>&gt;&nbsp; &gt;&nbsp; &gt;1 =  
 =3D<BR>&gt;mec,=20  
 no=3D20<BR>&gt;&nbsp; BNC involved.&nbsp; Paris boots up so the 1 mec=20  
 that&lt;BR>&gt;&nbsp; =3D<BR>&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;I'm =  
 using shows=20  
 up but never any A to Ds or any installed=3D20<BR>&gt;&nbsp;=20  
 modules.&lt;BR>&gt;&nbsp; &gt;&nbsp; &gt;This is the same symptom =  
 before=20  
 =3D<BR>&gt;I=3D20<BR>&gt;&nbsp; repaired one of my mecs with =  
 a&lt;BR>&gt;&nbsp;=20  
 &gt;&nbsp; &gt;new =3D<BR>&gt;chip. =3D20<BR>&gt;&nbsp; The clock =  
 light continues=20  
 to flash too.&nbsp; Never locks=3D20<BR>&gt;&nbsp;=20  
 =3D3D&lt;BR>&gt;in.&lt;BR>&gt;&nbsp; &gt;&nbsp; =  
 &gt;&lt;BR>&gt;&nbsp;=20  
 &gt;&nbsp; =3D<BR>&gt;&gt;I am=3D20<BR>&gt;&nbsp; using the simplest =  
 setup I can=20  
 imagine and still it's not =3D<BR>&gt;=3D3D3D&lt;BR>&gt;&gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;working.&lt;BR>&gt;&nbsp; &gt;&nbsp; &gt;Mike A. =  
 suggested&nbsp; the=20  
 =3D<BR>&gt;.ini=3D20<BR>&gt;&nbsp; file to make sure card A is =  
 0.&nbsp; I'll=20  
 =3D3D&lt;BR>&gt;try&lt;BR>&gt;&nbsp; =3D<BR>&gt;<BR>&gt;&nbsp;=20  
 =3D3D3D&lt;BR>&gt;&nbsp; &gt;=3D3D3D3D&lt;BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D<BR>&gt;&gt;that.&lt;BR>&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 &gt;Pretty sure=20  
 it's right but who knows?&lt;BR>&gt;&nbsp; =3D<BR>&gt;&gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;Thanks,&lt;BR>&gt;&nbsp; &gt;&nbsp; &gt;Tom&lt;BR>&gt;&nbsp; =  
 &gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&lt;BR>&gt;&nbsp; &gt;&nbsp; =  
 &gt;&lt;BR>&gt;&nbsp;=20  
 &gt;&nbsp; =3D<BR>&gt;&gt;&lt;BR>&gt;&gt; =3D20<BR>&gt;&nbsp; =

&gt;&nbsp;=20  
 &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D<BR>&gt;<BR>&gt;&nbsp; &gt;"rick" &lt;&lt;A=3D20<BR>&gt;&nbsp; =  
 href=3D3D"<A=20  
 =  
 href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>mailto:pa=  
 rnell68@hotmail.com"&gt;parnell68@hotmail.com&lt;/A>&gt;&nbsp;=20  
 =3D<BR>&gt;wrote in=3D20<BR>&gt;&nbsp; message =  
 =3D3D3D3D&lt;BR&gt;&gt;&nbsp; &gt;=20  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...&lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; i know this as dumb as it =  
 gets but the=20  
 bnc is =3D<BR>&gt;attached=3D20<BR>&gt;&nbsp; in the=20  
 =3D3D&lt;BR&gt;&gt;right&lt;BR&gt;&gt; t;&nbsp; &gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 order...right?&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; all the cards =  
 show=20  
 =3D<BR>&gt;up in=3D20<BR>&gt;&nbsp; paris with the single =  
 mec?&lt;BR&gt;&gt;&nbsp;=20  
 &gt;&nbsp; &gt;&nbsp; how =3D<BR>&gt;many i/o=3D20<BR>&gt;&nbsp; cards =  
 in each=20  
 mec?&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; =  
 =3D<BR>&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; On =  
 Fri, 19=20  
 Oct 2007 00:22:39 =3D<BR>&gt;-0400,=3D20<BR>&gt;&nbsp; "Tom Bruhl"=20  
 =3D3D3D&lt;BR&gt;&gt;&nbsp; &gt;&lt;A=3D20<BR>&gt;&nbsp; =  
 =3D<BR>&gt;href=3D3D"<A=20  
 =  
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>><BR>>&amp;n'>=  
 mailto:arpeggio@comcast.net"&gt;arpeggio@comcast.net&lt;/A>&gt;&lt;BR&gt;=  
 ;&gt;&amp;n'</A>=3D<BR>&gt;bsp;=3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp; &gt;&nbsp; wrote:&lt;BR&gt;&gt;&nbsp; &gt;&nbsp;=20  
 =3D<BR>&gt;&gt;&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 &gt;&nbsp; &gt;l=20  
 thought I was groovin' but once the second =3D<BR>&gt;Mec =  
 was=3D20<BR>&gt;&nbsp;=20  
 introduced&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; the system=20  
 =3D<BR>&gt;stopped. =3D20<BR>&gt;&nbsp; That was a few weeks=20  
 ago.&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp;=20  
 &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; Today I tried =  
 different=20  
 =3D<BR>&gt;cables,=3D20<BR>&gt;&nbsp; eds cards, mecs, eliminated=20  
 the&lt;BR&gt;=3D3D&lt;BR&gt;&gt;=3D3D3D& amp;lt;BR&gt;&gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;magma&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; =3D3D3D3D&lt;BR&gt;&gt;&nbsp; =

&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&and&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =  
 &gt;still=20  
 no clock lock or =3D<BR>&gt;modules=3D20<BR>&gt;&nbsp; showing up in =  
 the paris=20  
 =3D3D&lt;BR&gt;&gt;patchbay.&lt;BR&gt;&a mp&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =  
 =3D<BR>&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =  
 &gt;This=20  
 means to me software =3D<BR>&gt;unless=3D20<BR>&gt;&nbsp; someone =  
 tells me=20  
 differently.&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp;=20  
 &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;I have a new C =  
 drive=20  
 =3D<BR>&gt;which I will=3D20<BR>&gt;&nbsp; load XP and no pace.&nbsp; =  
 Any=20  
 =3D3D3D&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; =  
 &gt;other=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; =20  
 &gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp; =  
 &gt;suggestions?&lt;BR&gt;&gt;&nbsp;=20  
 &gt;&nbsp; &gt;&nbsp; =3D<BR>&gt;&gt;&lt;BR&gt;&gt; =  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 &gt;&nbsp; &gt;More frustrated than my =  
 =3D<BR>&gt;clients,&lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;Tom&lt;BR&gt;&gt;&nbsp; =  
 &gt;&nbsp;=20  
 &gt; =3D20<BR>&gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; =  
 &gt;&nbsp;=20  
 &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; =3D<BR>&gt;&lt;BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =  
 &gt;&lt;BR&gt;&gt;&nbsp;=20  
 =3D<BR>&gt;&lt;BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;I choose Polesoft =  
 Lockspam=20  
 to fight spam, =3D<BR>&gt;and=3D20<BR>&gt;&nbsp; =  
 you?&lt;BR&gt;&gt;&nbsp;=20  
 &gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp; =  
 &gt;http://www.polesoft.com/refer.html&nbsp;=20  
 =3D3D3D3D20&lt;BR&gt;&gt;&nbsp; =3D<BR>&gt;&gt; =3D20<BR>&gt;&nbsp;=20  
 &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D<BR>&gt;&gt;&lt;!DOCTYPE=3D20<BR>&gt;&nbsp; HTML PUBLIC =  
 "-//W3C//DTD HTML 4.0=20  
 Transitional//EN"&gt;&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 &gt;&lt;HTML&gt;&lt;HEAD&gt;&lt;BR&a mp&gt;&gt;&nbsp; &gt;&nbsp;=20  
 =3D<BR>&gt;&gt;&lt;META=3D20<BR>&gt;&nbsp; =  
 http-equiv=3D3D3D3D3DContent-Type=20  
 content=3D3D3D3D3D"text/html;=3D20<BR>&gt;&nbsp;=20

=3D3D<BR>&gt;=3D3D3D3D<BR>&a mp;gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt; charset=3D3D3D3D3D3D3Diso-8859-1"&gt;&lt;BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D<BR>&gt;&lt;META=3D20<BR>&gt;&nbsp; content=3D3D3D3D3D3D"MSHTML =  
 6.00.2800.1400"&gt;=20  
 =3D<BR> &gt; name=3D3D3D3D3D3DGENERATOR&gt;&lt;BR>&a mp;gt; =  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 &gt;&lt;STYLE&gt;&lt;/STYLE&gt;&lt;B R&gt;&gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;&lt;/HEAD&gt;&lt;BR>&gt;&nbsp; &gt;&nbsp; =  
 &gt;&lt;BODY=3D20<BR>&gt;&nbsp;=20  
 bgColor=3D3D3D3D3D3D#ffffff&gt;&lt;BR>&gt;& amp;nbsp; &gt;&nbsp;=20  
 =3D<BR>&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;&nbsp; =  
 face=3D3D3D3D3D3DArial=20  
 =  
 =3D<BR> &gt; size=3D3D3D3D3D2&gt;Rick,&lt;/FONT&gt;&a mp;lt;/DIV&gt;&lt;BR>&gt;g=  
 t;=20  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT =  
 face=3D3D3D3D3D3DArial=20  
 =3D<BR>&gt; size=3D3D3D3D3D2&gt;1 mec, no=3D20<BR>&gt;&nbsp; BNC =  
 involved.=20  
 =3D3D<BR>&gt;Paris =3D3D3D<BR>&gt;&nbsp;=20  
 =3D<BR>&gt;&=3D3D3D3D<BR>&gt;&=3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 &gt; boots up=20  
 so the=3D3D3D3D20&lt;BR>&gt;&nbsp; &gt;&nbsp; &gt;1=20  
 =3D<BR>&gt; mec=3D20<BR>&gt;&nbsp;=20  
 that&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& gt;&gt;&nbsp; &gt;&nbsp;=20  
 =3D<BR>&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;&nbsp; =  
 face=3D3D3D3D3D3DArial=20  
 size=3D3D3D3D3D2&gt;I'm using shows up but=20  
 =3D<BR>&gt;=3D3D<BR>&gt; never=3D20<BR >&gt;&nbsp; =  
 any&lt;BR>&gt;&nbsp;=20  
 =3D3D3D<BR>&gt;&nbsp; &gt;A to =3D3D3D3D<BR>&gt;&nbsp; =  
 =3D<BR>&gt;&=20  
 =3D20<BR>&gt;&nbsp; &gt;Ds or any=3D3D3D3D20&lt;BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 &gt; installed=3D20<BR>&gt;&nbsp;=20  
 modules.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& amp;gt;&gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2&gt;This =  
 is=20  
 =3D<BR>&gt; the same=3D20<BR>&gt;&nbsp;=20  
 symptom&lt;BR>&gt;=3D3D<BR>&gt;& befo re&lt;BR>&gt;&nbsp;=20  
 =3D3D3D<BR>&gt;&nbsp; &gt;I=3D20<BR>&gt;&nbsp; =  
 =3D3D3D3D<BR>&gt;&nbsp;=20  
 &gt;&nbsp; &gt; repaired one =3D<BR>&gt; of=3D3D3D3D20&lt;BR>&gt;&=20  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt; my mecs with=20  
 a&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR>&gt; &gt; =3D20<BR>&gt;&nbsp; =

&gt;&nbsp;=20  
 &gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial =  
 =3D<BR>&gt;size=3D3D3D3D2&gt;new=20  
 chip.=3D20<BR>&gt;&nbsp; The clock=20  
 light&lt;BR&gt;=3D3D&lt;BR&gt;&gt;=3D3D3 D3D&lt;BR&gt;&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D<BR>&gt;&gt;continues to=3D20<BR>&gt;&nbsp; =  
 flash=3D3D3D3D20&lt;BR&gt;&gt;&nbsp;=20  
 &gt;&nbsp; &gt;too. Never locks=3D20<BR>&gt;&nbsp;=20  
 in.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp;=20  
 =3D<BR>&gt;&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;&nbsp; =  
 face=3D3D3D3DArial=20  
 size=3D3D3D3D2&gt;&lt;/FONT&gt; =  
 =3D<BR>&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT =  
 face=3D3D3D3DArial=20  
 =3D<BR>&gt;size=3D3D3D3D2&gt;I am using=3D20<BR>&gt;&nbsp; the =  
 simplest=20  
 =3D3D&lt;BR&gt;&gt;setup I&lt;BR&gt;&gt;&nbsp; =  
 =3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
 =3D<BR>&gt;&gt;can=3D20<BR>&gt;&nbsp; =3D3D3D3D&lt;BR&gt;&gt;&nbsp; =  
 &gt;&nbsp;=20  
 &gt;imagine =3D<BR>&gt;and=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;still it's not =  
 working.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp;=20  
 =3D<BR>&gt;&gt;=3D20<BR>&gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT =  
 face=3D3D3D3DArial=20  
 size=3D3D3D3D2&gt;Mike A. =3D<BR>&gt;suggested =  
 the=3D20<BR>&gt;&nbsp;=20  
 =3D3D&lt;BR&gt;&gt;.ini file&lt;BR&gt;&gt;&nbsp; =  
 =3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
 =3D<BR>&gt;&gt;=3D3D3D3D&lt;BR&gt;&gt;=3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 &gt;to make=20  
 sure=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;card =3D<BR>&gt;A =  
 is=20  
 0.=3D20<BR>&gt;&nbsp; I'll try=20  
 that.&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial =  
 size=3D3D3D3D2&gt;Pretty=20  
 =3D<BR>&gt;sure it's=3D20<BR>&gt;&nbsp; right =3D3D&lt;BR&gt;&gt;but =  
 who=20  
 =3D3D3D&lt;BR&gt;&gt;&nbsp; &gt;=3D3D3D3D&lt;BR&gt;&gt;&nbsp; =  
 =3D<BR>&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; =  
 &gt;knows?&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT =

face=3D3D3D3D3DArial=3D20<BR>&gt;&nbsp;=20  
 =  
 size=3D3D3D3D3D2&gt;Thanks,&lt;/FONT&gt;&lt; /DIV&gt;&lt;BR&gt;&gt;&nbsp; =  
 =3D<BR>&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT=20  
 face=3D3D3D3D3DArial=3D20<BR>&gt;&nbsp;=20  
 size=3D3D3D3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV &gt;&lt;BR&gt;&gt;&nbsp;=20  
 =3D<BR>&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT =  
 face=3D3D3D3D3DArial=20  
 =3D<BR>&gt;size=3D3D3D3D3D2&gt;&lt;/FONT&gt;=3D20 <BR>&gt;&nbsp;=20  
 &lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT=20  
 =3D<BR>&gt;&face=3D3D3D3D3DArial=3D20<BR>&gt;&nbsp; =  
 size=3D3D3D3D3D2&gt;&lt;/FONT&gt;=20  
 &lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp; =  
 &gt;&lt;DIV&gt;=20  
 &lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; =  
 &gt;&lt;DIV&gt;=3D20<BR>&gt;&nbsp;=20  
 &lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; =  
 &gt;&lt;DIV&gt;=3D20<BR>&gt;&nbsp;=20  
 &lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp;=20  
 &gt;&lt;DIV&gt;"rick"=3D20<BR>&gt;&nbsp; =  
 &lt;&lt;A=3D3D3D3D20&lt;BR&gt;&gt;&nbsp;=20  
 &gt;&nbsp; =  
 =3D<BR> &gt;=3D3D&lt;BR&gt;&gt;&gt;href=3D3D3D3D 3D "&lt;A=3D20<BR>&gt;&nbsp;=  
 ;=20  
 =  
 =3D<BR>&gt;href=3D3D'mailto:parnell68@hotmail.com"&gt;parnell68@hotmail.c=  
 om&lt;/A'&gt;mailto:pa=3D<BR>&gt;rnell68@hotmail.com"&gt;parnell68@hotmai=  
 l.com&lt;/A&lt;/A&gt;&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
 =3D3D&lt;BR&gt;&gt;=3D3D3D&lt;BR&gt;&amp; &gt;&nbsp; =  
 &gt;=3D3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
 &gt;&nbsp; =3D<BR>&gt;&gt;wrote=3D20<BR>&gt;&nbsp; =  
 in=3D3D3D3D20&lt;BR&gt;&gt;&nbsp;=20  
 &gt;&nbsp; &gt;message =3D<BR>&gt;&lt;A=3D3D3D3D20&lt;BR&gt;&gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp; =3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
 =3D3D&lt;BR&gt;&gt;&gt;&gt;href=3D3D3D3D 3D "&lt;A=3D20<BR>&gt;&nbsp;=20  
 =  
 =3D<BR>&gt;href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"&gt;=  
 news:inqgh'&gt;news=3D<BR>&gt;:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com=  
 " &gt;news:inqgh&lt;/A&gt;=3D3D&lt;BR&gt;& &gt;=3D <BR>&gt;393=3D3D3D&lt;BR&gt;&g=  
 t;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;an5=3D3D3D3D&lt;BR&gt;&gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 =  
 =3D<BR>&gt;&gt;s4m99qcaojn09vn112t4u6r@4ax.com&lt;/A&gt;...&lt;/DIV&gt;&lt;=  
 t;BR&gt;&gt;=20  
 =3D<BR>&gt;&=3D20<BR>&gt;&nbsp; &gt;&nbsp;=20



&gt;&lt;BLOCKQUOTE=3D3D3D3D20&lt;BR&gt;& gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =  
 MARGIN-LEFT:=20  
 =3D<BR>&gt;<BR>&gt;&nbsp; =3D3D&lt;BR&gt;&gt;5px; =  
 =3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
 &gt;=3D3D3D3D&lt;BR&gt;&gt;&nbsp; =3D<BR>&gt;&gt; =3D20<BR>&gt;&nbsp;=20  
 &gt;BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20<BR>&gt;&nbsp;=20  
 0px"&gt;i=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; know =  
 this as=20  
 =3D<BR>&gt;dumb as it=3D20<BR>&gt;&nbsp; gets but the bnc is attached =  
 in=20  
 =3D3D&lt;BR&gt;&gt;the=3D3D3D3D20&lt;BR& gt;&gt;&nbsp; =3D<BR>&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 right&lt;BR&gt;order...right?&lt;BR&gt;all the=20  
 cards show =3D<BR>&gt;up in=3D20<BR>&gt;&nbsp; paris with=20  
 =3D3D&lt;BR&gt;&gt;the&lt;BR&gt;&gt; &nbsp; =3D3D3D&lt;BR&gt;&gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;=3D3D3D3D&lt;BR&gt;&gt;&nbsp; &gt;&nbsp;=20  
 &gt;single=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; ; =3D<BR>&gt;&gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;&nbsp; mec?&lt;BR&gt;how many i/o cards in each=3D20<BR>&gt;&nbsp; =  
  
 mec?&lt;BR&gt;&lt;BR&gt;&lt;BR&gt;On Fri, 19 =3D3D&lt;BR&gt;&gt;Oct=20  
 =3D<BR>&gt;=3D3D3D&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; =  
 &gt;2007&lt;BR&gt;&gt;&nbsp;=20  
 &gt;&nbsp; =3D3D3D3D&lt;BR&gt;&gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp;=20  
 &gt;&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; 00:22:39 -0400, "Tom=20  
 Bruhl"=3D20<BR>&gt;&nbsp; &lt;&lt;A=3D3D3D3D20&lt;BR&gt;&gt;&n bsp; =  
 &gt;&nbsp;=20  
 &gt;&nbsp; =3D<BR>&gt;=3D3D3D3D&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
 =3D3D&lt;BR&gt;&gt;&gt;&gt;href=3D3D3D3D 3D "&lt;A=3D20<BR>&gt;&nbsp;=20  
 =  
 =3D<BR>&gt;href=3D3D'mailto:arpegio@comcast.net"&gt;arpegio@comcast.net&l=  
 t;/A&gt;&gt;&lt;BR&gt;wro'&gt;mail=3D<BR >&gt;to:arpegio@comcast.net"&gt;a=  
 rpegio@comcast.net&lt;/A&gt;&gt;&lt;BR&gt;wro=3D<BR>&gt;&lt;/A&gt;=3D3D&l=  
 t;BR&gt;&gt;te=3D3D3D&lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;=3D3D3D3D&lt;BR&gt;&gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 &gt;&lt;BR&gt;&lt;BR&gt;&gt;I=3D3D3D 3D20&lt;BR&gt;&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =3D<BR>&gt;&gt; =3D20<BR>&gt;&nbsp; thought I was groovin' but once =  
 the second Mec=20  
 was =3D<BR>&gt;=3D3D3D3D&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
 &gt;introduced&lt;BR&gt;&gt;the=3D3D3D3D20&a mp;lt;BR&gt;&gt;&nbsp; =  
 =3D<BR>&gt;&gt;=20

=3D20<BR>&gt;&nbsp; &gt;&nbsp; system stopped. That was a few=20  
 weeks=3D20<BR>&gt;&nbsp; ago.&lt;BR>&gt;&lt;BR>&gt;Toda y I=20  
 =3D3D3D3D&lt;BR>&gt;&nbsp; =3D<BR>&gt;&gt; =3D20<BR>&gt;&nbsp;=20  
 &gt;tried=3D3D3D3D20&lt;BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =  
 different=20  
 =3D<BR>&gt;cables, eds=3D20<BR>&gt;&nbsp; cards, mecs, eliminated the =  
 magma=20  
 =3D3D3D3D&lt;BR>&gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp; =  
 &gt;and&lt;BR>&gt;&gt;still=20  
 no=3D3D3D3D20&lt;BR>&gt;&nbsp; &gt;&nbsp; =3D<BR>&gt;&nbsp;=20  
 clock=3D20<BR>&gt;&nbsp; lock or modules showing up in the paris=20  
 =3D3D3D3D&lt;BR>&gt;&nbsp; =3D<BR>&gt;&gt; =3D20<BR>&gt;&nbsp;=20  
 =  
 &gt;patchbay.&lt;BR>&gt;&lt;BR> &gt;This=3D3D3D3D20&lt;BR>&gt;&nb=
 sp;=20  
 =3D<BR>&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&nbsp; means to me software =  
 unless someone=20  
 tells me =3D<BR>&gt;=3D3D3D3D&lt;BR>&gt;&gt; =3D20<BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 =  
 =3D<BR>&gt; &gt;&gt;differently.&lt;BR>&gt;&lt;BR>&gt;I t;BR&gt;&gt;I=3D3D3D3D20&lt;BR>=
 &gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; have a new C drive which I =  
 will load=20  
 XP and no =3D<BR>&gt;pace. Any=3D20<BR>&gt;&nbsp;=20  
 =3D3D&lt;BR>&gt;&gt;other=3D3D3D3D20&lt;BR>&am p;gt;&gt;&nbsp; &gt;&nbsp; =  
 &gt;=20  
 =3D20<BR>&gt;&nbsp; =  
 &lt;BR>&gt;&gt;suggestions?&lt;BR>&gt;& &gt;&lt;BR>&gt;&gt;More=20  
 frustrated =3D<BR>&gt;than=3D20<BR>&gt;&nbsp; =  
 my=3D3D3D3D20&lt;BR>&gt;&nbsp;=20  
 &gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp;=20  
 =  
 =3D<BR>&gt; &gt;clients,&lt;BR>&gt;&gt;Tom&lt;BR> &gt;&gt;&lt;BR>&gt;&lt;BR>&gt;=
 &gt;&lt;BR>=3D<BR>&gt;&gt;&lt;BR>&gt;&lt;BR>&gt;I=3D20 <BR>&gt;&nbsp;=20  
 choose =3D3D3D3D&lt;BR>&gt;&nbsp; &gt;&nbsp;=20  
 =3D<BR>&gt; &gt;&gt;Polesoft=3D3D3D3D20&lt;BR>&gt;&gt; ; =3D20<BR>&gt;&nbsp; =  
 &gt;&nbsp;=20  
 &gt;&nbsp; Lockspam to fight spam, =  
 =3D<BR>&gt;and=3D3D3D3D20&lt;BR>&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp;=20  
 =  
 =3D<BR>&gt;&gt;you?&lt;BR>&gt;&gt;http://www.polesoft.com/refer.html=3D20<BR>&=
 gt;&nbsp;=20  
 =3D3D3D3D20&lt;BR>&gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp;=20  
 =  
 =3D<BR>&gt; &gt;&gt;&lt;BR>&gt;&lt;/BLOCKQUOTE&gt; &lt;/BODY&gt;&lt;/HTML&gt;&lt;=
 &gt;&gt;=20

Page 24 of 82 ---- Generated from The PARIS Forums

=3D<BR> &gt;&gt;same.&lt;/FONT&gt;&lt;/DIV&gt; t;&lt;BR&gt;&gt; =  
=3D20<BR>&gt;&nbsp;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial=3D20<BR>&gt;&nbsp;=20  
size=3D3D3D3D2&gt;Tom&lt;/FONT&gt;&lt;/DIV&gt; a mp;gt;&lt;BR&gt;&gt; =  
=3D20<BR>&gt;&nbsp;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial =  
size=3D3D3D3D2&gt;&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp;=20  
=3D<BR>&gt;<BR>&gt;&nbsp; &lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp;=20  
&gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial=3D20<BR>&gt;&nbsp;=20  
size=3D3D3D3D2&gt;&lt;/FONT&gt; &lt;/DIV&gt;&lt;BR&gt;&gt;&nbsp;=20  
=3D<BR>&gt;&gt;&lt;DIV&gt;&lt;FONT=3D20 <BR>&gt;&nbsp; =  
face=3D3D3D3DArial=20  
size=3D3D3D3D2&gt;&lt;/FONT&gt; =3D<BR>&gt;&lt;/DIV&gt;&lt;BR&gt;&gt;=20  
=3D20<BR>&gt;&nbsp; &gt;&lt;BLOCKQUOTE=3D3D3D20&lt;BR&gt;&gt; &nbsp;=20  
=3D<BR>&gt;&gt;style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20<BR>&gt;&nbsp; =  
PADDING-LEFT:=20  
5px; MARGIN-LEFT: 5px; =3D3D&lt;BR&gt;&gt;=3D3D3D&lt;BR&gt;& &gt;gt; =  
=3D20<BR>&gt;&nbsp;=20  
&gt;BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20  
=3D<BR>&gt;0px"&gt;&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
&lt;DIV&gt;"Dimitrios" &lt;&lt;A=3D3D3D20&lt;BR&gt;&gt;&nbsp; p; =  
=3D<BR>&gt;&gt;=20  
=3D20<BR>&gt;&nbsp; href=3D3D3D3D"&lt;A=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR>&gt;href=3D3D'mailto:musurgio@otenet.gr"&gt;musurgio@otenet.gr&lt;=  
/A'&gt;mailto:musurgio=3D<BR>&gt;@otenet.gr"&gt;musurgio@otenet.gr&lt;/A&=  
lt;/A&gt;&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
wrote&lt;BR&gt;=3D3D&lt;BR&gt;&gt;in =3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
=3D<BR>&gt;&gt;message=3D3D3D20&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; =  
&gt;&nbsp; &lt;A=20  
=3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
=3D3D&lt;BR&gt;&gt;&gt;href=3D3D3D3D"&lt;A=3D20 <BR>&gt;&nbsp;=20  
=  
=3D<BR>&gt;href=3D3D'news:471a0486\$1@linux"&gt;news:471a0486\$1@linux&lt;/=  
A&gt;...&lt;/DIV&gt;&lt;BR&gt;H'&gt; n=3D <BR>&gt;ews:471a0486\$1@linux"&gt;=  
news:471a0486\$1@linux&lt;/A&gt;...&lt;/DIV&gt;& &lt;BR>&gt;t;BR&gt;H&=  
lt;/A&gt;=3D3D&lt;BR&gt;&gt;i&lt;BR&gt; &gt;&gt;=20  
=3D20<BR>&gt;&nbsp; =3D3D3D&lt;BR&gt;&gt;&nbsp; =  
&gt;Tom=3D3D3D20&lt;BR&gt;&gt;&nbsp;=20  
&gt;&nbsp; &lt;A=3D20<BR>&gt;&nbsp; href=3D3D"<A=20  
=  
href=3D'mailto:!!@<BR>Sorry">!!@<BR>Sorry</A'>mailto:!!@&lt;BR&gt;Sorry "&gt;=  
!@&lt;BR&gt;Sorry&lt;/A</A>&gt;=20  
to hear you still =3D<BR>&gt;having=3D20<BR>&gt;&nbsp; problems like =  
this=20  
~!!&lt;BR&gt;Must&lt;BR&gt;=3D3D&lt;BR&gt;a mp;gt;&gt;be&lt;BR&gt;&gt; =  
=3D20<BR>&gt;&nbsp;=20  
=3D3D3D&lt;BR&gt;&gt;&nbsp; &gt;very=3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt; =

=3D20<BR>&gt;&nbsp; frustrating.&lt;BR>&gt;Open the Paris ini file and =  
 there=20  
 change the=3D20<BR>&gt;&nbsp; =3D3D3D&lt;BR>&gt;&nbsp;=20  
 &gt;mastercardoutput=3D3D3D20&lt;BR>&gt;&nbsp; &nbsp;=20  
 =3D<BR>&gt;&nbsp; with=20  
 your=3D20<BR>&gt;&nbsp; other&lt;BR>&gt;cards and see what happens=20  
 !!&lt;BR>&gt;Let=3D20<BR>&gt;&nbsp; me=3D3D3D20&lt;BR>&gt;&nbsp; =  
 &gt;=20  
 =3D20<BR>&gt;&nbsp;=20  
 know.&lt;BR>&gt;Regards,&lt;BR>&gt;Dimitrios&a mp;&lt;BR>&gt;&lt;BR>&gt; "Tom=20  
 =3D<BR>&gt;Bruhl"=3D20<BR>&gt;&nbsp; =  
 &lt;&lt;A=3D3D3D20&lt;BR>&gt;&gt;&nbsp; p;=20  
 &gt;&nbsp; href=3D3D3D3D"&lt;A=3D20<BR>&gt;&nbsp;=20  
 =  
 =3D<BR>&gt;href=3D3D'mailto:arpegio@comcast.net"&gt;arpegio@comcast.net&lt;A=20  
 t;/A&gt;&gt;=3D3D3D20'&gt;mail=3D<BR>&gt;to:arpegio@comcast.net"&gt;arpeg=20  
 io@comcast.net &lt;/A&gt;&gt;=3D3D3D20&lt;/A&gt;&lt;B=3D <BR>&gt;R&gt;&gt; =  
  
 =3D20<BR>&gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp;=20  
 wrote:&lt;BR>&gt;&lt;BR>&gt;&a mp;&lt;BR>&gt;&lt;BR>&gt;Rick,&lt;BR>&gt;&lt;BR>&gt;1=20  
 =3D<BR>&gt;mec, no=3D20<BR>&gt;&nbsp; BNC =3D3D3D&lt;BR>&gt;&nbsp;=20  
 &gt;involved.&nbsp; Paris=3D3D3D20&lt;BR>&gt;&nbsp; =3D<BR>&gt;&gt; =  
  
 =3D20<BR>&gt;&nbsp; boots up so the 1 mec that&lt;BR>&gt;&lt;BR>&gt;I'm using =  
 shows up=20  
 but never =3D<BR>&gt;any A=3D20<BR>&gt;&nbsp;=20  
 =3D3D&lt;BR>&gt;&gt;=3D3D3D&lt;BR>&gt;&nbsp; &gt;to Ds=20  
 or=3D3D3D20&lt;BR>&gt;&nbsp; =3D<BR>&gt;&gt; =  
 any=3D20<BR>&gt;&nbsp;=20  
 installed modules.&lt;BR>&gt;&gt;This is the same symptom before=20  
 I=3D20<BR>&gt;&nbsp; =3D3D3D&lt;BR>&gt;&nbsp; &gt;repaired=20  
 one=3D3D3D20&lt;BR>&gt;&nbsp; &gt;&nbsp; =3D<BR>&gt;of my =  
 mecs=3D20<BR>&gt;&nbsp;=20  
 with a&lt;BR>&gt;&gt;new chip.&nbsp; The clock light continues=20  
 to=3D20<BR>&gt;&nbsp; =3D3D3D&lt;BR>&gt;&nbsp;=20  
 &gt;flash=3D3D3D20&lt;BR>&gt;&nbsp; &gt;&nbsp; =  
 =3D<BR>&gt;too.&nbsp;=20  
 Never=3D20<BR>&gt;&nbsp; locks in.&lt;BR>&gt;&lt;BR>&gt;&lt;BR>&gt;I am =  
 using the=20  
 simplest =3D<BR>&gt;=3D3D3D&lt;BR>&gt;&gt; =3D20<BR>&gt;&nbsp; =  
 &gt;setup I=20  
 can=3D3D3D20&lt;BR>&gt;&nbsp; &gt;&nbsp; imagine and still it's=20  
 =3D<BR>&gt;not=3D20<BR>&gt;&nbsp; working.&lt;BR>&gt;&lt;BR>&gt;Mike A. =  
 suggested&nbsp;=20  
 the =3D3D3D&lt;BR>&gt;&gt; =3D20<BR>&gt;&nbsp; =  
 &gt;.ini=3D3D3D20&lt;BR>&gt;&nbsp;=20  
 &gt;&nbsp; file to make sure card A is =3D<BR>&gt;0. =



=3D20<BR>&gt;&nbsp; I'll try=20  
=3D3D3D<BR>&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR> &gt;&gt;=3D3D3D3D<BR>&gt;&gt;that.&amp; ;lt;BR>&gt;&gt;Pretty=3D3D3D20&=  
lt;BR>&gt;&gt;&nbsp;=20  
=3D<BR>&gt;&gt;=3D20<BR>&gt;&nbsp; sure it's right but=20  
who=3D3D3D20<BR>&gt;&gt;&nbsp; &gt;&nbsp; =  
=3D<BR>&gt;=3D3D3D<BR>&gt;&gt;=20  
=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR> &gt;&gt;knows?&lt;BR>&gt;&gt;Thanks,& lt;BR>&gt;&gt;Tom&lt;BR>&gt;&gt;=  
&lt;BR>&gt;&amp;=3D<BR> &gt;&gt;&lt;BR>&gt;&gt;&lt;BR>&gt;& &gt;&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;=  
t;=3D3D3D<BR>&gt;&gt;=20  
=3D20<BR>&gt;&nbsp; &gt;BR>&gt;&gt;"rick"=3D3D3D20<BR>&gt;&gt;&nbsp; =  
&gt;&nbsp;=20  
&lt;&lt;A =3D<BR>&gt;=3D3D3D<BR>&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
&gt;&href=3D3D3D3D"&lt;A=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR>&gt;href=3D3D'mailto:parnell68@hotmail.com"&gt;parnell68@hotmail.c=  
om&lt;/A'&gt;mailto:pa=3D<BR>&gt;rnell68@hotmail.com"&gt;parnell68@hotmail=  
l.com&lt;/A&lt;/A&gt;&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
=3D3D<BR>&gt;&gt;=3D3D3D<BR>&gt;&amp; &gt;&nbsp;=20  
&gt;&wrote=3D3D3D20<BR>&gt;&gt;&nbsp;=3D<BR>&gt;&gt;&nbsp;=  
in=3D20<BR>&gt;&nbsp;=20  
message=3D3D3D20<BR>&gt;&gt;&nbsp; &gt;&nbsp;=3D3D3D<BR>&gt;&gt;=20  
=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR> &gt;=3D3D<BR>&gt;&gt;&gt;=3D3D3D3D&amp; ;lt;BR>&gt;&gt;news:inqgh393an5=  
s4m99qcaojn09vn112t4u=3D<BR>&gt;&gt;6r@4ax.com...&lt;BR>&gt;&gt;&amp;nbs=3D3D3D=  
D=3D3D<BR>&gt;&gt;&lt;BR>&gt;&gt;=2 0  
=3D20<BR>&gt;&nbsp; &gt;p; i=3D3D3D20<BR>&gt;&gt;&nbsp; &gt;&nbsp;=  
know this as=20  
dumb as it gets =3D<BR>&gt;&gt;but the=3D20<BR>&gt;&gt;&nbsp; bnc is attached =  
in=20  
the=3D3D3D20<BR>&gt;&gt;&nbsp; &gt;&nbsp;=  
=3D<BR>&gt;&gt;right&lt;BR>&gt;&gt;=20  
=3D20<BR>&gt;&nbsp; order...right?&lt;BR>&gt;&gt;&nbsp; all the cards =  
show up=20  
=3D<BR>&gt;=3D3D3D<BR>&gt;&gt;=3D20<BR>&gt;&nbsp;=20  
&gt;&in=3D3D3D20<BR>&gt;&gt;&nbsp; &gt;&nbsp; paris with the=20  
single=3D20<BR>&gt;&nbsp; mec?&lt;BR>&gt;&gt;&nbsp; how many i/o cards =  
in=20  
=3D<BR>&gt;each=3D3D3D20<BR>&gt;&gt;=3D20<BR>&gt;&nbsp; &gt;&nbsp;=20  
mec?&lt;BR>&gt;&gt;&lt;BR>&gt;&gt;&amp; ;lt;BR>&gt;&gt;&nbsp; On =  
=3D<BR>&gt;&gt;Fri, 19=20  
Oct=3D20<BR>&gt;&nbsp; 2007 00:22:39 -0400, =  
=3D3D3D<BR>&gt;&gt;&nbsp;=20  
&gt;"Tom=3D3D3D20<BR>&gt;&gt;&nbsp;=3D<BR>&gt;&gt;=



=3D20<BR>&gt;&nbsp; Bruhl"=20  
 &lt;&lt;A=3D3D3D20&lt;BR&gt;&gt;&nbsp; p; &gt;&nbsp; =  
 =3D3D3D&lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; =  
 =3D3D&lt;BR&gt;&gt;&gt;href=3D3D3D3D"&lt;A=3D20 <BR>&gt;&nbsp;=20  
 =  
 =3D<BR>&gt;href=3D3D'mailto:arpegio@comcast.net"&gt;arpegio@comcast.net&l=  
 t;/A&gt;&gt;&lt;BR&gt;&gt;&amp;n=3D3 D=3D <BR>&gt;3D'&gt;mailto:arpegio@com=  
 cast.net"&gt;arpegio@comcast.net&lt;/A&gt;&gt;&lt;B=3D<BR>&gt;R&gt;&gt;&a=  
 mp;n=3D3D3D&lt;/A&gt;=3D3D&lt;BR&gt;&gt; &lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;bsp;=3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt; =  
 =3D20<BR>&gt;&nbsp;=20  
 wrote:&lt;BR&gt;&gt;&lt;BR&gt;&gt;&a mp;&nbsp; &gt;I thought I was groovin'=20  
 =3D<BR>&gt;but once=3D20<BR>&gt;&nbsp; the =3D3D3D&lt;BR&gt;&gt;&nbsp; =  
  
 &gt;second=3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; Mec=20  
 =3D<BR>&gt;was=3D20<BR>&gt;&nbsp; introduced&lt;BR&gt;&gt;&nbsp; =  
 &gt;the system=20  
 stopped.&nbsp; That=3D20<BR>&gt;&nbsp; =3D3D3D&lt;BR&gt;&gt;&nbsp; =  
 &gt;was a=20  
 few=3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; =  
 =3D<BR>&gt;weeks=3D20<BR>&gt;&nbsp;=20  
 ago.&lt;BR&gt;&gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; &gt;Today I=20  
 tried=3D20<BR>&gt;&nbsp; =3D3D3D&lt;BR&gt;&gt;&nbsp;=20  
 &gt;different=3D3D3D20&lt;BR&gt;&gt;&nbsp; p; &gt;&nbsp; =  
 =3D<BR>&gt;cables,=20  
 eds=3D20<BR>&gt;&nbsp; cards, mecs, eliminated the =  
 =3D3D3D&lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; =  
 &gt;magma&lt;BR&gt;=3D3D3D3D&lt;BR&gt;&a mp;gt;and&lt;BR&gt;&gt;=20  
 =3D<BR>&gt;=3D3D3D20&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 &gt;still no clock=20  
 lock or modules showing up in the=3D20<BR>&gt;&nbsp;=20  
 paris=3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt;&nbsp; patchbay.&lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp; &gt;This means to me=20  
 =3D3D3D&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp; =  
 &gt;software=3D3D3D20&lt;BR&gt;&gt;&nbsp; ;=20  
 &gt;&nbsp; unless someone tells me=3D20<BR>&gt;&nbsp;=20  
 differently.&lt;BR&gt;&gt;&nbsp; &gt;&lt;BR&gt;&gt;&nbsp;=20  
 =3D<BR>&gt;=3D3D3D&lt;BR&gt;&gt; =3D20<BR>&gt;&nbsp;=20  
 &gt;&gt;I=3D3D3D20&lt;BR&gt;&gt;&nbsp; p; &gt;&nbsp; have a new C drive =  
 which I=20  
 =3D<BR>&gt;will load=3D20<BR>&gt;&nbsp; XP and no pace.&nbsp;=20  
 Any=3D3D3D20&lt;BR&gt;&gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp;=20  
 other=3D3D3D3D20&lt;BR&gt;&gt;&nbsp; =  
 =3D<BR>&gt;&gt;suggestions?&lt;BR&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; =3D3D3D&lt;BR&gt;&gt;&nbsp; &gt;&gt;&lt;BR&gt;&gt; =

=3D3D3D20<BR>&gt;&nbsp; =3D<BR>&gt; =3D20<BR>&gt;&nbsp; =  
&gt;More=20  
frustrated than my clients,&lt;BR>&gt;&nbsp; =  
=3D<BR>&gt;=3D3D3D&lt;BR>&gt;=20  
=3D20<BR>&gt;&nbsp; &gt;&gt;Tom&lt;BR>&gt; =  
=3D3D3D20&lt;BR>&gt;&nbsp; &gt;=20  
=3D20<BR>&gt;&nbsp; &gt;&lt;BR>&gt;&nbsp; &gt;&lt;BR>&gt;&nbsp; =20  
=3D<BR>&gt;&lt;BR>&gt; =3D20<BR>&gt;&nbsp; =  
=3D3D3D&lt;BR>&gt;&nbsp; =20  
&gt;&lt;BR>&gt; =3D3D3D20&lt;BR>&gt;&nbsp; =  
=3D<BR>&gt;&nbsp; =20  
&gt;I=3D20<BR>&gt;&nbsp; choose Polesoft Lockspam to fight spam, and=20  
you?&lt;BR>&gt;=3D20<BR>&gt;&nbsp; =3D3D3D20&lt;BR>&gt;&nbsp; =  
&gt;&nbsp; =20  
=  
=3D<BR>&gt;http://www.polesoft.com/refer.html=3D20</BLOCKQUOTE></BODY=  
></HTML>

-----=\_NextPart\_000\_0067\_01C81447.C4E16B00--This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0092\_01C8144B.E5D05E80

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Mastercard=3D0 was correct also.

I am going to try a clean OS with Paris on it too  
if the PCI slots are still working.

Don't bother wishing me luck. There's none to be found.  
Tom

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:471c3137@linux...

Mike,

I removed the default project and .cfg from the folder as you =  
suggested.

Now the computer won't even boot with either of three eds cards =  
installed.

No Magma, no word clock, no word clock line in the existing config.

I'm going to check with a network card to see if the PCI slots are =  
burn't.

I tried three different ones with the eds. The one time Windows =  
worked

with an eds card, the eds card didn't show up in device manager. =  
That's=20

probably why.

There is some serious funk going on over here. Maybe mobo? If this =  
is the

case I give up. It's not worth any more BS to me. There is no person  
in my neighborhood to walk me through this. My tech helps me  
but the problem seems to be from the ground up. I'm guessing 3-4  
things still so wrong that nothing makes sense.

Cubase is looking more and more inviting, learning curve and all.  
Tom

"Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...

Hi Tom,

I have an idea.

Try removing UseHouseSync=3D1 from the paris.cfg file.

Next, remove your default project from the program files\emu\paris =  
pro folder.  
=20

Let me know if it makes a difference.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Mike,

>I used to use a Lucid but since all of this mess I stopped.

>I'm trying to get stable from square one with the least amount=3D20

>of hardware. I am using the default project for sure. The =  
only=3D20

>other thing that I still question is my move of Paris to C:ParisPro =

..

>I should think the default project will either work or not. Maybe

>configs or something else is fighting during Paris startup?

>

>Pats 42 - Miami 7 . . . Halftime and the games over.

>Tom

>

>  
>  
> "Mike Audet" <mike@....> wrote in message =  
news:471b6eb0\$1@linux...  
>  
> Hi Tom,  
>  
> Are you using a default project with PARIS? I'm so sorry of this =  
has  
=3D  
>been  
> asked and answered already. If so, perhaps it is telling card =  
zero to  
=3D  
>lock  
> to an external clock, which it can't because there isn't one.  
>  
> It would be interesting to attach an external clock source to the =  
MEC  
=3D  
>and  
> then start PARIS to see how it behaves. Or, if the clock =  
generator is  
=3D  
>fried,  
> tell paris to lock externally and see what happens when an =  
external =3D  
>clock  
> source is applied.  
>  
> Isn't there a master house synch switch in the cfg file? I've =  
never =3D  
>used  
> it. Maybe DJ could help with what that should/shouldn't be set =  
to.  
>  
> Wish I could do more than think out loud...  
>  
> Mike  
>  
> "Tom Bruhl" <arpeggio@comcast.net> wrote:  
> >  
> >  
> >Hi Mike,  
> >Well I've been to .cfg many a time.  
> >I've seen that Mastercard setting as being 0  
> >but maybe it changed after removing the 4 other  
> >eds cards for this round of testing.

> >  
> > If it's still 0 what else could this be? Busted mobo?  
> > I'm really in an idunno place right now. I'll be checking  
> > seriously today again because of a session tomorrow morning.  
> > Tom  
> >  
> >  
> > "Mike Audet" <mike@....> wrote in message =  
news:471b2ec2\$1@linux...  
> >  
> > Hi Tom,  
> >  
> > If you've only got one card in, then the Mastercard =3D3D3D 0 =  
setting  
=3D  
> is =3D3D  
> > right.  
> > The file is Paris.cfg, and it lives in the c:\program =3D  
> files\Emu\PARIS  
> =3D3D  
> > PRO  
> > folder.  
> >  
> > I'd still check it out to see what it is set to.  
> >  
> > If it is wrong, what you are describing will happen.  
> >  
> > Good luck!  
> >  
> > Mike  
> >  
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:  
> > >  
> > >  
> > > Thanks Dimitrios.  
> > >  
> > > Mike said the same thing. Is the ini in the Paris folde or =  
system  
=3D  
> =3D3D3D  
> > 32?  
> > > Do I want the Master card to be 0 absolutely? I only have =  
one =3D  
> card  
> > > in there right now and it's all freaky just the same.  
> > > Tom  
> > >  
> > >

> > >  
 > > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D  
 > > >news:471a0486\$1@linux...  
 > > >  
 > > > Hi Tom !@  
 > > > Sorry to hear you still having problems like this ~!!  
 > > > Must be very frustrating.  
 > > > Open the Paris ini file and there change the =  
 mastercardoutput =3D  
 >with  
 > =3D3D  
 > >=3D3D3D  
 > > >your other  
 > > > cards and see what happens !!  
 > > > Let me know.  
 > > > Regards,  
 > > > Dimitrios  
 > > >  
 > > > "Tom Bruhl" <arpeggio@comcast.net> wrote:  
 > > > >  
 > > > >  
 > > > >Rick,  
 > > > >1 mec, no BNC involved. Paris boots up so the 1 mec that  
 > > > >I'm using shows up but never any A to Ds or any installed =  
 =3D  
 >modules.  
 > > > >This is the same symptom before I repaired one of my mecs =  
 with  
 =3D  
 >a  
 > > > >new chip. The clock light continues to flash too. Never =  
 locks  
 =3D  
 >=3D3D3D  
 > >in.  
 > > > >  
 > > > >I am using the simplest setup I can imagine and still it's =  
 not  
 =3D  
 >=3D3D3D3D  
 > > >working.  
 > > > >Mike A. suggested the .ini file to make sure card A is 0. =  
 =3D  
 >I'll =3D3D  
 > >try  
 > > >=3D3D3D3D  
 > > >=3D3D3D3D3D  
 > > > >that.



> > > > Pretty sure it's right but who knows?  
 > > > > Thanks,  
 > > > > Tom  
 > > > >  
 > > > >  
 > > > >  
 > > > >  
 > > > >  
 > > > >  
 > > > > "rick" <parnell68@hotmail.com> wrote in message =3D3D3D3D  
 > > > > news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...  
 > > > > i know this as dumb as it gets but the bnc is attached =  
 in the  
 =3D  
 >=3D3D3D  
 > > right  
 > > > > order...right?  
 > > > > all the cards show up in paris with the single mec?  
 > > > > how many i/o cards in each mec?  
 > > > >  
 > > > >  
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D3D  
 > > > > <arpegio@comcast.net>  
 > > > > wrote:  
 > > > >  
 > > > > > I thought I was groovin' but once the second Mec was =  
 =3D  
 > introduced  
 > > > > > the system stopped. That was a few weeks ago.  
 > > > > >  
 > > > > > Today I tried different cables, eds cards, mecs, =  
 eliminated  
 =3D  
 > the  
 > =3D3D3D  
 > > =3D3D3D3D  
 > > > magma  
 > > > =3D3D3D3D3D  
 > > > > and  
 > > > > > still no clock lock or modules showing up in the paris =  
 =3D3D3D  
 > > patchbay.  
 > > > > >  
 > > > > > This means to me software unless someone tells me =3D  
 > > > > > differently.  
 > > > > >  
 > > > > > I have a new C drive which I will load XP and no pace. =  
 Any  
 =3D

```

>=3D3D3D
> > >other=3D3D3D3D20
> > > > >suggestions?
> > > > >
> > > > >More frustrated than my clients,
> > > > >Tom
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >
> > > > >I choose Polesoft Lockspam to fight spam, and you?
> > > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> > > >
> > > >
> > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
Transitional//EN">
> > > ><HTML><HEAD>
> > > ><META http-equiv=3D3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html"; =3D3D
> >=3D3D3D3D3D
> > > >charset=3D3D3D3D3DDiso-8859-1">
> > > ><META content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3D3DGENERATOR>
> > > ><STYLE></STYLE>
> > > ></HEAD>
> > > ><BODY bgColor=3D3D3D3D3D#ffffff>
> > > ><DIV><FONT face=3D3D3D3D3D3DArial =
size=3D3D3D3D3D2>Rick,</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no =
BNC =3D
>involved. =3D3D
> >Paris =3D3D3D
> > >=3D3D3D3D3D
> > > >boots up so the=3D3D3D3D20
> > > >1 mec that</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using =
shows up
=3D
>but =3D3D
> >never any
> > =3D3D3D3D
> > >A to =3D3D3D3D3D
> > > >Ds or any=3D3D3D3D20
> > > >installed modules.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>This is =
the same =3D
>symptom
> =3D3D

```

```

> >before
> > =3D3D3D
> > >I =3D3D3D3D
> > > >repaired one of=3D3D3D3D20
> > > >my mecs with a</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>new chip. =
The =3D
>clock light
> =3D3D
> >=3D3D3D3D
> > > >continues to flash=3D3D3D3D20
> > > >too. Never locks in.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>I am =
using the =3D
>simplest =3D3D
> >setup I
> > =3D3D3D
> > >can =3D3D3D3D
> > > >imagine and=3D3D3D3D20
> > > >still it's not working.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =
suggested
=3D
>the =3D3D
> >.ini file
> > =3D3D3D
> > >=3D3D3D3D
> > > >to make sure=3D3D3D3D20
> > > >card A is 0. I'll try that.</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty =
sure it's =3D
>right =3D3D
> >but who =3D3D3D
> > >=3D3D3D3D
> > > >knows?</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>Thanks,</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>Tom</FONT></DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
</DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>
> > > ><DIV> </DIV>

```

```

> > > ><DIV>"rick" <<A=3D3D3D3D20
> > > =3D3D
> =3D
=
>>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
>>
=3D
>=3D3D
> >=3D3D3D
> > >=3D3D3D3D
> > > >wrote in=3D3D3D3D20
> > > >message <A=3D3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
:in=3D
>qgh=3D3D
> >393=3D3D3D
> > >an5=3D3D3D3D
> > > >s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV>
> > > ><BLOCKQUOTE=3D3D3D3D20
> > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
=3D
>MARGIN-LEFT: =3D3D
> >5px; =3D3D3D
> > >=3D3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">i=3D3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached in =
=3D3D
> >the=3D3D3D3D20
> > > > right<BR>order...right?<BR>all the cards show up in =
paris =3D
>with =3D3D
> >the
> > =3D3D3D
> > >=3D3D3D3D
> > > >single=3D3D3D3D20
> > > > mec?<BR>how many i/o cards in each mec?<BR><BR><BR>On =
Fri, 19
=3D
>=3D3D
> >Oct =3D3D3D
> > >2007
> > > =3D3D3D3D
> > > >

```

> > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20  
 > > > > =3D3D3D3D3D  
 > > > =3D3D3D3D  
 > > =3D3D3D  
 > =3D3D  
 =  
 >>>>href=3D3D3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>><=  
 BR>=3D3D  
 >wro=3D3D3D  
 > >te:=3D3D3D3D  
 > > >=3D3D3D3D3D  
 > > > ><BR><BR>>I=3D3D3D3D3D20  
 > > > > thought I was groovin' but once the second Mec was =  
 =3D3D3D3D3D  
 > > > >introduced<BR>>the=3D3D3D3D3D20  
 > > > > system stopped. That was a few weeks ago.<BR>><BR>>Today =  
 I =3D3D  
 >=3D3D3D3D3D  
 > > > >tried=3D3D3D3D3D20  
 > > > > different cables, eds cards, mecs, eliminated the magma =  
 =3D3D  
 >=3D3D3D3D3D  
 > > > >and<BR>>still no=3D3D3D3D3D20  
 > > > > clock lock or modules showing up in the paris =3D3D3D3D3D  
 > > > >patchbay.<BR>><BR>>This=3D3D3D3D3D20  
 > > > > means to me software unless someone tells me =3D3D3D3D3D  
 > > > > differently.<BR>><BR>>I=3D3D3D3D3D20  
 > > > > have a new C drive which I will load XP and no pace. Any =  
 =3D3D3D  
 > >other=3D3D3D3D3D20  
 > > > > <BR>>suggestions?<BR>><BR>>More frustrated than =  
 my=3D3D3D3D3D20  
 > > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose =  
 =3D3D3D3D3D  
 > > > >Polesoft=3D3D3D3D3D20  
 > > > > Lockspam to fight spam, and=3D3D3D3D3D20  
 > > > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D3D3D20  
 > > > ><BR></BLOCKQUOTE></BODY></HTML>  
 > > > >  
 > > > >  
 > > >  
 > > >  
 > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =  
 Transitional//EN">  
 > > ><HTML><HEAD>  
 > > ><META http-equiv=3D3D3D3D3DContent-Type =  
 content=3D3D3D3D3D"text/html; =3D3D  
 >=3D3D3D3D

```

> > > charset="iso-8859-1">
> > > <META content="MSHTML 6.00.2800.1400" =
name="GENERATOR">
> > > <STYLE></STYLE>
> > > </HEAD>
> > > <BODY bgcolor="#ffffff">
> > > <DIV><FONT face="Arial" size="2">Thanks =3D
>Dimitrios.</FONT></DIV>
> > > <DIV><FONT face="Arial" size="2"></FONT> </DIV>
> > > <DIV><FONT face="Arial" size="2">Mike said the =
same thing.
=3D
> Is =3D
> > the =3D
> > > ini in the=3D
> > > Paris folde or system 32?</FONT></DIV>
> > > <DIV><FONT face="Arial" size="2">Do I want the =
Master card
=3D
> to be
> =3D
> > 0=3D
> > > absolutely? I only have one card</FONT></DIV>
> > > <DIV><FONT face="Arial" size="2">in there right =
now and =3D
> it's all
> =3D
> > freaky
> > =3D
> > > just the=3D
> > > same.</FONT></DIV>
> > > <DIV><FONT face="Arial" size="2">Tom</FONT></DIV>
> > > <DIV><FONT face="Arial" size="2"></FONT> </DIV>
> > > <DIV><FONT face="Arial" size="2"></FONT> </DIV>
> > > <DIV><FONT face="Arial" size="2"></FONT> </DIV>
> > > <BLOCKQUOTE=3D
> > > style="padding-right: 0px; padding-left: 5px; =
MARGIN-LEFT: =3D
> 5px; =3D
> > =3D
> > > border-left: #000000 2px solid; margin-right: 0px">
> > > <DIV>"Dimitrios" <<A=3D
> > > =
href="mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =3D
> wrote
> =3D
> > in =3D
> > > message=3D

```



```

> > > <A =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV=
><B=3D
>R>H=3D3D
> >i
> > =3D3D3D
> > >Tom=3D3D3D20
> > > !@<BR>Sorry to hear you still having problems like this =3D
>~!!<BR>Must
> =3D3D
> >be
> > =3D3D3D
> > >very=3D3D3D20
> > > frustrating.<BR>Open the Paris ini file and there change =
the =3D
>=3D3D3D
> > >mastercardoutput=3D3D3D20
> > > with your other<BR>cards and see what happens !!<BR>Let =3D
>me=3D3D3D20
> > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" =
<<A=3D3D3D20
> > > =3D
=
>href=3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D3D3D=
D20
> > > wrote:<BR>><BR>><BR>>Rick,<BR>>1 mec, no BNC =3D3D3D
> > >involved. Paris=3D3D3D20
> > > boots up so the 1 mec that<BR>>I'm using shows up but never =
any
=3D
>A =3D3D
> >=3D3D3D
> > >to Ds or=3D3D3D20
> > > any installed modules.<BR>>>This is the same symptom before =
I =3D
>=3D3D3D
> > >repaired one=3D3D3D20
> > > of my mecs with a<BR>>>new chip. The clock light continues =
to =3D
>=3D3D3D
> > >flash=3D3D3D20
> > > too. Never locks in.<BR>><BR>>I am using the simplest =
=3D3D3D
> > >setup I can=3D3D3D20
> > > imagine and still it's not working.<BR>>>Mike A. suggested =

```

the =3D  
 >=3D3D3D  
 > > >.ini=3D3D3D20  
 > > > file to make sure card A is 0. I'll try =3D3D3D  
 > > >=3D3D3D3D<BR>>that.<BR>>Pretty=3D3D3D20  
 > > > sure it's right but who=3D3D3D20  
 > > > =3D3D3D  
 > > > knows?<BR>>Thanks,<BR>>Tom<BR>><BR>><BR>><BR>><BR>><BR>> ><=3D3D3D  
 > > >BR>>"rick"=3D3D3D20  
 > > > <<A =3D3D3D  
 > > =3D  
 =  
 >>href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>> =  
 =3D  
 >=3D3D  
 > >=3D3D3D  
 > > >wrote=3D3D3D20  
 > > > in message=3D3D3D20  
 > > > =3D3D3D  
 > > =3D3D  
 > =3D  
 =  
 >>>=3D3D3D3D<BR>>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...<BR>>&=  
 nbs=3D  
 >=3D3D3D=3D3D  
 > >  
 > > >p; i=3D3D3D20  
 > > > know this as dumb as it gets but the bnc is attached in =3D  
 >the=3D3D3D20  
 > > > right<BR>> order...right?<BR>> all the cards show up =  
 =3D3D3D  
 > > >in=3D3D3D20  
 > > > paris with the single mec?<BR>> how many i/o cards in =3D  
 >each=3D3D3D20  
 > > > mec?<BR>><BR>><BR>> On Fri, 19 Oct 2007 00:22:39 -0400, =  
 =3D3D3D  
 > > >"Tom=3D3D3D20  
 > > > Bruhl" <<A=3D3D3D20  
 > > > =3D3D3D  
 > > =3D3D  
 > =3D  
 =  
 >>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>=  
 >&n=3D  
 >=3D3D3D=3D3D  
 > >  
 > > >bsp;=3D3D3D20  
 > > > wrote:<BR>><BR>> >I thought I was groovin' but once the =

=3D3D3D

> > >second=3D3D3D20  
> > > Mec was introduced<BR>> >the system stopped. That =3D3D3D  
> > >was a few=3D3D3D20  
> > > weeks ago.<BR>> ><BR>> >Today I tried =3D3D3D  
> > >different=3D3D3D20  
> > > cables, eds cards, mecs, eliminated the =3D3D3D  
> > >magma<BR>=3D3D3D3D<BR>>and<BR>> =3D3D3D20  
> > > >still no clock lock or modules showing up in the =

paris=3D3D3D20

> > > patchbay.<BR>> ><BR>> >This means to me =3D3D3D  
> > >software=3D3D3D20  
> > > unless someone tells me differently.<BR>> ><BR>> =3D3D3D  
> > >>I=3D3D3D20  
> > > have a new C drive which I will load XP and no pace. =

Any=3D3D3D20

> > > other=3D3D3D3D20<BR>> >suggestions?<BR>> =3D3D3D  
> > >><BR>> =3D3D3D20  
> > > >More frustrated than my clients,<BR>> =3D3D3D  
> > >>Tom<BR>> =3D3D3D20  
> > > ><BR>> ><BR>> ><BR>> =3D3D3D  
> > >><BR>> =3D3D3D20  
> > > >I choose Polesoft Lockspam to fight spam, and you?<BR>> =

=3D3D3D20

> > > >http://www.polesoft.com/refer.html =3D3D3D20  
> > > =3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE HTML PUBLIC =

"-/W3C//DTD =3D3D3D

> > >HTML 4.0=3D3D3D20  
> > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D3D20  
> > > http-equiv=3D3D3D3D3DContent-Type =3D  
> > >content=3D3D3D3D3D"text/html;=3D3D3D20  
> > > =3D3D3D3D<BR>>charset=3D3D3D3D3Diso-8859-1"><BR>><META =

=3D3D3D

> > >content=3D3D3D3D3D"MSHTML=3D3D3D20  
> > > 6.00.2800.1400"=3D3D3D20  
> > > =3D3D3D  
> > > =

>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D

> > >D><BR>><BODY=3D3D3D20  
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D  
> > >face=3D3D3D3D3DArial=3D3D3D20  
> > > =3D3D3D  
> > >size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>><DIV><FONT=3D3D3D20  
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC =

involved. Paris

=3D  
>=3D3D3D  
> > >=3D3D3D3D<BR>>boots up so=3D3D3D20

```

> > > the=3D3D3D3D20<BR>>1 mec =3D3D3D
> > >that</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up =
but never =3D
>any A to
> =3D3D
> >=3D3D3D
> > >=3D3D3D3D<BR>>Ds or=3D3D3D20
> > > any=3D3D3D3D20<BR>>installed=3D3D3D20
> > > modules.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>This is the same symptom before I =3D
>=3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D
> > >one=3D3D3D20
> > > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20
> > > a</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>new chip. The clock light =
=3D3D3D3D<BR>>continues =3D
>to=3D3D3D20
> > > flash=3D3D3D3D20<BR>>too. Never locks=3D3D3D20
> > > in.</FONT></DIV><BR>><DIV><FONT face=3D3D3D3D3DArial =
=3D3D3D
> > >
> > > size=3D3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>I am using the simplest setup I can =3D3D
> >=3D3D3D3D<BR>>imagine=3D3D3D20
> > > and=3D3D3D3D20<BR>>still it's not=3D3D3D20
> > > working.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
=3D3D3D3D<BR>>to =3D
>make=3D3D3D20
> > > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20
> > > that.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
> > > =3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D

```

```

> > </DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV>"rick" =3D3D3D
> > ><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>lto=3D3D
> >:pa=3D3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D3D3D20
> > > =3D3D3D3D<BR>>wrote in=3D3D3D3D20<BR>>message =3D
><A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A
> =3D3D
> >=3D3D3D
> > >
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >an5=3D3D3D
> > =3D3D
> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
=3D3D=3D
>3D=3D3D
> >
> > =3D
=
>>>=3D3D3D3D<BR>>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>&=3D3D3D=

> > =
>gt;<BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D3D3D<BR>>BORDER-LEFT: =3D3D
> >=3D3D3D
> > >#000000 2px=3D3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20<BR>> know this as =
dumb as
=3D
>=3D3D3D
> > >it gets=3D3D3D20

```

> > > but the bnc is attached in the=3D3D3D3D20<BR>> =3D3D3D20  
 > > > right<BR>order...right?<BR>all the cards show up in paris =  
 =3D3D3D  
 > > >with the=3D3D3D20  
 > > > =3D3D3D3D<BR>>single=3D3D3D3D20<BR>> mec?<BR>how many i/o =  
 cards =3D  
 >=3D3D3D  
 > > >in each=3D3D3D20  
 > > > mec?<BR><BR><BR>On Fri, 19 Oct=3D3D3D20  
 > > > 2007<BR>=3D3D3D3D<BR>><BR>> 00:22:39 -0400, "Tom =  
 Bruhl"=3D3D3D20  
 > > > <<A=3D3D3D3D20<BR>> =  
 =3D3D3D3D<BR>>href=3D3D3D3D3D"<A=3D3D3D20  
 > > > =3D3D3D  
 > > =3D3D  
 > =3D  
 =  
 >>>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>=  
 wro=3D  
 >te'=3D3D  
 > >>ma=3D3D3D  
 > > =  
 >ilto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>w=3D3D3D  
 > > >rote</A>:=3D3D3D3D<BR>><BR><BR>>I=3D3D3D3D20<BR>> =3D3D3D20  
 > > > thought I was groovin' but once the second Mec was=3D3D3D20  
 > > > =3D3D3D3D<BR>>introduced<BR>>the=3D3D3D3D20<BR>> system =  
 =3D3D3D  
 > > >stopped. That was=3D3D3D20  
 > > > a few weeks ago.<BR>><BR>>Today I=3D3D3D20  
 > > > =3D3D3D3D<BR>>tried=3D3D3D3D20<BR>> different cables, eds =  
 cards, =3D  
 >mecs, =3D3D3D  
 > > >eliminated=3D3D3D20  
 > > > the magma =3D3D3D3D<BR>>and<BR>>still no=3D3D3D3D20<BR>> =  
 =3D3D3D  
 > > >clock lock or=3D3D3D20  
 > > > modules showing up in the paris=3D3D3D20  
 > > > =3D3D3D  
 > > >=3D3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D3D20<BR>> =  
 =3D3D3D  
 > > >means to=3D3D3D20  
 > > > me software unless someone tells me=3D3D3D20  
 > > > =3D3D3D  
 > > >=3D3D3D3D<BR>>differently.<BR>><BR>>I=3D3D3D3D20<BR>> =  
 =3D3D3D  
 > > >have a new=3D3D3D20  
 > > > C drive which I will load XP and no pace. Any =3D  
 >other=3D3D3D3D20<BR>> =3D3D

```

> >=3D3D3D
> > >
> > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D3D
> > >than=3D3D3D20
> > > my=3D3D3D3D20<BR>> =3D3D3D20
> > > =3D3D3D
> > >clients,<BR>>Tom<BR>><BR>><BR>><BR>>=3D3D3D
> > >><BR>>I=3D3D3D20
> > > choose =3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> Lockspam to =
fight =3D
>spam,=3D3D3D20
> > > and=3D3D3D3D20<BR>> =3D3D3D
> > >you?<BR>>http://www.polesoft.com/refer.html=3D3D3D20
> > > =3D3D3D
> > >=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D3D
> > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> >charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#fffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hi Mike,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Well I've been to .cfg =
many a =3D
>=3D3D
> >time.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I've seen that =
Mastercard =3D
>setting as =3D3D
> >being=3D3D20
> >0</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>but maybe it changed =
after =3D
>removing the
> =3D3D
> >4=3D3D20
> >other</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>eds cards for this =
round of =3D3D

```



```

> >testing.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>If it's still 0 what =
else could
=3D
>this =3D3D
> >be? =3D3D20
> >Busted mobo?</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm really in an idunno =
place =3D
>right =3D3D
> >now. I'll=3D3D20
> >be checking</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>seriously today again =
because of
=3D
>a =3D3D
> >session tomorrow=3D3D20
> >morning.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...</DIV><B=
R>H=3D
>i=3D3D20
> > Tom,<BR><BR>If you've only got one card in, then the =
Mastercard =3D
>=3D3D3D 0
> =3D3D
> >setting is=3D3D20
> > right.<BR> The file is Paris.cfg, and it lives in the =3D
>c:\program=3D3D20
> > files\Emu\PARIS PRO<BR>folder.<BR><BR>I'd still check it out =
to see
=3D
>=3D3D
> >what it is=3D3D20
> > set to.<BR><BR>If it is wrong, what you are describing =
will=3D3D20

```

> > happen.<BR><BR>Good luck!<BR><BR>Mike<BR><BR>"Tom Bruhl" =  
<<A=3D3D20  
> > =  
href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=3D3D20  
> > wrote:<BR>><BR>><BR>>Thanks Dimitrios.<BR>><BR>>Mike =3D3D  
> >said the=3D3D20  
> > same thing. Is the ini in the Paris folde or system =3D3D  
> >32?<BR>>Do I want=3D3D20  
> > the Master card to be 0 absolutely? I only have one =3D3D  
> >card<BR>>in there=3D3D20  
> > right now and it's all freaky just the=3D3D20  
> > same.<BR>>Tom<BR>><BR>><BR>><BR>> "Dimitrios" =3D3D  
> ><<A=3D3D20  
> > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>= =  
wrote  
=3D  
>in =3D3D  
> >message=3D3D20  
> > =3D3D3D<BR>>news:471a0486\$1@linux...<BR>><BR>> Hi Tom=3D3D20  
> > !@<BR>> Sorry to hear you still having problems like =  
this=3D3D20  
> > ~!!<BR>> Must be very frustrating.<BR>> Open the =3D3D  
> >Paris ini=3D3D20  
> > file and there change the mastercardoutput with =  
=3D3D3D<BR>>your=3D3D20  
> > other<BR>> cards and see what happens !!<BR>> Let me =3D3D  
> >  
> > know.<BR>> Regards,<BR>> =3D3D  
> >Dimitrios<BR>><BR>> =3D3D20  
> > "Tom Bruhl" <<A=3D3D20  
> > =  
href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=3D3D20  
> > wrote:<BR>> ><BR>> ><BR>> =3D3D20  
> > >Rick,<BR>> >1 mec, no BNC involved. Paris boots =3D3D  
> >up so=3D3D20  
> > the 1 mec that<BR>> >I'm using shows up but never any A to =  
=3D3D  
> >Ds or=3D3D20  
> > any installed modules.<BR>> >This is the same symptom =3D3D  
> >before I=3D3D20  
> > repaired one of my mecs with a<BR>> >new chip. The =3D3D  
> >clock=3D3D20  
> > light continues to flash too. Never locks in.<BR>> =3D3D20  
> > ><BR>> >I am using the simplest setup I can imagine and =3D3D  
> >still=3D3D20  
> > it's not =3D3D3D<BR>>working.<BR>> >Mike A. suggested =3D3D  
> >the .ini=3D3D20  
> > file to make sure card A is 0. I'll =3D3D

> >try<BR>=3D3D3D<BR>>=3D3D3D3D<BR>> =3D3D20  
 > > >that.<BR>> >Pretty sure it's right but who=3D3D20  
 > > knows?<BR>> >Thanks,<BR>> >Tom<BR>> =3D3D20  
 > > ><BR>> ><BR>> ><BR>> =3D3D  
 > >><BR>> =3D3D20  
 > > ><BR>> >"rick" <<A=3D3D20  
 > > =  
 href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>>  
 =3D  
 >=3D3D  
 > >wrote in=3D3D20  
 > > message =3D3D3D3D<BR>> =3D3D20  
 > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...<BR>> =  
 =3D3D20  
 > > > i know this as dumb as it gets but the bnc is attached in =  
 =3D3D  
 > >the=3D3D20  
 > > right<BR>> > order...right?<BR>> > =3D3D  
 > >all the=3D3D20  
 > > cards show up in paris with the single mec?<BR>> > =3D3D  
 > >how many=3D3D20  
 > > i/o cards in each mec?<BR>> ><BR>> =3D3D  
 > >><BR>> =3D3D20  
 > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D  
 > >=3D3D3D<BR>><<A=3D3D20  
 > > =3D3D  
 > =3D  
 =  
 >>href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>><BR>>&n=  
 =3D3D=3D  
 >  
 > >bsp;=3D3D20  
 > > > wrote:<BR>> ><BR>> > >I =3D3D  
 > >thought I=3D3D20  
 > > was groovin' but once the second Mec was introduced<BR>> =  
 =3D3D  
 > >> =3D3D20  
 > > >the system stopped. That was a few weeks ago.<BR>> =3D3D20  
 > > > ><BR>> > >Today I tried different =3D3D  
 > >cables,=3D3D20  
 > > eds cards, mecs, eliminated the =3D3D3D<BR>>magma<BR>> =3D3D  
 > >=3D3D3D3D<BR>> =3D3D20  
 > > >and<BR>> > >still no clock lock or modules =3D3D  
 > >showing up=3D3D20  
 > > in the paris patchbay.<BR>> > ><BR>> =3D3D  
 > >> =3D3D20  
 > > >This means to me software unless someone tells me=3D3D20  
 > > differently.<BR>> > ><BR>> > =3D3D

> >>I have  
 > > a new C drive which I will load XP and no pace. Any  
 > > other  
 > >>suggestions?  
 > > ><BR>> > >More frustrated than my  
 > > clients,<BR>> > >Tom<BR>> > >  
 > > <BR>> > <BR>> > >  
 > ><BR>> >  
 > > ><BR>> > >I choose Polesoft  
 > >Lockspam to  
 > > fight spam, and you?  
 > > ><http://www.polesoft.com/refer.html>  
 > > <BR>> <BR>> <!DOCTYPE HTML PUBLIC  
 > > "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>>  
 > > <HTML><HEAD><BR>> <META  
 > > http-equiv=Content-Type =  
 content="text/html;  
 > > <BR>> >  
 > > >charset=Diso-8859-1"><BR>> ><META  
 > >content="MSHTML  
 > > 6.00.2800.1400" name=GENERATOR><BR>>  
 > > ><STYLE></STYLE><BR>> >  
 > >></HEAD><BR>> >  
 > > ><BODY bgColor=#ffffff><BR>> >  
 > >><DIV><FONT  
 > > face=Arial  
 > >size=2>Rick,</FONT></DIV><BR>> >  
 > > ><DIV><FONT face=Arial size=2>1 mec, no =  
 BNC  
 > >>involved.  
 > > Paris  
 > >the=20<BR>> >1  
 > > mec that</FONT></DIV><BR>> >  
 > >><DIV><FONT  
 > > face=Arial size=2>I'm using shows up but =  
 never  
 > >>any<BR>>A to  
 > > <BR>> >Ds or any=20<BR>> >installed=20  
 > > modules.</FONT></DIV><BR>> >  
 > >><DIV><FONT  
 > > face=Arial size=2>This is the same symptom =  
 =  
 > >>before<BR>>I  
 > > <BR>> >repaired one of=20<BR>> >my  
 > >>mecs with  
 > > a</FONT></DIV><BR>> ><DIV><FONT  
 > > face=Arial size=2>new chip. The clock =  
 light

```

> >=3D3D3D3D<BR>> =3D3D20
> > >continues to flash=3D3D3D3D20<BR>> >too. Never locks=3D3D20
> > in.</FONT></DIV><BR>> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>I am using =
=3D3D
> >the simplest=3D3D20
> > setup I<BR>=3D3D3D<BR>>can =3D3D3D3D<BR>> >imagine =3D3D
> >and=3D3D3D3D20<BR>> =3D3D20
> > >still it's not working.</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =
=3D3D
> >suggested the=3D3D20
> > .ini file<BR>=3D3D3D<BR>>=3D3D3D3D<BR>> >to make =3D3D
> >sure=3D3D3D3D20<BR>> =3D3D20
> > >card A is 0. I'll try that.</FONT></DIV><BR>> =3D3D
> >
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty sure =
=3D3D
> >it's right=3D3D20
> > but who =3D3D3D<BR>>=3D3D3D3D<BR>> =3D3D20
> > >knows?</FONT></DIV><BR>> =3D3D
> >><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =
=3D3D
> >
> > </DIV><BR>> ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > size=3D3D3D3D3D2></FONT> </DIV><BR>> =3D3D
> >><DIV>=3D3D20
> > </DIV><BR>> ><DIV> </DIV><BR>> =3D3D20
> > ><DIV> </DIV><BR>> ><DIV>"rick"=3D3D20
> > <<A=3D3D3D3D20<BR>> >href=3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
lto=3D
>:pa=3D3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D3D20
> > =3D3D3D<BR>>=3D3D3D3D<BR>> >wrote in=3D3D3D3D20<BR>> =3D3D
> >>message=3D3D20
> > <A=3D3D3D3D20<BR>> =3D3D3D<BR>>>href=3D3D3D3D3D"<A=3D3D20
> > =3D3D

```

```

> =3D
=
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
393=3D
>'>n=3D3D
> =3D
=
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393</A>=3D3D3=
D<B=3D
>=3D3D
> >R>>an5=3D3D3D3D<BR>> =3D3D20
> > =3D3D
> >>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>> =3D3D
> >;=3D3D20
> > ><BLOCKQUOTE=3D3D3D3D20<BR>> =3D3D
> >>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D3D3D<BR>>=3D3D3D3D<BR>> =3D3D20
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D
> >0px">i=3D3D3D3D20<BR>> =3D3D20
> > > know this as dumb as it gets but the bnc is attached =
in=3D3D20
> > the=3D3D3D3D20<BR>> > =3D3D
> >right<BR>order...right?<BR>all=3D3D20
> > the cards show up in paris with =
the<BR>=3D3D3D<BR>>=3D3D3D3D<BR>> =3D3D20
> > >single=3D3D3D3D20<BR>> > mec?<BR>how many i/o =3D3D
> >cards in=3D3D20
> > each mec?<BR><BR><BR>On Fri, 19 Oct=3D3D20
> > =3D3D3D<BR>>2007<BR>> =3D3D3D3D<BR>> ><BR>> =3D3D
> >> =3D3D20
> > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20<BR>> > =3D3D20
> > =3D3D3D3D<BR>> =3D3D3D<BR>>>href=3D3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>wro=
te'=3D
>>ma=3D3D
> >ilto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>w=3D3D
> >rote</A>:=3D3D3D<BR>>=3D3D3D3D<BR>> =3D3D20
> > ><BR><BR>>I=3D3D3D3D20<BR>> > thought =3D3D
> >I was=3D3D20
> > groovin' but once the second Mec was =3D3D3D3D<BR>> =3D3D20
> > >introduced<BR>>the=3D3D3D3D20<BR>> > system =3D3D
> >stopped.=3D3D20
> > That was a few weeks ago.<BR>><BR>>Today I =3D3D
> >=3D3D3D3D<BR>> =3D3D20

```

> > >tried=3D3D3D3D20<BR>> > different cables, eds cards, =3D3D  
 > >mecs,=3D3D20  
 > > eliminated the magma =3D3D3D3D<BR>> >and<BR>>still=3D3D20  
 > > no=3D3D3D3D20<BR>> > clock lock or modules showing up in =  
 =3D3D  
 > >the paris=3D3D20  
 > > =3D3D3D3D<BR>> =3D3D20  
 > > >patchbay.<BR>><BR>>This=3D3D3D3D20<BR>> =3D3D  
 > >> =3D3D20  
 > > means to me software unless someone tells me =3D3D3D3D<BR>> =  
 =3D3D20  
 > > >differently.<BR>><BR>>I=3D3D3D3D20<BR>> =3D3D  
 > >> =3D3D20  
 > > have a new C drive which I will load XP and no pace. =  
 Any=3D3D20  
 > > other=3D3D3D3D20<BR>> > =3D3D20  
 > > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D  
 > >than=3D3D20  
 > > my=3D3D3D3D20<BR>> > =3D3D20  
 > > =3D3D  
 > >clients,<BR>>Tom<BR>><BR>><BR>><BR>>=3D3D  
 > >><BR>>I=3D3D20  
 > > choose =3D3D3D3D<BR>> >Polesoft=3D3D3D3D20<BR>> =3D3D  
 > >> Lockspam=3D3D20  
 > > to fight spam, and=3D3D3D3D20<BR>> > =3D3D20  
 > > you?<BR>><http://www.polesoft.com/refer.html> =3D3D  
 > >=3D3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > >><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D3D  
 > >=3D3D20  
 > > ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =3D3D  
 > >PUBLIC=3D3D20  
 > > "-//W3C//DTD HTML 4.0=3D3D20  
 > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D20  
 > > http-equiv=3D3D3D3DContent-Type =  
 content=3D3D3D3D"text/html;=3D3D20  
 > > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D3D  
 > >content=3D3D3D3D"MSHTML=3D3D20  
 > > 6.00.2800.1400"=3D3D20  
 > > =3D3D  
 > >name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D  
 > >D><BR>><BODY=3D3D20  
 > > bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT =  
 face=3D3D3D3DArial=3D3D20  
 > > size=3D3D3D3D2>Thanks=3D3D20  
 > > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D  
 > >face=3D3D3D3DArial=3D3D20  
 > > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D



```

> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Mike said the same thing. Is the =
=3D3D3D<BR>>ini in =3D3D
> >
> > the=3D3D3D20<BR>>Paris folde or system=3D3D20
> > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> >
> > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> >0=3D3D3D20<BR>>absolutely? I=3D3D20
> > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> >
> > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's =
all=3D3D20
> > freaky<BR>=3D3D3D<BR>>just=3D3D20
> > =3D3D
> >the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D20
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> =
></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =3D3D
> >0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D<BR>>BORDER-LEFT: =
#000000
=3D
>=3D3D
> >2px solid;=3D3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>'mailto:mu=
sur=3D
>gio=3D3D
> >@otenet.gr">musurgio@otenet.gr</A>>>=3D3D20
> > wrote in =3D3D3D<BR>>message=3D3D3D20<BR>> <A =3D3D
> >=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><B=

```

R>H=3D  
 >i'>=3D3D  
 > >news:471a0486\$1@linux">news:471a0486\$1@linux</A>...</DIV>&=3D3D  
 > >lt;BR>Hi</A><BR>=3D3D3D<BR>>Tom=3D3D3D20<BR>> =3D3D20  
 > > <A href=3D3D3D"mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear you =  
 still  
 =3D  
 >=3D3D  
 > >having=3D3D20  
 > > problems like this ~!!<BR>Must =3D3D  
 > >be<BR>=3D3D3D<BR>>very=3D3D3D20<BR>> =3D3D20  
 > > frustrating.<BR>Open the Paris ini file and there change =  
 the=3D3D20  
 > > =3D3D3D<BR>>mastercardoutput=3D3D3D20<BR>> with your =3D3D  
 > >other<BR>cards and=3D3D20  
 > > see what happens !!<BR>Let me=3D3D3D20<BR>> =3D3D20  
 > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom =3D3D  
 > >Bruhl"=3D3D20  
 > > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20  
 > > =3D3D  
 > =3D  
 =  
 >>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D3D=  
 20'>m=3D  
 >ailto=3D3D  
 > =  
 >:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D3D20</A><BR>&g=3D3D  
 > >t; =3D3D20  
 > > wrote:<BR>><BR>><BR>>Rick,<BR>>1 =3D3D  
 > >mec, no=3D3D20  
 > > BNC =3D3D3D<BR>>involved. Paris=3D3D3D20<BR>> boots up so =  
 =3D3D  
 > >the 1 mec=3D3D20  
 > > that<BR>>I'm using shows up but never any A =3D3D3D<BR>>to =  
 Ds=3D3D20  
 > > or=3D3D3D20<BR>> any installed modules.<BR>>This is the =3D3D  
 > >same=3D3D20  
 > > symptom before I =3D3D3D<BR>>repaired one=3D3D3D20<BR>> of my =  
 mecs =3D3D  
 > >with=3D3D20  
 > > a<BR>>new chip. The clock light continues to=3D3D20  
 > > =3D3D3D<BR>>flash=3D3D3D20<BR>> too. Never locks=3D3D20  
 > > in.<BR>><BR>>I am using the simplest =3D3D  
 > >=3D3D3D<BR>>setup I=3D3D20  
 > > can=3D3D3D20<BR>> imagine and still it's not =3D3D  
 > >working.<BR>>Mike A.=3D3D20  
 > > suggested the =3D3D3D<BR>>.ini=3D3D3D20<BR>> file to make =  
 =3D3D

> > sure card A is=3D3D20  
 > > 0. I'll try=3D3D20  
 > > =3D3D  
 > >=3D3D3D<BR>>=3D3D3D3D<BR>>that.<BR>>Pretty=3D3D3D20<BR >> =3D3D  
 > >; sure it's=3D3D20  
 > > right but who=3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > >=3D3D3D<BR>>knows?<BR>>Thanks,<BR>>Tom<BR>><=3D3D  
 > >BR>><BR>><BR>><BR>><=3D3D3D<BR>>BR>=3D3D  
 > >>"rick"=3D3D3D20<BR>> =3D3D20  
 > > <<A =3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20  
 > > =3D3D  
 > =3D  
 =  
 >>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=  
 lto=3D  
 >:pa=3D3D  
 > >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>=3D3D20  
 > > =3D3D3D<BR>>wrote=3D3D3D20<BR>> in message=3D3D3D20<BR>> =  
 =3D3D20  
 > > =3D3D  
 > =  
 >=3D3D3D<BR>>=3D3D3D3D<BR>>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D=  
 3D  
 > >.com...<BR>>&nbs=3D3D3D<BR>>p;=3D3D20  
 > > i=3D3D3D20<BR>> know this as dumb as it gets but the bnc is =  
 =3D3D  
 > >attached in=3D3D20  
 > > the=3D3D3D20<BR>> right<BR>> =3D3D20  
 > > order...right?<BR>> all the cards show up=3D3D20  
 > > =3D3D3D<BR>>in=3D3D3D20<BR>> paris with the single =3D3D  
 > >mec?<BR>> =3D3D20  
 > > how many i/o cards in each=3D3D3D20<BR>> =3D3D20  
 > > mec?<BR>><BR>><BR>> On Fri, 19 Oct =3D3D  
 > >2007=3D3D20  
 > > 00:22:39 -0400, =3D3D3D<BR>>"Tom=3D3D3D20<BR>> Bruhl"=3D3D20  
 > > <<A=3D3D3D20<BR>> =3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20  
 > > =3D3D  
 > =3D  
 =  
 >>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>>&n=  
 '>=3D3D=3D  
 >  
 > >mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>=3D3D  
 > >>&n</A>=3D3D3D<BR>>bsp;=3D3D3D20<BR>> =3D3D20  
 > > wrote:<BR>><BR>> >I thought I was groovin' =3D3D  
 > >but once=3D3D20  
 > > the =3D3D3D<BR>>second=3D3D3D20<BR>> Mec was =3D3D

> > introduced<BR>> =3D3D20  
 > > >the system stopped. That =3D3D3D<BR>>was a =3D3D  
 > > few=3D3D3D20<BR>> weeks=3D3D20  
 > > ago.<BR>> ><BR>> >Today I tried=3D3D20  
 > > =3D3D3D<BR>>different=3D3D3D20<BR>> cables, eds cards, mecs, =  
 =3D3D  
 > > eliminated the=3D3D20  
 > > =3D3D3D<BR>>magma<BR>=3D3D3D3D<BR>>and<BR>> =3D3D  
 > > =3D3D3D20<BR>> =3D3D20  
 > > >still no clock lock or modules showing up in the =3D3D  
 > > paris=3D3D3D20<BR>> =3D3D20  
 > > patchbay.<BR>> ><BR>> >This means =3D3D  
 > > to me=3D3D20  
 > > =3D3D3D<BR>>software=3D3D3D20<BR>> unless someone tells =  
 me=3D3D20  
 > > differently.<BR>> ><BR>> =3D3D20  
 > > =3D3D3D<BR>>>I=3D3D3D20<BR>> have a new C drive which I will =  
 =3D3D  
 > > load XP and no=3D3D20  
 > > pace. Any=3D3D3D20<BR>> other=3D3D3D3D20<BR>> =3D3D20  
 > > >suggestions?<BR>> =3D3D3D<BR>>><BR>>=3D3D20  
 > > =3D3D3D20<BR>> >More frustrated than my =3D3D  
 > > clients,<BR>> =3D3D20  
 > > =3D3D3D<BR>>>Tom<BR>> =3D3D3D20<BR>> =3D3D  
 > >><BR>> =3D3D20  
 > > ><BR>> ><BR>> =3D3D  
 > > =3D3D3D<BR>>><BR>>=3D3D20  
 > > =3D3D3D20<BR>> >I choose Polesoft Lockspam to fight spam, =  
 and=3D3D20  
 > > you?<BR>> =3D3D3D20<BR>> =3D3D  
 > >>http://www.polesoft.com/refer.html=3D3D20  
 > > =3D3D3D20<BR>> =3D3D  
 > > =3D3D3D3D20<BR>><BR>><BR>><!DOCTYPE=3D3D20  
 > > HTML PUBLIC "-//W3C//DTD =3D3D3D<BR>>HTML 4.0=3D3D3D20<BR>> =  
 =3D3D20  
 > > =3D3D  
 > > Transitional//EN"><BR>><HTML><HEAD><BR>>=3D3D  
 > ><META=3D3D3D20<BR>> =3D3D20  
 > > http-equiv=3D3D3D3D3DContent-Type =3D3D  
 > > content=3D3D3D3D3D"text/html;=3D3D3D20<BR>> =3D3D20  
 > > =3D3D3D3D<BR>>charset=3D3D3D3D3DISO-8859-1"><BR>><META =3D3D  
 > >  
 > > =3D3D3D<BR>>content=3D3D3D3D3D"MSHTML=3D3D3D20<BR>> =3D3D  
 > > 6.00.2800.1400">=3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > > =3D3D3D<BR>>name=3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D3D  
 > >gt;<BR>></HEA=3D3D3D<BR>>D><BR>><BODY=3D3D3D20<BR>>&=3D3D  
 > >gt; =3D3D20

```

> > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D3D
> >t;DIV><FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
=3D
>Paris=3D3D20
> > =3D3D3D<BR>>=3D3D3D3D<BR>>boots up so=3D3D3D20<BR>> =3D3D
> >the=3D3D3D3D20<BR>>1=3D3D20
> > mec=3D3D20
> > =3D3D
> >=3D3D3D<BR>>that</FONT></DIV><BR>><DIV><FONT=3D3D
> >=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
never any
=3D
>A to =3D3D
> >
> > =3D3D3D<BR>>=3D3D3D3D<BR>>Ds or=3D3D3D20<BR>> =3D3D20
> > any=3D3D3D3D20<BR>>installed=3D3D3D20<BR>> =3D3D20
> > modules.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>This is =3D
>=3D3D
> >the same=3D3D20
> > symptom before I =3D3D3D3D<BR>>repaired =3D3D
> >=3D3D3D<BR>>one=3D3D3D20<BR>> =3D3D20
> > of=3D3D3D3D20<BR>>my mecs with=3D3D3D20<BR>> =3D3D20
> > a</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> size=3D3D3D3D3D2>new chip. =
The =3D3D
> >clock light=3D3D20
> > =3D3D3D3D<BR>>continues to=3D3D3D20<BR>> =3D3D
> >flash=3D3D3D3D20<BR>>too.=3D3D20
> > Never locks=3D3D3D20<BR>> =3D3D20
> > in.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3D3DArial=3D3D20
> > =3D3D3D<BR>><BR>> size=3D3D3D3D3D2></FONT>=3D3D20
> > </DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>I am =3D3D
> >using the simplest=3D3D20
> > setup I can =3D3D3D3D<BR>>imagine=3D3D3D20<BR>> =3D3D20
> > and=3D3D3D3D20<BR>>still it's not=3D3D3D20<BR>> =3D3D20
> > working.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Mike A. =3D

```

```

>=3D3D
> >suggested the=3D3D20
> > .ini file =3D3D3D3D<BR>>to make=3D3D3D20<BR>> =3D3D20
> > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20<BR>> =
=3D3D20
> > that.</FONT></DIV><BR>><DIV><FONT=3D3D20
> > =3D3D3D<BR>>face=3D3D3D3D3DArial=3D3D3D20<BR>> =
size=3D3D3D3D3D2>Pretty =3D3D
> >sure it's right=3D3D20
> > but who=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV&g=3D3D
> >t;<FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >=3D3D3D<BR>>size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR> >=3D3D
> ><DIV><FONT=3D3D3D<BR>>=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial=3D3D3D20<BR>> =3D3D20
> > =3D3D
> >size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><=3D3D
> >FONT=3D3D3D20<BR>> =3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> >=3D3D3D<BR>></DIV><BR>><DIV><FONT=3D3D3D20<BR>>&nbs=3D3D
> >p;=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT>=3D3D20
> > =3D3D3D<BR>></DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>=3D3D20
> > </DIV><BR>><DIV>=3D3D3D20<BR>> =3D3D20
> > </DIV><BR>><DIV>"rick"=3D3D20
> > =3D3D
> =
>=3D3D3D<BR>><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
<BR>>&n=3D3D
> >bsp;=3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D<BR>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotma=
il.c=3D3D=3D
>
> =
>om</A>>mailto:pa=3D3D3D<BR>>rnell68@hotmail.com">parnell68@hotmai=3D3D
> >l.com</A</A>>=3D3D3D20<BR>> =3D3D20
> > =3D3D3D3D<BR>>wrote in=3D3D3D3D20<BR>>message=3D3D20
> > <A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A =3D3D3D<BR>><BR>> =3D3D20
> > =3D3D
> =3D

```

```

=
>>=3D3D3D<BR>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.c=
om">=3D3D=3D
>
> =3D
=
>>news:inqgh393an5=3D3D3D<BR>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4=
=3D3D=3D
>
> =
>ax.com">news:inqgh393an5</A=3D3D3D<BR>>>=3D3D3D3D<BR>>s4m99q=3D3D
> >caojn09vn112t4u6r@4ax.com</A>...</DIV><BR>&=3D3D3D<BR>&=3D3D
> =3D
=
>>gt;gt;<BLOCKQUOTE=3D3D3D3D20<BR>>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D
=
20=3D3D
> ><BR>> =3D3D20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
> >=3D3D3D3D<BR>>BORDER-LEFT:=3D3D20
> > =3D3D3D<BR>>#000000 2px=3D3D3D20<BR>> solid; =
MARGIN-RIGHT:=3D3D20
> > 0px">i=3D3D3D3D20<BR>> know this as dumb as =3D3D
> >=3D3D3D<BR>>it=3D3D20
> > gets=3D3D3D20<BR>> but the bnc is attached in =3D3D
> >the=3D3D3D3D20<BR>>=3D3D20
> > =3D3D3D20<BR>> right<BR>order...right?<BR>all the =3D3D
> >cards show up=3D3D20
> > in paris =3D3D3D<BR>>with the=3D3D3D20<BR>> =3D3D20
> > =3D3D3D3D<BR>>single=3D3D3D3D20<BR>> mec?<BR>how =3D3D
> >many i/o=3D3D20
> > cards =3D3D3D<BR>>in each=3D3D3D20<BR>> =3D3D
> >mec?<BR><BR><BR>On=3D3D20
> > Fri, 19 Oct=3D3D3D20<BR>> =3D3D20
> > 2007<BR>=3D3D3D3D<BR>><BR>> 00:22:39 -0400, =3D3D
> >"Tom=3D3D20
> > Bruhl"=3D3D3D20<BR>> <<A=3D3D3D3D20<BR>> =3D3D20
> > =3D3D3D3D<BR>>href=3D3D3D3D3D"<A=3D3D3D20<BR>> =3D3D20
> > =3D3D
> =3D
=
>>=3D3D3D<BR>>href=3D3D3D3D'mailto:arpegio@comcast.net'">arpegio@comcast.n=
et&l=3D3D=3D
>
> >t;/A>><BR>wrote'>ma=3D3D3D<BR>>ilto:arpegio@comcast.net'">=3D3D
> >;arpegio@comcast.net</A>><BR>w=3D3D3D<BR>>rote</A>:=3D3D3D=3D3D
> >3D<BR>><BR><BR>I=3D3D3D3D20<BR>>=3D3D20
> > =3D3D3D20<BR>> thought I was groovin' but once the second =

```



Mec=3D3D20  
 > > was=3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > >=3D3D3D3D<BR>>introduced<BR>>the=3D3D3D3D20<BR>> =3D3D  
 > > system=3D3D20  
 > > =3D3D3D<BR>>stopped. That was=3D3D3D20<BR>> a few =  
 weeks=3D3D20  
 > > ago.<BR>><BR>>Today I=3D3D3D20<BR>> =3D3D20  
 > > =3D3D3D3D<BR>>tried=3D3D3D3D20<BR>> different cables, =3D3D  
 > >eds cards,=3D3D20  
 > > mecs, =3D3D3D<BR>>eliminated=3D3D3D20<BR>> the magma=3D3D20  
 > > =3D3D3D3D<BR>>and<BR>>still =3D3D  
 > >no=3D3D3D3D20<BR>> =3D3D20  
 > > =3D3D3D<BR>>clock lock or=3D3D3D20<BR>> modules showing up in =  
 the=3D3D20  
 > > paris=3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > >=3D3D3D<BR>>=3D3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D3D=3D3D  
 > >3D20<BR>> =3D3D20  
 > > =3D3D3D<BR>>means to=3D3D3D20<BR>> me software unless someone =  
 =3D3D  
 > >tells=3D3D20  
 > > me=3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > >=3D3D3D<BR>>=3D3D3D3D<BR>>differently.<BR>><BR>>I=3D3D3D=3D3D  
 > >3D20<BR>> =3D3D20  
 > > =3D3D3D<BR>>have a new=3D3D3D20<BR>> C drive which I will =  
 load XP =3D3D  
 > >and no pace.=3D3D20  
 > > Any other=3D3D3D3D20<BR>> =3D3D3D<BR>><BR>> =3D3D20  
 > > <BR>>suggestions?<BR>><BR>>More frustrated=3D3D20  
 > > =3D3D3D<BR>>than=3D3D3D20<BR>> my=3D3D3D3D20<BR>> =3D3D  
 > >=3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > >=3D3D3D<BR>>clients,<BR>>Tom<BR>><BR>><BR>>=3D3D  
 > >;<BR>>=3D3D3D<BR>>>><BR>>I=3D3D3D20<BR>> =3D3D20  
 > > choose =3D3D3D3D<BR>>Polesoft=3D3D3D3D20<BR>> Lockspam =3D3D  
 > >to fight=3D3D20  
 > > spam,=3D3D3D20<BR>> and=3D3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > >=  
 > >=3D3D3D<BR>>you?<BR>><http://www.polesoft.com/refer.html>=3D3D3D20<BR>>&=3D=  
 3D  
 > >gt; =3D3D20  
 > > =3D3D  
 > >=3D3D3D<BR>>=3D3D3D3D20<BR>><BR></BLOCKQUOTE></BODY>=3D3D  
 > >;</HTML><BR>&=3D3D3D<BR>>gt;<BR>><BR></B=3D3D  
 > >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D3D

```

> >/BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>charset=3D3Diso-8859-1">
><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial size=3D3D2>Mike,</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I used to use a Lucid but =
since all of
=3D
>this mess I=3D20
>stopped.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I'm trying to get stable from =
square =3D
>one with the=3D20
>least amount </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>of hardware. I am using the =
=3D
>default project=3D20
>for sure. The only </FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>other thing that I still =
question is my
=3D
>move of=3D20
>Paris to C:ParisPro .</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>I should think the default =
project will
=3D
>either work=3D20
>or not. Maybe</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>configs or something else is =
=3D
>fighting during=3D20
>Paris startup?</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Pats 42 - Miami 7 . . . =
Halftime and =3D
>the games=3D20
>over.</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>

```

```

><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:471b6eb0$1@linux">news:471b6eb0$1@linux</A>...</DIV><BR>H=
i=3D20
> Tom,<BR><BR>Are you using a default project with PARIS? I'm so =
=3D
>sorry of=3D20
> this has been<BR>asked and answered already. If so, perhaps it =
=3D
>is=3D20
> telling card zero to lock<BR>to an external clock, which it can't =
=3D
>because=3D20
> there isn't one.<BR><BR>It would be interesting to attach an =
external
=3D
>clock=3D20
> source to the MEC and<BR>then start PARIS to see how it behaves. =
=3D
>Or, if=3D20
> the clock generator is fried,<BR>tell paris to lock externally =
and see
=3D
>what=3D20
> happens when an external clock<BR>source is applied.<BR><BR>Isn't =
there
=3D
>a=3D20
> master house synch switch in the cfg file? I've never =3D
>used<BR>it. =3D20
> Maybe DJ could help with what that should/shouldn't be set =3D
>to.<BR><BR>Wish I=3D20
> could do more than think out loud...<BR><BR>Mike<BR><BR>"Tom =
Bruhl" =3D
><<A=3D20
> =
href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D20
> wrote:<BR>><BR>><BR>>Hi Mike,<BR>>Well I've been to .cfg =3D
>many a=3D20
> time.<BR>>I've seen that Mastercard setting as being 0<BR>>but =
=3D

```

> maybe it=3D20  
> changed after removing the 4 other<BR>>eds cards for this round =  
of=3D20  
> testing.<BR>><BR>>If it's still 0 what else could this be? =3D  
> Busted=3D20  
> mobo?<BR>>I'm really in an idunno place right now. I'll be=3D20  
> checking<BR>>seriously today again because of a session =  
tomorrow=3D20  
> morning.<BR>>Tom<BR>><BR>><BR>> "Mike Audet"=3D20  
> <mike@....> wrote in message <A=3D20  
> =3D  
=  
> href=3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux</A>...<BR>><BR>>&g=  
=3D  
> t; =3D20  
> Hi Tom,<BR>><BR>> If you've only got one card in, then the =3D  
>  
> Mastercard =3D3D3D 0 setting is =3D3D<BR>>right.<BR>> =3D  
> The file is=3D20  
> Paris.cfg, and it lives in the c:\program=3D20  
> files\Emu\PARIS<BR>=3D3D<BR>>PRO<BR>> =3D  
> folder.<BR>><BR>> =3D20  
> I'd still check it out to see what it is set to.<BR>><BR>> =3D  
> If it=3D20  
> is wrong, what you are describing will happen.<BR>><BR>> =3D  
> Good=3D20  
> luck!<BR>><BR>> Mike<BR>><BR>> "Tom Bruhl" =3D  
> <<A=3D20  
> =  
href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>=3D20  
> wrote:<BR>> ><BR>> ><BR>> >Thanks=3D20  
> Dimitrios.<BR>> ><BR>> >Mike said the same=3D20  
> thing. Is the ini in the Paris folde or system=3D20  
> =3D3D<BR>>32?<BR>> >Do I want the Master card to be 0=3D20  
> absolutely? I only have one card<BR>> >in there =3D  
> right now=3D20  
> and it's all freaky just the same.<BR>> >Tom<BR>> =3D  
>  
> ><BR>> ><BR>> ><BR>> > =3D20  
> "Dimitrios" <<A =3D  
> href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>=3D20  
> wrote in message =3D3D3D<BR>> =3D  
> >news:471a0486\$1@linux...<BR>> =3D20  
> ><BR>> > Hi Tom !@<BR>> > Sorry =3D  
> to hear=3D20  
> you still having problems like this ~!!<BR>> > Must =3D  
> be very=3D20  
> frustrating.<BR>> > Open the Paris ini file and =3D

>there change=3D20  
 > the mastercardoutput with<BR>=3D3D<BR>=3D3D3D<BR>> >your=3D20  
 > other<BR>> > cards and see what happens =3D  
 >!!<BR>> =3D20  
 > > Let me know.<BR>> > =3D  
 >Regards,<BR>> =3D20  
 > > Dimitrios<BR>> ><BR>> > "Tom =3D  
 >Bruhl"=3D20  
 > <<A =  
 href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>> =3D  
 >  
 > wrote:<BR>> > ><BR>> > =3D20  
 > ><BR>> > >Rick,<BR>> > >1 =3D  
 >mec, no=3D20  
 > BNC involved. Paris boots up so the 1 mec that<BR>> =3D  
 >> =3D20  
 > >I'm using shows up but never any A to Ds or any installed=3D20  
 > modules.<BR>> > >This is the same symptom before =3D  
 >I=3D20  
 > repaired one of my mecs with a<BR>> > >new =3D  
 >chip. =3D20  
 > The clock light continues to flash too. Never locks=3D20  
 > =3D3D<BR>>in.<BR>> > ><BR>> > =3D  
 >>I am=3D20  
 > using the simplest setup I can imagine and still it's not =3D  
 >=3D3D3D<BR>> =3D20  
 > >working.<BR>> > >Mike A. suggested the =3D  
 >.ini=3D20  
 > file to make sure card A is 0. I'll =3D3D<BR>>try<BR>> =3D  
 >  
 > =3D3D3D<BR>> >=3D3D3D3D<BR>> > =3D  
 >>that.<BR>> =3D20  
 > > >Pretty sure it's right but who knows?<BR>> =3D  
 >> =3D20  
 > >Thanks,<BR>> > >Tom<BR>> > =3D20  
 > ><BR>> > ><BR>> > =3D  
 >><BR>> =3D20  
 > > ><BR>> > ><BR>> > =3D  
 >  
 > >"rick" <<A=3D20  
 > =  
 href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>> =3D  
 >wrote in=3D20  
 > message =3D3D3D3D<BR>> > =3D20  
 > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...<BR>> =3D20  
 > > > i know this as dumb as it gets but the bnc is =3D  
 >attached=3D20  
 > in the =3D3D<BR>>right<BR>> > > =3D20

> order...right?<BR>> > > all the cards show =3D  
 >up in=3D20  
 > paris with the single mec?<BR>> > > how =3D  
 >many i/o=3D20  
 > cards in each mec?<BR>> > ><BR>> =3D  
 >> =3D20  
 > ><BR>> > > On Fri, 19 Oct 2007 00:22:39 =3D  
 >-0400,=3D20  
 > "Tom Bruhl" =3D3D3D<BR>> ><<A=3D20  
 > =3D  
 =  
 >href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>><BR>>&n=3D=

>bsp;=3D20  
 > > > wrote:<BR>> > =3D  
 >><BR>> =3D20  
 > > > >I thought I was groovin' but once the second =3D  
 >Mec was=3D20  
 > introduced<BR>> > > >the system =3D  
 >stopped. =3D20  
 > That was a few weeks ago.<BR>> > > =3D20  
 > ><BR>> > > >Today I tried different =3D  
 >cables,=3D20  
 > eds cards, mecs, eliminated the<BR>=3D3D<BR>>=3D3D3D<BR>> =3D20  
 > >magma<BR>> > =3D3D3D3D3D<BR>> > =3D20  
 > >and<BR>> > > >still no clock lock or =3D  
 >modules=3D20  
 > showing up in the paris =3D3D<BR>>patchbay.<BR>> > =3D  
 >> =3D20  
 > ><BR>> > > >This means to me software =3D  
 >unless=3D20  
 > someone tells me differently.<BR>> > > =3D20  
 > ><BR>> > > >I have a new C drive =3D  
 >which I will=3D20  
 > load XP and no pace. Any =3D3D3D<BR>> =3D20  
 > >other=3D3D3D3D3D20<BR>> > > =3D20  
 > >suggestions?<BR>> > > =3D  
 >><BR>> =3D20  
 > > > >More frustrated than my =3D  
 >clients,<BR>> =3D20  
 > > > >Tom<BR>> > > =3D20  
 > ><BR>> > > ><BR>> > =3D  
 >  
 > > ><BR>> > > ><BR>> =3D  
 >  
 > > > >I choose Polesoft Lockspam to fight spam, =3D  
 >and=3D20  
 > you?<BR>> > > =3D20

```

> >http://www.polesoft.com/refer.html =3D3D3D3D20<BR>> =3D
>> =3D20
> ><BR>> > ><BR>> > =3D
>><!DOCTYPE=3D20
> HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D20
> > ><HTML><HEAD><BR>> > =3D
>><META=3D20
> http-equiv=3D3D3D3D3DContent-Type =
content=3D3D3D3D3D"text/html";=3D20
> =3D3D<BR>>=3D3D3D3D<BR>> > =3D20
> > charset=3D3D3D3D3Diso-8859-1"><BR>> > =3D
>><META=3D20
> content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> name=3D3D3D3D3DGENERATOR><BR>> =3D20
> > ><STYLE></STYLE><BR>> > =3D20
> ></HEAD><BR>> > ><BODY=3D20
> bgcolor=3D3D3D3D3D#ffffff><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>1 mec, no=3D20
> BNC involved. =3D3D<BR>>Paris =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >boots up so the=3D3D3D3D20<BR>> > >1 =3D
>mec=3D20
> that</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =3D
>=3D3D<BR>>never=3D20
> any<BR>> =3D3D3D<BR>> >A to =3D3D3D3D<BR>> =3D
>> =3D20
> >Ds or any=3D3D3D3D20<BR>> > >installed=3D20
> modules.</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>This is =3D
>the same=3D20
> symptom<BR>=3D3D<BR>>before<BR>> =3D3D3D<BR>> >I=3D20
> =3D3D3D3D<BR>> > >repaired one =3D
>of=3D3D3D3D20<BR>> =3D20
> > >my mecs with a</FONT></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>new chip.=3D20
> The clock light<BR>=3D3D<BR>>=3D3D3D3D<BR>> > =3D
>>continues to=3D20
> flash=3D3D3D3D20<BR>> > >too. Never locks=3D20
> in.</FONT></DIV><BR>> > =3D
>><DIV><FONT=3D20
> face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D

```



```

></DIV><BR>> =3D20
> > ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2>I am using=3D20
> the simplest =3D3D<BR>>setup I<BR>> =3D3D3D<BR>> =3D
>>can=3D20
> =3D3D3D3D<BR>> > >imagine =3D
>and=3D3D3D3D20<BR>> > =3D20
> >still it's not working.</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Mike A. =3D
>suggested the=3D20
> =3D3D<BR>>.ini file<BR>> =3D3D3D<BR>> =3D
>>=3D3D3D3D<BR>> =3D20
> > >to make sure=3D3D3D3D20<BR>> > >card =3D
>A is 0.=3D20
> I'll try that.</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty =3D
>sure it's=3D20
> right =3D3D<BR>>but who =3D3D3D<BR>> >=3D3D3D3D<BR>> =3D
>> =3D20
> >knows?</FONT></DIV><BR>> > =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3D3DArial =3D
>size=3D3D3D3D3D2></FONT>=3D20
> </DIV><BR>> > ><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2></FONT> </DIV><BR>> > =3D20
> ><DIV> </DIV><BR>> > ><DIV>=3D20
> </DIV><BR>> > ><DIV>=3D20
> </DIV><BR>> > ><DIV>"rick"=3D20
> <<A=3D3D3D3D20<BR>> > =3D
>=3D3D<BR>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>>mailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D20
> =3D3D<BR>>=3D3D3D<BR>> >=3D3D3D3D<BR>> > =3D
>>wrote=3D20
> in=3D3D3D3D20<BR>> > >message =3D
><A=3D3D3D3D20<BR>> =3D20
> > =3D3D3D<BR>> =3D3D<BR>>>>href=3D3D3D3D3D"<A=3D20
> =3D

```

```

=
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>n=
ews=3D
=
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh</A>=3D3D<BR>>=3D=

>393=3D3D3D<BR>> =3D20
> >an5=3D3D3D3D<BR>> > =3D20
> =3D
>>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>> =3D
>;=3D20
> > ><BLOCKQUOTE=3D3D3D3D20<BR>> > =3D20
> >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>
> =3D3D<BR>>5px; =3D3D3D<BR>> >=3D3D3D3D<BR>> =3D
>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20
> 0px">i=3D3D3D3D20<BR>> > > know this as =3D
>dumb as it=3D20
> gets but the bnc is attached in =3D3D<BR>>the=3D3D3D3D20<BR>> =
=3D
>> =3D20
> > right<BR>order...right?<BR>all the cards show =3D
>up in=3D20
> paris with =3D3D<BR>>the<BR>> =3D3D3D<BR>> =3D20
> >=3D3D3D3D<BR>> > >single=3D3D3D3D20<BR>> =3D
>> =3D20
> > mec?<BR>how many i/o cards in each=3D20
> mec?<BR><BR><BR>On Fri, 19 =3D3D<BR>>Oct =3D
>=3D3D3D<BR>> =3D20
> >2007<BR>> > =3D3D3D3D<BR>> > =3D20
> ><BR>> > > 00:22:39 -0400, "Tom Bruhl"=3D20
> <<A=3D3D3D3D20<BR>> > > =3D
>=3D3D3D3D<BR>> =3D20
> > =3D3D3D<BR>> =3D3D<BR>>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>wro'>m=
ail=3D
>to:arpegio@comcast.net">arpegio@comcast.net</A>><BR>wro=3D
></A>=3D3D<BR>>te:=3D3D3D<BR>> =3D20
> >=3D3D3D3D<BR>> > =3D20
> ><BR><BR>>I=3D3D3D3D20<BR>> > =3D
>> =3D20
> thought I was groovin' but once the second Mec was =3D
>=3D3D3D3D<BR>> =3D20
> > >introduced<BR>>the=3D3D3D3D20<BR>> =3D

```

```

>> =3D20
> > system stopped. That was a few weeks=3D20
> ago.<BR>><BR>>Today I =3D3D3D3D3D<BR>> =3D
>> =3D20
> >tried=3D3D3D3D3D20<BR>> > > different =3D
>cables, eds=3D20
> cards, mecs, eliminated the magma =3D3D3D3D3D<BR>> > =3D20
> >and<BR>>still no=3D3D3D3D3D20<BR>> > =3D
>> clock=3D20
> lock or modules showing up in the paris =3D3D3D3D3D<BR>> =3D
>> =3D20
> >patchbay.<BR>><BR>>This=3D3D3D3D3D20<BR>> =3D
>> =3D20
> > means to me software unless someone tells me =3D
>=3D3D3D3D3D<BR>> =3D20
> > =3D
>>differently.<BR>><BR>>I=3D3D3D3D3D20<BR>> =3D20
> > > have a new C drive which I will load XP and no =3D
>pace. Any=3D20
> =3D3D<BR>>other=3D3D3D3D3D20<BR>> > > =3D20
> <BR>>suggestions?<BR>><BR>>More frustrated =3D
>than=3D20
> my=3D3D3D3D3D20<BR>> > > =3D20
> =3D
>clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=3D
>>><BR>>I=3D20
> choose =3D3D3D3D3D<BR>> > =3D
>>Polesoft=3D3D3D3D3D20<BR>> =3D20
> > > Lockspam to fight spam, =3D
>and=3D3D3D3D3D20<BR>> =3D20
> > > =3D
>you?<BR>>http://www.polesoft.com/refer.html=3D20
> =3D3D3D3D3D20<BR>> > =3D20
> =3D
>><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D
>=3D20
> > ><BR>> > ><BR>> =3D
>><BR>> =3D20
> ><BR>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
> Transitional//EN"><BR>> =3D
>><HTML><HEAD><BR>> =3D20
> ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D20
> =3D3D3D3D<BR>> >charset=3D3D3D3DDiso-8859-1"><BR>> =3D
>><META=3D20
> content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3DGENERATOR><BR>> =3D20
> ><STYLE></STYLE><BR>> =3D

```

```

>></HEAD><BR>> =3D20
> ><BODY bgColor=3D3D3D3D#ffffff><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Thanks=3D20
> Dimitrios.</FONT></DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the =3D
>same=3D20
> thing. Is =3D3D<BR>>the =3D3D3D<BR>> >ini in=3D20
> the=3D3D3D20<BR>> >Paris folde or system=3D20
> 32?</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master card =
to=3D20
> be<BR>=3D3D<BR>>0=3D3D3D20<BR>> >absolutely? I only =3D
>have one=3D20
> card</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>in there right now and =
it's=3D20
> all<BR>=3D3D<BR>>freaky<BR>> =3D3D3D<BR>> >just=3D20
> the=3D3D3D20<BR>> =3D
>>same.</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
>
> </DIV><BR>> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2></FONT> </DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><BLOCKQUOTE=3D3D3D20<BR>> =3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>=3D3D3D<BR>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px"><BR>> =3D20
> > <DIV>"Dimitrios" <<A=3D3D3D20<BR>> =3D
>> =3D20
> href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>'mailto:musur=
gio=3D
>@otenet.gr">musurgio@otenet.gr</A></A>>>=3D20
> wrote<BR>=3D3D<BR>>in =3D3D3D<BR>> =3D
>>message=3D3D3D20<BR>> =3D20
> > <A =3D3D3D<BR>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20

```

```

> =3D
=
>href=3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><BR>H=
'n=3D
>ews:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV>&l=3D
>t;BR>H</A>=3D3D<BR>>i<BR>> =3D20
> =3D3D3D<BR>> >Tom=3D3D3D20<BR>> > <A=3D20
> href=3D3D"mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear you still =
=3D
>having=3D20
> problems like this ~!!<BR>Must<BR>=3D3D<BR>>be<BR>> =3D20
> =3D3D3D<BR>> >very=3D3D3D20<BR>> > =3D20
> frustrating.<BR>Open the Paris ini file and there change the=3D20
> =3D3D3D<BR>> >mastercardoutput=3D3D3D20<BR>> =3D
>> with your=3D20
> other<BR>cards and see what happens !!<BR>Let=3D20
> me=3D3D3D20<BR>> > =3D20
> know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom =3D
>Bruhl"=3D20
> <<A=3D3D3D20<BR>> > href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D3D20'=
>mail=3D
>to:arpegio@comcast.net">arpegio@comcast.net</A>>=3D3D3D20</A><B=3D
>R>> =3D20
> > =3D20
> wrote:<BR>><BR>><BR>>Rick,<BR>>1 =3D
>mec, no=3D20
> BNC =3D3D3D<BR>> >involved. Paris=3D3D3D20<BR>> =3D
>> =3D20
> boots up so the 1 mec that<BR>>I'm using shows up but never =3D
>any A=3D20
> =3D3D<BR>>=3D3D3D<BR>> >to Ds or=3D3D3D20<BR>> =3D
>> any=3D20
> installed modules.<BR>>This is the same symptom before I=3D20
> =3D3D3D<BR>> >repaired one=3D3D3D20<BR>> > =3D
>of my mecs=3D20
> with a<BR>>new chip. The clock light continues to=3D20
> =3D3D3D<BR>> >flash=3D3D3D20<BR>> > =3D
>too. Never=3D20
> locks in.<BR>><BR>>I am using the simplest =3D
>=3D3D3D<BR>> =3D20
> >setup I can=3D3D3D20<BR>> > imagine and still it's =3D
>not=3D20
> working.<BR>>Mike A. suggested the =3D3D3D<BR>> =3D20
> >.ini=3D3D3D20<BR>> > file to make sure card A is =3D
>0. =3D20

```

> I'll try =3D3D3D<BR>> =3D20  
 > =3D  
 >>=3D3D3D3D<BR>>that.<BR>>Pretty=3D3D3D20<BR>> =3D  
 >> =3D20  
 > sure it's right but who=3D3D3D20<BR>> > =3D  
 >=3D3D3D3D<BR>> =3D20  
 > =3D  
 >>knows?<BR>>Thanks,<BR>>Tom<BR>><BR>&=3D  
 >gt;<BR>><BR>><BR>><=3D3D3D3D<BR>> =3D20  
 > >BR>>"rick"=3D3D3D20<BR>> > <<A =3D  
 >=3D3D3D3D<BR>> =3D20  
 > >href=3D3D3D3D"<A=3D20  
 > =3D  
 =  
 >href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=  
 :pa=3D  
 >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>=3D20  
 > =3D3D<BR>>=3D3D3D3D<BR>> >wrote=3D3D3D20<BR>> =3D  
 >> in=3D20  
 > message=3D3D3D20<BR>> > =3D3D3D3D<BR>> =3D20  
 > =3D  
 >=3D3D<BR>>>=3D3D3D3D3D<BR>>news:inqgh393an5s4m99qcaojn09vn112t4u=3D  
 >6r@4ax.com...<BR>>&nbs=3D3D3D=3D3D<BR>><BR>> =3D20  
 > >p; i=3D3D3D20<BR>> > know this as dumb as it gets =3D  
 >but the=3D20  
 > bnc is attached in the=3D3D3D20<BR>> > =3D  
 >right<BR>> =3D20  
 > order...right?<BR>> all the cards show up =3D  
 >=3D3D3D3D<BR>> =3D20  
 > >in=3D3D3D20<BR>> > paris with the single=3D20  
 > mec?<BR>> how many i/o cards in =3D  
 >each=3D3D3D20<BR>> =3D20  
 > > mec?<BR>><BR>><BR>> On =3D  
 >Fri, 19 Oct=3D20  
 > 2007 00:22:39 -0400, =3D3D3D3D<BR>> >"Tom=3D3D3D20<BR>> =3D  
 >> =3D20  
 > Bruhl" <<A=3D3D3D20<BR>> > =3D3D3D3D<BR>> =3D20  
 > =3D3D<BR>>>href=3D3D3D3D"<A=3D20  
 > =3D  
 =  
 >href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>>&n=3D=  
 3D=3D  
 >3D'>mailto:arpegio@comcast.net">arpegio@comcast.net</A>><B=3D  
 >R>>&n=3D3D3D3D</A>=3D3D<BR>><BR>> =3D20  
 > >bsp;=3D3D3D20<BR>> > =3D20  
 > wrote:<BR>><BR>> >I thought I was groovin' =3D  
 >but once=3D20  
 > the =3D3D3D3D<BR>> >second=3D3D3D20<BR>> > Mec =3D

>was=3D20  
 > introduced<BR>> >the system stopped. That=3D20  
 > =3D3D3D<BR>> >was a few=3D3D3D20<BR>> > =3D  
 >weeks=3D20  
 > ago.<BR>> ><BR>> >Today I tried=3D20  
 > =3D3D3D<BR>> >different=3D3D3D20<BR>> > =3D  
 >cables, eds=3D20  
 > cards, mecs, eliminated the =3D3D3D<BR>> =3D20  
 > >magma<BR>=3D3D3D3D<BR>>and<BR>> =3D  
 >=3D3D3D20<BR>> =3D20  
 > > >still no clock lock or modules showing up in the=3D20  
 > paris=3D3D3D20<BR>> > patchbay.<BR>> =3D20  
 > ><BR>> >This means to me =3D3D3D<BR>> =3D20  
 > >software=3D3D3D20<BR>> > unless someone tells me=3D20  
 > differently.<BR>> ><BR>> =3D  
 >=3D3D3D<BR>> =3D20  
 > >>I=3D3D3D20<BR>> > have a new C drive which I =3D  
 >will load=3D20  
 > XP and no pace. Any=3D3D3D20<BR>> > =3D20  
 > other=3D3D3D3D20<BR>> =3D  
 >>suggestions?<BR>> =3D20  
 > =3D3D3D<BR>> >><BR>> =3D3D3D20<BR>> =3D  
 >> =3D20  
 > >More frustrated than my clients,<BR>> =3D  
 >=3D3D3D<BR>> =3D20  
 > >>Tom<BR>> =3D3D3D20<BR>> > =3D20  
 > ><BR>> ><BR>> =3D  
 >><BR>> =3D20  
 > =3D3D3D<BR>> >><BR>> =3D3D3D20<BR>> =3D  
 >> >I=3D20  
 > choose Polesoft Lockspam to fight spam, and you?<BR>>=3D20  
 > =3D3D3D20<BR>> > =3D  
 >>http://www.polesoft.com/refer.html=3D20

-----=\_NextPart\_000\_0092\_01C8144B.E5D05E80

Content-Type: text/html;  
 charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
 <HTML><HEAD>  
 <META http-equiv=3DContent-Type content=3D"text/html"; =  
 charset=3Diso-8859-1">  
 <META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>  
 <STYLE></STYLE>  
 </HEAD>  
 <BODY bgColor=3D#ffffff>  
 <DIV><FONT face=3DArial size=3D2>Mastercard=3D0 was correct =  
 also.</FONT></DIV>



<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2>I am going to try a clean OS with Paris =  
on it=20  
too</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>if the PCI slots are still =  
working.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2>Don't bother wishing me luck.&nbsp;</FONT> =  
There's none to=20  
be found.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<BLOCKQUOTE dir=3Dltr=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
  <DIV>"Tom Bruhl" &lt;<A=20  
  href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>&gt; wrote =  
in message=20  
  <A href=3D"news:471c3137@linux">news:471c3137@linux</A>...</DIV>  
  <DIV><FONT face=3DArial size=3D2>Mike,</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2>I removed the default project and =  
  ..cfg from the=20  
  folder as you suggested.</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2>Now the computer won't even boot with =  
either of=20  
  three eds cards installed.</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2>No Magma, no word clock, no word =  
clock line in=20  
  the existing config.</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
  <DIV><FONT face=3DArial size=3D2>I'm going to check with a network =  
card to see if=20  
  the PCI slots are burn't.</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2>I tried three different ones with the =  
eds.&nbsp;</FONT>=20  
  The one time Windows worked</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2>with an eds card, the eds card didn't =  
show up in=20  
  device manager.&nbsp;</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2>probably why.</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
  <DIV><FONT face=3DArial size=3D2>There is some serious funk going on =  
over=20  
  here.&nbsp;</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2>case I give up.&nbsp;</FONT> It's not worth =  
any more BS=20  
  to me.&nbsp;</FONT></DIV>  
  <DIV><FONT face=3DArial size=3D2>in my neighborhood to walk me through =

this.&nbsp;=20  
My tech helps me</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>but the problem seems to be from the =  
ground=20  
up.&nbsp;I'm guessing 3-4</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>things still so wrong that nothing =  
makes=20  
sense.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Cubase is looking more and more =  
inviting,=20  
learning curve and all.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290  
Posted by [TCB](#) on Sun, 23 Sep 2007 12:17:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

amp;gt;&nbsp;=20  
&gt;&nbsp;system stopped. That was a few weeks=20  
ago.&lt;BR&gt;&gt;&lt;BR&gt;&gt;Toda y I =  
=3D<BR>&gt;=3D3D3D3D<BR>&gt;&nbsp;=20  
&gt;&nbsp;&gt;&nbsp;&gt;tried=3D3D3D3D20<BR>&gt;&nbsp;&gt;&nbsp;=  
&gt;&nbsp;=20  
&gt;&nbsp;different cables, eds cards, mecs, eliminated the magma=20  
=3D<BR>&gt;=3D3D3D3D<BR>&gt;&nbsp;&gt;&nbsp;&gt;&nbsp;=20  
&gt;&and&lt;BR&gt;&gt;still no=3D3D3D3D20<BR>&gt;&nbsp;&gt;&nbsp;=  
&gt;&nbsp;=20  
&gt;&nbsp;clock lock or modules showing up in the paris=20  
=3D3D3D3D<BR>&gt;&nbsp;&gt;&nbsp;&gt;&nbsp;=20  
=  
&gt;patchbay.&lt;BR&gt;&gt;&lt;BR&gt;&gt;This=3D3D3D3D20 <BR>&gt;&nbsp;=20  
&gt;&nbsp;&gt;&nbsp;&gt;&nbsp;means to me software unless someone =  
tells=20  
me =3D3D3D3D<BR>&gt;&nbsp;&gt;&nbsp;&gt;&nbsp;=20  
=  
&gt;differently.&lt;BR&gt;&gt;&lt;BR&gt;&gt;I=3D3D3D3D20 <BR>&gt;&nbsp;=20  
&gt;&nbsp;&gt;&nbsp;&gt;&nbsp;have a new C drive which I will =  
load XP and=20  
no pace. Any =3D3D<BR>&gt;&nbsp;&gt;other=3D3D3D3D20<BR>&gt;&nbsp;=  
&gt;&nbsp;=20  
&gt;&nbsp;&gt;&nbsp;=20  
&lt;BR&gt;&gt;suggestions?&lt;BR&gt;&gt;&amp;&gt;&lt;BR&gt;&gt;More =  
frustrated than=20

my=3D3D3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp;=20  
=  
clients,&lt;BR>&gt;Tom&lt;BR>& &lt;BR>&gt;&lt;BR>&gt;& &lt;BR>=  
&gt;&gt;&lt;BR>&gt;l=20  
choose =3D3D3D3D<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp;=20  
&gt;Polesoft=3D3D3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =  
&gt;&nbsp;=20  
Lockspam to fight spam, and=3D3D3D3D20<BR>&gt;&nbsp; &gt;&amp;

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [Bill L](#) on Sun, 23 Sep 2007 15:30:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

amp;&lt;BR>Dimitrios&a mp;&lt;BR>&lt;BR> "Tom =  
Bruhl"=20  
&lt;&lt;A=3D3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =  
=3D<BR>&gt;href=3D3D3D3D"<A=20  
=  
href=3D'mailto:arpeggio@comcast.net">

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [DJ](#) on Sun, 23 Sep 2007 17:14:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

=  
mec, no=20  
BNC =3D3D3D<BR>&gt;&nbsp; &gt;&nbsp; &gt;involved.&nbsp;=20  
Paris=3D3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; boots up so the 1 =  
mec=20  
that&lt;BR>&gt;l'm using shows up but never any<BR>=3D<BR>&gt;A=20  
=3D3D<BR>&gt;&nbsp; &gt;=3D3D3D<BR>&gt;&nbsp; &gt;&nbsp; &gt;to Ds=20  
or=3D3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; any installed=20  
modules.&lt;BR>&gt;This is the same symptom before l=20  
=3D<BR>&gt;=3D3D3D<BR>&gt;&nbsp; &gt;&nbsp; &am

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [Graham Duncan](#) on Sun, 23 Sep 2007 21:46:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

>  
> ><BLOCKQUOTE=3D3D20  
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =  
MARGIN-LEFT: 5px; =3D  
>=3D3D

> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
> > <D

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [TCB](#) on Sun, 23 Sep 2007 22:28:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

IV>"Mike Audet" <mike@....> wrote in message <A=3D3D20

> > =3D3D

> =3D

=

>>href=3D3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux</A>...</DIV><B=  
R>H=3D

>i=3D3D20

> > Tom,<BR><BR>If you've only got one card in, then the =

Mastercard =3D

>=3D3D3D 0

> =3D3D

> >setting is=3D3D20

> > right.<BR> The file is Paris.cfg, and it lives in the =3D

>c:\prog

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [Bill L](#) on Mon, 24 Sep 2007 02:53:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

f="mailto:arpeggio@comcast.net" target="\_blank">arpeggio@comcast.net</A>>=3D3D20

> > wrote:<BR>> ><BR>> ><BR>> =3D3D20

> > >Rick,<BR>> >1 mec, no BNC involved. Paris boots =3D3D

> >up so=3D3D20

> > the 1 mec that<BR>> >I'm using shows up but never any A to =  
=3D3D

> >Ds or=3D3D20

> > any installed modules.<BR>> >This is the same symptom =3D3D

> >before I=3D3D20

> > repaired one of my mecs with a<BR>> >new chip. The =3D3D

> >clock=3D3D20

> > light continues to flash too. Never locks in.<BR>> =3D3D20

> > ><BR>> >I am using the simplest setup I can imagine and =  
=3D3D

> >still=3D3D20

> > it's not =3D3D3D<BR>>wor

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [DJ](#) on Mon, 24 Sep 2007 02:58:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

king.<BR>> >Mike A. suggested =  
=3D3D

> >the .ini=3D3D20

> > file to make sure card A is 0. I'll =3D3D

> >try<BR>=3D3D3D<BR>>=3D3D3D3D<BR>> =3D3D20

> > >that.<BR>> >Pretty sure it's right but who=3D3D20

> > knows?<BR>> >Thanks,<BR>> >Tom<BR>> =3D3D20

> > ><BR>> ><BR>>

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [laMont \[1\]](#) on Mon, 24 Sep 2007 04:02:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

?<BR>> all the cards show up=3D3D20

> > =3D3D3D<BR>>in=3D3D3D20<BR>> paris with the single =3D3D

> >mec?<BR>> =3D3D20

> > how many i/o cards in each=3D3D3D20<BR>> =3D3D20

> > mec?<BR>><BR>><BR>> On Fri, 19 Oct =3D3D

> >2007=3D3D20

> > 00:22:39 -0400, =3D3D3D<BR>>"Tom=3D3D3D20<BR>> =

Bruhl"=3D3D20

> > <<A=3D3D3D20<BR>> =3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20

> > =3D3D

> =3D

=

>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A>><BR>>&n=  
'>=3D3D=3D

>

> >mailto:arpegio

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [TCB](#) on Mon, 24 Sep 2007 05:16:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

;=3D3D20

> > =3D3D3D20<BR>> right<BR>order...right?<BR>all the =3D3D

> >cards show up=3D3D20

> > in paris =3D3D3D<BR>>with the=3D3D3D20<BR>> =3D3D20

> > =3D3D3D3D<BR>>single=3D3D3D3D20<BR>> mec?<BR>how =3D3D

> >many i/o=3D3D20

> > cards =3D3D3D<BR>>in each=3D3D3D20<BR>> =3D3D

> >mec?<BR><BR><BR>On=3D3D20

> > Fri, 19 Oct=3D3D3D20<BR>> =3D3D20  
 > > 2007<BR>=3D3D3D3D<BR>><BR>> 00:22:39 -0400, =3D3D  
 > >"Tom=3D3D20  
 > > Bruhl"=3D3D3D20<BR>> <<A=3D3D3D3D20<BR>> =3D3D20  
 > > =3D3D3D3D<BR>>href=3D3D3D3D3D"<A=3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > =3D  
 =  
 >>=3D3D3D<BR>>href=3D3D3D3D'mailto:arpegio@comcast.net'">arpegio@comcast.n=  
 et&l=3D3D=3D  
 >  
 > >t;/A>><BR>wrote'>ma=3D3D3D<BR>>ilto:arpegio@comcast.net'">=3D3D  
 > =  
 >;arpegio@comcast.net</A>><BR>w=3D3D3D<BR>>rote</A>:=3D3D3D=3D3D  
 > >3D<BR>><BR><BR>>l=3D3D3D3D20<BR>>=3D3D20  
 > > =3D3D3D20<BR>> thought I was groovin' but once the second =  
 Mec=3D3D20  
 > > was=3D3D3D20<BR>> =3D3D20  
 > > =3D3D  
 > >=3D3D3D3D<BR>>introduced<BR>>the=3D3D3D3D20<BR>> =3D3D  
 > > system=

---

Subject: Re: Looking for a Delay Plug like the TC 2290  
 Posted by [Bill L](#) on Mon, 24 Sep 2007 18:03:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

net.gr">musurgio@otenet.gr</A>mailto:musurgio=  
 @otenet.gr">&gt;musurgio@otenet.gr&lt;/A>&gt;&gt;=20  
 =3D<BR>&gt;wrote<BR>&gt;&nbsp; =3D3D<BR>&gt;&nbsp; &gt;in =  
 =3D3D3D<BR>&gt;&nbsp;=20  
 &gt;&nbsp; &gt;message=3D3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =  
 &gt;&nbsp; &lt;A=20  
 =3D3D3D<BR>&gt;&nbsp; &gt;&n

---

Subject: Re: Looking for a Delay Plug like the TC 2290  
 Posted by [DJ](#) on Tue, 25 Sep 2007 02:34:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

/>  
 like this=20  
 ~!!&lt;BR>&gt;Must&lt;BR>&gt;=3D3D&lt;BR>&a mp;&gt;&gt;be&lt;BR>&gt;&gt;=20  
 =3D20<BR>&gt;&nbsp; =3D3D3D&lt;BR>&gt;&nbsp;=20  
 &gt;very=3D3D3D20&lt;BR>&gt;&nbsp; &gt; =3D20<BR>&gt;&nbsp;=20  
 frustrating.&lt;BR>&gt;Open the Paris ini file and there change=20  
 the=3D20<BR>&gt;&nbsp; =3D3D3D&lt;BR>&gt;&nbsp;=20

---

---

Page 81 of 82 ---- Generated from The PARIS Forums



&gt;&

---

---

Subject: Re: Looking for a Delay Plug like the TC 2290

Posted by [DJ](#) on Tue, 25 Sep 2007 02:34:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

DDING-RIGHT:=3D3D3=

D3D20

> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D

> >=3D3D3D3D3D<BR>>BORDER-LEFT: =3D3D3D

> > >=3D3D3D3D

> > > >#000000 2px=3D3D3D3D20

> > > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D3D20<BR>> know =

this as

=3D

>dumb as

> =3D3D

> >=3D3D3D3D

> > > >it gets=3D3D3D3D20

> > > > but the bnc is attached in the=3D3D3D3D3D20<BR>> =

=3D3D3D3D20

> > > > right<BR>order...right?<BR>all the cards show up in =

paris

=3D

>=3D3D3D3D

> > > >with the=3D3D3D3D20

> > > > =3D3D3D3D3D<BR>>single=3D3D3D3D3D20&lt

---