
Subject: Re: More MacDonalds
Posted by [DJ](#) on Tue, 11 Sep 2007 02:56:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

></DIV>
<DIV>of hardware. I am using the =
default project=20
for sure. The only </DIV>
<DIV>other thing that I still question is my =
move of=20
Paris to C:ParisPro .</DIV>
<DIV>I should think the default project will =
either work=20
or not. Maybe</DIV>
<DIV>configs or something else is =
fighting during=20
Paris startup?</DIV>
<DIV> </DIV>
<DIV>Pats 42 - Miami 7 . . . Halftime and =
the games=20
over.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Mike Audet" <mike@....> wrote in message <A=20
 =
href=3D"news:471b6eb0\$

Subject: More MacDonalds
Posted by [chuck duffy](#) on Wed, 19 Sep 2007 21:21:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

=3D20
> >still it's not working.</DIV>
> =3D20
> ><DIV>Mike A. =3D
> suggested the=3D20
> .ini file
=3D3D
=3D3D
> >to make =3D
> sure=3D3D3D20
> =3D20
> >card A is 0. I'll try that.</DIV>
> =3D
>
> ><DIV>Pretty sure =3D
> it's right=3D20
> but who =3D3D
=3D3D
> =3D20

> >knows?</DIV>
> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial =3D
>size=3D3D3D3D2>Thanks,</DIV>
> =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</DIV>
> =3D20
> ><DIV> =3D
>
> </DIV><BR&

Subject: Re: More MacDonalds

Posted by [excelav](#) on Thu, 20 Sep 2007 06:41:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

>

> >
> > > >
> =

> > >I choose Polesoft Lockspam to fight spam, =
and=20

you?
> > > =20

>http://www.polesoft.com/refer.html =3D3D3D20
> =
> =20

>
> > >
> > =
><!DOCTYPE=20

HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> =20

> ><HTML><HEAD>
> > =
><META=20

http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20

=3D
>=3D3D3D
> > =20

>charset=3D3D3D3Diso-8859-1">
> > =
><META=20

content=3D3D3D3D"MSHTML 6.00.2800.1400" =

name=3D3D3D3DGENERATOR>
> =20

> ><STYLE></STYLE>
> > =20

></HEAD>
> > ><BODY=20

bgColor=3D3D3D3D#ffffff>
> > =

><DIV><FONT=20

face=3D3D3D3DArial =

size=3D3D3D3D2>Rick,</DIV >
> =20

> ><DIV><FONT face=3D3D3D3DArial =

size=3D3D3D3D2>1 mec, no=20

BNC involved. =3D
>Paris =3D3D
> =

>=3D3D3D
> =20

> >boots up so the=3D3D3D20
&g

Subject: Re: More MacDonalds
Posted by [DJ](#) on Thu, 20 Sep 2007 11:51:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

;nbsp; I only =
have one=20
card</DIV>
> ></DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>in there right now and it's=20
all
=3D
>freaky
> =3D3D
> >just=20
the=3D3D20
> =
>same.</DIV>
> =20
></DIV><FONT face=3D3D3DArial=20
size=3D3D3D2>Tom</DIV& >
> =20
></DIV>> =

</DIV>
> ></DIV><FONT face=3D3D3DArial=20
size=3D3D3D2>& </DIV>
> =
></DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>> =
</DIV>
> =20
><BLOCKQUOTE=3D3D20
> =
>style=3D3D3D"PADDING-RIGHT: 0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D
> =20
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
0px">
> =20
> </DIV>>"Dimitrios" <<A=3D3D20
> =
> =20
href=3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.grmailto:musurgio=
@otenet.gr">musurgio@otenet.gr>=20
wrote
=3D
>in =3D3D
> =
>message=3D3D20
> =20
> <A =3D3D
> =3D
>>href=3D3D3D"<A=20
=
href=3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>
H'>n=
ews:471a0486\$1@linux">news:471a0486\$1@linux>...</DIV>><=t;BR>H=3D
>>i
> =20
=3D3D
> >Tom=3D3D20
> > <A=20
href=3D"mailto:!!@
Sorry">!!@
Sorry > to hear you still =
having=20
problems like this ~!!
Must
=3D
>be
> =20
=3D3D
> >very=3D3D20
> > =20
frustrating.
Open the Paris ini file and there change the=20
=3D3D
> >mastercardoutput=3D3D20
> =
> with your=20
other
cards and see what happens !!
Let=20
me=3D3D20
>&nb

Subject: Re: More MacDonalds
Posted by [Jamie K](#) on Thu, 20 Sep 2007 15:16:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

parnell68@hotmail.com>=20
=3D
>=3D3D
> >wrote=3D3D20
> =
> in=20
message=3D3D20
> > =3D3D
> =20
=
=3D
 >>=3D3D3D
>>news:inqgh3 93an5s4m99qcaojn09vn112t4u=
6r@4ax.com...
>> =3D3D=3D
>
> =20
>p; i=3D3D20
> > know this as dumb as it gets =
but the=20
bnc is attached in the=3D3D20
> > =
right
>> =20
order...right?
>> all the cards show up =
=3D3D
> =20
>in=3D3D20
> >

Subject: Re: More MacDonalds
Posted by [TCB](#) on Thu, 20 Sep 2007 15:44:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

">arpeggio@comcast.net">arpeggio@comcast.net>
> n=3D=
3D'>mailto:arpeggio@comcast.net">arpeggio@comcast.net><B=
R>> n=3D3D=3D
>
> =20
>bsp;=3D3D20
> > =20
wrote:
>
> >I thought I was groovin' =
but once=20
the =3D3D
> >second=3D3D20
> > Mec =
was=20
introduced
> >the system stopped. That=20
=3D3D
> >was a few=3D3D20
> > =
weeks=20
ago.
> >
> >Today I tried=20
=3D3D
> >different=3D3D20
> > =
cables, eds=20
cards, mecs, eliminated the =3D3D
> =20
>magma
>=3D3D3D
> >and
>> =
=3D3D20
> =20
> >still no clock lock or modules showing up in the=20
paris=3D3D20
> > patchbay.
>> =20
>
> >This means to me =3D3D
> =20
>software=3D3D20
> > unless someone tells me=20
differently.
> >
> =
=3D3D
> =20
>>I=3D3D20
> > have a new C drive which I =

will load=20

XP and no pace. Any=3D3D20
>&

Subject: Re: More MacDonalds

Posted by [Jamie K](#) on Thu, 20 Sep 2007 16:05:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

;nbsp; > =20

other=3D3D3D20
> =

>suggestions?
> =20

=3D3D
> >>
> =3D3D20
> =

> =20

>More frustrated than my clients,
> =

=3D3D
> =20

>>Tom
> =3D3D20
> > =20

>
> >
> =

>
> =20

=3D3D
> >>
> =3D3D20
> =

> >
> =20

choose Polesoft Lockspam to fight spam, and you?
>=20

=3D3D20
> > =

>http://www.polesoft.com/refer.html=20

=3D3D20
> > =20

=3D3D3D20
>
>
><!DOCTYPE HTML =

PUBLIC=20

"-//W3C//DTD =3D3D
> >HTML 4.0=3D3D20
> =

> =20

=

Transitional//EN" >
><HTML><HEAD>
>=

<META=3D3D20
> =20

> http-equiv=3D3D3D3DContent-Type=20

content=3D3D3D3D"text/html;=3D3D20
> > =20

=

=3D3D3D
> charset=3D3D3D3Diso-8859-1">
><MET=

A=20

=3D3D
> >content=3D3D3D3D"MSHTML=3D3D20
> =

> =20

6.00.2800.1400"
> > =3D3D
> =20

=

>name=3D3D3D3DGENERATOR>
& ><STYLE></STYLE><=

t;BR>></HEA=3D3D
> =20

>D>
><BODY=3D3D 20
> > =20

bgColor=3D3D3D3D#ffffff>
>& <DIV><FONT=20

face=3D3D3D3DArial=3D3D20
> > =3D3D
> =

=

>size=3D3D3D3D2>Rick,& </DIV>
><DIV=

><FONT=3D3D20
 =20
 face=3D3D3D3DArial size=3D3D3D3D2>1 mec, no BNC =
involved. Paris=20
=3D3D
 =3D3D3D
 boots up =
so=3D3D20
 =20
 the=3D3D3D20
 1 mec =3D3D
 =20
=
 that</FONT </DIV
 </DIV <FONT=3D3D20=

Subject: Re: More MacDonalds
Posted by [excelav](#) on Thu, 20 Sep 2007 16:36:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

mp; =20
modules.</FONT </DIV <BR </DIV <FONT=20
=3D3D
 face=3D3D3D3DArial=3D3D20
 =
 =20
size=3D3D3D3D2>This is the same symptom before I =
=3D3D3D
 repaired=20
=3D
 =3D3D
 one=3D3D20
 =

of=3D3D3D20
 my mecs with=3D3D20
 =20
a</FONT </DIV
 </DIV <FONT=20
face=3D3D3D3DArial=3D3D20
 =

size=3D3D3D3D2>new chip. The=20
clock light =3D3D3D
 continues to=3D3D20
 =
 =20
flash=3D3D3D20
 too. Never locks=3D3D20
 =
 =20
in.</FONT </DIV <BR </DIV <FONT =
face=3D3D3D3DArial=20
=3D3D

 =

size=3D3D3D3D2></FONT =20
</DIV
 </DIV <FONT =3D3D
 =20
 face=3D3D3D3DArial=3D3D20
 =

size=3D3D3D3D2>I am using=20
the simplest setup I can=20
=3D
 =3D3D3D
 imagine=3D3D20
 =
 =20
and=3D3D3D20
 still it's not=3D3D20
 =
 =20
working.</FONT </DIV <BR </DIV <FONT=20
=3D3D
 face=3D3D3D3DArial=3D3D20
 =
 =20
size=3D3D3D3D2>Mike A. suggested the .ini file =
=3D3D3D
 to=20
make=3D3D20
 sure=3D3D3D20
 card A =

is 0. I'll=20

try=3D3D20
> > =20
that.</DIV><BR& ;gt;></DIV><FONT=20
=3D3D
> >face=3D3D3D3DArial=3D3D20
> =
> =20
size=3D3D3D3D2>Pretty sure it's right but who=3D3D20
> =
> =20
=
=3D3D3D
>knows? </DIV>
></DIV=
><FONT=3D3D20
> =20
> face=3D3D3D3DArial=3D3D20
> > =
=3D3D
> =20
=
>size=3D3D3D3D2>Thanks,&a mp;lt;/DIV>
><D=
IV><FONT=3D3D
> =20
>=3D3D20
> > =
face=3D3D3D3DArial=3D3D20
> =20
> =20
=
size=3D3D3D3D2>Tom</DIV&a mp;gt;
></DIV>&l=
t;FONT=3D3D20
> =20
> face=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
></DIV>
>&l t;DIV><FONT=3D3D20
> =

> f

Subject: Re: More MacDonalds

Posted by [TCB](#) on Thu, 20 Sep 2007 16:40:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

ace=3D3D3D3DArial size=3D3D3D3D2> =
=3D3D
> =20
></DIV>
>&l t;DIV>=3D3D20
> =
> =20
</DIV>
></DIV&am p;gt;=20
</DIV>
></DIV&am p;gt;=3D3D20
> > =20
</DIV>
></DIV&am p;gt; "rick" =3D3D
> =20
=
><<A=3D3D3D20
> href=3D3D3D3D "<A=3D3D20
>&nb=
sp;=20
> =3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>>pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>=

=3D3D20
> =20
> =3D3D3D
>>wrote in=3D3D3D20
>>message =
=
<A=3D3D3D20
>>href=3D3D3D3D"<A
=3D
>=3D3D
&g=
t; =20
>
> > =3D3D
> =20
=
=3D
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.co=
m">news:inqgh393=3D
>an5=3D3D
> =20
=
=3D
>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">n=
ews:inqgh393an5
>/A=3D3D=3D
>
> =20
=
>>=3D3D3D
>>s4m99qcaojn09vn112t4u6r@4ax.com
>...=
</DIV>
>&=3D3D
> =20
=
>><BLOCKQUOTE=3D3D3D20
>& >style=3D3D3D3D "PADDING-RIGHT:=
=3D3D20
> =20
> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D3D3D
>>BORDER-LEFT: =3D
>=3D3D
> =
>#000000=20
2px=3D3D20
> > solid; MARGIN-RIGHT:=20
0px">i=3D3D3D20
>> know this as dumb as =
=3D3D
> =20
>it gets=3D3D20
> > but the bnc is attached in =

the=3D3D3D20
>> =3D3D20
> > =20
right
>order...right?
>all the cards show up in paris=20
=3D3D
> >with the=3D3D20
> > =20
=3D3D3D
>>single=3D3D3D20
&a mp;>> =
mec?
>how many=20
i/o cards =3D3D
> >in each=3D3D20
> =
> =20
mec?
>
>
>On Fri, 19 Oct=3D3D20
> =
> =20
2007
>=3D3D3D
>>& lt;BR>>> 00:22:39 =
-0400, "T

Subject: Re: More MacDonalds
Posted by [TCB](#) on Thu, 20 Sep 2007 16:43:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

om=20
Bruhl"=3D3D20
> > =
<<A=3D3D3D20
>> p;=20
=3D3D3D
>>href=3D3D3D3D"<A=3D3D20
> =

> =20
 =3D3D
> =20
 =
 =3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
 ..net>
wrote'=3D
>>ma=3D3D
> =20
 =
 >ilto:arpegio@comcast.net">arpegio@comcast.net><BR&=
 gt;w=3D3D
> =20
 =
 >rote:=3D3D3D
& ;gt;

>l=3D3D3D2=
 0
>=20
 =3D3D20
> > thought I was groovin' but once the =
 second Mec=20
 was=3D3D20
> > =20
 =
 =3D3D3D
>introduced
 ;>the=3D3D3D20
>&n=
 bsp;=20
 system =3D3D
> >stopped. That was=3D3D20
> =
 > a=20
 few weeks ago.
>
>Toda y l=3D3D20
> =

 > =3D3D3D
>tried=3D3D3D20<BR&am p;gt;> =
 different=20
 cables, eds cards, mecs, =3D3D
> =
 >eliminated=3D3D20
> =20
 > the magma =3D3D3D
>and
&g t;still=20
 no=3D3D3D20
> =3D3D
> >clock lock=20
 or=3D3D20
> > modules showing up in the=20
 paris=3D3D20
> > =3D3D
> =20
 =
 >=3D3D3D
>patchbay.
>
>This=3D3D3D=
 20
> =20
 =3D3D
> >means to=3D3D20
> > me =
 software=20
 unless someone tells me=3D3D20
> > =
 =3D3D
> =20
 =
 >=3D3D3D
>differently.< ;BR>>
>l=3D3D3D=
 20
> =20
 =3D3D
> >have a new=3D3D20
> > C =
 drive which l=20
 will load XP and no pace. Any other=3D3D3D20
> =20
 =3D
>=3D3D
> >
> > =20

>suggestions?
& ;gt;
>More frustrated=20
 =3D3D
> >than=3D3D20
> > =20
 my=3D3D3D20
> =3D3D20
> > =
 =3D3D
> =20
 =

=3D
>what it is=3D20
> set to.
>
>lf =
it is=20
wrong, what you are describing will=3D20
> =20
happen.
>
>Good=20
luck!
>
>Mike
>
> "Tom Bruhl"=20
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D20'>mailto=
:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
>g=
t; =20
wrote:
>>
>> a mp;lt;BR>>>Thanks=20
Dimitrios.
>>
>&g t;Mike =3D
>>said =
the=3D20
> =20
same thing. Is the ini in the Paris folde or system=20
=3D
>32?
>>Do I want=3D20
> the Master =
card to be 0=20
absolutely? I only have one =3D
>>card
>>in=20
there=3D20
> right now and it's all freaky just =
the=3D20
> =20
=
same.
>>Tom
>>
>>
>>
>>
>>
>>=20
> =20
"Dimitrios" =3D
><<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.grmailto:musurgio=
@otenet.gr">musurgio@otenet.gr>>=20
wrote in =3D
>message=3D20
> =20
=
=3D3D
>>news:471a0486\$1@linux...
>>
>>&n=
bsp; Hi=20
Tom=3D20
> <A =
href=3D"mailto:!!@
>!!
>> Sorry=20
to hear you still having problems like this=3D20
> =20
~!!
>> Must be very frustrating.
>> =
Open the=20
=3D
>Paris ini=3D20
> file and there change the =
mastercardoutput=20
with =3D3D
>>your=3D20
> =
other
>> cards=20
and see what happens !!
>> Let me =
=3D
>
> =20
know.
>> Regards,
>> =20
=3D
> >Dimitrios
>>
> > =3D20
> =
"Tom Bruhl"=20
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D20'>mailto=
:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
>g=

t;=20

wrote:
 >
 >
 > =

=3D20
> > Rick,
 > > 1 mec, no BNC=20
involved.
 Paris boots =3D
> up so=3D20
> > the 1 =
mec=20

that
 > > I'm using shows up but never any A to =
=3D
> >Ds=20

or=3D20
> > any installed modules.
 > > =
> This is the=20

same symptom =3D
> > before I=3D20
> > > repaired one of my =
mecs with=20

a
 > > new chip.
 The =
=3D
> > clock=3D20
> > >=20

light continues to flash too.
 > > Never locks in.
 > >=20

=3D20
> > >
 > > I am using the =
simplest setup I=20

can imagine and =3D
> > still=3D20
> > > it's not=20

=3D3D
> > > working.
 > > > > Mike A. =
suggested
 >=20

=3

Subject: Re: More MacDonalds

Posted by [Jamie K](#) on Thu, 20 Sep 2007 17:33:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

p;
 > >=3D20
> > >=20

> > wrote:
 > > >
 > > =
> >=20

> I =3D
> > thought I=3D20
> > > was groovin' but once =
the second Mec=20

was introduced
 > > =3D
> > > =3D20
> > > =
> the=20

system stopped.
 > > That was a few weeks ago.
 > >=20

=3D20
> > > > >
 > > > > =
> Today I=20

tried different =3D
> > cables,=3D20
> > > eds cards, mecs, =
eliminated=20

the =3D3D
> > > magma
 > > > =
=3D
> > >=3D3D3D
> > >=20

=3D20
> > > > and
 > > > > > still =
no clock=20

lock or modules =3D
> > showing up=3D20
> > > in the paris=20
patchbay.
 > > > > > > > >=20

=3D
> > > >=3D20
> > > > This means to me software =
unless someone=20

tells me=3D20
> > > differently.
 > > > =

> =20
>
> > > =3D
><I =
have=3D20
> a new=20
C drive which I will load XP and no pace. Any=3D20
> =

=3D3D
>other=3D3D3D20<BR& gt;> > =20
=3D
>>suggestions?
> =3D20
> =
> =20
>
> > >More frustrated than=20
my=3D20
> clients,
> > =20
>Tom
> > =3D20
> =
>
> =20
> >
> > =
=3D
>
>=20
=3D20
> > >
> > =
>I choose=20
Polesoft =3D
>Lockspam to=3D20
> fight spam, and=20
you?
> > =3D20
> =20
>http://www.polesoft.com/refer.html =3D3D3D20
>=20
=3D20
> >
> >
> =20
><!DOCTYPE HTML PUBLIC=3D20
> "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =3D20
> =20
><HTML><HEAD><BR&a mp;gt;> =
><META=3D20
> =20
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html";=20
=3D
>=3D3D3D
> =3D20
> =20
>charset=3D3D3D3Diso-8859-1">
> ><META=20
=3D
>content=3D3D3D3D"MSHTML=3D20
> 6.00.2800.1400"=20
name=3D3D3D3DGENERATOR>
> =3D20
> =20
><STYLE></STYLE><B R>> =20
=3D
 >></HEAD>
& gt; =3D20
> =
><BODY=20
bgColor=3D3D3D3D#ffffff>
>& am p;nbsp;=20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D2>Rick,& amp ;lt;/DIV>
>=
=20
=3D20
> ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>1=20
mec, no BNC =3D
>involved.=3D20
> Paris=20
=3D3D
>=3D3D3D
& amp ;gt; >boots up so=20
=3D
>the=3D3D3D20
> >1=3D20
> =
mec=20
that</DIV><BR& gt;> =20
=3D
>><DIV><FONT=3D20
> =
face=3D3D3D3DArial=20
size=3D3D3D3D2>I'm using shows up but never=20

=3D3D
>=3D3D3D
>& ;gt; =3D20
> =20
>knows?</DIV>&
> =20
=3D
>></DIV></FONT=3D20
> =
face=3D3D3D3DArial=20
=
=3D
 >size=3D3D3D3D2>Thanks,&a mp;lt;/DIV>
>g=
t;=20
=3D20
> ></DIV></FONT =
face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2>Tom</DIV&a mp;gt;
> =
=3D20
> =20
></DIV></FONT face=3D3D3D3DArial =
size=3D3D3D3D2>=20
=3D
>
> </DIV>
> =20
></DIV></FONT face=3D3D3D3DArial=3D20
> =20
size=3D3D3D3D2> </DIV>
> =20
=3D
>></DIV>=3D20
> =
</DIV>
> =20
></DIV> </DIV>
> =3D20
> =
></DIV>=20
</DIV>
> =
></DIV>"rick"=3D20
> =20
<<A=3D3D3D20
>> p; =
>href=3D3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
om</A'>mailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmail=
l.com</A>>=3D20
> =20
=3D3D
>>=3D3D3D
>& >wrote=20
in=3D3D3D20
> =
=3D
>>message=3D20
> =20
<A=3D3D3D20
>> =20
=3D3D
>>href=3D3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">=
news:inqgh393'>n=3D
>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.=
com">news:inqgh393=3D3D
>R>>an5=3D3D3D&l=
t;BR>>=20
=3D20
> =20
=
=3D
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>&l=
t;BR>>=20
=3D
>=3D20
> =
></BLOCKQUOTE=3D3D3D20
>& =20
=3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> =
PADDING-LEFT:=20
5px; MARGIN-LEFT: 5px; =3D3D
>=3D3D3D
>& > =
=3D20
> =20

=3D
>face=3D3D3DArial=3D20
> =
 size=3D3D3D2>=20
 </DIV>
></DIV><FONT=20
 =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Mike =
 said the same=20
 thing. Is the =3D3D
>ini in =
 =3D
>
> =20
 the=3D3D20
>Paris folde or system=3D20
> =20
 32?</DIV>
></DIV><FONT =
 face=3D3D3DArial=20
 =3D
>
> size=3D3D3D2>Do I want the Master card to =
 be=20
 =3D
 >0=3D3D20
>absolutely? sp; =
 l=3D20
> only have=20
 one card</DIV>
></DIV><FONT=20
 =3D
>
> face=3D3D3DArial size=3D3D3D2>in there =
 right now and=20
 it's all=3D20
> =20
 freaky
=3D3D
>just= 3D20
> =20
 =
 =3D
 >the=3D3D20
>same.</FO NT></DIV>

 t;></DIV><FONT=3D
>=3D20
> =20
 face=3D3D3DArial=3D20
> =20
 =
 size=3D3D3D2>Tom</DIV>>
></DIV><=
 FONT=3D20
> =20
 face=3D3D3DArial size=3D3D3D2>=20
 =
 =3D
 ></DIV>
></DIV><FONT=3D20
> =
 p;=20
 face=3D3D3DArial size=3D3D3D2>=20
 =
 =3D
 ></DIV>
></DIV><FONT=3D20
> =
 p;=20
 face=3D3D3DArial size=3D3D3D2>=3D20
> =20
 =
 =3D
 ></DIV>
></BLOCKQUOTE=3D3D20
>s=
 tyle=3D3D3D"PADDING-RIGHT:=20
 =3D
>0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: =
 5px;=20
 =3D3D
>BORDER-LEFT: #000000 =3D
>2px =
 solid;=3D20
> =20
 MARGIN-RIGHT: 0px">
> =20
 </DIV>"Dimitrios"=3D20
> =
 <<A=3D3D20
> =20
 href=3D3D3D"<A=3D20
> =20
 =
 =3D
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr<=

/A'>mailto:musurgio=3D
>@otenet.gr">musurgio@otenet.gr</A&=
lt;/A>>>=3D20
> =20
wrote in =3D3D
>message=3D3D20<BR& gt;> <A=20
=3D
>=3D3D
>href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'news:471a0486\$1@linux">news:471a0486\$1@linux</=3D
A>...</DIV>
Hi'> ;=3D
>news:471a0486\$1@linux">=
;news:471a0486\$1@linux...</DIV>&=3D
>lt;BR>H=
i
=3D3D
 >Tom=3D3D20
>=20
=3D20
&

Subject: Re: More MacDonalds

Posted by [TCB](#) on Thu, 20 Sep 2007 20:02:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

=20

know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20
=3D
>Bruhl"=3D20
> =
<<A=3D3D20
> =20
href=3D3D3D"<A=3D20
> =20
=
=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>=3D3D20'>mailto=3D
>arpegio@comcast.net">arpegio=
@comcast.net>=3D3D20</A& gt;
&g=3D
>t; =

=3D20
> =20
wrote:
>
>&a mp;lt;BR>>Rick,
>1=20
=3D
>mec, no=3D20
> BNC =
=3D3D
>involved. =20
Paris=3D3D20
> boots up so =3D
>the 1 =
mec=3D20
> =20
that
>I'm using shows up but never any A =
=3D3D
>to=20
Ds=3D20
> or=3D3D20
> any installed=20
modules.
>This is the =3D
>same=3D20
> =
symptom=20
before I =3D3D
>repaired one=3D3D20
> of =
my mecs=20
=3D
>with=3D20
> a
>new chip. The =
clock light=20
continues to=3D20
> =
=3D3D
>flash=3D3D20
 > =20
too. Never locks=3D20
> =
in.
>
>I am=20
using the simplest =3D
>=3D3D
>setup =
I=3D20
> =20
can=3D3D20
> imagine and still it's not=20

=3D
>working.
>>Mike A.=3D20
> =
 suggested the=20
 =3D3D
>>.ini=3D3D20
>> file to make =
 =3D
>sure card=20
 A is=3D20
> 0. I'll try=3D20
> =20
 =
 =3D
> >=3D3D
>>=3D3D3D<BR& >>that.
>>Pre=
 tty=3D3D20
>>=20
 =3D
>& sure it's=3D20
> right but =
 who=3D3D20
>&=20
 =3D20
> =20
 =
 =3D
> >=3D3D
>>knows?<BR& >>Thanks,
>>To=
 m
>&=
>& >BR>>
>&
>& <B=
 R>>&=3D3D
>&BR&a mp;gt;=3D
>&,"rick"=3D3D20<BR&=
 gt;>=20
 =3D20
> <<A =
 =3D3D
>&href=3D3D3D"<A=3D20
> =20
 =
 =3D
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.c=
 om</A'>mailto:pa=3D
>rnell68@hotmail.com">parnell68@hotmail=
 l.com</A>=3D20
> =20
 =3D3D
>&wrote=3D3D20
>& > in =
 message=3D3D20
>&=20
 =3D20
> =20
 =
 =3D
> >=3D3D
>>=3D3D3D<BR& >>news:inqgh393an5s4m99q=
 caojn09vn112t4u6r@4ax=3D
> .com...
>& & & nbs=3D3D&a mp;lt;BR&=
 gt;>p;=3D20
> =20
 i=3D3D20
>& know this as dumb as it gets but the bnc =
 is=20
 =3D
>&attached in=3D20
> =
 the=3D3D20
>& =20
 right
>& >=3D20
>& =
 order...right?
>& all=20
 the cards show up=3D20
> =20
 =3D3D
>&in=3D3D20
>&a mp;gt; paris with the single =

 =3D
>&mec?
>& >=3D20
>& how many i/o cards =
 in=20
 each=3D3D20
>& >=3D20
>& =20
 mec?
>&
>& & & ;lt;BR>>& On Fri, 19 Oct=20
 =3D
>2007=3D20
>& 00:22:39 -0400,=20
 =3D3D
>&"Tom=3D3D20
>& =
 Bruhl"=3D20
>& =20
 <<A=3D3D20
>& =20
 =3D3D
>&href=3D3D3D"<A=3D20
> =20
 =

=3D
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=
t;/A>>
>&n'&am p;gt;=3D
>mailto:arpegio@comcast.ne=
t">arpegio@comcast.net>
=3D
>>&n&l=
t;/A>=3D3D
>bsp;=3D3D20&l t;BR>>=20
=3D20
> wrote:
>
>&a mp;nbsp; >l =
thought I was=20
groovin' =3D
>but once=3D20
> the=20
=3D3D
>second=3D3D20<BR&g t;> Mec was=20
=3D
>introduced
> =3D20
> >the system =

stopped. That =3D3D
>was a=20
=3D
>few=3D3D20
> weeks=3D20
> =20
ago.
> >
> >Today I=20
tried=3D20
> =
=3D3D
>different=3D3D20<BR&am p;gt;> =20
cables, eds cards, mecs, =3D
>eliminated the=3D20
> =20
=
=3D3D
>magma
=3D3D3 D
>and
> =

=3D
>=3D3D20
> =3D20
> >still no =
clock lock or=20
modules showing up in the =3D
>paris=3D3D20
> =
=3D20
> =20
patchbay.
> >
> >This means=20
=3D<

Subject: Re: More MacDonalds
Posted by [laMont \[1\]](#) on Fri, 21 Sep 2007 04:15:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

ped. That =

was=3D3D20
> a few weeks=3D20
> =20
ago.
>
>Toda y I=3D3D20
> =
=3D20
> =20
=3D3D3D
>tried=3D3D3D20<BR&am p;gt;> different =
cables,=20
=3D
>eds cards,=3D20
> mecs,=20
=3D3D
>eliminated=3D3D20<BR&a mp;gt;> the=20
magma=3D20
> =3D3D3D
>and
&g t;still=20
=3D
>no=3D3D3D20
> =3D20
> =
=3D3D
>clock lock=20
or=3D3D20
> modules showing up in =
the=3D20
> =20
paris=3D3D20
> =3D20
> =20
=
=3D
> >=3D3D
>=3D3D3D<BR&am p;gt;>patchbay.
>=

;
>>This=3D3D=3D
>>3D20
>>=20
 =3D20
>> =3D3D
>>means =
 to=3D3D20
>> me=20
 software unless someone =3D
>>tells=3D20
>> =
 me=3D3D20
>>=20
 =3D20
>> =20
 =
 =3D
 >>=3D3D
>>=3D3D3D
& >>>differently.
>=
 >>
>>I=3D3D=3D
>>3D20
>>=20
 =3D20
>> =3D3D
>>have a =
 new=3D3D20
>> C drive=20
 which I will load XP =3D
>>and no pace.=3D20
>> Any=20
 other=3D3D3D20
>> =3D3D
>>
>>=20
 =3D20
>> =

>>suggestions?
>& >>
>>More=20
 frustrated=3D20
>> =
 =3D3D
>>than=3D3D20
>> =20
 my=3D3D3D20
>>=3D
>>=3D3D20
>>=
 =3D20
>> =20
 =
 =3D
 >>=3D3D
>>clients,
& p>>>Tom
>>
>>
>>=3D
 >>>
=3D3D
>>& a mp>>>
>>I=3D3D20
>>=20
 =3D20
>> choose=20
 =3D3D3D
>>Polesoft=3D3D3D20
 >>> Lockspam =
 =3D
>>to=20
 fight=3D20
>> spam,=3D3D20
>> =
 and=3D3D3D20
>>=20
 =3D20
>> =20
 =
 =3D
 >>=3D3D
>>you?
> >>http://www.polesoft.com/r=
 efer.html=3D3D20
>>&=3D
>>=20
 =3D20
>> =20
 =
 =3D
 >>=3D3D
>>=3D3D3D20
& a mp>>>
>>/BLOCK=
 QUOTE>>>/BODY>>=3D
 >>>
>>/HTML>>>&=3D 3D
=
 >>>
>>
 >>>/B=3D
>>LOCKQUOTE>>>/BOD=
 Y>>>/HTML>>>& >>>
>>
>>
>>/BLOCKQUOTE& amp>g=
 t;
>>/BODY>>>/HTML>>
>>
>>
>>/BLOCKQUOTE>><=
 /BODY>>>/HTML>

-----_NextPart_000_0143_01C813F2.BC71D810--and it better be at least as good as Aja cus
 they didn't have half this shit
 ! heheDon-

I am fairly certain that any type of guitar playing you can imagine does
 indeed exist out there. There is a guitar player I heard the other day, Julian
 Lage, who is, I believe, capable of the playing I imagine you are thinking

of. As any good internet-literate person would, I blogged about hearing him.

Perhaps there are two mental processes going on. One is that you imagined a feeling -- an emotion -- and then you other is that you tried to imagine a combination of musical experiences that would produce such a feeling. Or maybe not.

These sorts of things fascinate me.

-steve

"Neil" <IOOIU@OIU.com> wrote:

>

>"DC" <dc@spammersinhell.com> wrote:

>>

>>"Sarah" <sarahjane@sarahtonin.com> wrote:

>>>Hey, if you can hear it in your head, you can make it happen in the air,

>>I

>>>always say. Well, OK, I've never said that before, but I think it's true,

>>

>>>provided you have a good ear and a good basic grasp of harmony and modes.

>> I

>>>don't think it would take a hundred years. :)

>>

>>It might for me...

>>

>>I can hear it though. Way out on the fringe of my awareness.

>>

>>Imagine a really hard blues thing, kind of a SRV Crossfire with a bit

>>of very early Johnny Winter thrown in, and instead of the standard

>>guitar riffs over it, you had Charlie Parker? (but on guitar, not sax)

>>

>>It's like greasy and cerebral, sexy and complex, all at once....

>>

>>Without being fusion or prog...

>>

>>grrrrrr... I can't quite grasp how to do it.

>

>

>Sounds like you need to check out some Gary Moore.

>

>NeilHi Tom,

I have an idea.

Try removing UseHouseSync=1 from the paris.cfg file.

Next, remove your default project from the program files\emu\paris pro folder.

Let me know if it makes a difference.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>
>Mike,
>I used to use a Lucid but since all of this mess I stopped.
>I'm trying to get stable from square one with the least amount=20
>of hardware. I am using the default project for sure. The only=20
>other thing that I still question is my move of Paris to C:ParisPro .
>I should think the default project will either work or not. Maybe
>configs or something else is fighting during Paris startup?
>
>Pats 42 - Miami 7 . . . Halftime and the games over.
>Tom
>
>
>
> "Mike Audet" <mike@....> wrote in message news:471b6eb0\$1@linux...
>
> Hi Tom,
>
> Are you using a default project with PARIS? I'm so sorry of this has
=
>been
> asked and answered already. If so, perhaps it is telling card zero to
=
>lock
> to an external clock, which it can't because there isn't one.
>
> It would be interesting to attach an external clock source to the MEC
=
>and
> then start PARIS to see how it behaves. Or, if the clock generator is
=
>fried,
> tell paris to lock externally and see what happens when an external =
>clock

Subject: Re: More MacDonalds
Posted by [laMont \[1\]](#) on Fri, 21 Sep 2007 04:21:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

> source is applied.
>
> Isn't there a master house synch switch in the cfg file? I've never =
>used
> it. Maybe DJ could help with what that should/shouldn't be set to.
>
> Wish I could do more than think out loud...
>
> Mike
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Hi Mike,
> >Well I've been to .cfg many a time.
> >I've seen that Mastercard setting as being 0
> >but maybe it changed after removing the 4 other
> >eds cards for this round of testing.
> >
> >If it's still 0 what else could this be? Busted mobo?
> >I'm really in an idunno place right now. I'll be checking
> >seriously today again because of a session tomorrow morning.
> >Tom
> >
> >
> > "Mike Audet" <mike@....> wrote in message news:471b2ec2\$1@linux...
> >
> > Hi Tom,
> >
> > If you've only got one card in, then the Mastercard =3D3D 0 setting
> =
>is =3D
> >right.
> > The file is Paris.cfg, and it lives in the c:\program =
>files\Emu\PARIS
> =3D
> >PRO
> > folder.
> >
> > I'd still check it out to see what it is set to.
> >
> > If it is wrong, what you are describing will happen.
> >
> > Good luck!
> >

> > Mike

> >

> > "Tom Bruhl" <arpeggio@comcast.net> wrote:

> > >

> > >

> > >Thanks Dimitrios.

> > >

> > >Mike said the same thing. Is the ini in the Paris folde or system

=

>=3D

> >32?

> > >Do I want the Master card to be 0 absolutely? I only have one =

>card

> > >in there right now and it's all freaky just the same.

> > >Tom

> > >

> > >

> > >

> > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D

> > >news:471a0486\$1@linux...

> > >

> > > Hi Tom !@

> > > Sorry to hear you still having problems like this ~!!

> > > Must be very frustrating.

> > > Open the Paris ini file and there change the mastercardoutput =

>with

> =3D

> >=3D3D

> > >your other

> > > cards and see what happens !!

> > > Let me know.

> > > Regards,

> > > Dimitrios

> > >

> > > "Tom Bruhl" <arpeggio@comcast.net> wrote:

> > > >

> > > >

> > > >Rick,

> > > >1 mec, no BNC involved. Paris boots up so the 1 mec that

> > > >I'm using shows up but never any A to Ds or any installed =

>modules.

> > > >This is the same symptom before I repaired one of my mecs with

=

>a

> > > >new chip. The clock light continues to flash too. Never locks

=

>=3D

> >in.

> > > >
> > > >I am using the simplest setup I can imagine and still it's not
=
>=3D3D
> > >working.
> > > >Mike A. suggested the .ini file to make sure card A is 0. =
>I'll =3D
> >try
> > =3D3D
> > >=3D3D3D
> > > >that.
> > > >Pretty sure it's right but who knows?
> > > >Thanks,
> > > >Tom
> > > >
> > > >
> > > >
> > > >
> > > >
> > > >"rick" <parnell68@hotmail.com> wrote in message =3D3D3D
> > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > > > i know this as dumb as it gets but the bnc is attached in the
=
>=3D
> >right
> > > > order...right?
> > > > all the cards show up in paris with the single mec?
> > > > how many i/o cards in each mec?
> > > >
> > > >
> > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> > ><arpeggio@comcast.net>
> > > > wrote:
> > > >
>

Subject: Re: More MacDonalds
Posted by [Dedric Terry](#) on Fri, 21 Sep 2007 04:31:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

> > > >I thought I was groovin' but once the second Mec was =
>introduced
> > > >the system stopped. That was a few weeks ago.
> > > >
> > > > >Today I tried different cables, eds cards, mecs, eliminated
=
>the

> =3D
 > >=3D3D
 > > >magma
 > > > =3D3D3D
 > > > >and
 > > > > >still no clock lock or modules showing up in the paris =3D
 > >patchbay.
 > > > > >
 > > > > >This means to me software unless someone tells me =
 > > > > >differently.
 > > > > >
 > > > > >I have a new C drive which I will load XP and no pace. Any
 =
 >=3D3D
 > > >other=3D3D3D20
 > > > > >suggestions?
 > > > > >
 > > > > >More frustrated than my clients,
 > > > > >Tom
 > > > > >
 > > > > >
 > > > > >
 > > > > >
 > > > > >I choose Polesoft Lockspam to fight spam, and you?
 > > > > ><http://www.polesoft.com/refer.html> =3D3D3D20
 > > > > >
 > > > > >
 > > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
 > > > > ><HTML><HEAD>
 > > > > ><META http-equiv=3D3D3D3DContent-Type =
 > > > > >content=3D3D3D3D"text/html; =3D
 > >=3D3D3D
 > > > > >charset=3D3D3D3Diso-8859-1">
 > > > > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
 > > > > >name=3D3D3D3DGENERATOR>
 > > > > ><STYLE></STYLE>
 > > > > ></HEAD>
 > > > > ><BODY bgColor=3D3D3D3D#ffffff>
 > > > > ><DIV>Rick,</DIV>
 > > > > ><DIV>1 mec, no BNC =
 > > > > >involved. =3D
 > > > > >Paris =3D3D
 > > >=3D3D3D
 > > > > >boots up so the=3D3D3D20
 > > > > >1 mec that</DIV>
 > > > > ><DIV>I'm using shows up
 =
 > >but =3D

> >never any
 > > =3D3D
 > > >A to =3D3D3D
 > > > >Ds or any=3D3D3D20
 > > > >installed modules.</DIV>
 > > > ><DIV>This is the same =
 >symptom
 > =3D
 > >before
 > > =3D3D
 > > >I =3D3D3D
 > > > >repaired one of=3D3D3D20
 > > > >my mecs with a</DIV>
 > > > ><DIV>new chip. The =
 >clock light
 > =3D
 > >=3D3D3D
 > > > >continues to flash=3D3D3D20
 > > > >too. Never locks in.</DIV>
 > > > ><DIV> </DIV>
 > > > ><DIV>I am using the =
 >simplest =3D
 > >setup I
 > > =3D3D
 > > >can =3D3D3D
 > > > >imagine and=3D3D3D20
 > > > >still it's not working.</DIV>
 > > > ><DIV>Mike A. suggested
 =
 >the =3D
 > >.ini file
 > > =3D3D
 > > >=3D3D3D
 > > > >to make sure=3D3D3D20
 > > > >card A is 0. I'll try that.</DIV>
 > > > ><DIV>Pretty sure it's =
 >right =3D
 > >but who =3D3D
 > > >=3D3D3D
 > > > >knows?</DIV>
 > > > ><DIV><FONT face=3D3D3D3DArial =
 >size=3D3D3D3D2>Thanks,</DIV>
 > > > ><DIV>Tom</DIV>
 > > > ><DIV> </DIV>
 > > > ><DIV> </DIV>
 > > > ><DIV> </DIV>
 > > > ><DIV> </DIV>
 > > > ><DIV> </DIV>

```

> > > ><DIV>"rick" <<A=3D3D3D20
> > > =3D
> =
>>>href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>>
=
>=3D
> >=3D3D
> > >=3D3D3D
> > > >wrote in=3D3D3D20
> > > >message <A=3D3D3D20
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
>qgh=3D
> >393=3D3D
> > >an5=3D3D3D
> > > >s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV>
> > > ><BLOCKQUOTE=3D3D3D20
> > > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
>MARGIN-LEFT: =3D
> >5px; =3D3D
> > >=3D3D3D
> > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D3D20
> > > > know this as dumb as it gets but the bnc is attached in =3D
> >the=3D3D3D20
> > > > right<BR>order...right?<BR>all the cards show up in paris =
>with =3D
> >the
> > =3D3D
> > >=3D3D3D
> > > >single=3D3D3D20
> > > > mec?<BR>how many i/o cards in each mec?<BR><BR><BR>On Fri, 19
=
>=3D
> >Oct =3D3D
> > >2007
> > > =3D3D3D
> > > >
> > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > > > =3D3D3D
> > > =3D3D
> > =3D
> =
>>>>href=3D3D3D3D3D"mailto:arpegio@comcast.net">

```

Subject: Re: More MacDonalds
Posted by [dc\[3\]](#) on Fri, 21 Sep 2007 04:58:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

arpeggio@comcast.net>
=
>wro=3D
> >te:=3D3D
> > >=3D3D3D
> > > >

>I=3D3D3D20
> > > > thought I was groovin' but once the second Mec was =3D3D3D
> > > >introduced
>the=3D3D3D20
> > > > system stopped. That was a few weeks ago.
>
>Today I =
>=3D3D3D
> > > >tried=3D3D3D20
> > > > different cables, eds cards, mecs, eliminated the magma =
>=3D3D3D
> > > >and
>still no=3D3D3D20
> > > > clock lock or modules showing up in the paris =3D3D3D
> > > >patchbay.
>
>This=3D3D3D20
> > > > means to me software unless someone tells me =3D3D3D
> > > >differently.
>
>I=3D3D3D20
> > > > have a new C drive which I will load XP and no pace. Any =3D
> >other=3D3D3D20
> > > >
>suggestions?
>
>More frustrated than my=3D3D3D20
> > > > clients,
>Tom
>
>
>
>
>I choose =3D3D3D
> > > >Polesoft=3D3D3D20
> > > > Lockspam to fight spam, and=3D3D3D20
> > > > you?
>http://www.polesoft.com/refer.html =3D3D3D20
> > > >
</BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > >
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3DContent-Type content=3D3D3

Subject: Re: More MacDonalds
Posted by [excelav](#) on Fri, 21 Sep 2007 05:56:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

" name=3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D#ffffff>
> > ><DIV>Thanks =
>Dimitrios.</DIV>

```

> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike said the same thing.
=
> Is =3D
> >the =3D3D
> > >ini in the=3D3D20
> > >Paris folde or system 32?</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Do I want the Master card
=
>to be
> =3D
> >0=3D3D20
> > >absolutely? I only have one card</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>in there right now and =
>it's all
> =3D
> >freaky
> > =3D3D
> > >just the=3D3D20
> > >same.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D20
> > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px; =3D
> >=3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Dimitrios" <<A=3D3D20
> > > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
>wrote
> =3D
> >in =3D3D
> > >message=3D3D20
> > > <A =3D3D
> > =3D
> =
>>>href=3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><B=
>R>H=3D
> >i
> > =3D3D
> > >Tom=3D3D20
> > > !@<BR>Sorry to hear you still having problems like this =
>~!!<BR>Must
> =3D
> >be
> > =3D3D

```



```

>the=3D3D20
> > > right<BR>> order...right?<BR>> all the cards show up =3D3D
> > > in=3D3D20
> > > paris with the single mec?<BR>> how many i/o cards in =
>each=3D3D20
> > > mec?<BR>><BR>><BR>> On Fri, 19 Oct 2007 00:22:39 -0400, =3D3D
> > > "Tom=3D3D20
> > > Bruhl" <A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>><BR>>&n=
>=3D3D=3D
> >
> > > bsp;=3D3D20
> > > wrote:<BR>><BR>> >I thought I was groovin' but once the =3D3D
> > > second=3D3D20
> > > Mec was introduced<BR>> >the system stopped. That =3D3D
> > > was a few=3D3D20
> > > weeks ago.<BR>> ><BR>> >Today I tried =3D3D
> > > different=3D3D20
> > > cables, eds cards, mecs, eliminated the =3D3D
> > > magma<BR>=3D3D3D<BR>>and<BR>> =3D3D20
> > > >still no clock lock or modules showing up in the paris=3D3D20
> > > patchbay.<BR>> ><BR>> >This means to me =3D3D
> > > software=3D3D20
> > > unless someone tells me differently.<BR>> ><BR>> =3D3D
> > >>I=3D3D20
> > > have a new C drive which I will load XP and no pace. Any=3D3D20
> > > other=3D3D3D20<BR>> >suggestions?<BR>> =3D3D
> > >><BR>> =3D3D20
> > > >More frustrated than my clients,<BR>> =3D3D
> > >>Tom<BR>> =3D3D20
> > > ><BR>> ><BR>> ><BR>> =3D3D
> > >><BR>> =3D3D20
> > > >I choose Polesoft Lockspam to fight spam, and you?<BR>> =3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D20
> > > =3D3D3D20<BR>><BR>><BR>><!DOCTYPE HTML PUBLIC "-//W3C//DTD =3D3D
> > >HTML 4.0=3D3D20
> > > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D20
> > > http-equiv=3D3D3D3DContent-Type =
>content=3D3D3D3D"text/html;=3D3D20
> > > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D3D
> > >content=3D3D3D3D"MSHTML=3D3D20
> > > 6.00.2800.1400"=3D3D20
> > > =3D3D
> > >name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D
> > >D><BR>><BODY=3D3D20

```

> > > bgColor=3D3D3D3D#ffffff>
><DIV><FONT =
>face=3D3D3D3DArial=3D3D20
> > > =3D3D
> > >size=3D3D3D3D2>Rick,</DIV>
><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2>1 mec, no BNC involved. Paris
=
>=3D3D
> > >=3D3D3D
>boots up so=3D3D20
> > > the=3D3D3D20
>1 mec =3D3D
> > >that</DIV>
><DIV><FONT=3D3D20
> > > face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but never =
>any A to
> =3D
> >=3D3D
> > >=3D3D3D
>Ds or=3D3D20
> > > any=3D3D3D20
>installed=3D3D20
> > > modules.</DIV>
><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>This is the same symptom before I

Subject: Re: More MacDonalds
Posted by [Dedric Terry](#) on Fri, 21 Sep 2007 07:16:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

=
>=3D3D3D
>repaired =3D
> >=3D3D
> > >one=3D3D20
> > > of=3D3D3D20
>my mecs with=3D3D20
> > > a</DIV>
><DIV><FONT face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>new chip. The clock light =3D3D3D
>continues =
>to=3D3D20
> > > flash=3D3D3D20
>too. Never locks=3D3D20
> > > in.</DIV>
><DIV><FONT face=3D3D3D3DArial =3D3D
> > >
> > > size=3D3D3D3D2> </DIV>
><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>I am using the simplest setup I can =3D
> >=3D3D3D
>imagine=3D3D20
> > > and=3D3D3D20
>still it's not=3D3D20
> > > working.</DIV>
><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Mike A. suggested the .ini file =3D3D3D
>to =
>make=3D3D20
> > > sure=3D3D3D20
>card A is 0. I'll try=3D3D20
> > > that.</DIV>
><DIV><FONT =3D3D
> > >face=3D3D3D3DArial=3D3D20

```

> > > size=3D3D3D3D2>Pretty sure it's right but who=3D3D20
> > > =3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial=3D3D20
> > > =3D3D
> > >size=3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D
> > > =3D3D20
> > > face=3D3D3D3D3DArial=3D3D20
> > > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > ></DIV><BR>><DIV><FONT=3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> > ></DIV><BR>><DIV>=3D3D20
> > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D20
> > > </DIV><BR>><DIV>"rick" =3D3D
> > ><<A=3D3D3D20<BR>>href=3D3D3D3D"<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mai=
>lto=3D
> >:pa=3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D3D20
> > > =3D3D3D<BR>>wrote in=3D3D3D20<BR>>message =
><A=3D3D3D20<BR>>href=3D3D3D3D"<A
> =3D
> >=3D3D
> > >
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
>393=3D
> >an5=3D3D
> > =3D
> =
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=3D=
>3D=3D
> >
> > =
>>>=3D3D3D<BR>>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>>&=3D3D
> > >gt;<BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT:=3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>=3D3D3D<BR>>BORDER-LEFT: =3D
> >=3D3D
> > >#000000 2px=3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D20<BR>> know this as dumb as
=
>=3D3D

```

> > > it gets=3D3D20
 > > > but the bnc is attached in the=3D3D3D20
> =3D3D20
 > > > right
order...right?
all the cards show up in paris =3D3D
 > > >with the=3D3D20
 > > > =3D3D3D
>single=3D3D3D20
> mec?
how many i/o cards =
 >=3D3D
 > > >in each=3D3D20
 > > > mec?

On Fri, 19 Oct=3D3D20
 > > > 2007
=3D3D3D
>
> 00:22:39 -0400, "Tom Bruhl"=3D3D20
 > > > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
 > > > =3D3D
 > > =3D
 > =
 >>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=
 >te'=3D
 > >>ma=3D3D
 > > >mailto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D
 > > >rote:=3D3D3D
>

>I=3D3D3D20
> =3D3D20
 > > > thought I was groovin' but once the second Mec was=3D3D20
 > > > =3D3D3D
>introduced
>the=3D3D3D20
> system =3D3D
 > > >stopped. That was=3D3D20
 > > > a few weeks ago.
>
>Today I=3D3D20
 > > > =3D3D3D
>tried=3D3D3D20
> different cables, eds cards, =
 >mecs, =3D3D
 > > >eliminated=3D3D20
 > > > the magma =3D3D3D
>and
>still no=3D3D3D20
> =3D3D
 > > >clock lock or=3D3D20
 > > > modules showing up in the paris=3D3D20
 > > > =3D3D
 > > >=3D3D3D
>patchbay.
>
>This=3D3D3D20
> =3D3D
 > > >means to=3D3D20
 > > > me software unless someone tells me=3D3D20
 > > > =3D3D
 > > >=3D3D3D
>differently.
>
>I=3D3D3D20
> =3D3D
 > > >have a new=3D3D20
 > > > C drive which I will load XP and no pace. Any =
 >other=3D3D3D20
> =3D
 > >=3D3D
 > > >
 > > >
>suggestions?
>
>More frustrated =3D3D
 > > >than=3D3D20
 > > > my=3D3D3D20
> =3D3D20
 > > > =3D3D
 > > >clients,
>Tom
>
>
>
=3D3D
 > > >>>
>I=3D3D20
 > > > choose =3D3D3D
>Polesoft=3D3D3D20
> Lockspam to fight =
 >spam,=3D3D20
 > > > and=3D3D3D20
> =3D3D

```

> > >you?<BR>>http://www.polesoft.com/refer.html=3D3D20
> > > =3D3D
> > >=3D3D3D20<BR>><BR></BLOCKQUOTE></BODY></HTML><BR>&=3D3D
> > >gt;<BR>><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> > charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>Hi Mike,</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Well I've been to .cfg many a =
>=3D
> >time.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I've seen that Mastercard =
>setting as =3D
> >being=3D20
> >0</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>but maybe it changed after =
>removing the
> =3D
> >4=3D20
> >other</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>eds cards for this round of =3D
> >testing.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>If it's still 0 what else could
=
>this =3D
> >be? =3D20
> >Busted mobo?</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>I'm really in an idunno place =
>right =3D
> >now. I'll=3D20
> >be checking</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>seriously today again because of
=
>a =3D
> >session tomorrow=3D20
> >morning.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>

```

```

> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D20
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>=3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> > =3D
> =
>>href=3D3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...</DIV><BR>H=
>i=3D20
> > Tom,<BR><BR>If you've only got one card in, then the Mastercard =
>=3D3D 0
> =3D
> >setting is=3D20
> > right.<BR> The file is Paris.cfg, and it lives in the =
>c:\program=3D20
> > files\Emu\PARIS PRO<BR>folder.<BR><BR>I'd still check it out to see
=
>=3D
> >what it is=3D20
> > set to.<BR><BR>If it is wrong, what you are describing will=3D20
> > happen.<BR><BR>Good luck!<BR><BR>Mike<BR><BR>"Tom Bruhl" <<A=3D20
> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=3D20
> > wrote:<BR>><BR>><BR>>Thanks Dimitrios.<BR>><BR>>Mike =3D
> >said the=3D20
> > same thing. Is the ini in the Paris folde or system =3D
> >32?<BR>>Do I want=3D20
> > the Master card to be 0 absolutely? I only have one =3D
> >card<BR>>in there=3D20
> > right now and it's all freaky just the=3D20
> > same.<BR>>Tom<BR>><BR>><BR>><BR>> "Dimitrios" =3D
> ><<A=3D20
> > href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> wrote
=
>in =3D
> >message=3D20
> > =3D3D<BR>>news:471a0486$1@linux...<BR>><BR>> Hi Tom=3D20
> > !@<BR>> Sorry to hear you still having problems like this=3D20
> > ~!!<BR>> Must be very frustrating.<BR>> Open the =3D
> >Paris ini=3D20
> > file and there change the mastercardoutput with =3D3D<BR>>your=3D20
> > other<BR>> cards and see what happens !!<BR>> Let me =3D
> >
> >

```

Subject: Re: More MacDonalds

know.
> Regards,
> =3D
> >Dimitrios
>
> =3D20
> > "Tom Bruhl" <<A=3D20
> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20
> > wrote:
> >
> >
> =3D20
> > >Rick,
> >1 mec, no BNC involved. Paris boots =3D
> >up so=3D20
> > the 1 mec that
> >I'm using shows up but never any A to =3D
> >Ds or=3D20
> > any installed modules.
> >This is the same symptom =3D
> >before I=3D20
> > repaired one of my mecs with a
> >new chip. The =3D
> >clock=3D20
> > light continues to flash too. Never locks in.
> =3D20
> > >
> >I am using the simplest setup I can imagine and =3D
> >still=3D20
> > it's not =3D3D
>working.
> >Mike A. suggested =3D
> >the .ini=3D20
> > file to make sure card A is 0. I'll =3D
> >try
=3D3D
>=3D3D3D
> =3D20
> > >that.
> >Pretty sure it's right but who=3D20
> > knows?
> >Thanks,
> >Tom
> =3D20
> > >
> >
> >
> =3D
> > >
> =3D20
> > >
> >"rick" <<A=3D20
> > href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
> =
> >=3D
> >wrote in=3D20
> > message =3D3D3D
> =3D20
> > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
> > > i know this as dumb as it gets but the bnc is attached in =3D
> >the=3D20
> > right
> > order...right?
> > =3D
> >all the=3D20
> > cards show up in paris with the single mec?
> > =3D
> >how many=3D20
> > i/o cards in each mec?
> >
> =3D
> > >
> =3D20
> > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D
> >=3D3D
><<A=3D20
> > =3D
> > =
> >>href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
> >
> >bsp;=3D20

> > > wrote:
> >
> > >I =3D
 > >thought I=3D20
 > > was groovin' but once the second Mec was introduced
> =3D
 > >> =3D20
 > > >the system stopped. That was a few weeks ago.
> =3D20
 > > > >
> > >Today I tried different =3D
 > >cables,=3D20
 > > eds cards, mecs, eliminated the =3D3D
>magma
> =3D
 > >=3D3D3D
> =3D20
 > > >and
> > >still no clock lock or modules =3D
 > >showing up=3D20
 > > in the paris patchbay.
> > >
> =3D
 > >> =3D20
 > > >This means to me software unless someone tells me=3D20
 > > differently.
> > >
> > =3D
 > >>I have=3D20
 > > a new C drive which I will load XP and no pace. Any=3D20
 > > =3D3D
>other=3D3D3D20
> > =3D
 > >>suggestions?
> =3D20
 > > > >
> > >More frustrated than my=3D20
 > > clients,
> > >Tom
> > =3D20
 > > >
> > >
> > =3D
 > >>
> =3D20
 > > > >
> > >I choose Polesoft =3D
 > >Lockspam to=3D20
 > > fight spam, and you?
> > =3D20
 > > >http://www.polesoft.com/refer.html =3D3D3D20
> =3D20
 > > >
> >
> ><!DOCTYPE HTML PUBLIC=3D20
 > > >"-//W3C//DTD HTML 4.0 Transitional//EN">
> =3D20
 > > ><HTML><HEAD>
> ><META=3D20
 > > >http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html; =3D
 > >=3D3D3D
> =3D20
 > > > charset=3D3D3D3DDiso-8859-1">
> ><META =3D
 > > >content=3D3D3D3D"MSHTML=3D20
 > > >6.00.2800.1400" name=3D3D3D3DGENERATOR>
> =3D20
 > > ><STYLE></STYLE>
> =3D
 > >></HEAD>
> =3D20
 > > ><BODY bgColor=3D3D3D3D#ffffff>
> =3D
 > >><DIV><FONT=3D20
 > > >face=3D3D3D3DArial =3D
 > > >size=3D3D3D3D2>Rick,</DIV>
> =3D20
 > > ><DIV>1 mec, no BNC =3D
 > > >involved.=3D20
 > > >Paris =3D3D
>=3D3D3D
> >boots up so =3D
 > > >the=3D3D3D20
> >1=3D20
 > > >mec that</DIV>
> =3D
 > >><DIV><FONT=3D20
 > > >face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but never =3D

> >any
=3D3D
>A to=3D20
 > > =3D3D3D
> >Ds or any=3D3D3D20
> >installed=3D20
 > > modules.</DIV>
> =3D
 > ><DIV><FONT=3D20
 > > face=3D3D3D3DArial size=3D3D3D3D2>This is the same symptom =3D
 > >before
=3D3D
>I=3D20
 > > =3D3D3D
> >repaired one of=3D3D3D20
> >my =3D
 > >mecs with=3D20
 > > a</DIV>
> ><DIV><FONT=3D20
 > > face=3D3D3D3DArial size=3D3D3D3D2>new chip. The clock light =3D
 > >=3D3D3D
> =3D20
 > > >continues to flash=3D3D3D20
> >too. Never locks=3D20
 > > in.</DIV>
> ><DIV><FONT=3D20
 > > face=3D3D3D3DArial size=3D3D3D3D2> =3D
 > ></DIV>
> =3D20
 > > ><DIV>I am using =3D
 > >the simplest=3D20
 > > setup I
=3D3D
>can =3D3D3D
> >imagine =3D
 > >and=3D3D3D20
> =3D20
 > > >still it's not working.</DIV>
> =3D20
 > > ><DIV>Mike A. =3D
 > >suggested the=3D20
 > > .ini file
=3D3D
>=3D3D3D
> >to make =3D
 > >sure=3D3D3D20
> =3D20
 > > >card A is 0. I'll try that.</DIV>
> =3D
 > >
 > > ><DIV>Pretty sure =3D
 > >it's right=3D20
 > > but who =3D3D
>=3D3D3D
> =3D20
 > > >knows?</DIV>
> =3D
 > >><DIV><FONT=3D20
 > > face=3D3D3D3DArial =3D
 > >size=3D3D3D3D2>Thanks,</DIV>
> =3D20
 > > ><DIV><FONT face=3D3D3D3DArial=3D20
 > > size=3D3D3D3D2>Tom</DIV>
> =3D20
 > > ><DIV> =3D
 > >
 > > </DIV>
> ><DIV><FONT face=3D3D3D3DArial=3D20
 > > size=3D3D3D3D2> </DIV>
> =3D
 > >><DIV>=3D20
 > > </DIV>
> ><DIV> </DIV>
> =3D20
 > > ><DIV> </DIV>
> ><DIV>"rick"=3D20
 > > <<A=3D3D3D20
> >href=3D3D3D3D"<A=3D20
 > > =3D
 > >=
 > >>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com'mailto=
 > >:pa=3D
 > >>rnell68@hotmail.com">parnell68@hotmail.com</A>>=3D20

> > =3D3D
>=3D3D3D
> >wrote in=3D3D3D20
> =3D
 > >>message=3D20
 > > <A=3D3D3D20
> =3D3D
>>href=3D3D3D3D"<A=3D20
 > > =3D
 > =
 >>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=
 >'>n=3D
 > =
 >>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393=3D3D<B=
 >=3D
 > >R>>an5=3D3D3D
> =3D20
 > > =3D
 > >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D
 > >;=3D20
 > > ><BLOCKQUOTE=3D3D3D20
> =3D
 > >>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
 > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>=3D3D3D
> =3D20
 > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
 > >0px">i=3D3D3D20
> =3D20
 > > > know this as dumb as it gets but the bnc is attached in=3D20
 > > the=3D3D3D20
> > =3D
 > >right
order...right?
all=3D20
 > > the cards show up in paris with the
=3D3D
>=3D3D3D
> =3D20
 > > >single=3D3D3D20
> > mec?
how many i/o =3D
 > >cards in=3D20
 > > each mec?

On Fri, 19 Oct=3D20
 > > =3D3D
>2007
> =3D3D3D
> >
> =3D
 > >> =3D20
 > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > =3D20
 > > =3D3D3D
> =3D3D
>>href=3D3D3D3D"<A=3D20
 > > =3D
 > =
 >>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote'=
 >>ma=3D
 > >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D
 > >rote:=3D3D
>=3D3D3D
> =3D20
 > > >

>I=3D3D3D20
> > thought =3D
 > >I was=3D20
 > > groovin' but once the second Mec was =3D3D3D
> =3D20
 > > >introduced
>the=3D3D3D20
> > system =3D
 > >stopped.=3D20
 > > That was a few weeks ago.
>
>Today I =3D
 > >=3D3D3D
> =3D20
 > > >tried=3D3D3D20
> > different cables, eds cards, =3D
 > >mecs,=3D20
 > > eliminated the magma =3D3D3D
> >and
>still=3D20
 > > no=3D3D3D20
> > clock lock or modules showing up in =3D
 > >the paris=3D20

> > =3D3D3D
> =3D20
> > >patchbay.
>
>This=3D3D3D20
> =3D
> >> =3D20
> > means to me software unless someone tells me =3D3D3D
> =3D20
> > >differently.
>
>I=3D3D3D20
> =3D
> >> =3D20
> > have a new C drive which I will load XP and no pace. Any=3D20
> > other=3D3D3D20
> > =3D20
> >
>suggestions?
>
>More frustrated =3D
> >than=3D20
> > my=3D3D3D20
> > =3D20
> > =3D
> >clients,
>Tom
>
>
>
>
=3D
> >>
>I=3D20
> > choose =3D3D3D
> >Polesoft=3D3D3D20
> =3D
> >> Lockspam=3D20
> > to fight spam, and=3D3D3D20
> > =3D20
> > you?
>http://www.polesoft.com/refer.html =3D
> >=3D3D3D20
> =3D20
> > =3D
> >>
</BLOCKQUOTE></BODY></HTML>
> =3D
> >=3D20
> > >
> >
>
>
><!DOCTYPE HTML =3D
> >PUBLIC=3D20
> > "-//W3C//DTD HTML 4.0=3D20
> > Transitional//EN">
><HTML><HEAD>
><META=3D20
> > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> > =3D3D
>charset=3D3D3Diso-8859-1">
><META =3D
> >content=3D3D3D"MSHTML=3D20

Subject: Re: More MacDonalds
Posted by [Sarah](#) on Fri, 21 Sep 2007 11:45:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

TYLE>
></HEA=3D
> >D>
><BODY=3D20
> > bgColor=3D3D3D#ffffff>
><DIV><FONT face=3D3D3DArial=3D20
> > size=3D3D3D2>Thanks=3D20
> > Dimitrios.</DIV>
><DIV><FONT =3D
> >face=3D3D3DArial=3D20
> > size=3D3D3D2> </DIV>
><DIV><FONT =3D
> >face=3D3D3DArial=3D20
> > size=3D3D3D2>Mike said the same thing. Is the =3D3D
>ini in =3D
> >
> > the=3D3D20
>Paris folde or system=3D20
> > 32?</DIV>
><DIV><FONT face=3D3D3DArial =3D
> >

> > size=3D3D3D2>Do I want the Master card to be =3D
> >0=3D3D20
>absolutely? I=3D20
> > only have one card</DIV>
><DIV><FONT =3D
> >
> > face=3D3D3DArial size=3D3D3D2>in there right now and it's all=3D20
> > freaky
=3D3D
>just=3D20
> > =3D
> >the=3D3D20
>same.</DIV>
><DIV><FONT=3D
> >=3D20
> > face=3D3D3DArial=3D20
> > size=3D3D3D2>Tom</DIV>
><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2> =3D
> ></DIV>
><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2> =3D
> ></DIV>
><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2>=3D20
> > =3D
> ></DIV>
><BLOCKQUOTE=3D3D20
>style=3D3D3D"PADDING-RIGHT: =3D
> >0px;=3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>BORDER-LEFT: #000000
=

>=3D
> >2px solid;=3D20
> > MARGIN-RIGHT: 0px">
> <DIV>"Dimitrios"=3D20
> > <<A=3D3D20
> href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musur=
>gio=3D
> >@otenet.gr">musurgio@otenet.gr</A>=3D20
> > wrote in =3D3D
>message=3D3D20
> <A =3D
> >=3D3D
>href=3D3D3D"<A=3D20
&g

Subject: Re: More MacDonalds
Posted by [chuck duffy](#) on Fri, 21 Sep 2007 12:10:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

t; > =3D
> =
>>href=3D3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>
H=
>j'>=3D
> >news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&=3D
> >lt;BR>Hi
=3D3D
>Tom=3D3D20
> =3D20
> > <A href=3D3D"mailto:!!@
Sorry">!!@
Sorry to hear you still
=

>=3D

> >having=3D20
 > > problems like this ~!!
Must =3D
 > >be
=3D3D
>very=3D3D20
> =3D20
 > > frustrating.
Open the Paris ini file and there change the=3D20
 > > =3D3D
>mastercardoutput=3D3D20
> with your =3D
 > >other
cards and=3D20
 > > see what happens !!
Let me=3D3D20
> =3D20
 > > know.
Regards,
Dimitrios

"Tom =3D
 > >Bruhl"=3D20
 > > <<A=3D3D20
> href=3D3D3D"<A=3D20
 > > =3D
 > =
 >>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20'>m=
 >ailto=3D
 > >:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20
&g=3D
 > >t; =3D20
 > > wrote:
>
>
>Rick,
>1 =3D
 > >mec, no=3D20
 > > BNC =3D3D
>involved. Paris=3D3D20
> boots up so =3D
 > >the 1 mec=3D20
 > > that
>I'm using shows up but never any A =3D3D
>to Ds=3D20
 > > or=3D3D20
> any installed modules.
>This is the =3D
 > >same=3D20
 > > symptom before I =3D3D
>repaired one=3D3D20
> of my mecs =3D
 > >with=3D20
 > > a
>new chip. The clock light continues to=3D20
 > > =3D3D
>flash=3D3D20
> too. Never locks=3D20
 > > in.
>
>I am using the simplest =3D
 > >=3D3D
>setup I=3D20
 > > can=3D3D20
> imagine and still it's not =3D
 > >working.
>Mike A.=3D20
 > > suggested the =3D3D
>.ini=3D3D20
> file to make =3D
 > >sure card A is=3D20
 > > 0. I'll try=3D20
 > > =3D
 > >=3D3D
>=3D3D3D
>that.
>Pretty=3D3D20
> =3D
 > >; sure it's=3D20
 > > right but who=3D3D20
> =3D20
 > > =3D
 > >=3D3D
>knows?
>Thanks,
>Tom
><=3D
 > >BR>>
>
>
><=3D3D
>BR>=3D
 > >>"rick"=3D3D20
> =3D20
 > > <<A =3D3D
>href=3D3D3D"<A=3D20
 > > =3D
 > =
 >>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com'mailto=
 >:pa=3D
 > >rnell68@hotmail.com">parnell68@hotmail.com</A/>=>=3D20

> > =3D3D
>wrote=3D3D20
> in message=3D3D20
> =3D20
 > > =3D
 > >=3D3D
>=3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D
 > >.com...
>&nbs=3D3D
>p;=3D20
 > > i=3D3D20
> know this as dumb as it gets but the bnc is =3D
 > >attached in=3D20
 > > the=3D3D20
> right
> =3D20
 > > order...right?
> all the cards show up=3D20
 > > =3D3D
>in=3D3D20
> paris with the single =3D
 > >mec?
> =3D20
 > > how many i/o cards in each=3D3D20
> =3D20
 > > mec?
>
>
> On Fri, 19 Oct =3D
 > >2007=3D20
 > > 00:22:39 -0400, =3D3D
>"Tom=3D3D20
> Bruhl"=3D20
 > > <<A=3D3D20
> =3D3D
>href=3D3D3D"<A=3D20
 > > =3D
 > >=
 > >>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n'>=3D=
 > >
 > >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D
 > >;&n=3D3D
>bsp;=3D3D20
> =3D20
 > > wrote:
>
> >I thought I was groovin' =3D
 > >but once=3D20
 > > the =3D3D
>second=3D3D20
> Mec was =3D
 > >introduced
> =3D20
 > > >the system stopped. That =3D3D
>was a =3D
 > >few=3D3D20
> weeks=3D20
 > > ago.
> >
> >Today I tried=3D20
 > > =3D3D
>different=3D3D20
> cables, eds cards, mecs, =3D
 > >eliminated the=3D20
 > > =3D3D
>magma
=3D3D3D
>and
> =3D
 > >=3D3D20
> =3D20
 > > >still no clock lock or modules showing up in the =3D
 > >paris=3D3D20
> =3D20
 > > patchbay.
> >
> >This means =3D
 > >to me=3D20
 > > =3D3D
>software=3D3D20
> unless someone tells me=3D20
 > > differently.
> >
> =3D20
 > > =3D3D
>>I=3D3D20
> have a new C drive which I will =3D
 > >load XP and no=3D20
 > > pace. Any=3D3D20
> other=3D3D3D20
> =3D20
 > > >suggestions?
> =3D3D
>>
>=3D20
 > > =3D3D20
> >More frustrated than my =3D
 > >clients,
> =3D20
 > > =3D3D
>>Tom
> =3D3D20
> =3D
 > >>
> =3D20
 > > >
> >
> =3D
 > >=3D3D
>>
>=3D20


```

> > =3D3D20<BR>> >I choose Polesoft Lockspam to fight spam, and=3D20
> > you?<BR>> =3D3D20<BR>> =3D
> >>http://www.polesoft.com/refer.html=3D20
> > =3D3D20<BR>> =3D
> >=3D3D3D20<BR>><BR>><BR>><!DOCTYPE=3D20
> > HTML PUBLIC "-//W3C//DTD =3D3D<BR>>HTML 4.0=3D3D20<BR>> =3D20
> > =3D
> >Transitional//EN"><BR>><HTML><HEAD><BR>>=3D
> ><META=3D3D20<BR>> =3D20
> > http-equiv=3D3D3D3DContent-Type =3D
> >content=3D3D3D3D"text/html";=3D3D20<BR>> =3D20
> > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D
> >
> > =3D3D<BR>>content=3D3D3D3D"MSHTML=3D3D20<BR>> =3D
> >6.00.2800.1400"=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE&=3D
> >gt;<BR>></HEA=3D3D<BR>>D><BR>><BODY=3D3D20<BR>>&=3D
> >gt; =3D20
> > bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT=3D20
> > face=3D3D3D3DArial=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>size=3D3D3D3D2>Rick,</FONT></DIV><BR>>&l=3D
> >t;DIV><FONT=3D3D20<BR>> =3D20
> > face=3D3D3D3DArial size=3D3D3D3D2>1 mec, no BNC involved. =
>Paris=3D20
> > =3D3D<BR>>=3D3D3D<BR>>boots up so=3D3D20<BR>> =3D
> >the=3D3D3D20<BR>>1=3D20
> > mec=3D20
> > =3D
> >=3D3D<BR>>that</FONT></DIV><BR>><DIV><FONT=3D
> >=3D3D20<BR>> =3D20
> >

```

Subject: Re: More MacDonalds
 Posted by [TCB](#) on Fri, 21 Sep 2007 13:31:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

```

; > face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but never any
=
>A to =3D
> >
> > =3D3D<BR>>=3D3D3D<BR>>Ds or=3D3D20<BR>> =3D20
> > any=3D3D3D20<BR>>installed=3D3D20<BR>> =3D20
> > modules.</FONT></DIV><BR>><DIV><FONT=3D20
> > =3D3D<BR>>face=3D3D3D3DArial=3D3D20<BR>> size=3D3D3D3D2>This is =
>=3D

```

> >the same=3D20
> > symptom before I =3D3D3D
>repaired =3D
> >=3D3D
>one=3D3D20
> =3D20
> > of=3D3D3D20
>my mecs with=3D3D20
> =3D20
> > a</DIV>
><DIV><FONT=3D20
> > face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>new chip. The =3D
> >clock light=3D20
> > =3D3D3D
>continues to=3D3D20
> =3D
> >flash=3D3D3D20
>too.=3D20
> > Never locks=3D3D20
> =3D20
> > in.</DIV>
><DIV><FONT =3D
> >face=3D3D3D3DArial=3D20
> > =3D3D
>
> size=3D3D3D3D2>=3D20
> > </DIV>
><DIV><FONT=3D20
> > =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>I am =3D
> >using the simplest=3D20
> > setup I can =3D3D3D
>imagine=3D3D20
> =3D20
> > and=3D3D3D20
>still it's not=3D3D20
> =3D20
> > working.</DIV>
><DIV><FONT=3D20
> > =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>Mike A. =
> >=3D
> >suggested the=3D20
> > .ini file =3D3D3D
>to make=3D3D20
> =3D20
> > sure=3D3D3D20
>card A is 0. I'll try=3D3D20
> =3D20
> > that.</DIV>
><DIV><FONT=3D20
> > =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>Pretty =3D
> >sure it's right=3D20
> > but who=3D3D20
> =3D20
> > =3D
> >=3D3D3D
>knows?</DIV>
><DIV&g=3D
> >t;<FONT=3D3D20
> =3D20
> > face=3D3D3D3DArial=3D3D20
> =3D20
> > =3D
> >=3D3D
>size=3D3D3D3D2>Thanks,</DIV>
>=3D
> ><DIV><FONT=3D3D
>=3D3D20&l

Subject: Re: More MacDonalds
Posted by [DJ](#) on Fri, 21 Sep 2007 14:31:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

4;4=3D=
>
> >ax.com">news:inqgh393an5</A=3D3D
>>=3D3D3D
>s4m99q=3D
> >caojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D
&=3D
> >=
>>gt;gt;<BLOCKQUOTE=3D3D3D20
>style=3D3D3D3D"PADDING-RIGHT:=3D3D20=3D
> >
> =3D20

> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
> >=3D3D3D
>BORDER-LEFT:=3D20
> > =3D3D
>#000000 2px=3D3D20
> solid; MARGIN-RIGHT:=3D20
> > 0px">i=3D3D3D20
> know this as dumb as =3D
> >=3D3D
>it=3D20
> > gets=3D3D20
> but the bnc is attached in =3D
> >the=3D3D3D20
>=3D20
> > =3D3D20
> right
order...right?
all the =3D
> >cards show up=3D20
> > in paris =3D3D
>with the=3D3D20
> =3D20
> > =3D3D3D
>single=3D3D3D20
> mec?
how =3D
> >many i/o=3D20
> > cards =3D3D
>in each=3D3D20
> =3D
> >mec?

On=3D20
> > Fri, 19 Oct=3D3D20
> =3D20
> > 2007
=3D3D3D
>
> 00:22:39 -0400, =3D
> >"Tom=3D20
> > Bruhl"=3D3D20
> <<A=3D3D3D20
> =3D20
> > =3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =3D20
> > =3D
> =
>>=3D3D
>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net&l=3D=
>
> >t;/A>>
wrote'>ma=3D3D
>ilto:arpegio@comcast.net">=3D
> >;arpegio@comcast.net>
w=3D3D
>rote:=3D3D=3D
> >3D
>

>I=3D3D3D20
>=3D20
> > =3D3D20
> thought I was groovin' but once the second Mec=3D20
> > was=3D3D20
> =3D20
> > =3D
> >=3D3D3D
>introduced
>the=3D3D3D20
>&g

Subject: Re: More MacDonalds
Posted by [TCB](#) on Fri, 21 Sep 2007 14:51:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

t; =3D
> > system=3D20
> > =3D3D
>stopped. That was=3D3D20
> a few weeks=3D20
> > ago.
>
>Today I=3D3D20
> =3D20
> > =3D3D3D
>tried=3D3D3D20
> different cables, =3D
> >eds cards,=3D20
> > mecs, =3D3D
>eliminated=3D3D20
> the magma=3D20
> > =3D3D3D
>and
>still =3D
> >no=3D3D3D20
> =3D20
> > =3D3D
>clock lock or=3D3D20
> modules showing up in the=3D20
> > paris=3D3D20
> =3D20
> > =3D

```

> >=3D3D<BR>>=3D3D3D<BR>>patchbay.<BR>><BR>>This=3D3D=3D
> >3D20<BR>> =3D20
> > =3D3D<BR>>means to=3D3D20<BR>> me software unless someone =3D
> >tells=3D20
> > me=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>=3D3D3D<BR>>differently.<BR>><BR>>I=3D3D=3D
> >3D20<BR>> =3D20
> > =3D3D<BR>>have a new=3D3D20<BR>> C drive which I will load XP =3D
> >and no pace.=3D20
> > Any other=3D3D3D20<BR>> =3D3D<BR>><BR>> =3D20
> > <BR>>suggestions?<BR>><BR>>More frustrated=3D20
> > =3D3D<BR>>than=3D3D20<BR>> my=3D3D3D20<BR>> =3D
> >=3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>clients,<BR>>Tom<BR>><BR>><BR>>=3D
> >;<BR>=3D3D<BR>>>><BR>>I=3D3D20<BR>> =3D20
> > choose =3D3D3D<BR>>Polesoft=3D3D3D20<BR>> Lockspam =3D
> >to fight=3D20
> > spam,=3D3D20<BR>> and=3D3D3D20<BR>> =3D20
> > =3D
> >=3D3D<BR>>you?<BR>>http://www.polesoft.com/refer.html=3D3D20<BR>>&=3D
> >gt; =3D20
> > =3D
> >=3D3D<BR>>=3D3D3D20<BR>><BR></BLOCKQUOTE></BODY>=3D
> >;</HTML><BR>&=3D3D<BR>>gt;<BR>><BR></B=3D
> >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=3D
> >/BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
> charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Mike,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I used to use a Lucid but since all of
=
>this mess I=20
>stopped.</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I'm trying to get stable from square =
>one with the=20
>least amount </FONT></DIV>

```

><DIV>of hardware. I am using the =
>default project=20
>for sure. The only </DIV>
><DIV>other thing that I still question is my
=
>move of=20

Subject: Re: More MacDonalds
Posted by [laMont \[1\]](#) on Fri, 21 Sep 2007 14:56:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

>
>Paris to C:ParisPro .</DIV>
><DIV>I should think the default project will
=
>either work=20
>or not. Maybe</DIV>
><DIV>configs or something else is =
>fighting during=20
>Paris startup?</DIV>
><DIV> </DIV>
><DIV>Pats 42 - Miami 7 . . . Halftime and =
>the games=20
>over.</DIV>
><DIV>Tom</DIV>
><DIV> </DIV>
><DIV> </DIV>
><DIV> </DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=20
> =
>href=3D"news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...</DIV>
Hi=20
> Tom,

Are you using a default project with PARIS? I'm so =
>sorry of=20
> this has been
asked and answered already. If so, perhaps it =
>is=20
> telling card zero to lock
to an external clock, which it can't =
>because=20
> there isn't one.

It would be interesting to attach an external
=
>clock=20
> source to the MEC and
then start PARIS to see how it behaves. =
>Or, if=20
> the clock generator is fried,
tell paris to lock externally and see
=

>what=20
> happens when an external clock
source is applied.

Isn't there
=
>a=20
> master house synch switch in the cfg file? I've never =
>used
it. =20
> Maybe DJ could help with what that should/shouldn't be set =
>to.

Wish I=20
> could do more than think out loud...

Mike

"Tom Bruhl" =
><<A=20
> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=20
> wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =
>many a=20
> time.
>I've seen that Mastercard setting as being 0
>but =
>maybe it=20
> changed after removing the 4 other
>eds cards for this round of=20
> testing.
>
>If it's still 0 what else could this be? =
>Busted=20
> mobo?
>I'm really in an idunno place right now. I'll be=20
> checking
>seriously today again because of a session tomorrow=20
> morning.
>Tom
>
>
> "Mike Audet"=20
> <mike@....> wrote in message <A=20
> =
>href=3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
>&g=
>t; =20
> Hi Tom,
>
> If you've only got one card in, then the =
>
> Mastercard =3D3D 0 setting is =3D
>right.
> =
>The file is=20
> Paris.cfg, and it lives in the c:\program=20
> files\Emu\PARIS
=3D
>PRO
> =
>folder.
>
> =20
> I'd still check it out to see what it is set to.
>
> =
>If it=20
> is wrong, what you are describing will happen.
>
> =
>Good=20
> luck!
>
> Mike
>
> "Tom Bruhl" =
><<A=20
> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=20
> wrote:
> >
> >
> >Thanks=20
> Dimitrios.
> >
> >Mike said the same=20
> thing. Is the ini in the Paris folde or system=20
> =3D
>32?
> >Do I want the Master card to be 0=20
> absolutely? I only have one card
> >in there =
>right now=20
> and it's all freaky just the same.
> >Tom
> =
>
> >
> >
> >
> >=20

> "Dimitrios" <<A =
 >href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr>=20
 > wrote in message =3D3D
> =
 >>news:471a0486\$1@linux...
> =20
 > >
> > Hi Tom !@
> > Sorry =
 >to hear=20
 > you still having problems like this ~!!
> > Must =
 >be very=20
 > frustrating.
> > Open the Paris ini file and =
 >there change=20
 > the mastercardoutput with
=3D
>=3D3D
> >your=20
 > other
> > cards and see what happens =
 >!!
> =20
 > > Let me know.
> > =
 >Regards,
> =20
 > > Dimitrios
> >
> > "Tom =
 >Bruhl"=20
 > <arpeggio@comcast.net> =
 >
 > wrote:
> > >
> > =20
 > >
> > >Rick,
> > >1 =
 >mec, no=20
 > BNC involved. Paris boots up so the 1 mec that
> =
 >> =20
 > >I'm using shows up but never any A to Ds or any installed=20
 > modules.
> > >This is the same symptom before =
 >I=20
 > repaired one of my mecs with a
> > >new =
 >chip. =20
 > The clock light continues to flash too. Never locks=20
 > =3D
>in.
> > >
> > =
 >>I am=20
 > using the simplest setup I can imagine and still it's not =
 >=3D3D
> =20
 > >working.
> > >Mike A. suggested the =
 >.ini=20
 > file to make sure card A is 0. I'll =3D
>try
> =
 >
 > =3D3D
> >=3D3D3D
> > =
 >>that.
> =20
 > > >Pretty sure it's right but who knows?
> =
 >> =20
 > >Thanks,
> > >Tom
> > =20
 > >
> > >
> > =
 >>
> =20
 > > >
> > >
> > =
 >
 > >"rick" <<A=20

> href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
 >wrote in=20
 > message =3D3D3D
> > =20
 > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
 > > > i know this as dumb as it gets but the bnc is =
 >attached=20
 > in the =3D
>right
> > > =20
 > order...right?
> > > all the cards show =
 >up in=20
 > paris with the single mec?
> > > how =
 >many i/o=20
 > cards in each mec?
> > >
> =
 >> =20
 > >
> > > On Fri, 19 Oct 2007 00:22:39 =
 >-0400,=20
 > "Tom Bruhl" =3D3D
> ><<A=20
 > =
 >href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
 >bsp;=20
 > > > wrote:
> > =
 >>
> =20
 > > > >I thought I was groovin' but once the second =
 >Mec was=20
 > introduced
> > > >the system =
 >stopped. =20
 > That was a few weeks ago.
> > > =20
 > >
> > > >Today I tried different =
 >cables,=20
 > eds cards, mecs, eliminated the
=3D
>=3D3D
> =20
 > >magma
> > =3D3D3D
> > =20
 > >and
> > > >still no clock lock or =
 >modules=20
 > showing up in the paris =3D
>patchbay.
> > =
 >> =20
 > >
> > > >This means to me software =
 >unless=20
 > someone tells me differently.
> > > =20
 > >
> > > >I have a new C drive =
 >which I will=20
 > load XP and no pace. Any =3D3D
> =20
 > >other=3D3D3D20
> > > =20
 > >suggestions?
> > > =
 >>
> =20
 > > > >More frustrated than my =
 >clients,
> =20
 > > > >Tom
> > > =20
 > >
> > > >
> > =
 >

```

> > <BR>> > > <BR>> =
>
> > > >I choose Polesoft Lockspam to fight spam, =
>and=20
> you?<BR>> > > =20
> >http://www.polesoft.com/refer.html =3D3D3D20<BR>> =
>> =20
> ><BR>> > ><BR>> > =
>><!DOCTYPE=20
> HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =20
> > ><HTML><HEAD><BR>> > =
>><META=20
> http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
> =3D<BR>>=3D3D3D<BR>> > =20
> > charset=3D3D3D3DISO-8859-1"><BR>> > =
>><META=20
> content=3D3D3D3D"MSHTML 6.00.2800.1400" =
>name=3D3D3D3DGENERATOR><BR>> =20
> > ><STYLE></STYLE><BR>> > =20
> ></HEAD><BR>> > ><BODY=20
> bgcolor=3D3D3D3D#ffffff><BR>> > =
>><DIV><FONT=20
> face=3D3D3D3DArial =
>size=3D3D3D3D2>Rick,</FONT></DIV><BR>> =20
> > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>1 mec, no=20
> BNC involved. =3D<BR>>Paris =3D3D<BR>> =
>>=3D3D3D<BR>> =20
> > >boots up so the=3D3D3D20<BR>> > >1 =
>mec=20
> that</FONT></DIV><BR>> > =
>><DIV><FONT=20
> face=3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but =
>=3D<BR>>never=20
> any<BR>> =3D3D<BR>> >A to =3D3D3D<BR>> =
>> =20
> >Ds or any=3D3D3D20<BR>> > >installed=20
> modules.</FONT></DIV><BR>> > =20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This is =
>the same=20
> symptom<BR>=3D<BR>>before<BR>> =3D3D<BR>> >I=20
> =3D3D3D<BR>> > >repaired one =
>of=3D3D3D20<BR>> =20
> > >my mecs with a</FONT></DIV><BR>> =20
> > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>new chip.=20
> The clock light<BR>=3D<BR>>=3D3D3D<BR>> > =
>>continues to=20

```

> flash=3D3D3D20
> > >too. Never locks=20
> in.</DIV>
> > =
>><DIV><FONT=20
> face=3D3D3D3DArial size=3D3D3D3D2> =
></DIV>
> =20
> > ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>I am using=20
> the simplest =3D
>setup I
> =3D3D
> =
>>can=20
> =3D3D3D
> > >imagine =
>and=3D3D3D20
> > =20
> >still it's not working.</DIV>
> =
>> =20
> ><DIV>Mike A. =
>suggested the=20
> =3D
>.ini file
> =3D3D
> =
>>=3D3D3D
> =20
> > >to make sure=3D3D3D20
> > >card =
>A is 0.=20
> I'll try that.</DIV>
> > =20
> ><DIV>Pretty =
>sure it's=20
> right =3D
>but who =3D3D
> >=3D3D3D
> =
>> =20
> >knows?</DIV>
>

Subject: Re: More MacDonalds
Posted by [dc\[3\]](#) on Fri, 21 Sep 2007 15:22:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

> =20
> ><DIV><FONT face=3D3D3D3DArial=20
> size=3D3D3D3D2>Thanks,</DIV>
> =
>> =20
> ><DIV><FONT face=3D3D3D3DArial=20
> size=3D3D3D3D2>Tom</DIV>
> =
>> =20
> ><DIV><FONT face=3D3D3D3DArial =
>size=3D3D3D3D2>=20
> </DIV>
> > ><DIV><FONT =
>face=3D3D3D3DArial=20
> size=3D3D3D3D2> </DIV>
> > =20
> ><DIV> </DIV>
> > ><DIV>=20
> </DIV>
> > ><DIV>=20
> </DIV>
> > ><DIV>"rick"=20
> <<A=3D3D3D20
> > =
>=3D
>>href=3D3D3D3D"<A=20

> =
>href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com'mailto:pa=
>rnell68@hotmail.com">parnell68@hotmail.com'>>=20
> =3D
>=3D3D
> >=3D3D3D
> > =
>>wrote=20
> in=3D3D3D20
> > >message =
><A=3D3D3D20
> =20
> > =3D3D
> =3D
>>>href=3D3D3D3D"<A=20
> =
>href=3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>news=
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D
>=
>393=3D3D
> =20
> >an5=3D3D3D
> > =20
> =
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =
>;=20
> > ><BLOCKQUOTE=3D3D3D20
> > =20
> >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>
> =3D
>5px; =3D3D
> >=3D3D3D
> =
>> =20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=20
> 0px">i=3D3D3D20
> > > know this as =
>dumb as it=20
> gets but the bnc is attached in =3D
>the=3D3D3D20
> =
>> =20
> > right
order...right?
all the cards show =
>up in=20
> paris with =3D
>the
> =3D3D
> =20
> >=3D3D3D
> > >single=3D3D3D20
> =
>> =20
> > mec?
how many i/o cards in each=20
> mec?

On Fri, 19 =3D
>Oct =
>=3D3D
> =20
> >2007
> > =3D3D3D
> > =20
> >
> > > 00:22:39 -0400, "Tom Bruhl"=20
> <<A=3D3D3D20
> > > =
>=3D3D3D
> =20
> > =3D3D
> =3D
>>>href=3D3D3D3D"<A=20

Subject: Re: More MacDonalds
Posted by [Dedric Terry](#) on Fri, 21 Sep 2007 15:43:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

br />
> =
>href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>
wro'>mail=

```

>to:arpeggio@comcast.net">arpeggio@comcast.net</A>><BR>wro=
></A>=3D<BR>>te:=3D3D<BR>> =20
> >=3D3D3D<BR>> > =20
> ><BR>><BR>>I=3D3D3D20<BR>> > =
>> =20
> thought I was groovin' but once the second Mec was =
>=3D3D3D<BR>> =20
> > >introduced<BR>>the=3D3D3D20<BR>> =
>> =20
> > system stopped. That was a few weeks=20
> ago.<BR>><BR>>Today I =3D3D3D<BR>> =
>> =20
> >tried=3D3D3D20<BR>> > > different =
>cables, eds=20
> cards, mecs, eliminated the magma =3D3D3D<BR>> > =20
> >and<BR>>still no=3D3D3D20<BR>> > =
>> clock=20
> lock or modules showing up in the paris =3D3D3D<BR>> =
>> =20
> >patchbay.<BR>><BR>>This=3D3D3D20<BR>> =
>> =20
> > means to me software unless someone tells me =
>=3D3D3D<BR>> =20
> > =
>>differently.<BR>><BR>>I=3D3D3D20<BR>> =20
> > > have a new C drive which I will load XP and no =
>pace. Any=20
> =3D<BR>>>other=3D3D3D20<BR>> > > =20
> <BR>>suggestions?<BR>><BR>>More frustrated =
>than=20
> my=3D3D3D20<BR>> > > =20
> =
>clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>=
>>><BR>>I=20
> choose =3D3D3D<BR>> > =
>>Polesoft=3D3D3D20<BR>> =20
> > > Lockspam to fight spam, =
>and=3D3D3D20<BR>> =20
> > > =
>you?<BR>>http://www.polesoft.com/refer.html=20
> =3D3D3D20<BR>> > =20
> =
>><BR></BLOCKQUOTE></BODY></HTML><BR>> =
>=20
> > ><BR>> > ><BR>> =
>><BR>> =20
> ><BR>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
> Transitional//EN"><BR>> =

```

```

>><HTML><HEAD><BR>> =20
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html";=20
> =3D3D<BR>> > charset=3D3D3Diso-8859-1"><BR>> =
>><META=20
> content=3D3D3D"MSHTML 6.00.2800.1400" =
> name=3D3D3DGENERATOR><BR>> =20
> ><STYLE></STYLE><BR>> =
>></HEAD><BR>> =20
> ><BODY bgcolor=3D3D3D#ffffff><BR>> =
>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>Thanks=20
> Dimitrios.</FONT></DIV><BR>> =
>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2></FONT> =
></DIV><BR>> =20
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike said the =
> same=20
> thing. Is =3D<BR>>the =3D3D<BR>> >ini in=20
> the=3D3D20<BR>> >Paris folde or system=20
> 32?</FONT></DIV><BR>> ><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>Do I want the Master card to=20
> be<BR>=3D<BR>>0=3D3D20<BR>> >absolutely? I only =
> have one=20
> card</FONT></DIV><BR>> ><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>in there right now and it's=20
> all<BR>=3D<BR>>freaky<BR>> =3D3D<BR>> >just=20
> the=3D3D20<BR>> =
>>same.</FONT></DIV><BR>> =20
> ><DIV><FONT face=3D3D3DArial=20
> size=3D3D3D2>Tom</FONT></DIV><BR>> =20
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> =
>
> </DIV><BR>> ><DIV><FONT face=3D3D3DArial=20
> size=3D3D3D2></FONT> </DIV><BR>> =
>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2></FONT> =
></DIV><BR>> =20
> ><BLOCKQUOTE=3D3D20<BR>> =
>>style=3D3D3D"PADDING-RIGHT: 0px;=20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>=3D3D<BR>> =20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
> 0px"><BR>> =20
> > <DIV>"Dimitrios" <<A=3D3D20<BR>> =
>> =20
> href=3D3D3D"<A=20
> =
> href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>mailto:musurgio=
> @otenet.gr">musurgio@otenet.gr</A/A>>>=20

```

> wrote
=3D
>in =3D3D
> =
 >>message=3D3D20
> =20
 > > <A=3D3D
> =3D
>>href=3D3D3D"<A=20
 > =
 >href=3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>
H'>n=
 >ews:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&l=
 >t;BR>H=3D
>i
> =20
 > =3D3D
> >Tom=3D3D20
> > <A=20
 > href=3D"mailto:!!@
Sorry">!!@
Sorry to hear you still =
 >having=20
 > problems like this ~!!
Must
=3D
>be
> =20
 > =3D3D
> >very=3D3D20
> > =20
 > frustrating.
Open the Paris ini file and there change the=20
 > =3D3D
> >mastercardoutput=3D3D20
> =
 >> with your=20
 > other
cards and see what happens !!
Let=20
 > me=3D3D20
> > =20
 > know.
Regards,
Dimitrios

"Tom =
 >Bruhl"=20
 > <<A=3D3D20
> > href=3D3D3D"<A=20
 > =
 >href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20'>mail=
 >to:arpegio@comcast.net">arpegio@comcast.net=>=3D3D20<B=
 >R>> =20
 > > =20
 > wrote:
>
>
>Rick,
>1 =
 >mec, no=20
 > BNC =3D3D
> >involved. Paris=3D3D20
> =
 >> =20
 > boots up so the 1 mec that
>I'm using shows up but never =
 >any A=20
 > =3D
>=3D3D
> >to Ds or=3D3D20
> =
 >> any=20
 > installed modules.
>This is the same symptom before I=20
 > =3D3D
> >repaired one=3D3D20
> > =
 >of my mecs=20
 > with a
>new chip. The clock light continues to=20
 > =3D3D
> >flash=3D3D20
> > =
 >too. Never=20
 > locks in.
>
>I am using the simplest =
 >=3D3D
> =20
 > >setup I can=3D3D20
> > imagine and still it's =
 >not=20
 > working.
>Mike A. suggested the =3D3D
> =20
 > >.ini=3D3D20
> > file to make sure card A is =
 >0. =20
 > I'll try =3D3D
> =20
 > =

>>=3D3D3D
>that.
>Pretty=3D3D20
> =
 >> =20
 > sure it's right but who=3D3D20
> > =
 >=3D3D
> =20
 > =
 >>knows?
>Thanks,
>Tom
>
>=
>
 >gt;
>
>
>
>=3D3D
> =20
 > >BR>>"rick"=3D3D20
> > <<A =
 >=3D3D
> =20
 > >href=3D3D3D"<A=20
 > =
 >href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
 >rnell68@hotmail.com">parnell68@hotmail.com</A>=20
 > =3D
>=3D3D
> >wrote=3D3D20
> =
 >> in=20
 > message=3D3D20
> > =3D3D
> =20
 > =
 >=3D
>>=3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u=
 >6r@4ax.com...
>&nbs=3D3D=3D
>
> =20
 > >p; i=3D3D20
> > know this as dumb as it gets =
 >but the=20
 > bnc is attached in the=3D3D20
> > =
 >right
> =20
 > order...right?
> all the cards show up =
 >=3D3D
> =20
 > >in=3D3D20
> > paris with the single=20
 > mec?
> how many i/o cards in =
 >each=3D3D20
> =20
 > > mec?
>
>
> On =
 >Fri, 19 Oct=20
 > 2007 00:22:39 -0400, =3D3D
> >"Tom=3D3D20
> =
 >> =20
 > Bruhl" <<A=3D3D20
> > =3D3D
> =20
 > =3D
>>href=3D3D3D"<A=20
 > =
 >href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
 >3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
 >R>>&n=3D3D=3D
>
> =20
 > >bsp;=3D3D20
> > =20
 > wrote:
>
> >I thought I was groovin' =
 >but once=20
 > the =3D3D
> >second=3D3D20
> > Mec =
 >was=20
 > introduced
> >the system stopped. That=20
 > =3D3D
> >was a few=3D3D20
> > =
 >weeks=20
 > ago.
> >
> >Today I tried=20
 > =3D3D
> >different=3D3D20
> > =

>cables, eds=20
> cards, mecs, eliminated the =3D3D
> =20
> >magma
=3D3D3D
>and
> =
>=3D3D20
> =20
> > >still no clock lock or modules showing up in the=20
> paris=3D3D20
> > patchbay.
> =20
> >
> >This means to me =3D3D
> =20
> >software=3D3D20
> > unless someone tells me=20
> differently.
> >
> =
>=3D3D
> =20
> >>I=3D3D20
> > have a new C drive which I =
>will load=20
> XP and no pace. Any=3D3D20
> > =20
> other=3D3D3D20
> =
>>suggestions?
> =20
> =3D3D
> >>
> =3D3D20
> =
>> =20
> >More frustrated than my clients,
> =
>=3D3D
> =20
> >>Tom
> =3D3D20
> > =20
> >
> >
> =
>>
> =20
> =3D3D
> >>
> =3D3D20
> =
>> >I=20
> choose Polesoft Lockspam to fight spam, and you?
>=20
> =3D3D20
> > =
>><http://www.polesoft.com/refer.html>=20"Neil" <IOOIU@OIU.com> wrote:

>Sounds like you need to check out some Gary Moore.

>

>Neil

That's not it. Too rock, too pentatonic. Put on some Bird, and see if
you
can hear a sold blues backup with a few changes of course.

Maybe I'm nutz..

DC"steve the artguy" <artguy@somethingorother.net> wrote:

>

>Don-

>

>I am fairly certain that any type of guitar playing you can imagine does
>indeed exist out there. There is a guitar player I heard the other day,
Julian

>Lage, who is, I believe, capable of the playing I imagine you are thinking
>of. As any good internet-literate person would, I blogged about hearing
him.

Wow, he's good isn't he? I found some stuff on YouTube. What a tuneful player. Fabulous. He probably does have the chops to pull it off. Great musical sense too. thanks

>Perhaps there are two mental processes going on. One is that you imagined
>a feeling -- an emotion -- and then you other is that you tried to imagine
>a combination of musical experiences that would produce such a feeling.

>Or maybe not.

It's like a few years back when I went to the Ellington Society convention. I met Louis Bellson and hung out for a while before his show and then sat in the front row while he blew my mind. (he gave me his sticks from that show, they are on the wall out in the studio) Anyway, during one of the more swinging pieces, I just was wishing for my guitar... Some BB stuff, but more of a rock tone, and I heard exactly what I would have played. All of a sudden it was just there! I knew it. Jazz Rock without the schmaltz.

Jazz Rock usually loses the power of both styles. I want to keep the power and swing and everything. Yes it may be a dream, but this came close didn't it?

<http://www.youtube.com/watch?v=GzViV6PUOSM>

>These sorts of things fascinate me.

Me too. So many of our limits are limits of vision.

DCThis is a multi-part message in MIME format.

-----=_NextPart_000_0017_01C81412.A17511B0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I'm about to try some things Mike.

I have already removed the housesync line.
Maybe not from both folders though.
I'll give it a run and report back.
T

"Mike Audet" <mike@....> wrote in message news:471bcb77\$1@linux...

Hi Tom,

I have an idea.

Try removing UseHouseSync=3D1 from the paris.cfg file.

Next, remove your default project from the program files\emu\paris pro =
folder.

=20

Let me know if it makes a difference.

Good luck!

Mike

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Mike,

>I used to use a Lucid but since all of this mess I stopped.

>I'm trying to get stable from square one with the least amount=3D20

>of hardware. I am using the default project for sure. The only=3D20

>other thing that I still question is my move of Paris to C:ParisPro .

>I should think the default project will either work or not. Maybe

>configs or something else is fighting during Paris startup?

>

>Pats 42 - Miami 7 . . . Halftime and the games over.

>Tom

>

>

>

> "Mike Audet" <mike@....> wrote in message news:471b6eb0\$1@linux...

>

> Hi Tom,

>

> Are you using a default project with PARIS? I'm so sorry of this =
has

=3D

>been

> asked and answered already. If so, perhaps it is telling card zero =
to

=3D

>lock

> to an external clock, which it can't because there isn't one.

>

> It would be interesting to attach an external clock source to the =

MEC
 =3D
 >and
 > then start PARIS to see how it behaves. Or, if the clock generator =
 is
 =3D
 >fried,
 > tell paris to lock externally and see what happens when an external =
 =3D
 >clock
 > source is applied.
 >
 > Isn't there a master house synch switch in the cfg file? I've =
 never =3D
 >used
 > it. Maybe DJ could help with what that should/shouldn't be set to.
 >
 > Wish I could do more than think out loud...
 >
 > Mike
 >
 > "Tom Bruhl" <arpeggio@comcast.net> wrote:
 > >
 > >
 > >Hi Mike,
 > >Well I've been to .cfg many a time.
 > >I've seen that Mastercard setting as being 0
 > >but maybe it changed after removing the 4 other
 > >eds cards for this round of testing.
 > >
 > >If it's still 0 what else could this be? Busted mobo?
 > >I'm really in an idunno place right now. I'll be checking
 > >seriously today again because of a session tomorrow morning.
 > >Tom
 > >
 > >
 > > "Mike Audet" <mike@....> wrote in message =
 news:471b2ec2\$1@linux...
 > >
 > > Hi Tom,
 > >
 > > If you've only got one card in, then the Mastercard =3D3D3D 0 =
 setting
 =3D
 >is =3D3D
 > >right.
 > > The file is Paris.cfg, and it lives in the c:\program =3D
 >files\Emu\PARIS

> =3D3D
> >PRO
> > folder.
> >
> > I'd still check it out to see what it is set to.
> >
> > If it is wrong, what you are describing will happen.
> >
> > Good luck!
> >
> > Mike
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Thanks Dimitrios.
> > >
> > >Mike said the same thing. Is the ini in the Paris folde or =
system
=3D
>=3D3D
> >32?
> > >Do I want the Master card to be 0 absolutely? I only have one =
=3D
>card
> > >in there right now and it's all freaky just the same.
> > >Tom
> > >
> > >
> > >
> > > "Dimitrios" <musurgio@otenet.gr> wrote in message =3D3D3D
> > >news:471a0486\$1@linux...
> > >
> > > Hi Tom !@
> > > Sorry to hear you still havi

Subject: Re: More MacDonalds
Posted by [excelav](#) on Fri, 21 Sep 2007 16:19:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

o the 1 mec that
> > > >I'm using shows up but never any A to Ds or any installed =
=3D
>modules.
> > > >This is the same symptom before I repaired one of my mecs =
with
=3D

>a
 > > > >new chip. The clock light continues to flash too. Never =
 locks
 =3D
 >=3D3D
 > >in.
 > > > >
 > > > >I am using the simplest setup I can imagine and still it's =
 not
 =3D
 >=3D3D3D
 > > >working.
 > > > >Mike A. suggested the .ini file to make sure card A is 0. =
 =3D
 >I'll =3D3D
 > >try
 > > =3D3D3D
 > > >=3D3D3D3D
 > > > >that.
 > > > >Pretty sure it's right but who knows?
 > > > >Thanks,
 > > > >Tom
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >
 > > > >"rick" <parnell68@hotmail.com> wrote in message =3D3D3D3D
 > > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
 > > > > i know this as dumb as it gets but the bnc is attached in =
 the
 =3D
 >=3D3D
 > >right
 > > > > order...right?
 > > > > all the cards show up in paris with the single mec?
 > > > > how many i/o cards in each mec?
 > > > >
 > > > >
 > > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
 > > > ><arpeggio@comcast.net>
 > > > > wrote:
 > > > >
 > > > > >I thought I was groovin' but once the second Mec was =3D
 >introduced
 > > > > >the system stopped. That was a few weeks ago.
 > > > > >
 > > > > >Today I tried different cables, eds cards, mecs, =

eliminated

=3D

>the

> =3D3D

> >=3D3D3D

> > >magma

> > > =3D3D3D3D

> > > >and

> > > > >still no clock lock or modules showing up in the paris =

=3D3D

> >patchbay.

> > > > >

> > > > >This means to me software unless someone tells me =3D

>differently.

> > > > >

> > > > >I have a new C drive which I will load XP and no pace. =

Any

=3D

>=3D3D3D

> > >other=3D3D3D3D20

> > > > >suggestions?

> > > > >

> > > > >More frustrated than my clients,

> > > > >Tom

> > > > >

> > > > >

> > > > >

> > > > >

> > > > >I choose Polesoft Lockspam to fight spam, and you?

> > > > ><http://www.polesoft.com/refer.html> =3D3D3D3D20

> > > > >

> > > > >

> > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =

Transitional//EN">

> > > ><HTML><HEAD>

> > > ><META http-equiv=3D3D3D3D3DContent-Type =3D

>content=3D3D3D3D3D"text/html; =3D3D

> >=3D3D3D3D

> > > > charset=3D3D3D3D3DDiso-8859-1">

> > > ><META content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D

>name=3D3D3D3D3DGENERATOR>

> > > ><STYLE></STYLE>

> > > ></HEAD>

> > > ><BODY bgColor=3D3D3D3D3D#ffffff>

> > > ><DIV><FONT face=3D3D3D3D3DArial =

size=3D3D3D3D3D2>Rick,</DIV>

> > > ><DIV>1 mec, no =

BNC =3D

>involved. =3D3D
 > >Paris =3D3D3D
 > > >=3D3D3D3D
 > > > >boots up so the=3D3D3D3D20
 > > > >1 mec that</DIV>
 > > > ><DIV>I'm using =
 shows up
 =3D
 >but =3D3D
 > >never any
 > > =3D3D3D
 > > >A to =3D3D3D3D
 > > > >Ds or any=3D3D3D3D20
 > > > >installed modules.</DIV>
 > > > ><DIV>This is the =
 same =3D
 >symptom
 > =3D3D
 > >before
 > > =3D3D3D
 > > >I =3D3D3D3D
 > > > >repaired one of=3D3D3D3D20
 > > > >my mecs with a</DIV>
 > > > ><DIV>new chip. =
 The =3D
 >clock light
 > =3D3D
 > >=3D3D3D3D
 > > > >continues to flash=3D3D3D3D20
 > > > >too. Never locks in.</DIV>
 > > > ><DIV> =
 </DIV>
 > > > ><DIV>I am using =
 the =3D
 >simplest =3D3D
 > >setup I
 > > =3D3D3D
 > > >can =3D3D3D3D
 > > > >imagine and=3D3D3D3D20
 > > > >still it's not working.</DIV>
 > > > ><DIV>Mike A. =
 suggested
 =3D
 >the =3D3D
 > >.ini file
 > > =3D3D3D
 > > >=3D3D3D3D
 > > > >to make sure=3D3D3D3D20

> > > >card A is 0. I'll try that.</DIV>
 > > > ><DIV>Pretty sure =
 it's =3D
 >right =3D3D
 > >but who =3D3D3D
 > > >=3D3D3D3D
 > > > >knows?</DIV>
 > > > ><DIV><FONT face=3D3D3D3D3DArial =3D
 >size=3D3D3D3D3D2>Thanks,</DIV>
 > > > ><DIV><FONT face=3D3D3D3D3DArial =
 size=3D3D3D3D3D2>Tom</DIV>
 > > > ><DIV> =
 </DIV>
 > > > ><DIV> =
 </DIV>
 > > > ><DIV> </DIV>
 > > > ><DIV> </DIV>
 > > > ><DIV> </DIV>
 > > > ><DIV>"rick" <<A=3D3D3D3D20
 > > > =3D3D
 > =3D
 =
 >>>href=3D3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com</A=
 >>
 =3D
 >=3D3D
 > >=3D3D3D
 > > >=3D3D3D3D
 > > > >wrote in=3D3D3D3D20
 > > > >message <A=3D3D3D3D20
 > > > =3D3D3D
 > > =3D3D
 > =3D
 =
 >>>>href=3D3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news=
 :in=3D
 >qgh=3D3D
 > >393=3D3D3D
 > > >an5=3D3D3D3D
 > > > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
 > > > ><BLOCKQUOTE=3D3D3D3D20
 > > > >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =3D
 >MARGIN-LEFT: =3D3D
 > >5px; =3D3D3D
 > > >=3D3D3D3D
 > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =
 0px">i=3D3D3D3D20
 > > > > know this as dumb as it gets but the bnc is attached in =

=3D3D
> >the=3D3D3D3D20
> > > > right
order...right?
all the cards show up in paris =
=3D
>with =3D3D
> >the
> > =3D3D3D
> > >=3D3D3D3D
> > > >single=3D3D3D3D20
> > > > mec?
how many i/o cards in each mec?

On Fri, =
19
=3D
>=3D3D
> >Oct =3D3D3D
> > >2007
> > > =3D3D3D3D
> > > >
> > > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > > > =3D3D3D3D
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>>href=3D3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net><=
BR>=3D
>wro=3D3D
> >te:=3D3D3D
> > >=3D3D3D3D
> > > >

>I=3D3D3D3D20
> > > > thought I was groovin' but once the second Mec was =
=3D3D3D3D
> > > >introduced
>the=3D3D3D3D20
> > > > system stopped. That was a few weeks ago.
>
>Today I =
=3D
>=3D3D3D3D
> > > >tried=3D3D3D3D20
> > > > different cables, eds cards, mecs, eliminated the magma =
=3D
>=3D3D3D3D
> > > >and
>still no=3D3D3D3D20
> > > > clock lock or modules showing up in the paris =3D3D3D3D
> > > >patchbay.
>
>This=3D3D3D3D20
> > > > means to me software unless someone tells me =3D3D3D3D
> > > > differently.
>
>I=3D3D3D3D20
> > > > have a new C drive which I will load XP and no pace. Any =
=3D3D
> >other=3D3D3D3D20
> > > >
>suggestions?
>
>More frustrated than =

```

my=3D3D3D3D20
> > > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose =
=3D3D3D3D
> > > >Polesoft=3D3D3D3D20
> > > > Lockspam to fight spam, and=3D3D3D3D20
> > > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D3D20
> > > ><BR></BLOCKQUOTE></BODY></HTML>
> > > >
> > > >
> > >
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html; =3D
>=3D3D3D
> > >charset=3D3D3D3Diso-8859-1">
> > ><META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Thanks =3D
>Dimitrios.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the same =
thing.
=3D
> Is =3D3D
> >the =3D3D3D
> > >ini in the=3D3D3D20
> > >Paris folde or system 32?</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Do I want the =
Master card
=3D
>to be
> =3D3D
> >0=3D3D3D20
> > >absolutely? I only have one card</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>in there right now =
and =3D
>it's all
> =3D3D
> >freaky
> > =3D3D3D
> > >just the=3D3D3D20
> > >same.</FONT></DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Tom</FONT></DIV>

```

```

> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Dimitrios" <<A=3D3D3D20
> > > =
href=3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =3D
>wrote
> =3D3D
> >in =3D3D3D
> > >message=3D3D3D20
> > > <A =3D3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV=
><B=3D
>R>H=3D3D
> >i
> > =3D3D3D
> > >Tom=3D3D3D20
> > > !@<BR>Sorry to hear you still having problems like this =3D
>~!!<BR>Must
> =3D3D
> >be
> > =3D3D3D
> > >very=3D3D3D20
> > > frustrating.<BR>Open the Paris ini file and there change the =
=3D
>=3D3D3D
> > >mastercardoutput=3D3D3D20
> > > with your other<BR>cards and see what happens !!<BR>Let =3D
>me=3D3D3D20
> > > know.<BR>Regards,<BR>Dimitrios<BR><BR>"Tom Bruhl" =
<<A=3D3D3D20
> > > =3D
=
>href=3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D3D3=
D20
> > > wrote:<BR>><BR>><BR>>Rick,<BR>>>1 mec, no BNC =3D3D3D
> > >involved. Paris=3D3D3D20
> > > boots up so the 1 mec that<BR>>>I'm using shows up but never =
any

```


> > > paris with the single mec?
> how many i/o cards in =3D
>each=3D3D3D20
> > > mec?
>
>
> On Fri, 19 Oct 2007 00:22:39 -0400, =
=3D3D3D
> > >"Tom=3D3D3D20
> > > Bruhl" <<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
=
>&n=3D
>=3D3D3D=3D3D
> >
> > >bsp;=3D3D3D20
> > > wrote:
>
> >I thought I was groovin' but once the =
=3D3D3D
> > >second=3D3D3D20
> > > Mec was introduced
> >the system stopped. That =3D3D3D
> > >was a few=3D3D3D20
> > > weeks ago.
> >
> >Today I tried =3D3D3D
> > >different=3D3D3D20
> > > cables, eds cards, mecs, eliminated the =3D3D3D
> > >magma
=3D3D3D3D
>and
> =3D3D3D20
> > > >still no clock lock or modules showing up in the =
paris=3D3D3D20
> > > patchbay.
> >
> >This means to me =3D3D3D
> > >software=3D3D3D20
> > > unless someone tells me differently.
> >
> =3D3D3D
> > >>I=3D3D3D20
> > > have a new C drive which I will load XP and no pace. =
Any=3D3D3D20
> > > other=3D3D3D3D20
> >suggestions?
> =3D3D3D
> > >>
> =3D3D3D20
> > > >More frustrated than my clients,
> =3D3D3D
> > >>Tom
> =3D3D3D20
> > > >
> >
> >
> =3D3D3D
> > >>
> =3D3D3D20
> > > >I choose Polesoft Lockspam to fight spam, and you?
> =
=3D3D3D20
> > > >http://www.polesoft.com/refer.html =3D3D3D20
> > > =3D3D3D3D20
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD =
=3D3D3D
> > >HTML 4.0=3D3D3D20
> > > Transitional//EN">
><HTML><HEAD>
><META=3D3D3D20
> > > http-equiv=3D3D3D3D3DContent-Type =3D
>content=3D3D3D3D3D"text/html";=3D3D3D20
> > > =3D3D3D3D
>charset=3D3D3D3D3Diso-8859-1">
><META =

=3D3D3D

```
> > >content=3D3D3D3D3D"MSHTML=3D3D3D20
> > > 6.00.2800.1400"=3D3D3D20
> > > =3D3D3D
> > >name=3D3D3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D3D
> > >D><BR>><BODY=3D3D3D20
> > > bgColor=3D3D3D3D3D#ffffff><BR>><DIV><FONT =3D
>face=3D3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Rick,</FONT></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>1 mec, no BNC involved. =
```

Paris

=3D

>=3D3D3D

```
> > >=3D3D3D3D<BR>>boots up so=3D3D3D20
> > > the=3D3D3D3D20<BR>>1 mec =3D3D3D
> > >that</FONT></DIV>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =
```

never =3D

>any A to

> =3D3D

> >=3D3D3D

> > >=3D3D3D3D
>Ds or=3D3D3D20

> > > any=3D3D3D3D20
>installed=3D3D3D20

> > > modules.</DIV>><DIV><FONT =3D3D3D

> > >face=3D3D3D3D3D3DArial=3D3D3D20

> > > size=3D3D3D3D3D2>This is the same symptom before I =3D

>=3D3D3D3D
>repaired =3D3D

> >=3D3D3D

> > >one=3D3D3D20

> > > of=3D3D3D3D20
>my mecs with=3D3D3D20

> > > a</DIV>><DIV><FONT face=3D3D3D3D3D3DArial=3D3D3D20

> > > size=3D3D3D3D3D2>new chip. The clock light =

=3D3D3D3D
>continues =3D

>to=3D3D3D20

> > > flash=3D3D3D3D20
>too. Never locks=3D3D3D20

> > > in.</DIV>><DIV><FONT face=3D3D3D3D3D3DArial =3D3D3D

> > >

> > > size=3D3D3D3D3D2> </DIV>><DIV><FONT =3D3D3D

> > >face=3D3D3D3D3D3DArial=3D3D3D20

> > > size=3D3D3D3D3D2>I am using the simplest setup I can =3D3D

> > >=3D3D3D3D
>imagine=3D3D3D20

> > > and=3D3D3D3D20
>>

Subject: Re: More MacDonalds

Posted by [TCB](#) on Fri, 21 Sep 2007 16:20:38 GMT

```
;still it's not=3D3D3D20
> > > working.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Mike A. suggested the .ini file =
=3D3D3D3D<BR>>to =3D
>make=3D3D3D20
> > > sure=3D3D3D3D20<BR>>card A is 0. I'll try=3D3D3D20
> > > that.</FONT></DIV><BR>><DIV><FONT =3D3D3D
> > >face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Pretty sure it's right but who=3D3D3D20
> > > =3D3D3D3D<BR>>knows?</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > =3D3D3D
> > >size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>><DIV><FONT=3D3D3D
> > >=3D3D3D20
> > > face=3D3D3D3D3DArial=3D3D3D20
> > > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV><FONT=3D3D3D20
> > > face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D3D
> > ></DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV> </DIV><BR>><DIV>=3D3D3D20
> > > </DIV><BR>><DIV>"rick" =3D3D3D
> > ><<A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>=
mai=3D
>lto=3D3D
> >:pa=3D3D3D
> > >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D3D3D20
> > > =3D3D3D3D<BR>>wrote in=3D3D3D3D20<BR>>message =3D
><A=3D3D3D3D20<BR>>href=3D3D3D3D3D"<A
> =3D3D
> >=3D3D3D
> > >
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >an5=3D3D3D
> > =3D3D
```

> =3D
=
>>>'>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393an5</A=
=3D3D=3D
>3D=3D3D
> >
> > =3D
=
>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
&=3D3D3D=

> > =
>gt;<BLOCKQUOTE=3D3D3D3D20
>style=3D3D3D3D3D"PADDING-RIGHT:=3D3D3D20
> > > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> >=3D3D3D
> > >#000000 2px=3D3D3D20
> > > solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20
> know this as =
dumb as
=3D
>=3D3D3D
> > >it gets=3D3D3D20
> > > but the bnc is attached in the=3D3D3D3D20
> =3D3D3D20
> > > right
order...right?
all the cards show up in paris =
=3D3D3D
> > >with the=3D3D3D20
> > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how many i/o =
cards =3D
>=3D3D3D
> > >in each=3D3D3D20
> > > mec?

On Fri, 19 Oct=3D3D3D20
> > > 2007
=3D3D3D3D
>
> 00:22:39 -0400, "Tom =
Bruhl"=3D3D3D20
> > > <<A=3D3D3D3D20
> =
=3D3D3D3D
>href=3D3D3D3D3D"<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D'mailto:arpeggio@comcast.net">

Subject: Re: More MacDonalds
Posted by [excelav](#) on Fri, 21 Sep 2007 16:54:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

D3D3D
> > >=3D3D3D3D20
>
</BLOCKQUOTE></BODY></HTML>
&=3D3D3D
> > >gt;
>
</BLOCKQUOTE></BODY></HTML>

```

> > >
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Hi Mike,</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Well I've been to .cfg =
many a =3D
>=3D3D
> >time.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I've seen that Mastercard =
=3D
>setting as =3D3D
> >being=3D3D20
> >0</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>but maybe it changed =
after =3D
>removing the
> =3D3D
> >4=3D3D20
> >other</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>eds cards for this round =
of =3D3D
> >testing.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>If it's still 0 what else =
could
=3D
>this =3D3D
> >be? =3D3D20
> >Busted mobo?</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>I'm really in an idunno =
place =3D
>right =3D3D
> >now. I'll=3D3D20
> >be checking</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>seriously today again =
because of
=3D
>a =3D3D

```

```

> >session tomorrow=3D3D20
> >morning.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Mike Audet" <mike@....> wrote in message <A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D"news:471b2ec2$1@linux">news:471b2ec2$1@linux</A>...</DIV><B=
R>H=3D
>i=3D3D20
> > Tom,<BR><BR>If you've only got one card in, then the Mastercard =
=3D
>=3D3D3D 0
> =3D3D
> >setting is=3D3D20
> > right.<BR> The file is Paris.cfg, and it lives in the =3D
>c:\program=3D3D20
> > files\Emu\PARIS PRO<BR>folder.<BR><BR>I'd still check it out to =
see
=3D
>=3D3D
> >what it is=3D3D20
> > set to.<BR><BR>If it is wrong, what you are describing =
will=3D3D20
> > happen.<BR><BR>Good luck!<BR><BR>Mike<BR><BR>"Tom Bruhl" =
<<A=3D3D20
> > =
href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D3D20
> > wrote:<BR>><BR>><BR>>Thanks Dimitrios.<BR>><BR>>Mike =3D3D
> >said the=3D3D20
&g

```

Subject: Re: More MacDonalds
 Posted by [Dedric Terry](#) on Fri, 21 Sep 2007 16:55:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

```

t; > same thing. Is the ini in the Paris folde or system =3D3D
> >32?<BR>>Do I want=3D3D20
> > the Master card to be 0 absolutely? I only have one =3D3D
> >card<BR>>in there=3D3D20

```

> > right now and it's all freaky just the=3D3D20
 > > same.
>Tom
>
>
>
> "Dimitrios" =3D3D
 > ><A=3D3D20
 > > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =
 wrote
 =3D
 >in =3D3D
 > >message=3D3D20
 > > =3D3D3D
>news:471a0486\$1@linux...
>
> Hi Tom=3D3D20
 > > !@
> Sorry to hear you still having problems like =
 this=3D3D20
 > > ~!!
> Must be very frustrating.
> Open the =3D3D
 > >Paris ini=3D3D20
 > > file and there change the mastercardoutput with =
 =3D3D3D
>your=3D3D20
 > > other
> cards and see what happens !!
> Let me =3D3D
 > >
 > > know.
> Regards,
> =3D3D
 > >Dimitrios
>
> =3D3D20
 > > "Tom Bruhl" <<A=3D3D20
 > > =
 href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D20
 > > wrote:
> >
> >
> =3D3D20
 > > >Rick,
> >1 mec, no BNC involved. Paris boots =3D3D
 > >up so=3D3D20
 > > the 1 mec that
> >I'm using shows up but never any A to =
 =3D3D
 > >Ds or=3D3D20
 > > any installed modules.
> >This is the same symptom =3D3D
 > >before I=3D3D20
 > > repaired one of my mecs with a
> >new chip. The =3D3D
 > >clock=3D3D20
 > > light continues to flash too. Never locks in.
> =3D3D20
 > > >
> >I am using the simplest setup I can imagine and =3D3D
 > >still=3D3D20
 > > it's not =3D3D3D
>working.
> >Mike A. suggested =3D3D
 > >the .ini=3D3D20
 > > file to make sure card A is 0. I'll =3D3D
 > >try
=3D3D3D
>=3D3D3D3D
> =3D3D20
 > > >that.
> >Pretty sure it's right but who=3D3D20
 > > knows?
> >Thanks,
> >Tom
> =3D3D20
 > > >
> >
> >
> =3D3D
 > >>
> =3D3D20
 > > >
> >"rick" <<A=3D3D20
 > > =
 href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com>
 =3D
 >=3D3D

> >wrote in=3D3D20
 > > message =3D3D3D3D
> =3D3D20
 > > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D3D20
 > > > i know this as dumb as it gets but the bnc is attached in =
 =3D3D
 > >the=3D3D20
 > > right
> > order...right?
> > =3D3D
 > >all the=3D3D20
 > > cards show up in paris with the single mec?
> > =3D3D
 > >how many=3D3D20
 > > i/o cards in each mec?
> >
> =3D3D
 > >>
> =3D3D20
 > > > On Fri, 19 Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
 > >=3D3D3D
><<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
 =3D3D=3D
 >
 > >bsp;=3D3D20
 > > > wrote:
> >
> > >I =3D3D
 > >thought I=3D3D20
 > > was groovin' but once the second Mec was introduced
> =3D3D
 > >> =3D3D20
 > > >the system stopped. That was a few weeks ago.
> =3D3D20
 > > > >
> > >Today I tried different =3D3D
 > >cables,=3D3D20
 > > eds cards, mecs, eliminated the =3D3D3D
>magma
> =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >and
> > >still no clock lock or modules =3D3D
 > >showing up=3D3D20
 > > in the paris patchbay.
> > >
> =3D3D
 > >> =3D3D20
 > > >This means to me software unless someone tells me=3D3D20
 > > differently.
> > >
> > =3D3D
 > >>I have=3D3D20
 > > a new C drive which I will load XP and no pace. Any=3D3D20
 > > =3D3D3D
>other=3D3D3D3D20
> > =3D3D
 > >>suggestions?
> =3D3D20
 > > > >
> > >More frustrated than my=3D3D20
 > > clients,
> > >Tom
> > =3D3D20
 > > >
> > >
> > =3D3D
 > >>
> =3D3D20
 > > > >
> > >I choose Polesoft =3D3D
 > >Lockspam to=3D3D20
 > > fight spam, and you?
> > =3D3D20
 > > >http://www.polesoft.com/refer.html =3D3D3D3D20
> =3D3D20

```

> > <BR>> <BR>> <!DOCTYPE HTML PUBLIC=3D3D20
> > "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D3D20
> > <HTML><HEAD><BR>> <META=3D3D20
> > http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html; =
=3D3D
> >=3D3D3D3D<BR>> =3D3D20
> > < charset=3D3D3D3DDiso-8859-1"><BR>> <META =3D3D
> > content=3D3D3D3D3D"MSHTML=3D3D20
> > 6.00.2800.1400" name=3D3D3D3D3DGENERATOR><BR>> =3D3D20
> > <STYLE></STYLE><BR>> =3D3D
> ></HEAD><BR>> =3D3D20
> > <BODY bgColor=3D3D3D3D3D#ffffff><BR>> =3D3D
> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial =3D3D
> > size=3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D3D20
> > <DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D2>1 mec, no BNC =
=3D3D
> >involved.=3D3D20
> > Paris =3D3D3D<BR>>=3D3D3D3D<BR>> >boots up so =3D3D
> >the=3D3D3D3D20<BR>> >1=3D3D20
> > mec that</FONT></DIV><BR>> =3D3D
> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D2>I'm using shows up but =
never =3D3D
> >any<BR>=3D3D3D<BR>>A to=3D3D20
> > =3D3D3D3D<BR>> >Ds or any=3D3D3D3D20<BR>> >installed=3D3D20
> > modules.</FONT></DIV><BR>> =3D3D
> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D2>This is the same symptom =
=3D3D
> >before<BR>=3D3D3D<BR>>I=3D3D20
> > =3D3D3D3D<BR>> >repaired one of=3D3D3D3D20<BR>> >my =3D3D
> >mecs with=3D3D20
> > a</FONT></DIV><BR>> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D2>new chip. The clock light =
=3D3D
> >=3D3D3D3D<BR>> =3D3D20
> > >continues to flash=3D3D3D3D20<BR>> >too. Never locks=3D3D20
> > in.</FONT></DIV><BR>> ><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D2>I am using =
=3D3D
> >the simplest=3D3D20
> > setup I<BR>=3D3D3D<BR>>can =3D3D3D3D<BR>> >imagine =3D3D
> >and=3D3D3D3D20<BR>> =3D3D20
> > >still it's not working.</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D2>Mike A. =3D3D

```



```

> >suggested the=3D3D20
> > .ini file<BR>=3D3D3D<BR>=3D3D3D3D<BR>> >to make =3D3D
> >sure=3D3D3D3D20<BR>> =3D3D20
> > >card A is 0. I'll try that.</FONT></DIV><BR>> =3D3D
> >
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2>Pretty sure =
=3D3D
> >it's right=3D3D20
> > but who =3D3D3D<BR>=3D3D3D3D<BR>> =3D3D20
> > >knows?</FONT></DIV><BR>> =3D3D
> >><DIV><FONT=3D3D20
> > face=3D3D3D3D3DArial =3D3D
> >size=3D3D3D3D3D2>Thanks,</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > size=3D3D3D3D3D2>Tom</FONT></DIV><BR>> =3D3D20
> > ><DIV><FONT face=3D3D3D3D3DArial size=3D3D3D3D3D2></FONT> =3D3D
> >
> > </DIV><BR>> ><DIV><FONT face=3D3D3D3D3DArial=3D3D20
> > size=3D3D3D3D3D2></FONT> </DIV><BR>> =3D3D
> >><DIV>=3D3D20
> > </DIV><BR>> ><DIV> </DIV><BR>> =3D3D20
> > ><DIV> </DIV><BR>> ><DIV>"rick"=3D3D20
> > <<A=3D3D3D3D20<BR>> >href=3D3D3D3D3D"<A=3D3D20
> > =3D3D
> >=3D
=
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>>mai=
lto=3D
>:pa=3D3D
> >rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D3D20
> > =3D3D3D<BR>=3D3D3D3D<BR>> >wrote in=3D3D3D3D20<BR>> =3D3D
> >>message=3D3D20
> > <A=3D3D3D3D20<BR>> =3D3D3D<BR>>>href=3D3D3D3D3D"<A=3D3D20
> > =3D3D
> >=3D
=
>>href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=
393=3D
>'>n=3D3D
> >=3D
=
>>ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh393</A>=3D3D3=
D<B=3D
>=3D3D
> >R>>an5=3D3D3D3D<BR>> =3D3D20
> > =3D3D
> >>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>> =3D3D
> >;=3D3D20

```

> > ><BLOCKQUOTE=3D3D3D3D20
> =3D3D
 > >>style=3D3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
 > > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D
>=3D3D3D3D
> =
 =3D3D20
 > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D3D
 > >0px">i=3D3D3D3D20
> =3D3D20
 > > > know this as dumb as it gets but the bnc is attached =
 in=3D3D20
 > > the=3D3D3D3D20
> > =3D3D
 > >right
order...right?
all=3D3D20
 > > the cards show up in paris with =
 the
=3D3D3D
>=3D3D3D3D
> =3D3D20
 > > >single=3D3D3D3D20
> > mec?
how many i/o =3D3D
 > >cards in=3D3D20
 > > each mec?

On Fri, 19 Oct=3D3D20
 > > =3D3D3D
>2007
> =3D3D3D3D
> >
> =3D3D
 > >> =3D3D20
 > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D3D20
> > =3D3D20
 > > =3D3D3D3D
> =3D3D3D
>>href=3D3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro=
 te'=3D
 >>ma=3D3D
 > >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D3D
 > >rote:=3D3D3D
>=3D3D3D3D
> =3D3D20
 > > >

>I=3D3D3D3D20
> > thought =3D3D
 > >I was=3D3D20
 > > groovin' but once the second Mec was =3D3D3D3D
> =3D3D20
 > > >introduced
>the=3D3D3D3D20
> > system =3D3D
 > >stopped.=3D3D20
 > > That was a few weeks ago.
>
>Today I =3D3D
 > >=3D3D3D3D
> =3D3D20
 > > >tried=3D3D3D3D20
> > different cables, eds cards, =3D3D
 > >mecs,=3D3D20
 > > eliminated the magma =3D3D3D3D
> >and
>still=3D3D20
 > > no=3D3D3D3D20
> > clock lock or modules showing up in =3D3D
 > >the paris=3D3D20
 > > =3D3D3D3D
> =3D3D20
 > > >patchbay.
>
>This=3D3D3D3D20
> =3D3D
 > >> =3D3D20
 > > means to me software unless someone tells me =3D3D3D3D
> =
 =3D3D20
 > > >differently.
>
>I=3D3D3D3D20
> =3D3D
 > >> =3D3D20
 > > have a new C drive which I will load XP and no pace. Any=3D3D20
 > > other=3D3D3D3D20
> > =3D3D20

```

> > <BR>>suggestions?<BR>><BR>>More frustrated =3D3D
> >than=3D3D20
> > my=3D3D3D3D20<BR>> > =3D3D20
> > =3D3D
> >clients,<BR>>Tom<BR>><BR>><BR>><BR>>=3D3D
> >><BR>>I=3D3D20
> > choose =3D3D3D3D<BR>> >Polesoft=3D3D3D3D20<BR>> =3D3D
> >> Lockspam=3D3D20
> > to fight spam, and=3D3D3D3D20<BR>> > =3D3D20
> > you?<BR>>http://www.polesoft.com/refer.html =3D3D
> >=3D3D3D3D20<BR>> =3D3D20
> > =3D3D
> >><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D3D
> >=3D3D20
> > ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =3D3D
> >PUBLIC=3D3D20
> > "-//W3C//DTD HTML 4.0=3D3D20
> > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D3D20
> > http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D3D20
> > =3D3D3D<BR>>charset=3D3D3D3Diso-8859-1"><BR>><META =3D3D
> >content=3D3D3D3D"MSHTML=3D3D20
> > 6.00.2800.1400"=3D3D20
> > =3D3D
> >name=3D3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D3D
> >D><BR>><BODY=3D3D20
> > bgColor=3D3D3D3D#ffffff><BR>><DIV><FONT =
face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Thanks=3D3D20
> > Dimitrios.</FONT></DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D3D
> >face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Mike said the same thing. Is the =3D3D3D<BR>>ini =
in =3D3D
> >
> > the=3D3D3D20<BR>>Paris folde or system=3D3D20
> > 32?</FONT></DIV><BR>><DIV><FONT face=3D3D3D3DArial =3D3D
> >
> > size=3D3D3D3D2>Do I want the Master card to be =3D3D
> >0=3D3D3D20<BR>>absolutely? I=3D3D20
> > only have one card</FONT></DIV><BR>><DIV><FONT =3D3D
> >
> > face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's =
all=3D3D20
> > freaky<BR>=3D3D3D<BR>>just=3D3D20
> > =3D3D
> >the=3D3D3D20<BR>>same.</FONT></DIV><BR>><DIV><FONT=3D3D

```

```

> >=3D3D20
> > face=3D3D3D3DArial=3D3D20
> > size=3D3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D3D
> ></DIV><BR>><DIV><FONT=3D3D20
> > face=3D3D3D3DArial size=3D3D3D3D2></FONT>=3D3D20
> > =3D3D
> ></DIV><BR>><BLOCKQUOTE=3D3D3D20<BR>>style=3D3D3D3D"PADDING-RIGHT: =
=3D3D
> >0px;=3D3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D3D<BR>>BORDER-LEFT: =
#000000
=3D
>=3D3D
> >2px solid;=3D3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D3D20
> > <<A=3D3D3D20<BR>> href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>mailto:mu=
sur=3D
>gio=3D3D
> >@otenet.gr">musurgio@otenet.gr</A>>>=3D3D20
> > wrote in =3D3D3D<BR>>message=3D3D3D20<BR>> <A =3D3D
> >=3D3D3D<BR>>href=3D3D3D3D"<A=3D3D20
> > =3D3D
> =3D
=
>>href=3D3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><B=
R>H=3D
>i'>=3D3D
> >news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV>&=3D3D
> >lt;BR>Hi</A><BR>=3D3D3D<BR>>Tom=3D3D3D20<BR>> =3D3D20
> > <A href=3D3D3D'mailto:!!@<BR>Sorry">!!@<BR>Sorry</A> to hear you =
still
=3D
>=3D3D
> >having=3D3D20
> > problems like this ~!!<BR>Must =3D3D
> >be<BR>=3D3D3D<BR>>very=3D3D3D20<BR>> =3D3D20
> > frustrating.<BR>Open the Paris ini file and there change =
the=3D3D20
> > =3D3D3D<BR>>mastercardoutput=3D3D3D20<BR>> with your =3D3D
> >other<BR>cards and=3D3D20
> > see what happens !!<BR>Let me=3D3D3D20<BR>> =3D3D20

```

> > know.
Regards,
Dimitrios

"Tom =3D3D
 > >Bruhl"=3D3D20
 > > <<A=3D3D3D20
> href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D=
 20'>m=3D
 >ailto=3D3D
 > =
 >:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20
&g=3D3D
 > >t; =3D3D20
 > > wrote:
>
>
>Rick,
>1 =3D3D
 > >mec, no=3D3D20
 > > BNC =3D3D3D
>involved. Paris=3D3D3D20
> boots up so =
 =3D3D
 > >the 1 mec=3D3D20
 > > that
>I'm using shows up but never any A =3D3D3D
>to =
 Ds=3D3D20
 > > or=3D3D3D20
> any installed modules.
>This is the =3D3D
 > >same=3D3D20
 > > symptom before I =3D3D3D
>repaired one=3D3D3D20
> of my =
 mecs =3D3D
 > >with=3D3D20
 > > a
>new chip. The clock light continues to=3D3D20
 > > =3D3D3D
>flash=3D3D3D20
> too. Never locks=3D3D20
 > > in.
>
>I am using the simplest =3D3D
 > >=3D3D3D
>setup I=3D3D20
 > > can=3D3D3D20
> imagine and still it's not =3D3D
 > >working.
>Mike A.=3D3D20
 > > suggested the =3D3D3D
>.ini=3D3D3D20
> file to make =
 =3D3D
 > >sure card A is=3D3D20
 > > 0. I'll try=3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D3D
 > >; sure it's=3D3D20
 > > right but who=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>knows?
>Thanks,
>Tom
><=3D3D
 > >BR>>
>
>
><=3D3D3D
>BR>=3D3D
 > >>"rick"=3D3D3D20
> =3D3D20
 > > <<A =3D3D3D
>href=3D3D3D3D"<A=3D3D20
 > > =3D3D
 > =3D
 =
 >>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com>mai=
 lto=3D

>:pa=3D3D
 > > rnell68@hotmail.com">parnell68@hotmail.com>=3D3D20
 > > =3D3D3D
>wrote=3D3D3D20
> in message=3D3D3D20
> =
 =3D3D20
 > > =3D3D3D
 > =
 >=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax=3D=
 3D
 > > .com...
>&nbs=3D3D3D
>p;=3D3D20
 > > i=3D3D3D20
> know this as dumb as it gets but the bnc is =
 =3D3D3D
 > > attached in=3D3D20
 > > the=3D3D3D20
> right
> =3D3D20
 > > order...right?
> all the cards show up=3D3D20
 > > =3D3D3D
>in=3D3D3D20
> paris with the single =3D3D3D
 > > mec?
> =3D3D20
 > > how many i/o cards in each=3D3D3D20
> =3D3D20
 > > mec?
>
>
> On Fri, 19 Oct =3D3D3D
 > > 2007=3D3D20
 > > 00:22:39 -0400, =3D3D3D
>"Tom=3D3D3D20
> Bruhl"=3D3D20
 > > <<A=3D3D3D20
> =3D3D3D
>href=3D3D3D3D"<A=3D3D20
 > > =3D3D3D
 > > =3D3D
 =
 >>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
 '>=3D3D=3D3D
 >
 > >mailto:arpegio@comcast.net">arpegio@comcast.net>
=3D3D3D
 > >;&n=3D3D3D
>bsp;=3D3D3D20
> =3D3D20
 > > wrote:
>
> >I thought I was groovin' =3D3D3D
 > >but once=3D3D20
 > > the =3D3D3D
>second=3D3D3D20
> Mec was =3D3D3D
 > >introduced
> =3D3D20
 > > >the system stopped. That =3D3D3D
>was a =3D3D3D
 > >few=3D3D3D20
> weeks=3D3D20
 > > ago.
> >
> >Today I tried=3D3D20
 > > =3D3D3D
>different=3D3D3D20
> cables, eds cards, mecs, =
 =3D3D3D
 > >eliminated the=3D3D20
 > > =3D3D3D
>magma
=3D3D3D3D
>and
> =3D3D3D
 > >=3D3D3D20
> =3D3D20
 > > >still no clock lock or modules showing up in the =3D3D3D
 > >paris=3D3D3D20
> =3D3D20
 > > patchbay.
> >
> >This means =3D3D3D
 > >to me=3D3D20
 > > =3D3D3D
>software=3D3D3D20
> unless someone tells =
 me=3D3D20
 > > differently.
> >
> =3D3D20

> > =3D3D3D
>>I=3D3D3D20
> have a new C drive which I will =
=3D3D3D
> >load XP and no=3D3D3D20
> > pace. Any=3D3D3D3D20
> other=3D3D3D3D3D20
> =3D3D3D20
> > >suggestions?
> =3D3D3D3D
>>
>=3D3D3D20
> > =3D3D3D3D20
> >More frustrated than my =3D3D3D
> >clients,
> =3D3D3D20
> > =3D3D3D3D
>>Tom
> =3D3D3D3D20
> =3D3D3D
> >>
> =3D3D3D20
> > >
> >
> =3D3D3D
> >=3D3D3D3D
>>
>=3D3D3D20
> > =3D3D3D3D20
> >I choose Polesoft Lockspam to fight spam, =
and=3D3D3D20
> > you?
> =3D3D3D3D20
> =3D3D3D
> >>http://www.polesoft.com/refer.html=3D3D3D20
> > =3D3D3D3D20
> =3D3D3D
> >=3D3D3D3D3D20
>>
>
><!DOCTYPE=3D3D3D20
> > HTML PUBLIC "-//W3C//DTD =3D3D3D3D
>>HTML 4.0=3D3D3D3D20
> =
=3D3D3D20
> > =3D3D3D
> >Transitional//EN">
><HTML><HEAD>
>=3D3D3D
> ><META=3D3D3D3D20
> =3D3D3D20
> > http-equiv=3D3D3D3D3D3DContent-Type =3D3D3D
> >content=3D3D3D3D3D3D"text/html";=3D3D3D3D20

Subject: Re: More MacDonalds
Posted by [excelav](#) on Fri, 21 Sep 2007 17:08:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

> =3D3D3D20
> > =3D3D3D3D3D
>>charset=3D3D3D3D3D3Diso-8859-1">
>><META =3D3D3D
> >
> > =3D3D3D3D
>>content=3D3D3D3D3D3D"MSHTML=3D3D3D20
>> =3D3D3D
> >6.00.2800.1400"=3D3D3D3D20
> =3D3D3D20
> > =3D3D3D
> >=3D3D3D3D
>>name=3D3D3D3D3D3DGENERATOR>
>><STYLE></STYLE&=3D3D3D
> >gt;
>></HEA=3D3D3D3D
>>D>
>><BODY=3D3D3D3D20
>&=3D3D3D
> >gt; =3D3D3D20
> > bgcolor=3D3D3D3D3D3D#ffffff>
>><DIV><FONT=3D3D3D20
> > face=3D3D3D3D3D3DArial=3D3D3D3D20
>> =3D3D3D20
> > =3D3D3D
> >=3D3D3D3D
>>size=3D3D3D3D3D3D2>Rick,</DIV>
>>&l=3D3D3D
> >t;DIV><FONT=3D3D3D20
>> =3D3D3D20
> > face=3D3D3D3D3D3DArial size=3D3D3D3D3D3D2>1 mec, no BNC involved. =
=3D3D
>Paris=3D3D3D20
> > =3D3D3D3D
>=3D3D3D3D3D
>>boots up so=3D3D3D3D20
>> =3D3D3D

> >the=3D3D3D3D20
>1=3D3D20
 > > mec=3D3D20
 > > =3D3D
 > >=3D3D3D
>that</DIV>
><DIV><FONT=3D3D
 > >=3D3D3D20
> =3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>l'm using shows up but =
 never any
 =3D
 >A to =3D3D
 > >
 > > =3D3D3D
>=3D3D3D3D
>Ds or=3D3D3D20
> =3D3D20
 > > any=3D3D3D3D20
>installed=3D3D3D20
> =3D3D20
 > > modules.</DIV>
><DIV><FONT=3D3D20
 > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>This is =3D
 >=3D3D
 > >the same=3D3D20
 > > symptom before I =3D3D3D3D
>repaired =3D3D
 > >=3D3D3D
>one=3D3D3D20
> =3D3D20
 > > of=3D3D3D3D20
>my mecs with=3D3D3D20
> =3D3D20
 > > a</DIV>
><DIV><FONT=3D3D20
 > > face=3D3D3D3D3DArial=3D3D3D20
> size=3D3D3D3D3D2>new chip. =
 The =3D3D
 > >clock light=3D3D20
 > > =3D3D3D3D
>continues to=3D3D3D20
> =3D3D
 > >flash=3D3D3D3D20
>too.=3D3D20
 > > Never locks=3D3D3D20
> =3D3D20
 > > in.</DIV>
><DIV><FONT =3D3D
 > >face=3D3D3D3D3DArial=3D3D20
 > > =3D3D3D
>
> size=3D3D3D3D3D2>=3D3D20
 > > </DIV>
><DIV><FONT=3D3D20
 > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>I am =3D3D
 > >using the simplest=3D3D20
 > > setup I can =3D3D3D3D
>imagine=3D3D3D20
> =3D3D20
 > > and=3D3D3D3D20
>still it's not=3D3D3D20
> =3D3D20
 > > working.</DIV>
><DIV><FONT=3D3D20
 > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>Mike A. =3D
 >=3D3D
 > >suggested the=3D3D20
 > > .ini file =3D3D3D3D
>to make=3D3D3D20
> =3D3D20
 > > sure=3D3D3D3D20
>card A is 0. I'll try=3D3D3D20
> =3D3D20
 > > that.</DIV>
><DIV><FONT=3D3D20
 > > =3D3D3D
>face=3D3D3D3D3DArial=3D3D3D20
> =
 size=3D3D3D3D3D2>Pretty =3D3D
 > >sure it's right=3D3D20
 > > but who=3D3D3D20
> =3D3D20

> > =3D3D
 > >=3D3D3D3D
>knows?</DIV>
><DIV&g=3D3D
 > >t;<FONT=3D3D3D20
> =3D3D20
 > > face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>size=3D3D3D3D3D2>Thanks,</DIV>
 >=3D3D
 > ><DIV><FONT=3D3D3D
>=3D3D3D20
> =3D3D20
 > > face=3D3D3D3D3DArial=3D3D3D20
> =3D3D20
 > > =3D3D
 > >size=3D3D3D3D3D2>Tom</DIV>
><DIV><=3D3D
 > >FONT=3D3D3D20
> =3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>=3D3D20
 > > =3D3D
 > >=3D3D3D
></DIV>
><DIV><FONT=3D3D3D20
>&nbs=3D3D
 > >p;=3D3D20
 > > face=3D3D3D3D3DArial size=3D3D3D3D3D2>=3D3D20
 > > =3D3D3D
></DIV>
><DIV>=3D3D3D20
> =3D3D20
 > > </DIV>
><DIV>=3D3D20
 > > </DIV>
><DIV>=3D3D3D20
> =3D3D20
 > > </DIV>
><DIV>"rick"=3D3D20
 > > =3D3D
 > =
 >=3D3D3D
><<A=3D3D3D3D20
>href=3D3D3D3D3D"<A=3D3D3D20

>&n=3D3D
 > >bsp;=3D3D20
 > > =3D3D
 > =3D
 =
 >>=3D3D3D
>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell68@hotma=
 il.c=3D3D=3D
 >
 > =
 >om</A'>mailto:pa=3D3D3D
>rnell68@hotmail.com">parnell68@hotmai=3D3D
 > >l.com</A>=3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>wrote in=3D3D3D3D20
>message=3D3D20
 > > <A=3D3D3

Subject: Re: More MacDonalds
 Posted by [excelav](#) on Fri, 21 Sep 2007 18:00:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

;BR>> =3D3D20
 > > =3D3D3D3D
>single=3D3D3D3D20
> mec?
how =3D3D
 > >many i/o=3D3D20
 > > cards =3D3D3D
>in each=3D3D3D20
> =3D3D
 > >mec?

On=3D3D20
 > > Fri, 19 Oct=3D3D3D20
> =3D3D20

> > 2007
=3D3D3D3D
>
> 00:22:39 -0400, =3D3D
 > >"Tom=3D3D20
 > > Bruhl"=3D3D3D3D20
> <<A=3D3D3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>href=3D3D3D3D3D"A=3D3D3D20
> =3D3D20
 > > =3D3D
 > =3D
 =
 >>=3D3D3D
>href=3D3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast.n=
 et&l=3D3D=3D
 >
 > >t;/A>>
wrote'>ma=3D3D3D
>ilto:arpegio@comcast.net">=3D3D
 > >;arpegio@comcast.net>
w=3D3D3D
>rote:=3D3D3D=3D3D
 > >3D
>

>l=3D3D3D3D20
>=3D3D20
 > > =3D3D3D20
> thought I was groovin' but once the second =
 Mec=3D3D20
 > > was=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D3D
>introduced
>the=3D3D3D3D20
> =3D3D
 > > system=3D3D20
 > > =3D3D3D
>stopped. That was=3D3D3D20
> a few weeks=3D3D20
 > > ago.
>
>Today l=3D3D3D20
> =3D3D20
 > > =3D3D3D3D
>tried=3D3D3D3D20
> different cables, =3D3D
 > >eds cards,=3D3D20
 > > mecs, =3D3D3D
>eliminated=3D3D3D20
> the magma=3D3D20
 > > =3D3D3D3D
>and
>still =3D3D
 > >no=3D3D3D3D20
> =3D3D20
 > > =3D3D3D
>clock lock or=3D3D3D20
> modules showing up in =
 the=3D3D20
 > > paris=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>patchbay.
>
>This=3D3D3D=3D3D
 > >3D20
> =3D3D20
 > > =3D3D3D
>means to=3D3D3D20
> me software unless someone =
 =3D3D
 > >tells=3D3D20
 > > me=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>=3D3D3D3D
>differently.
>
>l=3D3D3D=3D3D
 > >3D20
> =3D3D20
 > > =3D3D3D
>have a new=3D3D3D20
> C drive which I will load =
 XP =3D3D
 > >and no pace.=3D3D20
 > > Any other=3D3D3D3D20
> =3D3D3D
>
> =3D3D20
 > >
>suggestions?
>
>More frustrated=3D3D20
 > > =3D3D3D
>than=3D3D3D20
> my=3D3D3D3D20
> =3D3D
 > >=3D3D3D20
> =3D3D20
 > > =3D3D
 > >=3D3D3D
>clients,
>Tom
>
>
>=3D3D

```

> >;<BR>>>><BR>>I=> > > choose =>Polesoft=> Lockspam =>
> >to fight=>
> > spam,=> and=> =>
> > =>
> =
>=>>you?<BR>>http://www.polesoft.com/refer.html=>&=>=
3D
> >gt; =>
> > =>
> >=>>=>><BR>><BR></BLOCKQUOTE></BODY>=>
> >;</HTML><BR>&=>gt;<BR>><BR></B=>
> >LOCKQUOTE></BODY></HTML><BR>><BR>><BR></BLOCKQUOTE><=>
> >/BODY></HTML>
> >
> >
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=>Content-Type content=>"text/html; =>
>charset=>Diso-8859-1">
><META content=>"MSHTML 6.00.2800.1400" name=>GENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=>#ffffff>
><DIV><FONT face=>Arial size=>2>Mike,</FONT></DIV>
><DIV><FONT face=>Arial size=>2>I used to use a Lucid but since =
all of
=>
>this mess I=>
>stopped.</FONT></DIV>
><DIV><FONT face=>Arial size=>2>I'm trying to get stable from =
square =>
>one with the=>
>least amount </FONT></DIV>
><DIV><FONT face=>Arial size=>2>of hardware. I am using the =>
>default project=>
>for sure. The only </FONT></DIV>
><DIV><FONT face=>Arial size=>2>other thing that I still =
question is my
=>
>move of=>
>Paris to C:ParisPro .</FONT></DIV>
><DIV><FONT face=>Arial size=>2>I should think the default =
project will
=>
>either work=>

```

>or not. Maybe</DIV>
><DIV>configs or something else is =3D
>fighting during=3D20
>Paris startup?</DIV>
><DIV> </DIV>
><DIV>Pats 42 - Miami 7 . . . Halftime =
and =3D
>the games=3D20
>over.</DIV>
><DIV>Tom</DIV>
><DIV> </DIV>
><DIV> </DIV>
><DIV> </DIV>
><BLOCKQUOTE=3D20
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=3D20
> =3D
=3D
>href=3D3D"news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...</DIV>
H=
i=3D20
> Tom,

Are you using a default project with PARIS? I'm so =3D
>sorry of=3D20
> this has been
asked and answered already. If so, perhaps it =3D
>is=3D20
> telling card zero to lock
to an external clock, which it can't =
=3D
>because=3D20
> there isn't one.

It would be interesting to attach an =
external
=3D
>clock=3D20
> source to the MEC and
then start PARIS to see how it behaves. =
=3D
>Or, if=3D20
> the clock generator is fried,
tell paris to lock externally and =
see
=3D
>what=3D20
> happens when an exteral clock
source is applied.

Isn't =
there
=3D
>a=3D20
> master house synch switch in the cfg file? I've never =3D
>used
it. =3D20
> Maybe DJ could help with what that should/shouldn't be set =3D
>to.

Wish I=3D20

> could do more than think out loud...

Mike

"Tom Bruhl" =
=3D
><<A=3D20
> href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
> wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =3D
>many a=3D20
> time.
>I've seen that Mastercard setting as being 0
>but =3D
>maybe it=3D20
> changed after removing the 4 other
>eds cards for this round =
of=3D20
> testing.
>
>If it's still 0 what else could this be? =3D
>Busted=3D20
> mobo?
>I'm really in an idunno place right now. I'll be=3D20
> checking
>seriously today again because of a session =
tomorrow=3D20
> morning.
>Tom
>
>
> "Mike Audet"=3D20
> <mike@....> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
>&g=
=3D
>t; =3D20
> Hi Tom,
>
> If you've only got one card in, then the =3D
>
> Mastercard =3D3D3D 0 setting is =3D3D
>right.
> =3D
>The file is=3D20
> Paris.cfg, and it lives in the c:\program=3D20
> files\Emu\PARIS
=3D3D
>PRO
> =3D
>folder.
>
> =3D20
> I'd still check it out to see what it is set to.
>
> =3D
>If it=3D20
> is wrong, what you are describing will happen.
>
> =3D
>Good=3D20
> luck!
>
> Mike
>
> "Tom Bruhl" =3D
><<A=3D20
> href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
> wrote:
> >
> >
> >Thanks=3D20
> Dimitrios.
> >
> >Mike said the same=3D20
> thing. Is the ini in the Paris folde or system=3D20
> =3D3D
>32?
> >Do I want the Master card to be 0=3D20
> absolutely? I only have one card
> >in there =3D
>right now=3D20
> and it's all freaky just the same.
> >Tom
> =3D
>
> >
> >
> >
> > =3D20
> "Dimitrios" <<A =3D
>href=3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr>=3D20
> wrote in message =3D3D3D
> =3D

>>news:471a0486\$1@linux...
> =3D20
 > >
> > Hi Tom !@
> > Sorry =3D
 >to hear=3D20
 > you still having problems like this ~!!
> > Must =3D
 >be very=3D20
 > frustrating.
> > Open the Paris ini file and =3D
 >there change=3D20
 > the mastercardoutput with
=3D3D
=3D3D3D
> >your=3D20
 > other
> > cards and see what happens =3D
 >!!
> =3D20
 > > Let me know.
> > =3D
 >Regards,
> =3D20
 > > Dimitrios
> >
> > "Tom =3D
 >Bruhl"=3D20
 > <arpeggio@comcast.net> =
 =3D
 >
 > wrote:
> > >
> > =3D20
 > >
> > >Rick,
> > >1 =3D
 >mec, no=3D20
 > BNC involved. Paris boots up so the 1 mec that
> =3D
 >> =3D20
 > >I'm using shows up but never any A to Ds or any installed=3D20
 > modules.
> > >This is the same symptom before =3D
 >I=3D20
 > repaired one of my mecs with a
> > >new =3D
 >chip. =3D20
 > The clock light continues to flash too. Never locks=3D20
 > =3D3D
>in.
> > >
> > =3D
 >>I am=3D20
 > using the simplest setup I can imagine and still it's not =3D
 >=3D3D3D
> =3D20
 > >working.
> > >Mike A. suggested the =3D
 >.ini=3D20
 > file to make sure card A is 0. I'll =3D3D
>try
> =3D
 >
 > =3D3D3D
> >=3D3D3D3D
> > =3D
 >>that.
> =3D20
 > > >Pretty sure it's right but who knows?
> =3D
 >> =3D20
 > >Thanks,
> > >Tom
> > =3D20
 > >
> > >
> > =3D
 >>
> =3D20
 > > >
> > >
> > =3D
 >
 > >"rick" <<A=3D20
 > href=3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
 =3D

>wrote in=3D20
 > message =3D3D3D3D
> > =3D20
 > >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =3D20
 > > > i know this as dumb as it gets but the bnc is =3D
 >attached=3D20
 > in the =3D3D
>right
> > > =3D20
 > order...right?
> > > all the cards show =3D
 >up in=3D20
 > paris with the single mec?
> > > how =3D
 >many i/o=3D20
 > cards in each mec?
> > >
> =3D
 >> =3D20
 > >
> > > On Fri, 19 Oct 2007 00:22:39 =3D
 >-0400,=3D20
 > "Tom Bruhl" =3D3D3D
> ><<A=3D20
 > =3D
 =
 >href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=3D=

>bsp;=3D20
 > > > wrote:
> > =3D
 >>
> =3D20
 > > > >I thought I was groovin' but once the second =3D
 >Mec was=3D20
 > introduced
> > > >the system =3D
 >stopped. =3D20
 > That was a few weeks ago.
> > > =3D20
 > >
> > > >Today I tried different =3D
 >cables,=3D20
 > eds cards, mecs, eliminated the
=3D3D
>=3D3D3D
> =3D20
 > >magma
> > =3D3D3D3D
> > =3D20
 > >and
> > > >still no clock lock or =3D
 >modules=3D20
 > showing up in the paris =3D3D
>patchbay.
> > =3D
 >> =3D20
 > >
> > > >This means to me software =3D
 >unless=3D20
 > someone tells me differently.
> > > =3D20
 > >
> > > >I have a new C drive =3D
 >which I will=3D20
 > load XP and no pace. Any =3D3D3D
> =3D20
 > >other=3D3D3D3D20
> > > =3D20
 > >suggestions?
> > > =3D
 >>
> =3D20
 > > > >More frustrated than my =3D
 >clients,
> =3D20
 > > > >Tom
> > > =3D20
 > >
> > > >
> > =3D

```

>
> > <BR>> > > <BR>> =3D
>
> > > > I choose Polesoft Lockspam to fight spam, =3D
> and=3D20
> you?<BR>> > > =3D20
> > http://www.polesoft.com/refer.html =3D3D3D3D20<BR>> =3D
> > =3D20
> > <BR>> > > <BR>> > =3D
> > <!DOCTYPE=3D20
> HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN"><BR>> =3D20
> > > <HTML><HEAD><BR>> > =3D
> > <META=3D20
> http-equiv=3D3D3D3D3DContent-Type =
content=3D3D3D3D3D"text/html";=3D20
> =3D3D<BR>>=3D3D3D3D<BR>> > =3D20
> > charset=3D3D3D3D3Diso-8859-1"><BR>> > =3D
> > <META=3D20
> content=3D3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> name=3D3D3D3D3DGENERATOR><BR>> =3D20
> > > <STYLE></STYLE><BR>> > =3D20
> > </HEAD><BR>> > > <BODY=3D20
> bgcolor=3D3D3D3D3D#ffffff><BR>> > =3D
> > <DIV><FONT=3D20
> face=3D3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>Rick,</FONT></DIV><BR>> =3D20
> > > <DIV><FONT face=3D3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>1 mec, no=3D20
> BNC involved. =3D3D<BR>>Paris =3D3D3D<BR>> =3D
> > =3D3D3D3D<BR>> =3D20
> > > boots up so the=3D3D3D3D20<BR>> > > 1 =3D
> mec=3D20
> that</FONT></DIV><BR>> > =3D
> > <DIV><FONT=3D20
> face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>I'm using shows up but =3D
> =3D3D<BR>>never=3D20
> any<BR>> =3D3D3D<BR>> > A to =3D3D3D3D<BR>> =3D
> > =3D20
> > > Ds or any=3D3D3D3D20<BR>> > > installed=3D20
> modules.</FONT></DIV><BR>> > =3D20
> > <DIV><FONT face=3D3D3D3D3D3DArial size=3D3D3D3D3D2>This is =3D
> the same=3D20
> symptom<BR>=3D3D<BR>>before<BR>> =3D3D3D<BR>> > I=3D20
> =3D3D3D3D<BR>> > > repaired one =3D
> of=3D3D3D3D20<BR>> =3D20
> > > my mecs with a</FONT></DIV><BR>> =3D20
> > > <DIV><FONT face=3D3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>new chip.=3D20

```


Page 101 of 178 ---- Generated from The PARIS Forums

> =3D3D
>=3D3D3D
> >=3D3D3D3D
> > =3D
 >>wrote=3D20
 > in=3D3D3D3D20
> > >message =3D
 ><A=3D3D3D3D20
> =3D20
 > > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>n=
 ews=3D
 =
 >:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh=3D3D
>=3D=

 >393=3D3D3D
> =3D20
 > >an5=3D3D3D3D
> > =3D20
 > =3D
 >>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =3D
 >;=3D20
 > > ><BLOCKQUOTE=3D3D3D3D20
> > =3D20
 > >style=3D3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
 MARGIN-LEFT: =3D
 >
 > =3D3D
>5px; =3D3D3D
> >=3D3D3D3D
> =3D
 >> =3D20
 > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20
 > 0px">i=3D3D3D3D20
> > > know this as =3D
 >dumb as it=3D20
 > gets but the bnc is attached in =3D3D
>the=3D3D3D3D20
> =3D
 >> =3D20
 > > right
order...right?
all the cards show =3D
 >up in=3D20
 > paris with =3D3D
>the
> =3D3D3D
> =3D20
 > >=3D3D3D3D
> > >single=3D3D3D3D20
> =3D
 >> =3D20
 > > mec?
how many i/o cards in each=3D20
 > mec?

On Fri, 19 =3D3D
>Oct =3D
 >=3D3D3D
> =3D20
 > >2007
> > =3D3D3D3D
> > =3D20
 > >
> > > 00:22:39 -0400, "Tom Bruhl"=3D20
 > <<A=3D3D3D3D20
> > > =3D
 >=3D3D3D3D
> =3D20
 > > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro'>m=
 ail=3D
 >to:arpegio@comcast.net">arpegio@comcast.net>
wro=3D
 >=3D3D
>te:=3D3D3D
> =3D20
 > >=3D3D3D3D
> > =3D20

> >

>I=3D3D3D3D20
> > =3D
 >> =3D20
 > thought I was groovin' but once the second Mec was =3D
 >=3D3D3D3D
> =3D20
 > > >introduced
>the=3D3D3D3D20
> =3D
 >> =3D20
 > > system stopped. That was a few weeks=3D20
 > ago.
>
>Today I =3D3D3D3D
> =3D
 >> =3D20
 > >tried=3D3D3D3D20
> > > different =3D
 >cables, eds=3D20
 > cards, mecs, eliminated the magma =3D3D3D3D
> > =3D20
 > >and
>still no=3D3D3D3D20
> > =3D
 >> clock=3D20
 > lock or modules showing up in the paris =3D3D3D3D
> =3D
 >> =3D20
 > >patchbay.
>
>This=3D3D3D3D20
> =3D
 >> =3D20
 > > means to me software unless someone tells me =3D
 >=3D3D3D3D
> =3D20
 > > =3D
 >>differently.
>
>I=3D3D3D3D20
> =3D20
 > > > have a new C drive which I will load XP and no =3D
 >pace. Any=3D20
 > =3D3D
>other=3D3D3D3D20
> > > =3D20
 >
>suggestions?
>
>More frustrated =3D
 >than=3D20
 > my=3D3D3D3D20
> > > =3D20
 > =3D
 >clients,
>Tom
>
>
>
>
>=3D
 >>>
>I=3D20
 > choose =3D3D3D3D
> > =3D
 >>Polesoft=3D3D3D3D20
> =3D20
 > > > Lockspam to fight spam, =3D
 >and=3D3D3D3D20
> =3D20
 > > > =3D
 >you?
>http://www.polesoft.com/refer.html=3D20
 > =3D3D3D3D20
> > =3D20
 > =3D
 >>
</BLOCKQUOTE></BODY></HTML>
> =3D
 >=3D20
 > > >
> > >
> =3D
 >>
> =3D20
 > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
 > Transitional//EN">
> =3D
 >><HTML><HEAD>
> =3D20
 > ><META http-equiv=3D3D3D3DContent-Type =
 content=3D3D3D3D"text/html;=3D20

```

> =3D3D3D<BR>> > charset=3D3D3D3DISO-8859-1"><BR>> =3D
>><META=3D20
> content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
> name=3D3D3D3DGENERATOR><BR>> =3D20
> ><STYLE></STYLE><BR>> =3D
>></HEAD><BR>> =3D20
> ><BODY bgcolor=3D3D3D3D#ffffff><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Thanks=3D20
> Dimitrios.</FONT></DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the =3D
> same=3D20
> thing. Is =3D3D<BR>>the =3D3D3D<BR>> >ini in=3D20
> the=3D3D3D20<BR>> >Paris folde or system=3D20
> 32?</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master card to=3D20
> be<BR>=3D3D<BR>>0=3D3D3D20<BR>> >absolutely? I only =3D
> have one=3D20
> card</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's=3D20
> all<BR>=3D3D<BR>>freaky<BR>> =3D3D3D<BR>> >just=3D20
> the=3D3D3D20<BR>> =3D
>>same.</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
>
> </DIV><BR>> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2></FONT> </DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><BLOCKQUOTE=3D3D3D20<BR>> =3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>=3D3D3D<BR>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
> 0px"><BR>> =3D20
> > <DIV>"Dimitrios" <<A=3D3D3D20<BR>> =3D
>> =3D20
> href=3D3D3D3D"<A=3D20
> =3D
=
> href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>mailto:musur=
gio=3D
> @otenet.gr">musurgio@otenet.gr</A/>>>=3D20

```

> wrote
=3D3D
>in =3D3D3D
> =3D
 >>message=3D3D3D20
> =3D20
 > > <A =3D3D3D
> =3D3D
>>href=3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>
H=
 '>n=3D
 >ews:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&l=3D
 >t;BR>H=3D3D
>i
> =3D20
 > =3D3D3D
> >Tom=3D3D3D20
> > <A=3D20
 > href=3D3D"mailto:!!@
Sorry">!!@
Sorry to hear you still =3D
 >having=3D20
 > problems like this ~!!
Must
=3D3D
>be
> =3D20
 > =3D3D3D
> >very=3D3D3D20
> > =3D20
 > frustrating.
Open the Paris ini file and there change the=3D20
 > =3D3D3D
> >mastercardoutput=3D3D3D20
> =3D
 >> with your=3D20
 > other
cards and see what happens !!
Let=3D20
 > me=3D3D3D20
> > =3D20
 > know.
Regards,
Dimitrios

"Tom =3D
 >Bruhl"=3D20
 > <<A=3D3D3D20
> > href=3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D3D3D20'=
 >mail=3D
 >to:arpeggio@comcast.net">arpeggio@comcast.ne

Subject: Re: More MacDonalds
 Posted by [LaMont](#) on Fri, 21 Sep 2007 18:08:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

t=>=3D3D3D20<B=3D
 >R>> =3D20
 > > =3D20
 > wrote:
>
>
>Rick,
>1 =3D
 >mec, no=3D20
 > BNC =3D3D3D
> >involved. Paris=3D3D3D20
> =3D
 >> =3D20
 > boots up so the 1 mec that
>I'm using shows up but never =3D
 >any A=3D20
 > =3D3D
>=3D3D3D
> >to Ds or=3D3D3D20
> =3D
 >> any=3D20
 > installed modules.
>This is the same symptom before I=3D20
 > =3D3D3D
> >repaired one=3D3D3D20
> > =3D
 >of my mecs=3D20
 > with a
>new chip. The clock light continues to=3D20

> flash
 > too. Never
 > locks in.
 > I am using the simplest
 > setup I can
 > imagine and still it's
 > not
 > working.
 > Mike A. suggested the
 > .ini file to make sure card A is
 > 0.
 > I'll try
 > that.
 > Pretty
 > sure it's right but who
 > knows?
 > Thanks,
 > Tom
 > &
 > gt;
 > "rick"
 > <A
 > href="A"
 > =
 > href='mailto:parnell68@hotmail.com">parnell68@hotmail.commailto=
 :parnell68@hotmail.com">parnell68@hotmail.com=>
 > wrote
 > in
 > message
 > =
 > news:inqgh393an5s4m99qcaojn09vn112t4u=6r@4ax.com...&nbs=
 > > p; i= know this as dumb as it gets
 > but the
 > bnc is attached in the
 > right
 > order...right?
 > all the cards show up
 > in
 > paris with the single
 > mec?
 > how many i/o cards in
 > each
 > > mec?
 > On
 > Fri, 19 Oct
 > 2007 00:22:39 -0400, > "Tom"
 > Bruhl"
 > href="A"
 > =

Audet''=20

<mike@....> wrote in message <A=20

==

href=3D"news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...
>
&g=t; =20

Hi Tom,
>
> Are you using a default project with=20

PARIS? I'm so sorry of this has
=3D
>been
> =asked and=20

answered already. If so, perhaps it is telling card zero=20

to a 3D lock to an external clock, which it can't because=20

there isn't one.
>
> It would be interesting to =
attach an=20

external clock source to the MEC
=3D
>and
> then =
start=20

PARIS to see how it behaves. Or, if the clock generator=20

```
is<BR>=3D<BR>>fried,<BR>>&nbsp; tell paris to lock externally =
and see what=20
```

happens when an external clock source is applied. Isn't there a master house synch switch in the

cfg file? I've never used it. =
Maybe DJ=20

could help with what that should/shouldn't be set =
to.
>
> =20

Wish I could do more than think out loud...
>
> =20

Mike
>
> "Tom Bruhl" <<A=20

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20

wrote:
> >
> >
> >Hi=20

Mike, > Well I've been to .cfg many a =

time.
> =20

>>I've seen that Mastercard setting as being 0
> >>but = maybe=20

it changed after removing the 4 other cards for =
this=20

[illegible]

else could this be? Busted mobo?
> >I'm really in =
an=20

idunno place right now. I'll be checking
> =
>seriously=20

today again because of a session tomorrow morning.
> =20

>Tom
> >
> >
> > =

"Mike=20

Audet" <mike@....> wrote in message <A=20

$$=$$

href=3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
> = =20

>
> > Hi Tom,
> >
> =

> If you've only got one card in, then the Mastercard =3D3D3D =
0=20
setting
=3D
>is =3D3D
> >right.
> =20
> The file is Paris.cfg, and it lives in the c:\program =

=3D
>files\Emu\PARIS
> =3D3D
> =
>PRO
> =20
> folder.
> >
> > I'd =
still check=20
it out to see what it is set to.
> >
> =
> =20
If it is wrong, what you are describing will happen.
> =20
>
> > Good luck!
> =
>
> =20
> Mike
> >
> > "Tom =
Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
> > >
> > =20
>
> > >Thanks Dimitrios.
> =
> =20
>
> > >Mike said the same thing. Is =
the ini=20
in the Paris folde or system
=3D
>=3D3D
> =20
>32?
> > >Do I want the Master card to be 0 =

absolutely? I only have one =3D
>card
> =
> =20
>in there right now and it's all freaky just the =
same.
> =20
> >Tom
> > >
> =
> =20
>
> > >
> > > =

"Dimitrios" <<A =
href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr>=20
wrote in message =3D3D3D
> > =20
>news:471a0486\$1@linux...
> > =
>
> =20
> > Hi Tom !@
> > > =
Sorry to=20
hear you still having problems like this ~!!
> > =20
> Must be very frustrating.
> > =
> Open=20
the Paris ini file and there change the mastercardoutput=20
=3D
>with
> =3D3D
> =
>=3D3D3D
> =20

wrote in=20
 message =3D3D3D3D
> > > > =20
 >news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> =20
 > > > > i know this as dumb as it gets but =
 the bnc is=20
 attached in the
=3D
>=3D3D
> =
 >right
> =20
 > > > > order...right?
> =
 > =20
 > > all the cards show up in paris with the single=20
 mec?
> > > > > how many i/o cards =
 in each=20
 mec?
> > > > >
> > =

 > >
> > > > > On Fri, =
 19 Oct=20
 2007 00:22:39 -0400, "Tom Bruhl" =3D3D3D
> > =
 ><A=20
 =
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
 bsp;=20
 > > > > wrote:
> > =
 > =20
 >
> > > > > > I thought I =
 was=20
 groovin' but once the second Mec was =
 =3D
>introduced
> =20
 > > > > > the system stopped. That =
 was a few=20
 weeks ago.
> > > > > =
 >
> =20
 > > > > > Today I tried different cables, =
 eds=20
 cards, mecs, eliminated
=3D
>the
> =
 =3D3D
> =20
 >=3D3D3D
> > > > magma
> =
 > =20
 > =3D3D3D3D
> > > > =
 >&and
> =20
 > > > > > still no clock lock or modules =
 showing up=20
 in the paris =3D3D
> > patchbay.
> =
 > =20
 > > > >
> > > =
 > =20
 > This means to me software unless someone tells me=20
 =3D
>differently.
> > > > > =

>
> > > > > > I have a new C =
drive=20
which I will load XP and no pace. =
Any
=3D
>=3D3D3D
> =20
> > other=3D3D3D3D20
> > > > =
> =20
> suggestions?
> > > > > =20
>
> > > > > > More =
frustrated than=20
my clients,
> > > > > =20
> Tom
> > > > > =
>
> =20
> > > > > >

Subject: Re: More MacDonalds
Posted by [Jamie K](#) on Fri, 21 Sep 2007 18:21:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

> > > > =20
> > http://www.polesoft.com/refer.html =20
=3D3D3D3D20
> > > > >
> =
> =20
> >
> > > > > !DOCTYPE =
HTML=20
PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> =
> =20
> > <HTML><HEAD>
> > > =
> =20
> <META http-equiv=3D3D3D3D3DContent-Type=20
=3D
> content=3D3D3D3D3D"text/html; =3D3D
> =20
> =3D3D3D3D
> > > > =20
> charset=3D3D3D3D3Diso-8859-1">
> > > =
> =20
> <META content=3D3D3D3D3D"MSHTML 6.00.2800.1400"=20
=3D
> name=3D3D3D3D3DGENERATOR>
> > > =
> =20
> <STYLE></STYLE>
> > > > =20
> </HEAD>
> > > > ><BODY=20
bgColor=3D3D3D3D3D#ffffff>
> > > > =20
> <DIV><FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>Rick,</D IV>
> =
> =20
> > <DIV><FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>1 mec,=20
no BNC =3D
> involved. =3D3D
> > Paris =
=3D3D3D
> =20
> > =3D3D3D3D
> > > > > boots =

up so=20
 the=3D3D3D3D20
> > > > 1 mec=20
 that</DIV>
> > > > =20
 ></DIV></m =
 using shows=20
 up
=3D
> but =3D3D
> > never any
> > =
 > =20
 =3D3D3D
> > > > A to =3D3D3D3D
> > =
 > =20
 > > Ds or any=3D3D3D3D20
> > > =
 > =20
 > installed modules.</DIV>
> =
 > =20
 > ></DIV></FONT face=3D3D3D3D3DArial =
 size=3D3D3D3D3D2></This=20
 is the same =3D
> symptom
> > =3D3D
> =20
 > before
> > > > =3D3D3D
> > > =
 ></l=20
 =3D3D3D3D
> > > > > repaired one=20
 of=3D3D3D3D20
> > > > > my mecs with=20
 a</DIV>
> > > > =20
 ></DIV></new =
 chip. The=20
 =3D
> clock light
> > =3D3D
> > =
 > =3D3D3D3D
> > =20
 > > > continues to flash=3D3D3D3D20
> > =
 > =20
 > > > too. Never locks =
 in.</DIV>
> > =20
 > > > ></DIV></FONT face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2></ </DIV>
> =
 > =20
 > ></DIV></FONT face=3D3D3D3D3DArial =
 size=3D3D3D3D3D2></I am=20
 using the =3D
> simplest =3D3D
> > setup =
 l
> > =20
 > > =3D3D3D
> > > > can =
 =3D3D3D3D
> > =20
 > > > > imagine and=3D3D3D3D20
> > =
 > =20
 > > > still it's not =
 working.</DIV>
> > =20
 > > > ></DIV></FONT face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2></Mike A. suggested
=3D
> the =
 =3D3D
> > > .ini=20
 file
> > > > =3D3D3D
> > > =20
 > =3D3D3D3D
> > > > > to make=20
 sure=3D3D3D3D20
> > > > > card A is 0. =

I'll try=20
that.</DIV>
 =20
 </DIV> <FONT face=3D3D3D3D3DArial =
size=3D3D3D3D3D2> Pretty sure it's=20
=3D
 right =3D3D
 but who =3D3D3D
 =20
 =3D3D3D3D
 =20
 knows?</DIV>
 =
 =20
 </DIV> <FONT face=3D3D3D3D3DArial=20
=
=3D
 size=3D3D3D3D3D2> Thanks, </DIV>
 =20
 </DIV> <FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> Tom</DIV>
 =
 =20
 </DIV> <FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> </DIV>
 =
 =20
 </DIV> <FONT face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> </DIV>
 =
 =20
 </DIV> </DIV>
 =
 =20
 </DIV> </DIV>
 =20
 </DIV> </DIV>
 =20
 </DIV>"rick" A=3D3D3D3D20
 =
 =20
=3D3D
 =3D
 href=3D3D3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com'mailto:pa= rnell68@hotmail.com" parnell68@hotmail.com
=3D
 > =3D3D
 =20
 =3D3D3D
 =3D3D3D3D
 =
 =20
 wrote in=3D3D3D3D20
 =

 message A=3D3D3D3D20
 =20
=3D3D3D
 =3D3D
 =20
=3D
 href=3D3D3D3D3D"<A=20
=
href=3D'news:

Subject: Re: More MacDonalds
Posted by [excelav](#) on Fri, 21 Sep 2007 18:30:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

"mailto:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"
target="_blank">inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in'>news:in=
qgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=3D
>qgh=3D=
3D
> =20
>393=3D3D3D
> > > an5=3D3D3D3D
> =
> =20
> =20
=
>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> =
;=20
> > ><BLOCKQUOTE=3D3D3D3D20
> =
> =20
> >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =

=3D
>MARGIN-LEFT: =3D3D
> >5px; =
=3D3D3D
> =20
> >=3D3D3D3D
> > > =
>BORDER-LEFT:=20
#000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D3D3D20
> =
> =20
> > know this as dumb as it gets but the bnc is =
attached in=20
=3D3D
> >the=3D3D3D3D20
> > =
> =20
> right
order...right?
all the cards show =
up in=20
paris =3D
>with =3D3D
> >the
> =
> =20
=3D3D3D
> > >=3D3D3D3D
> =
> > =20
>single=3D3D3D3D20
> > > > =20
mec?
how many i/o cards in each =
mec?

On =20
Fri, 19
=3D
>=3D3D
> >Oct =
=3D3D3D
> > =20
>2007
> > > =3D3D3D3D
> =
> =20
> >
> > > > =
00:22:39 -0400,=20
"Tom Bruhl" <<A=3D3D3D3D20
> > > =
> =20
=3D3D3D3D
> > > =3D3D3D
> =
> =20
=3D3D
> =3D
>>>>href=3D3D3D3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>
'>mailto:a=
rpeggio@comcast.net">arpeggio@comcast.net><BR>=3D=

>wro=3D3D
> =20

> > =20
=
>
</BLOCKQUOTE></BODY></HTML>
> =
=20
> > >
> > > =20
>
> > >
> > =
>
> =20
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> > =20
><HTML><HEAD>
> > ><META=20
http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20
=3D
>=3D3D3D

Subject: Re: More MacDonalds
Posted by [dc\[3\]](#) on Fri, 21 Sep 2007 19:47:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

et" target="_blank">arpeggio@comcast.net">arpeggio@comcast.net>=3D3D3D20</=

A>
> =20
> > =20
wrote:
>
>&a mp;lt;BR>>Rick,
>1 =
mec, no=20
BNC =3D3D3D
> > >involved. =20
Paris=3D3D3D20
> > > boots up so the 1 =
mec=20
that
>I'm using shows up but never any
=3D
>A=20
=3D3D
> >=3D3D3D
> > >to Ds=20
or=3D3D3D20
> > > any installed=20
modules.
>This is the same symptom before I=20
=3D
>=3D3D3D
> > >repaired =
one=3D3D3D20
> =20
> > of my mecs with a
>new chip. =
The clock=20

Subject: Re: More MacDonalds
Posted by [DC](#) on Fri, 21 Sep 2007 19:53:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

/>
light continues to =3D
>=3D3D3D
> > =20
>flash=3D3D3D20
> > > too. =20
Never locks=20
in.
>
>I am using the simplest =
=3D3D3D
> =20
> >setup I can=3D3D3D20
> > &

Subject: Re: More MacDonalds

[View Forum Message](#) <> [Reply to Message](#)

$$gt; \text{ } =$$

> imagine=20

and still it's not working.

Mike A. suggested the=20

[illegible]

>.ini=3D3D3D20
> =20

>>> file to make sure card A is 0. I'll try=20

=3D3D3D
> =20

$$=$$

>=3D3D3D3D
>>that.
& mp;>>Pretty=3D3D3D20
>& nbs=
p;=20

> > sure it's right but who=3D3D3D20
> =

> =20

>=3D3D3D
>=20

$$=$$

>knows?
>Thanks,
 & p>>Tom
>
> &=

gt;
>
>& lt;BR>><=3D3D3D
> =20

> >BR>>"rick"=3D3D3D20
> > =

> =20

<<A =3D3D3D
> > =

=3D
>>href=3D3D3D3D3D"<A=20

$$=$$

href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.commailto:pa=

rnell68@hotmail.com">parnell68@hotmail.com>=20

=3D
>=3D3D
> >=3D3D3D
> > =20

>wrote=3D3D3D20
> > > in=20

message=3D3D3D20
> > > =

=3D3D3D
> =20

> =3D3D
> =20

$$=$$

=3D
 >>>=3D3D3D3D
>n ews:inqgh393an5s4m99qcaojn09vn=
112t4u6r@4ax.com...
>&nbs=3D
>=3D3D3D=3D3D
>=&
nbsp;:=20

>
> > > >p; i=3D3D3D20
> > =

> =20

> know this as dumb as it gets but the bnc is attached in=20

=3D
>the=3D3D3D20
> > > =20

right
>> order...right?
>> all the =

cards=20

show up =3D3D3D
> > >;in=3D3D3D20
> =

> =20

> paris with the single mec?
> how many i/o =

cards=20

in =3D
>each=3D3D3D20
> > > =20

mec?
>
>
> On Fri, 19 Oct =

 $2007=20$

00:22:39 -0400, =
>"Tom=20
> > =
> > Bruhl" <<A=20
> =
> =20
> =3D3D3D
> > =3D3D
> =20
=3D
> href=3D3D3D3D"<A=20
=
href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
> n'>=
mailto:arpegio@comcast.net">arpegio@comcast.net
>=
> n=3D
> =3D3D3D=3D3D
> =20
>
> > > > =3D3D3D20
> =
> =20
> wrote:
>
> > I thought I =
was=20
groovin' but once the =3D3D3D
> > =20
> second=3D3D3D20
> > > Mec was=20
introduced
> > the system stopped. That=20
=3D3D3D
> > > was a few=3D3D3D20
> =
> =20
> weeks ago.
> >
> =
> Today I=20
tried =3D3D3D
> > =
> different=3D3D3D20
> =20
> > cables, eds cards, mecs, eliminated the=20
=3D3D3D
> > =20
> magma
>=3D3D3D3D
> > =20
=3D3D3D20
> > > > still no clock lock =
or modules=20
showing up in the paris=3D3D3D20
> > > =20
patchbay.
> >
> > This means =
to me=20
=3D3D3D
> > > software=3D3D3D20
> =
> =20
> unless someone tells me differently.
> =20
>
> =3D3D3D
> > =20
>
>=3D3D3D20
> > > have a new C =
drive which=20
I will load XP and no pace. Any=3D3D3D20
> =
> =20
> other=3D3D3D3D20
> =20
> suggestions?
> =3D3D3D
> > =20
>
> =3D3D3D20
> > > =
> More=20
frustrated than my clients,
> =3D3D3D
> =
> =20
>
> =3D3D3D20
> > =
> =20
>
> >
> =

>
> =20
=3D3D3D
> > >>
> =
=3D3D3D20
> =20
> > >&I choose Polesoft Lockspam to fight spam, =
and=20
you?
> =3D3D3D20
> > > =20
>&http://www.polesoft.com/refer.html =3D3D3D20
> =
> =20
> =
=3D3D3D3D20
>
& >
><!DOCTYPE=20
HTML PUBLIC "-//W3C//DTD =3D3D3D
> > >&HTML=20
4.0=3D3D3D20
> > > =20
=
Transitional//EN" >
><HTML>& l t;HEAD>
>=
<META=3D3D3D20
> =20
> > http-equiv=3D3D3D3D3DContent-Type=20
=3D
>content=3D3D3D3D3D"text/html;=3D3D3D20
> =
> =20
> =20
=
=3D3D3D3D
>charset=3D3D3D3D3Diso-885 9-1 ">
><=
<META=20
=3D3D3D
> > =20
>&content=3D3D3D3D3D"MSHTML=3D3D3D20
> > =
> =20
6.00.2800.1400"=3D3D3D20
> > > =
=3D3D3D
> =20
> =20
=
>&name=3D3D3D3D3DGENERATOR>
&a mp;><STYLE></STYLE>=

></HEA=3D3D3D
> =20
> >&D>
><BODY=3D3D 3D20
> =
> =20
> =
bgColor=3D3D3D3D3D#ffffff>
>& <DIV><FONT=20
=3D
>face=3D3D3D3D3DArial=3D3D3D20
> > =
> =20
=3D3D3D
> > =20
=
>&size=3D3D3D3D3D2>&Rick,&a mp;</DIV>
><D=
IV><FONT=3D3D3D20
> =20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2>&1 mec, =
no BNC=20
involved. Paris
=3D
>=3D3D3D
> > =20
>=3D3D3D3D
>boots up so=3D3D3D20
> =
> =20
> the=3D3D3D3D20
>1 mec =3D3D3D
> =
> =20

=
>that</DIV>< ;BR>></DIV></FONT=3D3D3D=20
> =20
> > face=3D3D3D3D3DArial size=3D3D3D3D3D2><l'm = using shows up=20
but never =3D
>any A to
> =3D3D
> =20
>=3D3D3D
> > >=3D3D3D3D
>Ds=20
or=3D3D3D20
> > > =20
any=3D3D3D3D20
>installed=3D3D3D20
> =
> > =20
modules.</DIV><BR& amp;gt;></DIV></FONT=20
=3D3D3D
> > =
>face=3D3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D3D2><This is the same symptom = before l=20
=3D
>=3D3D3D3D
>repaired =3D3D
> =20
>=3D3D3D
> > >one=3D3D3D20
> =
> =20
> of=3D3D3D3D20
>my mecs =
with=3D3D3D20
> =20
> > =20
a</DIV>
 ></DIV></FONT=20
face=3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D3D2><new chip. The clock light =
=3D3D3D3D
>continues=20
=3D
>to=3D3D3D20
> > > =20
flash=3D3D3D3D20
>too. Never locks=3D3D3D20
> =
> =20
> =
in.</DIV><BR&g t;></DIV></FONT=20
face=3D3D3D3D3DArial =3D3D3D
> > =
>
> =20
> > size=3D3D3D3D3D2>=20
</DIV>
></DIV& am p;gt;</FONT =3D3D3D
> =
> =20
>face=3D3D3D3D3DArial=3D3D3D20
> > > =20
size=3D3D3D3D3D2><l am using the simplest setup l can =
=3D3D
> =20
>=3D3D3D3D
>imagine=3D3D3D20
> > =
> =20
and=3D3D3D3D20
>still it's not=3D3D3D20
> =
> =20
> =
working.</DIV><BR& amp;gt;></DIV></FONT=20
=3D3D3D
> > =
>face=3D3D3D3D3DArial=3D3D3D20
> =20
> > size=3D3D3D3D3D2><Mike A. suggested the .ini = file=20

=3D3D3D3D
>to =3D
>make=3D3D3D20
> =
 > sure=3D3D3D3D20
>>card A is 0. I'll=20
 try=3D3D3D20
> > > > =20
 that.></DIV>>
& >></DIV>>=20
 =3D3D3D
> > =
 >face=3D3D3D3D3DArial=3D3D3D20
> =20
 > > size=3D3D3D3D2>>Pretty sure it's right but=20
 who=3D3D3D20
> > > =20
 =
 =3D3D3D3D
>>knows?& ></DIV>>
>><D=
 IV>>=3D3D3D20
> =20
 > > face=3D3D3D3D3DArial=3D3D3D20
> =
 > =20
 > =3D3D3D
> > =20
 =
 >size=3D3D3D3D2>>Thanks,> <</DIV>>
>><D=
 ;DIV>>=3D3D3D
> =20
 > >=3D3D3D20
> > > =20
 face=3D3D3D3D3DArial=3D3D3D20
> > > =20
 =
 size=3D3D3D3D2>>Tom></DIV> >>
>><DIV>>=
 <=3D3D3D20
> =20
 > > face=3D3D3D3D3DArial =
 size=3D3D3D3D2>>>=20
 =3D3D3D
> > =20
 =
 ><</DIV>>
>><D><DIV>>=3D3D3D20
> =

 > > face=3D3D3D3D3DArial =
 size=3D3D3D3D2>>>=20
 =3D3D3D
> > =20
 ><</DIV>>
>><D><DIV>>=3D3D3D20
> =
 > =20
 > <</DIV>>
>><D><DIV>& >>=20
 <</DIV>>
>><D><DIV>& >>=3D3D3D20
> =
 > =20
 > <</DIV>>
>><D><DIV>& >> "rick" =
 =3D3D3D
> =20
 > =20
 =
 ><<<A=3D3D3D3D20
>>& >href=3D3D3D3D3D "<A=3D3D3D20
>=&
 > =20
 > > =3D3D3D
> > =
 =3D3D
> =20
 =
 =3D
>>>href=3D3D3D3D'mailto:parnell68@hotmail.com">parnell=
 68@hotmail.com<>mai=3D
>>lto=3D3D
> =20

>;pa=3D3D3D
> > =20
=
>;rnell68@hotmail.com">;parnell68@hotmail.com</A>>=
=3D3D3D20
> =20
> > =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=20
=
=3D
 ><A=3D3D3D3D20
>href=3 D3D3D3D3D "<A
>&nb=
sp;=20
=3D3D
> >=3D3D3D
> > =
>
> =20
> > =3D3D3D
> > =
=3D3D
> =20
=
=3D
 >>>href=3D3D3D3D'news:inqgh393an5s4m99q caojn09vn112t4u6r@=
4ax.com">;news:inqgh=3D
>393=3D3D
> =20
>;an5=3D3D3D
> > =3D3D
> =20
=
=3D
>>>'>;news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com"&=
gt;news:inqgh393an5</A=3D3D=3D
>3D=3D3D
> =20
>
> > =20
=
=3D
>>>=3D3D3D3D
>s4m99qcaojn09vn112t4u6r@4ax.com=
...</DIV>
& amp;=3D3D3D
> =20
> =20
=
>gt;<BLOCKQUOTE=3D3D3D3D20
&a mp;gt;style=3D3D3D3D3D "PADDING-RI=
GHT:=3D3D3D20
> =20
> > 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px;=20
=3D
>=3D3D3D3D
>BORDER-LEFT: =3D3D
> =20
>=3D3D3D
> > >#000000 =
2px=3D3D3D20
> =20
> > solid; MARGIN-RIGHT:=20
0px">;i=3D3D3D3D20
> know this as dumb=20
as
=3D
>=3D3D3D
> > >it =
gets=3D3D3D20
> =20
> > but the bnc is attached in =
the=3D3D3D3D20
>=20
=3D3D3D20
> > > =20
right
order...right?
all the cards show up in paris=20
=3D3D3D
> > >with the=3D3D3D20
> =
> =20
> =
=3D3D3D3D
>single=3D3D3D3D20< BR>> =20
mec?
how many i/o cards =3D
>=3D3D3D
> =
> =20
>in each=3D3D3D20
> > > =20
mec?

On Fri, 19 =

Oct=3D3D3D20
> =20
 > =20
 2007
=3D3D3D3D
> =20
 00:22:39 -0400, "Tom Bruhl"=3D3D3D20
> =20
 > =20
 <<A=3D3D3D3D20
> =20
 =3D3D3D3D
> =20
 > =3D3D3D
> =20
 =
 =3D
> =20
 omcast.net
=3D
> =20
 ><ma=3D3D3D
> =20
 =
 >mailto:arpeggio@comcast.net">arpeggio@comcast.net
=3D3D3D
> =20
 > =20
 =
 >rote=3D3D3D3D
> =20
 D3D20
> =20
 =3D3D3D20
> =20
 but once=20
 the second Mec was=3D3D3D20
> =20
 =
 =3D3D3D3D
> =20
 t; =20
 system =3D3D3D
> =20
 was=3D3D3D20
> =20
 ago.
>
><Toda y I=3D3D3D20
> =20
 > =20
 > =3D3D3D3D
> =20
 different=20
 cables, eds cards, =3D
>mecs, =3D3D3D
> =20
 >eliminated=3D3D3D20
> =20
 =3D3D3D3D
>
><still =
 no=3D3D3D3D20
> =20
 =3D3D3D
> =20
 or=3D3D3D20
> =20
 > =20
 paris=3D3D3D20
> =20
 > =3D3D3D
> =20
 =
 >=3D3D3D3D
>
><This=3D3D=3D3D20
> =20
 =3D3D3D
> =20
 > =20
 > =20
 > =20

> =3D3D3D
> > =20
=
>=3D3D3D3D
>>differentl.& lt;BR>>>
>>I=3D3D=3D3D20
>> =20
=3D3D3D
>> > > have a new=3D3D3D20
>> =
> =20
> C drive which I will load XP and no pace. Any=20
=3D
 >>other=3D3D3D3D20
>> =3D3D
>> =20
>=3D3D3D
>> > > >
>> > =
> =20

>>suggestions?
>& ;
>>More frustrated=20
=3D3D3D
>> > >>than=3D3D3D20
>> =
> =20
> my=3D3D3D3D20
>>=3D3D3D20
>> =
> =20
> =3D3D3D
>> > =20
=
>clients,
>>Tom
 >>
>>
> &I=
t;BR=3D3D3D
>> =20
> >>>
>>I=3D3D3D20
>> =
> =20
> choose =
=3D3D3D3D
>>Polesoft=3D3D3D3D20
>> =20
Lockspam to fight =3D
>>spam,=3D3D3D20
>> > =
> =20
and=3D3D3D3D20
>> =3D3D3D
>> > =20
=
>you?
>>http://www.polesoft.com/refer.html=3D3D3D20
>>=
 =20
> > =3D3D3D
>> > =20
=
>=3D3D3D3D20
>>
 ></BLOCKQUOTE>></BODY>&I=
t;/HTML>
>&=3D3D3D
>> =20
> =20
=
>>
>>
></BLOCKQUOTE>></BODY>></HTML>& ;=
gt;
>> =20
> >
>> > >
>> =
>
>> =20
>
>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">>
>> =
><HTML>><HEAD>>
>> =20
><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20
=3D3D
>> >>charset=3D3D3Diso-8859-1">>
>> =
><META=20
content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>>
>> =20
><STYLE>></STYLE>>
>> =

0px">
> =20
> <DIV>"Mike Audet" <mike@....> wrote in message=20
<A=3D3D20
> > =3D3D
> =20
=3D
>>href=3D3D3D"<A=20
=
href=3D'news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...</DIV>
H'>n=
ews:471b2ec2\$1@linux">news:471b2ec2\$1@linux...</DIV>&l=
t;BR>H=3D
>i=3D3D20
> =20
> Tom,

If you've only got one card in, =
then the=20
Mastercard =3D
>=3D3D3D 0
> =3D3D
> =
>setting=20
is=3D3D20
> > right.
 The file is =
Paris.cfg, and=20
it lives in the =3D
>c:\program=3D3D20
> > =20
files\Emu\PARIS PRO
folder.

I'd still =
check it out=20
to see
=3D
>=3D3D
> >what it =
is=3D3D20
> =20
> set to.

If it is wrong, what you are =
describing=20
will=3D3D20
> > happen.

Good=20
luck!

Mike

"Tom Bruhl"=20
<<A=3D3D20
> > href=3D3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=>=3D3D20'>mail=
to:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D20<B=
R>> =20
> wrote:
>
>&a mp;lt;BR>>Thanks=20
Dimitrios.
>
&g t;Mike =3D3D
> =
>said=20
the=3D3D20
> > same thing. Is the ini in =
the Paris=20
folde or system =3D3D
> >32?
>Do I=20
want=3D3D20
> > the Master card to be 0 =
absolutely? I=20
only have one =3D3D
> >card
>in=20
there=3D3D20
> > right now and it's all freaky =
just=20
the=3D3D20
> > =20
=
same.
>Tom
>
>
>
>

> =20
"Dimitrios" =3D3D
> ><<A=3D3D20
> =
> =20
href=3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr'mailto:musurgio=

@otenet.gr">musurgio@otenet.gr>=20
 wrote
=3D
>in =3D3D
>>=20
 >message=3D3D20
>>=20
 >>=20
 =
 =3D3D3D
>>news:471a0486\$1@linux...
>>
>>=20
 >=20
 Hi Tom=3D3D20
>> >> <A=20
 href=3D"mailto:!!
"!
>> Sorry to hear you =
 still having=20
 problems like this=3D3D20
>> >> =
 ~!!
>> Must=20
 be very frustrating.
>> Open the =3D3D
>> =
 >Paris=20
 ini=3D3D20
>> >> file and there change the =
 mastercardoutput=20
 with =3D3D3D
>>your=3D3D20
>> >>=20
 other
>> cards and see what happens =
 !!
>>=20
 Let me =3D3D
>> >>
>> >>=20
 know.
>> Regards,
>> =
 =3D3D
>>=20
 >Dimitrios
>>
 >=3D3D20
>> =
 >> "Tom=20
 Bruhl" <<A=3D3D20
>> >> href=3D3D3D"<A=20
 =
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D20">mail=
 to:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D20<B=
 R>>>=20
 >> wrote:
>> >>
>>=20
 >
>> =3D3D20
>> >>=20
 >Rick,
>> >>1 mec, no BNC involved.
 Paris =
 boots=20
 =3D3D
>> >>up so=3D3D20
>> >> the 1 =
 mec=20
 that
>> >>I'm using shows up but never any A to=20
 =3D3D
>> >>Ds or=3D3D20
>> >> any =
 installed=20
 modules.
>> >>This is the same symptom =
 =3D3D
>>=20
 >>before I=3D3D20
>> >> repaired one of my mecs =
 with=20
 a
>> >>new chip.
 The =3D3D
>>=20
 >>clock=3D3D20
>> >> light continues to flash =
 too.
=20
 Never locks in.
>> =3D3D20
>> >>=20
 >
>> >>I am using the simplest setup I can =
 imagine and=20

=3D3D
> >still=3D3D20
> > > it's not =

=3D3D3D
>working.
& amp;gt; >Mike A. =
suggested =20

=3D3D
> >the .ini=3D3D20
> > > file =
to make sure=20

card A is 0. >I'll =3D3D
> >=20

>try
=3D3D3D
& g t;=3D3D3D3D
> =
=3D3D20
> >=20

> >that.
> > >Pretty sure it's right =
but=20

who=3D3D20
> > > knows?
> >=20

>Thanks,
> > >Tom
> =
=3D3D20
> >=20

> >
> >
> >=20

>
> >=3D3D
> >>
>=20

=3D3D20
> > >
> >"rick"=20

<<A=3D3D20
> > >href=3D3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.commailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>
=3D

>>=3D3D
> >=20

>wrote in=3D3D20
> > > message =
=3D3D3D3D
>=20

=3D3D20
> > >=20

>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>=20

=3D3D20
> > > > i know this as dumb as it =
gets but=20

the bnc is attached in =3D3D
> > =
>the=3D3D20
> > >=20

right
> > > =
order...right?
> >=20

> > =3D3D
> >>all the=3D3D20
> > =
> > cards=20

show up in paris with the single mec?
> > >=20

=3D3D
> >>how many=3D3D20
> > > i/o =
cards in each=20

mec?
> >
> >=3D3D
> >=20

>>
> =3D3D20
> > > > On =
Fri, 19=20

Oct 2007 00:22:39 -0400, "Tom Bruhl" =3D3D
> >=20

>=3D3D3D
><<A=3 D3D20
> > >=20

=3D3D
> >=3D
>>href=3D3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>& amp;n=3D=
3D'>mailto:arpeggio@comcast.net">arpeggio@comcast.net><B=
R>>& amp;n=3D3D=3D
>
> >=20

>bsp;=3D3D20
> > > > =

wrote:

=20

=20

thought=20
I=3D3D20

=20
was=20
introduced

=20
=3D3D20

=20

=20

the system stopped.
 That was a few weeks=20
ago.

=20

=20

Today I tried different=20
=3D3D

=20
cables,=3D3D20

=20
eds =
cards, mecs,=20
eliminated the =3D3D3D

=20
=3D3D

=20

=3D3D3D3D

=20

and

=20
still no clock lock or =
modules=20
=3D3D

=20
showing up=3D3D20

=20
in =
the paris=20
patchbay.

=20

=20
This =
means to me=20
software unless someone tells me=3D3D20

=20
differently.

=20

=20
I have=3D3D20

=20

a=20
new C drive which I will load XP and no pace.
 =
Any=3D3D20

=20

=3D3D3D

=20
other=3D3D3D3D20

=20
=3D3D

=20
=3D3D20

=20
=20
More =
frustrated=20
than my=3D3D20

=20
clients,

=20

Tom

=20
=3D3D20

=20

=20
=3D3D

=20
=3D3D20

=20
=20
clients,

=20
I choose Polesoft=20
=3D3D

=20
Lockspam to=3D3D20

=20
fight spam,=20
and you?

=20
=3D3D3D3D20

=20
=3D3D20

=20
=20
=20
=20

<
> <<!DOCTYPE HTML =
 PUBLIC=3D3D20
> =20
 < "-//W3C//DTD HTML 4.0 Transitional//EN">
>=20
 =3D3D20
> < =20
 <<HTML><HEAD>
 =20
 <<META=3D3D20
> < =
 http-equiv=3D3D3D3D3DContent-Type=20
 content=3D3D3D3D3D"text/html";=3D3D
> =
 <=3D3D3D3D
> =20
 =3D3D20
> < =20
 < charset=3D3D3D3D3Diso-8859-1">
> <<META =
 =3D3D
> <<content=3D3D3D3D3D"MSHTML=3D3D20
> =
 < =20
 6.00.2800.1400" name=3D3D3D3D3DGENERATOR>
> =
 =3D3D20
> =20
 < <<STYLE></STYLE>
> =20
 =3D3D
> << </HEAD>
> < =
 =3D3D20
> =20
 < <<BODY =
 bgcolor=3D3D3D3D3D#ffffff>
> < =20
 =3D3D
> << <DIV><FONT=3D3D20
> =
 < =20
 face=3D3D3D3D3DArial =3D3D
> =20
 < size=3D3D3D3D3D2><Rick,< </DIV>
>>=20
 =3D3D20
> << <DIV><FONT =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2><1 mec, no BNC =3D3D
> =20
 < involved.=3D3D20
> < Paris=20
 =3D3D3D
>>=3D3D3D
> < <boots up so=20
 =3D3D
> <<the=3D3D3D3D20
> =20
 < 1=3D3D20
> < mec=20
 that< </DIV>
> < =3D3D
> =20
 <>< <DIV><FONT=3D3D20
> < =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2><I'm using shows up but never =3D3D
> =20
 < any
>=3D3D3D
> < <A to=3D3D20
> =
 < =20
 =3D3D3D3D
> < <Ds or =
 any=3D3D3D3D20
> < =20
 < installed=3D3D20
> < =20
 modules.< </DIV>
 < =
 =3D3D
> =20
 <>< <DIV>< <FONT=3D3D20
> < =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2><This is the same symptom =3D3D
> =20
 < before
>=3D3D3D
> < =3D3D20
> =
 < =20

=3D3D3D3D
> >repaired one =
 of=3D3D3D3D20
> >=20
 >my =3D3D
> >mecs with=3D3D20
> >=
 > >=20
 a
> ></DIV>> >
> > >=20
 ><DIV>><FONT=3D3D20
> > >=
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2><new chip. The clock light =3D3D
> >=20
 >=3D3D3D3D
> >=3D3D20
> > >=
 >continues to=20
 flash=3D3D3D3D20
> > > >too. Never =
 locks=3D3D20
> >=20
 > > in.
>></DIV>>
> > >=20
 ><DIV>><FONT=3D3D20
> > >=
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2><> =3D3D
> >=20
 ><</DIV>>
>> =3D3D20
> > >=20
 ><<DIV>><I am =
 using=20
 =3D3D
> >the simplest=3D3D20
> > >=
 setup=20
 l
>=3D3D3D
>
>
> >=
 >imagine=20
 =3D3D
> >&and=3D3D3D3D20
>> =
 =3D3D20
> >=20
 > >&still it's not =
 working.
>></DIV>>
> >&=20
 =3D3D20
> > ><DIV>><FONT =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2><Mike A. =3D3D
> >& suggested=20
 the=3D3D20
> > >.ini=20
 file
>=3D3D3D
>>=3D3D 3D3D
>> >=
 >to make=20
 =3D3D
> >&sure=3D3D3D3D20
>> =
 =3D3D20
> >=20
 > >&card A is 0. I'll try=20
 that.
>></DIV>>
> >=3D3D
> >=

 >
> > ><DIV>><FONT =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D3D2><Pretty sure =3D3D
> >& it's=20
 right=3D3D20
> > > but who=20
 =3D3D3D
>>=3D3D3D3D
>> =3D3D20
> >=
 > >=20
 >& knows?
>></DIV>>
>> >=
 =3D3D
> >=20
 >><DIV>><FONT=3D3D20
> > >=
 face=3D3D3D3D3DArial=20

=3D3D
> =20
>size=3D3D3D3D2>Thanks, </DIV>
> =

=3D3D20
> > ></DIV><FONT=20
face=3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D2>Tom </DIV >
>=20
=3D3D20
> > ></DIV><FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2> =3D3D
> =
>
> =20
> </DIV>
> ></DIV><FONT=20
face=3D3D3D3DArial=3D3D20
> > =20
size=3D3D3D3D2> </DIV>
> =20
=3D3D
> >></DIV>=3D3D20
> =
> =20
</DIV>
> ></DIV> =
</DIV>
>=20
=3D3D20
> > ></DIV>=20
</DIV>
> =
></DIV>"rick"=3D3D20
> =20
> <<A=3D3D3D3D20
> =20
>&href=3D3D3D3D"<A=3D3D20
> > =
=3D3D
> =20
=
=3D
>&href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>:pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> =20
> =3D3D3D
>=3D3D3D3D
 > =
>wrote=20
in=3D3D3D3D20
> =3D3D
> =20
>>message=3D3D20
> > =20
<A=3D3D3D3D20
> =20
=3D3D3D
>>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>&href=3D3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.co=
m">news:inqgh393=3D
>> >n=3D3D
> =20
=
=3D
>&ews:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh393=3D3D3D<B=3D
>=3D3D
> =20
>R>>an5=3D3D3D3D
> > =3D3D20
> =
> =20
=3D3D
> =20
=
>>s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
=

;>=20
 =3D3D
>>=3D3D20
>>=20
 ><BQUOTE=3D3D3D20
> >=3D3D
>>=20
 >>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D3D20
>>=20
 >>=20
 PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
 =3D3D3D
>>=3D3D3D3D
> >=20
 =3D3D20
>> >> >>BORDER-LEFT: #000000 2px solid;=20
 MARGIN-RIGHT: =3D3D
>>=20
 >0px">=3D3D3D3D20
>>=20
 =3D3D20
>> >> >> >> know this as dumb as it =
 gets but the=20
 bnc is attached in=3D3D20
>> >>=20
 the=3D3D3D3D20
>> >> >>=3D3D
>>=20
 >right
order...right?
all=3D3D20
>>=20
 >>=20
 the cards show up in paris with=20
 the
=3D3D3D
>>=3D3D3 D3D
>>=20
 =3D3D20
>>=20
 >> >>single=3D3D3D3D20
>> >>=20
 mec?
how many i/o =3D3D
>> >>cards =
 in=3D3D20
>>=20
 >> each mec?

On Fri, 19=20
 Oct=3D3D20
>> >>=20
 =3D3D3D
>>2007
> >>=20
 =3D3D3D3D
>> >>
>>=20
 =3D3D
>>=20
 >>=3D3D20
>> >> 00:22:39 -0400, "Tom Bruhl"=20
 <<A=3D3D3D3D20
>> >>=3D3D20
>>=20
 >>=20
 =3D3D3D3D
>>=20
 =3D3D3D
>>>>href=3D3D3D3D3D"<A=3D3D20
>>=20
 >>=20
 =3D3D
>>=20
 =
 =3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
 ..net<A>>>
wrote'=3D
>>ma=3D3D
>>=20
 =
 >>mailto:arpegio@comcast.net">arpegio@comcast.net<A>>>
=
 >w=3D3D
>>=20
 >>rote<A>=3D3D3D
>>& >=3D3D3D3D
>>=20
 =3D3D20
>> >>=20
 >

l=3D3D3D 3D20
>>=20
 >> thought=20
 =3D3D
>> >> I was=3D3D20
>> >> groovin' =
 but once=20
 the second Mec was =3D3D3D3D
>>=3D3D20
>>=20
 >>=20

&introduced
>the=3D3D3D3D20&a mp;lt;BR>> =
 > system=20
 =3D3D
> >stopped.=3D3D20
> > That =
 was a few=20
 weeks ago.
>
>Toda y I =3D3D
> =20
 >=3D3D3D3D
> =3D3D20
> > =20
 >tried=3D3D3D3D20
> > different cables, =
 eds cards,=20
 =3D3D
> >mecs,=3D3D20
> > =
 eliminated the magma=20
 =3D3D3D3D
> =
 >and
>still=3D3D20
> =20
 > no=3D3D3D3D20
> > clock lock or =
 modules=20
 showing up in =3D3D
> >the paris=3D3D20
> =
 > =20
 =3D3D3D3D
> =3D3D20
> > =20
 =
 >patchbay.
>
 ;>This=3D3D3D3D20
>&nb=
 sp;=20
 =3D3D
> >> =3D3D20
> > means to =
 me software=20
 unless someone tells me =3D3D3D3D
> =3D3D20
> =
 > =20
 =
 >differently.
>
& ;>&I=3D3D3D3D20
>&nb=
 sp;=20
 =3D3D
> >> =3D3D20
> > have a =
 new C drive=20
 which I will load XP and no pace. Any=3D3D20
> > =20
 other=3D3D3D3D20
> > =3D3D20
> =
 > =20

>suggestions?
& ;>
>More frustrated=20
 =3D3D
> >than=3D3D20
> > =20
 my=3D3D3D3D20
> > =3D3D20
> =
 > =20
 =3D3D
> =20
 =
 >clients,
>Tom
& ;>
>
& ;>&I=
 t;BR=3D3D
> =20
 >>
>I=3D3D20
> > choose=20
 =3D3D3D3D
> =
 >Polesoft=3D3D3D3D20
>&nb sp;=20
 =3D3D
> >> Lockspam=3D3D20
> =
 > to=20
 fight spam, and=3D3D3D3D20
> > =
 =3D3D20
> =20
 > you?
>http://www.polesoft.com/refer.html=20

=3D3D
> >=3D3D3D3D20
> =
=3D3D20
> > >=20
=3D3D
> >=20
=
>>
</BLOCKQUOTE> </BODY></HTML>
 =
>=20
=3D3D
> >=3D3D20
> > > =
>
> >=20
>
>
>
><!DOCTYPE HTML=20
=3D3D
> >PUBLIC=3D3D20
> > > =
"-//W3C//DTD HTML=20
4.0=3D3D20
> > >=20
=
Transitional//EN" >
><HTML><t;HEAD>
&

Subject: Re: More MacDonalds
Posted by [Neil](#) on Fri, 21 Sep 2007 21:10:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

20
size=3D3D3D3D2>Mike said the same thing. Is the =
=3D3D3D
>ini=20
in =3D3D
> >
> > >=20
the=3D3D3D20
>Paris folde or system=3D3D20
> > =
>&

Subject: Re: More MacDonalds..War of the DAWWS!!!
Posted by [LaMont](#) on Fri, 21 Sep 2007 21:20:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

;nbsp;=20
32?</DIV>
><DIV><FONT =
face=3D3D3D3DArial=20
=3D3D
> >
> > > size=3D3D3D3D2>Do =
I want the=20
Master card to be =3D3D
> >=20
>0=3D3D3D20
>absolutely? >I=3D3D20
> > =
> >=20
only have one =
card</DIV>
><DIV><FONT=20
=3D3D
> >
> > > face=3D3D3D3DArial=20
size=3D3D3D3D2>in there right now and it's all=3D3D20
> > =
> >=20
freaky
=3D3D3D
>jus t=3D3D20
> > =
> >=20

=3D3D
> =20
 =
 >the=3D3D3D20
>same.</DIV>
>=3D3D3D20
> > =
 face=3D3D3D3DArial=3D3D20
> =20
 > =20
 =
 size=3D3D3D3D2>Tom</DIV&a mp;gt;
></DIV>
</FONT=3D3D20
> =20
 > face=3D3D3D3DArial size=3D3D3D3D2> =
 =3D3D
> =20
 ></DIV>
><DIV><FONT=3D3D20
> =
 > face=3D3D3D3DArial size=3D3D3D3D2> =
 =3D3D
> =20
 ></DIV>
><DIV><FONT=3D3D20
> =
 > face=3D3D3D3DArial =
 size=3D3D3D3D2>=3D3D20
> =20
 > =3D3D
> =20
 =
 ></DIV>
><BLOCKQUOTE=3D3D3D20
>style=3D=3D3D3D"padding-right:=20
 =3D3D
> >0px;=3D3D20
> > =
 padding-left: 5px;=20
 margin-left: 5px; =3D3D3D
>border-left:=20
 #000000
=3D
>=3D3D
> >2px =
 solid;=3D3D20
> =20
 > margin-right: 0px">
> =20
 <div>"Dimitrios"=3D3D20
> > =20
 <<A=3D3D3D20
> p; =
 href=3D3D3D3D"<A=3D3D20
> =20
 > =3D3D
> =20
 =
 =3D
>>href=3D3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.=gr</A'>mailto:musur=3D
>gio=3D3D
> =20
 =
 >@otenet.gr">musurgio@otenet.gr</A>=3D3D20
>=gt; =20
 > wrote in =
 =3D3D3D
>message=3D3D3D20<BR& amp;gt;> =20
 <A =3D3D
> =20
 >=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
 > =20
 =3D3D
> =20
 =
 =3D
>>href=3D3D3D'news:471a0486\$1@linux">news:471a0486\$1@linu=

x...</DIV>
 H=3D
>i'>=3D3D
> = =20
 =
 >news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV&=gt;&=3D3D
> =20
 =
 >lt;BR>Hi
= 3D3D3D
>Tom=3D3D3D20
B=R>>=20
 =3D3D20
> > A=20
 =
 href=3D'mailto:!!@
Sorry">!!@
Sorrymailto:!!@
Sorry ">=!!@
Sorry>=20
 to hear you still
=3D
>=3D3D
> =>having=3D3D20
> =20
 > problems like this ~!!
Must =3D3D
> =20
 >be
=3D3D3D
> ,very=3D3D3D20
>>=20
 =3D3D20
> > frustrating.
Open the Paris =ini file=20
 and there change the=3D3D20
> > =20
 =3D3D3D
>mastercardoutput=3D3D3D20&a mp;lt;BR>> =with your=20
 =3D3D
> >other
cards and=3D3D20
> => =20
 see what happens !!
Let me=3D3D3D20
>> =3D3D20
> =20
 > =
 know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20=3D3D
> >Bruhl"=3D3D20
> > =20
 <<A=3D3D3D20
>> p; =
 href=3D3D3D3D"<A=3D3D20
> =20
 > =3D3D
> =20
 =
 =3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=..net>=3D3D3D20'>m=3D
>ailto=3D3D
> =20
 =
 >:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20&l=t;/A>
&g=3D3D
> =20
 >t; =3D3D20
> > =20
 wrote:
>
>&a mp;lt;BR>>Rick,
>1=20=3D3D
> >mec, no=3D3D20
> > BNC=20=3D3D3D
>involved. =20
 Paris=3D3D3D20
> boots up=20
 so =3D3D
> >the 1 mec=3D3D20
> > =20
 that
>I'm using shows up but never any A =3D3D3D
>to=20
 Ds=3D3D20
> > or=3D3D3D20
> any =installed=20
 modules.
>This is the =3D3D
> =20

>same=3D3D20
> > symptom before I=20
=3D3D3D
>repaired one=3D3D3D20
> of my =
mecs=20
=3D3D3D
> >with=3D3D20
> > =
a
>new=20
chip. The clock light continues to=3D3D20
> =
> =20
=3D3D3D
>flash=3D3D3D20<BR&am p;gt;> too. =
Never=20
locks=3D3D20
> > in.
>
>I =
am using=20
the simplest =3D3D
> >=3D3D3D
>setup=20
I=3D3D20
> > can=3D3D3D20
> =
imagine and=20
still it's not =3D3D
> >working.
>Mike=20
A.=3D3D20
> > suggested the=20
=3D3D3D
>.ini=3D3D3D20<BR&am p;gt;> file to make=20
=3D3D
> >sure card A is=3D3D20
> > =
0. =20
I'll try=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>that.
>Pretty=
=3D3D3D20
>=20
=3D3D
> >; sure it's=3D3D20
> > =
right but=20
who=3D3D3D20
> =3D3D20
> > =
=3D3D
> =20
=
>=3D3D3D
>knows?<BR&am p;gt;>Thanks,
>Tom<=
BR>><=3D3D
> =20
=
>BR>>
>< BR>>
><=3D3D3D& am p;lt;BR=
>>BR>>=3D3D
> =20
>>"rick"=3D3D3D20
> =3D3D20
> > =
<<A=20
=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>>pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> =20
> =3D3D3D
>wrote=3D3D3D20<BR&am p;gt;> in=20
message=3D3D3D20
> =3D3D20
> > =
=3D3D
> =20
=
=

>=3D3D3D
>=3D3D3D3D
>>news:inqgh393an5s4m99qcao=
jn09vn112t4u6r@4ax=3D3D
> =20
=
>,.com...
>> =3D3D3D
>>p;=3D3D20
>&n=
bsp;=20
> i=3D3D3D20
>> know this as dumb as it gets =
but the=20
bnc is =3D3D
> >attached in=3D3D20
> =
> =20
the=3D3D3D20
>> right
>> =
=3D3D20
> =20
> order...right?
>> all the cards show=20
up=3D3D20
> > =20
=3D3D3D
>>in=3D3D3D20
>& t;> paris with the =
single=20
=3D3D
> >mec?
>> =3D3D20
> =
> how=20
many i/o cards in each=3D3D3D20
>> =3D3D20
> =
> =20
mec?
>>
>> On Fri, 19 Oct=20
=3D3D
> >2007=3D3D20
> > 00:22:39 =
-0400,=20
=3D3D3D
>>"Tom=3D3D3D20
>> =
Bruhl"=3D3D20
> =20
> <<A=3D3D3D20
>> p;=20
=3D3D3D
>>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>
>> p;=3D3D=3D
>> =
=20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>=3D3D
> =20
=
>> =3D3D3D
>>=3D3D3D20
>>=
=20
=3D3D20
> > =
wrote:
>>
>> >l=20
thought I was groovin' =3D3D
> >but =
once=3D3D20
> =20
> the =
=3D3D3D
>>second=3D3D3D20
>∓gt;> Mec was=20
=3D3D
> >introduced
>> =3D3D20
> =
> =20
>the system stopped. That =3D3D3D
>>was a =
=3D3D
> =20

>few=3D3D3D20
> weeks=3D3D20
> =
 > =20
 ago.
> >
> >Today I=20
 tried=3D3D20
> > =20
 =3D3D3D
>different=3D3D3D20<B R>> cables, =
 eds cards,=20
 mecs, =3D3D
> >eliminated the=3D3D20
> =
 > =20
 =
 =3D3D3D
>magma
=3D3 D3D3D
>and
&=
 gt;=20
 =3D3D
> >=3D3D3D20
> =3D3D20
> =
 > =20
 >still no clock lock or modules showing up in the =
 =3D3D
> =20
 >paris=3D3D3D20
> =3D3D20
> > =20
 patchbay.
> >
> >This means=20
 =3D3D
> >to me=3D3D20
> > =20
 =3D3D3D
>software=3D3D3D20
> unless =
 someone tells=20
 me=3D3D20
> > differently.
> =20
 >
> =3D3D20
> > =20
 =3D3D3D
>>I=3D3D3D20<B R>> have a new C =
 drive which I=20
 will =3D3D
> >load XP and no=3D3D20
> =
 > =20
 pace. Any=3D3D3D20
> =
 other=3D3D3D3D20
>=20
 =3D3D20
> > >suggestions?
> =20
 =3D3D3D
>>
& amp;gt;=3D3D20
> =
 > =20
 =3D3D3D20
> >More frustrated than my =
 =3D3D
> =20
 >clients.
> =3D3D20
> > =20
 =3D3D3D
>>Tom
g t;> =
 =3D3D3D20
> =20
 =3D3D
> >>
> =3D3D20
> =
 > =20
 >
> >
> =3D3D
> =20
 >=3D3D3D
>><BR& amp;gt;>=3D3D20
> =
 > =20
 =3D3D3D20
> >I choose Polesoft Lockspam to fight =
 spam,=20
 and=3D3D20
> > you?
>=20
 =3D3D3D20
> =3D3D
> =20
 >>http://www.polesoft.com/refer.html=3D3D20
> =
 > =20
 =3D3D3D20
> =3D3D
> =20

```

=
<=3D3D3D3D20<BR>&gt;&gt;&lt;BR&gt;&gt;&lt;BR&gt;&gt;&lt;!DOCTYPE=3D3=
D20<BR>&gt;&nbsp;=20
&gt;&nbsp; HTML PUBLIC "-//W3C//DTD =3D3D3D&lt;BR&gt;&gt;HTML=20
4.0=3D3D3D20<BR>&gt;& =3D3D20<BR>&gt;&nbsp; &gt;&nbsp; =
=3D3D<BR>&gt;&nbsp;=20
=
&gt;Transitional//EN" &gt;&lt;BR&gt;&gt;&lt;HTML&gt;&l t;HEAD&gt;&lt;BR&gt;=
&gt;=3D3D<BR>&gt;&nbsp;=20
&gt;&lt;META=3D3D3D20<BR&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20
http-equiv=3D3D3D3DContent-Type =3D3D<BR>&gt;&nbsp;=20
&gt;content=3D3D3D3D"text/html";=3D3D3D20<BR&gt;&gt; =
=3D3D20<BR>&gt;&nbsp;=20
&gt;&nbsp;=20
=
=3D3D3D3D&lt;BR&gt;&gt; charset=3D3D3D3DDiso-885 9-1 "&gt;&lt;BR&gt;&gt;&lt;=
;META=20
=3D3D<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;&nbsp;=20
=
=3D3D3D&lt;BR&gt;&gt;content=3D3D3D3D"MSHTML=3D3D3D20<BR&gt;&gt;&nbsp;=
p;=20
=3D3D<BR>&gt;&nbsp; &gt;6.00.2800.1400"=3D3D3D20<BR&gt;&gt; =
=3D3D20<BR>&gt;&nbsp;=20
&gt;&nbsp;=3D3D<BR>&gt;&nbsp;=20
=
&gt;=3D3D3D&lt;BR&gt;&gt;name=3D3D3D3DGENE RATOR&gt;&lt;BR&gt;&gt;&lt;ST=
YLE&gt;&lt;/STYLE&amp;=3D3D<BR>&gt;&nbsp;=20
=
&gt;&gt;&lt;BR&gt;&gt;&lt;/HEA=3D3D3D&amp ;lt;BR&gt;&gt;D&gt;&lt;BR&gt;&gt;&am p;lt;=
BODY=3D3D3D20<BR&gt;&am p;=3D3D<BR>&gt;&nbsp;=20
&gt;&gt; =3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20
=
bgColor=3D3D3D3D3D#ffffff&gt;&lt;BR&gt;&gt;& amp;lt;DIV&gt;&lt;FONT=3D3D20 <BR>=
&gt;&nbsp;=20
&gt;&nbsp; face=3D3D3D3D3DArial=3D3D3D20<BR&gt;&gt; =
=3D3D20<BR>&gt;&nbsp;=20
&gt;&nbsp; =3D3D<BR>&gt;&nbsp;=20
=
&gt;=3D3D3D&lt;BR&gt;&gt;size=3D3D3D3D2&am p;gt;Rick,&lt;/FONT&gt;&lt;/DIV&g=
t;&lt;BR&gt;&gt;&am p;l=3D3D<BR>&gt;&nbsp;=20
&gt;t;DIV&gt;&lt;FONT=3D3D3D20<BR&gt;&gt; &gt; =3D3D20<BR>&gt;&nbsp; =
&gt;&nbsp;=20
face=3D3D3D3D3DArial size=3D3D3D3D2&gt;1 mec, no BNC involved.=20
=3D<BR>&gt;Paris=3D3D20<BR>&gt;&nbsp; &gt;&nbsp;=20
=3D3D3D&lt;BR&gt;&gt;=3D3D3D3D&lt;BR&gt; &gt;boots up =
so=3D3D3D20<BR&gt;&gt;&nbsp;=20
=3D3D<BR>&gt;&nbsp; =
&gt;the=3D3D3D3D20<BR&gt;&gt;1=3D3D20<BR >&gt;&nbsp;=20

```

> mec=3D3D20
> > =3D3D
> =20
=
>=3D3D3D
>that</FONT&a mp;gt;</DIV>
>< D=
IV><FONT=3D3D
> =20
>=3D3D3D20
> =3D3D20
> > =
face=3D3D3D3D3DArial=20
size=3D3D3D3D2>I'm using shows up but never any
=3D
>A =
to=20
=3D3D
> >
> > =20
=3D3D3D
>=3D3D3D3D
 >Ds =
or=3D3D3D20
>=20
=3D3D20
> > =20
any=3D3D3D3D20
>installed=3D3D3D20&a mp;lt;BR>> =
=3D3D20
> =20
> =20
=
modules.</DIV><BR& amp;gt;><DIV><FONT=3D3D20=

> =20
> =
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =20
size=3D3D3D3D2>This is =3D
>=3D3D
> >the=20
same=3D3D20
> > symptom before I=20
=3D3D3D3D
>repaired =3D3D
> =20
>=3D3D3D
>one=3D3D3D20
> =
=3D3D20
> > =20
of=3D3D3D3D20
>my mecs with=3D3D3D20
> =
=3D3D20
> =20
> =20
=
a</DIV>
 ><DIV><FONT=3D3D20
>=
 =20
> face=3D3D3D3D3DArial=3D3D3D20
> =
size=3D3D3D3D2>new=20
chip. The =3D3D
> >clock light=3D3D20
> =
> =20
=3D3D3D3D
>continues to=3D3D3D20
> =
=3D3D
> =20
>flash=3D3D3D3D20
>too.=3D3D2 0
> > =
Never=20
locks=3D3D3D20
> =3D3D20
> > =20
in.</DIV><BR&g t><DIV><FONT=20
=3D3D
> >face=3D3D3D3D3DArial=3D3D20
> =
> =20
=3D3D3D
>
>& amp;nbsp;=20
size=3D3D3D3D2>=3D3D20
> > =20
</DIV>
><DIV&am p;gt;<FONT=3D3D20
> =
> =20
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> =

size=3D3D3D3D2>I am =3D3D
> >using the=20
simplest=3D3D20
> > >setup I can=20
=3D3D3D3D
>imagine=3D3D3D20<B R>> =
=3D3D20
> >=20
> >and=3D3D3D3D20
>still it's =
not=3D3D3D20
>=20
=3D3D20
> > >=20
=
working.</DIV><BR& amp;gt;><DIV><FONT=3D3D20=

> >=20
> >=
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> >=20
size=3D3D3D3D3D2>Mike A. =3D
>=3D3D
> >=
>suggested=20
the=3D3D20
> > >.ini file =
=3D3D3D3D
>to=20
make=3D3D3D20
>=3D3D20
> > >=20
sure=3D3D3D3D20
>card A is 0. I'll =
try=3D3D3D20
>=20
=3D3D20
> > >=20
=
that.</DIV><BR& amp ;gt;><DIV><FONT=3D3D20 <BR=
>> >=20
> >=
=3D3D3D
>face=3D3D3D3D3DArial=3D3D3D 20
> >=20
size=3D3D3D3D3D2>Pretty =3D3D
> > >sure it's=20
right=3D3D20
> > >but who=3D3D3D20
>=20
=3D3D20
> > >=3D3D
> >=20
=
>=3D3D3D3D
>knows?</FO NT></DIV>
>& amp ;=
lt;DIV& amp ;g=3D3D
> >=20
>t;<FONT=3D3D3D20
>=3D3D20
> > >=

face=3D3D3D3D3DArial=3D3D3D20
>=3D3D20
> >=
> >=20
=3D3D
> >=20
=
>=3D3D3D
>size=3D3D3D3D3D2& am p;gt;Thanks,</DIV=
>
>=3D3D
> >=20
><DIV><FONT=3D3D3D<BR& amp ;gt;>=3D3D3D20
>=20
=3D3D20
> > >=
face=3D3D3D3D3DArial=3D3D3D20
>=20
=3D3D20
> > >=3D3D
> >=20
=
>size=3D3D3D3D3D2>Tom& amp ;lt;/DIV>
><DIV=
><=3D3D
> >=20
>FONT=3D3D3D20
>=3D3D20
> > >=20

face=3D3D3D3D3DArial =
size=3D3D3D3D3D2>=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
></DIV>
><DIV><FONT=3 D=
3D3D20
> =3D3D
> =20
>p;=3D3D20
> > =20
size=3D3D3D3D3D2>=3D3D20
> > =20
=
=3D3D3D
></DIV><
><DIV>=3D3D3D20<BR=
>>=20
=3D3D20
> > =20
</DIV>
><DIV&am p;gt;=3D3D20
> > =20
</DIV>
><DIV&am p;gt;=3D3D3D20
> =
=3D3D20
> =20
> =20
</DIV>
><DIV&am p;gt; "rick"=3D3D20
> =20
> =3D3D
> =20
=
>=3D3D3D
><<A=3 D3D3D3D20
>href=3D3D3D3D3=
D"<A=3D3D3D20
> =20
>bsp;=3D3D20
> > =3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'mailto:parnell68@hotmail=
l.com">parnell68@hotmail.c=3D3D=3D
>
> =20
=
>om</A'>mailto:pa=3D3D3D<BR& gt;>rnell68@hotmail.com">pa=
rnell68@hotmail=3D3D
> =20
>l.com</A>>=3D 3D3D20
> =
=3D3D20
> =20
> =3D3D3D3D
>wrote=20
in=3D3D3D3D20
>message=3D3D20
> > =20
<A=3D3D3D3D20
>href=3D3D3D3D3 D "<A=20
=3D3D3D
>
> =3D3D20
> > =20
=3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'news:inqgh393an5s4m99qc=
aojn09vn112t4u6r@4ax.com">=3D3D=3D
>
> =20
=
=3D
 >>news:inqgh393an5=3D3D3D
&am p;gt;'>news:inqgh393an5=
s4m99qcaojn09vn112t4u6r@4=3D3D=3D
>
> =20
=
>ax.com" >news:inqgh393an5</A=3D3D3D
& amp;gt;>=3D3D3D3D&l=
t;BR>>s4m99q=3D3D
> =20
=
>caojn09vn112t4u6r@4ax.com ...</DIV>
& amp;amp;=3D3=
D3D
&am p;=3D3D
> =20
=

=3D
 >>>><BLOCKQUOTE=3D3D3D3D20<B R>>>style=3D3D3D3D=3D3D" PADDING-RIGHT:=3D3D3D20=3D3D
> =20
>
> =3D3D20
> > 0px; PADDING-LEFT: =5px;=20
MARGIN-LEFT: 5px; =3D3D
> =20
>=3D3D3D3D
>BORDER-LEFT:=3D3D 20
> => =20
=3D3D3D
>#000000 2px=3D3D3D20
> solid;=20
MARGIN-RIGHT:=3D3D20
> > =20
0px">i=3D3D3D3D20
> know this as dumb as =3D3D
> =20
>=3D3D3D
>it=3D3D20
> > =20
gets=3D3D3D20
> but the bnc is attached in =3D3D
> =20
>the=3D3D3D3D20
>=3D3D20
> > =20
=3D3D3D20
> =right
>order...right?
>all the=20
=3D3D
> >cards show up=3D3D20
> > =in paris=20
=3D3D3D
>with the=3D3D3D20
> =3D3D20
> =20
> =3D3D3D3D
>single=3D3D3D3D20
> =20
mec?
>how =3D3D
> >many =i/o=3D3D20
> > =20
cards =3D3D3D
>in each=3D3D3D20
> =3D3D
> =20
>mec?
>
><BR&a mp;gt;On=3D3D20
> => Fri, 19=20
Oct=3D3D3D20
> =3D3D20
> > =20
2007
>=3D3D3D3D
>&am p;lt;BR>> 00:22:39 =-0400,=20
=3D3D
> >"Tom=3D3D20
> > =20
Bruhl"=3D3D3D20
> <<A=3D3D3D3D20
>> =

=3D3D20
> > =20
=3D3D3D3D
>href=3D3D3D3D3D" <A=3D3D3D20
>=20
=3D3D20
> > =3D3D
> =20
=
=3D
 >>=3D3D3D
>href=3D3D3D 3D'mailto:arpeggio@comcast.=net">arpeggio@comcast.net&l=3D3D=3D
>
> =20
=
>t;/A>>
>wrote'> ma=3D3D3D
>ilto:arpeggio@c=omcast.net">=3D3D
> =20
=
>;arpeggio@comcast.net >
>w=3D3D3D
>rot=e>=3D3D3D=3D3D
> =20
=

>3D
>
>l t;BR>>>l=3D3D3D20
>>=3 D=3D20
>>=20
>>=3D3D3D20
>>=20 thought I was groovin' but =once the=20
second Mec=3D3D20
>>=20 was=3D3D3D20
>>=20
=3D3D20
>>=20
=
>=3D3D3D3D
>>introduced
>>the=3D3D3D3D20
>=20
t;>=20
=3D3D
>>=20 > system=3D3D20
>>=20
=3D3D3D
>>=20 stopped. That was=3D3D3D20
>>=20 a =few=20
weeks=3D3D20
>>=20 =ago.
>>
>>Toda y=20
l=3D3D3D20
>>=20 =3D3D20
>>=20
=3D3D3D3D
>>=20 tried=3D3D3D3D20
>>=20 B R>>>=20 different =cables,=20
=3D3D
>>=20 >eds cards,=3D3D20
>>=20 >=20 =mecs,=20
=3D3D3D
>>=20 eliminated=3D3D3D20
>>=20 the=20
magma=3D3D20
>>=20 >=20
=3D3D3D3D
>>=20 and
>>=20 >still =3D3D
>>=20
>no=3D3D3D3D20
>>=20 =3D3D20
>>=20
=3D3D3D
>>=20 clock lock or=3D3D3D20
>>=20 =modules showing up=20
in the=3D3D20
>>=20 >=20 paris=3D3D3D20
>>=20
=3D3D20
>>=20 >=20 =3D3D
>>=20
=
>=3D3D3D
>>=20 =3D3D3D3D
>>=20 patchbay.
>>=20
t;BR>>>=20 This=3D3D3D=3D3D
>>=20
>3D20
>>=20 =3D3D20
>>=20 >=20 =
=3D3D3D
>>=20 means=20
to=3D3D3D20
>>=20 me software unless someone =
=3D3D
>>=20
>tells=3D3D20
>>=20 >=20 me=3D3D3D20
>>=20
=3D3D20
>>=20 >=20 =3D3D
>>=20
=
>=3D3D3D
>>=20 =3D3D3D3D
>>=20 differently.
>>=20

>>=20 l=3D3D3D=3D3D
>>=20
>3D20
>>=20 =3D3D20
>>=20 >=20 =
=3D3D3D
>>=20 &am

Subject: Re: More MacDonalds..War of the DAWS!!!

Posted by [Neil](#) on Fri, 21 Sep 2007 21:29:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

mp;>>=20

spam,=3D3D3D20
> and=3D3D3D3D20
>>=20
=3D3D20
> > > =3D3D
> =20
=
>=3D3D3D
>>you?
 >>http://www.polesoft.com/refer.=
html=3D3D3D20
>&=3D3D
> =20
>> =3D3D20
> > > =3D3D
> =20
=
>=3D3D3D
>>=3D3D3D3D20< BR>>>
></BLOCKQUO=
TE></BODY>=3D3D
> =20
=
></HTML>
>&=3D 3D3D
>>
>& am

Subject: Re: More MacDonalds..War of the DAWS!!!
Posted by [EK Sound](#) on Fri, 21 Sep 2007 22:37:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

p;|=
t;BR></B=3D3D
> =20
=
>LOCKQUOTE></BODY></HTML& amp;gt;
>
>& amp;|=
t;BR></BLOCKQUOTE><=3D3D
> =20
>/BODY></HTML>
> >
> =20
>
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =
4.0=20
Transitional//EN">
><HTML><HEAD>
><META=20
http-equiv=3D3DContent-Type content=3D3D"text/html;=20
=3D
> charset=3D3Diso-8859-1">
><META =
content=3D3D"MSHTML=20
6.00.2800.1400"=20
=
name=3D3DGENERATOR>
><STYLE></STYLE>
></HEA=
D>
><BODY=20
bgColor=3D3D#ffffff>
><DIV><FONT face=3D3DArial=20
=
size=3D3D2>Mike

Subject: Re: More MacDonalds
Posted by [DJ](#) on Fri, 21 Sep 2007 22:42:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

,</DIV& amp ;gt;
><DIV><FONT=20
face=3D3DArial size=3D3D2>I used to use a Lucid but since all=20
of
=3D
>this mess=20
=
I=3D20
>stopped.</DIV>
><DIV><FON=

T=20

face=3D3DArial size=3D3D2>&t;I'm trying to get stable from square =
=3D
&t;one=20
with the=3D20
&t;least amount=20
&t;/FONT>&t;/DIV>&t;
&t;&t;/DIV>&t;&t;FONT face=3D3DArial=20
size=3D3D2>&t;of hardware. &t; I am using the =3D
&t;default=20
project=3D20
&t;for sure. &t; The only=20
&t;/FONT>&t;&t;/DIV>&t;
&t;&t;/DIV>&t;&t;FONT face=3D3DArial=20
size=3D3D2>&t;other thing that I still question is =
my
=3D
&t;move=20
of=3D20
&t;Paris to C:ParisPro=20
&t;/FONT>&t;&t;/DIV>&t;
&t;&t;/DIV>&t;&t;FONT face=3D3DArial=20
size=3D3D2>&t;I should think the default project =
will
=3D
&t;either=20
work=3D20
&t;or not. &t;=20
Maybe&t;/FONT>&t;&t;/DIV>&t;
&t;&t;/DIV>&t;&t;FONT =
face=3D3DArial=20
size=3D3D2>&t;configs or something else is =3D
&t;fighting=20
during=3D20
&t;Paris=20
startup?&t;/FONT>&t;&t;/DIV>&t;
&t;&t;/DIV>&t;&t;FONT =
face=3D3DArial=20
size=3D3D2>&t;&t;/FONT>&t; &t;/DIV>&t;
&t;&t;/DIV>&t;&t;FONT =
face=3D3DArial=20
size=3D3D2>&t;Pats 42 - Miami 7 . . . Halftime and =3D
&t;the=20
=
games=3D20
&t;over.&t;/FONT>&t;&t;/DIV>&t;
&t;&t;/DIV>&t;&t;FO=
NT=20
face=3D3DArial=20
size=3D3D2>&t;Tom&t;/FONT>&t;&t;/DIV>&t;
&t;&t;/DIV>&t;&t;FONT=20
face=3D3DArial size=3D3D2>&t;&t;/FONT>&t; =
&t;/DIV>&t;
&t;&t;/DIV>&t;&t;FONT=20
face=3D3DArial size=3D3D2>&t;&t;/FONT>&t; =
&t;/DIV>&t;
&t;&t;/DIV>&t;&t;FONT=20
face=3D3DArial size=3D3D2>&t;&t;/FONT>&t;=20
=
&t;/DIV>&t;
&t;&t;BLOCKQUOTE=3D20
&t;style=3D3D"PADDING-RIGHT: =
0px;=20
PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
&t;BORDER-LEFT: #000000 =
2px solid;=20
MARGIN-RIGHT: 0px"&t;
&t; &t; &t;/DIV>&t;"Mike Audet" =
&t;mike@....&t;=20
wrote in message &t;A=3D20
&t; &t; =3D
&t;href=3D3D"<A=20
=
href=3D'news:471b6eb0\$

Subject: Re: More MacDonalds..War of the DAWES!!!

Posted by [laMont \[1\]](#) on Fri, 21 Sep 2007 23:07:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

=>mailto:arpeggio@comcast.net" target="_blank">arpeggio@comcast.net>=3D20'>mailto=:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
&g=t; =20

wrote:
&g;&g;
&g;&g;& a mp;
&g;&g;Hi =
Mike,
&g;&g;Well=20

I've been to .cfg =3D
&g;many a=3D20
&g; =
time.
&g;&g;I've=20

seen that Mastercard setting as being 0
&g;&g;but =
=3D
&g;maybe=20

it=3D20
&g; changed after removing the 4 =
other
&g;&g;eds cards=20

for this round of=3D20
&g; =
testing.
&g;&g;
&g;&g; If it's=20

still 0 what else could this be? =
=3D
&g;Busted=3D20
&g; =20

mobo?
&g;&g;I'm really in an idunno place right now. I'll =

be=3D20
&g; checking
&g;&g;seriously today again =
because of a=20

session tomorrow=3D20
&g; =20
=

morning.
&g;&g;Tom
&g;& g;
&g;&g; =20

"Mike Audet"=3D20
&g; <

Subject: Re: More MacDonalds..War of the DAWWS!!!

Posted by [laMont \[1\]](#) on Fri, 21 Sep 2007 23:17:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

k">mike@....&g; wrote in message=20

<A=3D20
&g; =3D
&g;href=3D3D">A=20
=

href=3D'news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
&=
g'>news:471b2ec2\$1@linux">news:471b2ec2\$1@linux&g;...
&g;=
&g;&g;
&g;&g;=3D
&g;t;=20

=3D20
&g; Hi Tom,
&g;&g;
&g;&g; If =
you've only got=20

one card in, then the =3D
&g;
&g; Mastercard =3D3D3D 0 =
setting is=20

=3D3D
&g;&g;right.
&g;& g; =3D
&g;The =
file=20

is=3D20
&g; Paris.cfg, and it lives in the =
c:\program=3D20
&g; =20

files\Emu\PARIS
&g;=3D3D
&g;& g;PRO
&g;&g; =20

=3D
 >folder.
>
& amp;gt; =3D20
> I'd =
still check=20
it out to see what it is set to.
>
> =
=3D
>lf=20
it=3D20
> is wrong, what you are describing will=20
happen.
>
>& amp;nbsp; =
=3D
>Good=3D20
> =20
luck!
>
>& am p;nbsp; =
Mike
>
>& amp ;nbsp;=20
"Tom Bruhl" =3D
><A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20'>mailto=
:arpeggio@comcast.net">arpeggio@comcast.net>=3D20
&g=
t; =20
wrote:
> >
> =
>
> =2

Subject: Re: More MacDonalds..War of the DAWS!!!

Posted by [Neil](#) on Fri, 21 Sep 2007 23:38:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

0

>Thanks=3D20
> Dimitrios.
> =20
>
> >Mike said the same=3D20
> =
thing. =20
Is the ini in the Paris folde or system=3D20
> =20
=3D3D
>32?
> >Do I want the Master =
card to be=20
0=3D20
> absolutely? I only have one =
card
> =20
>in there =3D
>right now=3D20
> and it's all =
freaky just the=20
same.
> >Tom
> =
=3D
>
> =20
>
> >
> =
>
> =20
> =3D20
> "Dimitrios" <<A =3D
>href=3D3D"<A =
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr>=3D20'>mailto:m=
usurgio@otenet.gr">musurgio@otenet.gr>=3D20
>&n=
bsp;=20
wrote in message =3D3D3D
> =20
=3D
>>news:471a0486\$1@linux...
> =
=3D20
> =20
>
> > Hi Tom <A=20
href=3D"mailto:!!@
>!!
> > Sorry =

=3D
>to=20
hear=3D20
> you still having problems like this=20
~!!
> > Must =3D
>be =
very=3D20
> =20
frustrating.
> > Open the Paris ini file =
and=20
=3D
>there change=3D20
> the mastercardoutput=20
with
>=3D3D
>>=3D3D3D
>> =20
>your=3D20
> other
>> > cards =
and see=20
what happens =3D
>!!
>> =3D20
> =
> Let me=20
know.
>> > =3D
>Regards,
>> =

=3D20
> > Dimitrios
>> =20
>
>> > "Tom =
=3D
>Bruhl"=3D20
> =20
<<A href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net'mailto:arpegi=
o@comcast.net">arpeggio@comcast.net>=20
=3D
>
> wrote:
>> > =20
>
>> > =3D20
> =
>
>> =20
> >Rick,
>> > >1 =
=3D
>mec,=20
no=3D20
> BNC involved. Paris boots up so the 1 mec=20
that
>> =3D

Subject: Re: More MacDonalds..War of the DAWS!!!
Posted by [audioguy_editout](#) on Sat, 22 Sep 2007 00:37:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt;> repaired one of my mecs with =
a
>> =20
> >new =3D
>chip. =3D20
> The clock =
light continues=20
to flash too. Never locks=3D20
> =20
=3D3D
>>in.
>> > =
>
>> =20
> =3D
>>I am=3D20
> using the simplest =
setup I can=20
imagine and still it's not =3D
>=3D3D3D
>> =
=3D20
> =20
>working.
>> > >Mike A. =
suggested the=20
=3D
>.ini=3D20
> file to make sure card A is =

0. I'll=20
=3D3D
>>try
>> =3D
>
> =20
=3D3D3D
>> >=3D3D3D3D
>> =
> =20
=3D
>>that.
>> =3D20
> > =
>Pretty sure=20
it's right but who knows?
>> =3D
>> =
=3D20
> =20
>Thanks,
>> > >Tom
>> =
>=20
=3D20
> >
>> > =
>
>> =20
> =3D
>>
>> =3D20
> =
> =20
>
>> > >
>> =
> =20
=3D
>
> >"rick" <<A=3D20
> =
href=3D3D"<A=20
=
href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
rnell68@hotmail.com">parnell68@hotmail.com</A>>=20
=3D
>>wrote in=3D20
> message =
=3D3D3D3D
>> >=20
=3D20
> =20
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>>=20
=3D20
> > > i know this as dumb as it =
gets but the=20
bnc is =3D
>>attached=3D20
> in the=20
=3D3D
>>right
>> t; > > =
=3D20
> =20
order...right?
>> > > all the cards =
show=20
=3D
>>up in=3D20
> paris with the single =
mec?
>> =20
> > how =3D
>>many i/o=3D20
> cards =
in each=20
mec?
>> > >
>> =
=3D
>>=20
=3D20
>&

Subject: Re: More MacDonalds..War of the DAWES!!!
Posted by [Dedric Terry](#) on Sat, 22 Sep 2007 00:42:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

amp;gt; >
>> > > On =
Fri, 19=20
Oct 2007 00:22:39 =3D
>>-0400,=3D20
> "Tom Bruhl"=20

=3D3D3D
> ><<A=3D20
> =
 =3D
><href=3D3D"<A=20
 =
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n'>=
 mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>=
 >&n=3D
> =3D20
> =20
 > > wrote:
> > =20
 =3D
>
> =3D20
> > =
 > >l=20
 thought I was groovin' but once the second =3D
>Mec =
 was=3D20
> =20
 introduced
> > > >the system=20
 =3D
>stopped. =3D20
> That was a few weeks=20
 ago.
> > > =3D20
> =20
 >
> > > >Today I tried =
 different=20
 =3D
>cables,=3D20
> eds cards, mecs, eliminated=20
 the
>=3D3D
> =3D3D3D& amp;lt;BR>> =
 =3D20
> =20
 >magma
> > =3D3D3D3D
> =
 >=20
 =3D20
> >and
> > > =
 >still=20
 no clock lock or =3D
>modules=3D20
> showing up in =
 the paris=20
 =3D3D
> patchbay.
>& amp;gt; > =
 =3D
> =20
 =3D20
> >
> > > =
 >This=20
 means to me software =3D
>unless=3D20
> someone =
 tells me=20
 differently.
> > > =3D20
> =20
 >
> > > >I have a new C =
 drive=20
 =3D
>which I will=3D20
> load XP and no pace. =20
 Any=20
 =3D3D3D
> =3D20
> =
 >other=3D3D3D3D
> =20
 > > =3D20
> =
 >suggestions?
> =20
 > > =3D
>
> =
 =3D20
> > =20
 > >More frustrated than my =
 =3D
>clients,
> =20
 =3D20
> > > >Tom
> =
 > =20
 > =3D20
> >
> > =
 > =20

>
> > > =3D
>
> =
> =20
>
> > > =
>
> =20
=3D
>
> > > > > I choose Polesoft =
Lockspam=20
to fight spam, =3D
>and=3D20
> =
you?
> =20
> > =3D20
> =
>http://www.polesoft.com/refer.html =20
=3D3D3D3D20
&

Subject: Re: More MacDonalds
Posted by [DJ](#) on Sat, 22 Sep 2007 01:46:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

t
> Nappy
>
> "DJ" <animix _ at _ animas _ dot _ net> wrote:
>>
>>"Gene Lennon" <glennon@NOSpammyrealbox.com> wrote in message
>>news:471b6c9d\$1@linux...
>>>
>>> Thanks for the info. It does put somewhat of a damper on my plans based
> on
>>> the clock issues with MADI, but it sounds very powerful.
>>> Are you sure that running the

Subject: Re: More MacDonalds
Posted by [DJ](#) on Sat, 22 Sep 2007 01:49:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

RME ADI 8-DD format/sample rate converters
>>> I/O to the effects sounds better than running analog? I would like your
>
>>> opinion.
>>>
>>> Cool setup.
>>>
>>> Gene
>>>
>>
>>Gene, I don't know that it sounds better. It does sound a bit different
> as

>>the converters on the boxes add their own character. The dinosaur
>>converters
>
>>in that old R-880,the PCM-91 and the Sony can add some flavor to a track
> or
>>a group. The reason I'm doing it is primarily because I integrate so many
>
>>other outboard devices into my mixes that don't have digital options and
>
>>keeping as much of my signal path digital as possible (especially parallel
>
>>send FX that will process multiple tracks) when integrating 8-10 (or more)
>
>>analog processors and the AD/DA conversions this involves give be a bit
> more
>>openness when the entire mix is summed. There is a bit of apparent
>>veiling,
>
>>especially using the AD/DA's of the Lexi PCM-91.
>>
>>As far as syncing the MAD1 to external WC, I'm sure it can be done. People
>
>>do it all the time on the Nuendo forum. that's MADILAND if you're needing
>
>>questions answered. For some reason, I've got some kind of problem though.
>
>>I'm currently using two 75 ohm BNC cables for my to/from the ADI 648 and
> the
>>MADI card. I'm going to order a duplex optical MADI cable and see if this
>
>>changes some things. There's a lot of stuff clocked her

Subject: Re: More MacDonalds..War of the DAWS!!!
Posted by [laMont \[1\]](#) on Sat, 22 Sep 2007 07:08:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

D
> >=3D3D3D3D
> =3D
>> =3D20
> >knows?</DIV>
> > =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Thanks,</DIV>
> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</DIV>
> =3D
>> =3D20
> ><DIV><FONT face=3D3D3D3DArial =3D
>size=3D3D3D3D2>=3D20

```

> </DIV><BR>> > ><DIV><FONT =3D
>face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2></FONT> </DIV><BR>> > =3D20
> ><DIV> </DIV><BR>> > ><DIV>=3D20
> </DIV><BR>> > ><DIV>=3D20
> </DIV><BR>> > ><DIV>"rick"=3D20
> <<A=3D3D3D3D20<BR>> > =3D
>=3D3D<BR>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A>>mailto=
:pa=3D
>rnell68@hotmail.com">parnell68@hotmail.com</A</A>>>=3D20
> =3D3D<BR>>=3D3D3D<BR>> >=3D3D3D3D<BR>> > =3D
>>wrote=3D20
> in=3D3D3D3D20<BR>> > >message =3D
><A=3D3D3D3D20<BR>> =3D20
> > =3D3D3D<BR>> =3D3D<BR>>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh'>n=
ews=3D
=
>:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:inqgh</A>=3D3D<BR>>=3D=

>393=3D3D3D<BR>> =3D20
> >an5=3D3D3D3D<BR>> > =3D20
> =3D
>>s4m99qcaojn09vn112t4u6r@4ax.com</A>...</DIV><BR>> =3D
>;=3D20
> > ><BLOCKQUOTE=3D3D3D3D20<BR>> > =3D20
> >style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>
> =3D3D<BR>>5px; =3D3D3D<BR>> >=3D3D3D3D<BR>> =3D
>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT:=3D20
> 0px">i=3D3D3D3D20<BR>> > > know this as =3D
>dumb as it=3D20
> gets but the bnc is attached in =3D3D<BR>>the=3D3D3D3D20<BR>> =3D
>> =3D20
> > right<BR>order...right?<BR>all the cards show =3D
>up in=3D20
> paris with =3D3D<BR>>the<BR>> =3D3D3D<BR>> =3D20
> >=3D3D3D3D<BR>> > >single=3D3D3D3D20<BR>> =3D
>> =3D20
> > mec?<BR>how many i/o cards in each=3D20
> mec?<BR><BR><BR>On Fri, 19 =3D3D<BR>>Oct =3D

```

>=3D3D3D
> =3D20
> >2007
> > =3D3D3D3D
> > =3D20
> >
> > > 00:22:39 -0400, "Tom Bruhl"=3D20
> <<A=3D3D3D3D20
> > > =3D
>=3D3D3D3D
> =3D20
> > =3D3D3D
> =3D3D
>>>href=3D3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>
wro'>m=
ail=3D
>to:arpeggio@comcast.net">arpeggio@comcast.net>
wro=3D
>=3D3D
>te:=3D3D3D
> =3D20
> >=3D3D3D3D
> > =3D20
> >

>I=3D3D3D3D20
> > =3D
>> =3D20
> thought I was groovin' but once the second Mec was =3D
>=3D3D3D3D
> =3D20
> > >introduced
>the=3D3D3D3D20
> =3D
>> =3D20
> > system stopped. That was a few weeks=3D20
> ago.
>
>Today I =3D3D3D3D
> =3D
>> =3D20
> >tried=3D3D3D3D20
> > > different =3D
>cables, eds=3D20
> cards, mecs, eliminated the magma =3D3D3D3D
> > =3D20
> >and
>still no=3D3D3D3D20
> > =3D
>> clock=3D20
> lock or modules showing up in the paris =3D3D3D3D
> =3D
>> =3D20
> >patchbay.
>
>This=3D3D3D3D20
> =3D
>> =3D20
> > means to me software unless someone tells me =3D
>=3D3D3D3D
>&

Subject: Re: More MacDonalds..War of the DAWS!!!
Posted by [laMont \[1\]](#) on Sat, 22 Sep 2007 07:13:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt; =3D20
> > =3D
>>differently.
>
>I=3D3D3D3D20
> =3D20
> > > have a new C drive which I will load XP and no =3D
>pace. Any=3D20
> =3D3D
>other=3D3D3D3D20
> > > =3D20
>
>suggestions?
>
>More frustrated =3D
>than=3D20
> my=3D3D3D3D20
> > > =3D20

```

> =3D
>clients,<BR>>Tom<BR>><BR>><BR>><BR>=3D
>>><BR>>I=3D20
> choose =3D3D3D3D<BR>> > =3D
>>Polesoft=3D3D3D3D20<BR>> =3D20
> > > Lockspam to fight spam, =3D
>and=3D3D3D3D20<BR>> =3D20
> > > =3D
>you?<BR>>http://www.polesoft.com/refer.html=3D20
> =3D3D3D3D20<BR>> > =3D20
> =3D
>><BR></BLOCKQUOTE></BODY></HTML><BR>> =3D
>=3D20
> > ><BR>> > ><BR>> =3D
>><BR>> =3D20
> ><BR>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
> Transitional//EN"><BR>> =3D
>><HTML><HEAD><BR>> =3D20
> ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D20
> =3D3D3D<BR>> >charset=3D3D3D3Diso-8859-1"><BR>> =3D
>><META=3D20
> content=3D3D3D3D"MSHTML 6.00.2800.1400" =3D
>name=3D3D3D3DGENERATOR><BR>> =3D20
> ><STYLE></STYLE><BR>> =3D
>></HEAD><BR>> =3D20
> ><BODY bgColor=3D3D3D3D#ffffff><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Thanks=3D20
> Dimitrios.</FONT></DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>Mike said the =3D
>same=3D20
> thing. Is =3D3D<BR>>the =3D3D3D<BR>> >ini in=3D20
> the=3D3D3D20<BR>> >Paris folde or system=3D20
> 32?</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>Do I want the Master card to=3D20
> be<BR>=3D3D<BR>>0=3D3D3D20<BR>> >absolutely? I only =3D
>have one=3D20
> card</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>in there right now and it's=3D20
> all<BR>=3D3D<BR>>freaky<BR>> =3D3D3D<BR>> >just=3D20
> the=3D3D3D20<BR>> =3D
>>same.</FONT></DIV><BR>> =3D20
> ><DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>Tom</FONT></DIV><BR>> =3D20

```



```

> <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
>
> </DIV><BR>> <DIV><FONT face=3D3D3D3DArial=3D20
> size=3D3D3D3D2></FONT> </DIV><BR>> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><BLOCKQUOTE=3D3D3D20<BR>> =3D
>>style=3D3D3D3D"PADDING-RIGHT: 0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>=3D3D3D<BR>> =3D20
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: =3D
>0px"><BR>> =3D20
> > <DIV>"Dimitrios" <<A=3D3D3D20<BR>> =3D
>> =3D20
> href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>mailto:musur=
gio=3D
>@otenet.gr">musurgio@otenet.gr</A/>>=3D20
> wrote<BR>=3D3D<BR>>in =3D3D3D<BR>> =3D
>>message=3D3D3D20<BR>> =3D20
> > <A =3D3D3D3D<BR>> =3D3D<BR>>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:471a0486$

```

Subject: Re: More MacDonalds
 Posted by [Erling](#) on Sat, 22 Sep 2007 07:24:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

```

s, mecs, eliminated the =3D3D3D<BR>> =3D20
> >magma<BR>=3D3D3D3D<BR>>and<BR>> =3D
>=3D3D3D20<BR>> =3D20
> > >still no clock lock or modules showing up in the=3D20
> paris=3D3D3D20<BR>> > patchbay.<BR>> =3D20
> ><BR>> >This means to me =3D3D3D<BR>> =3D20
> >software=3D3D3D20<BR>> > unless someone tells me=3D20
> differently.<BR>> ><BR>> =3D
>=3D3D3D<BR>> =3D20
> >>I=3D3D3D20<BR>> > have a new C drive which I =3D
>will load=3D20
> XP and no pace. Any=3D3D3D20<BR>> > =3D20
> other=3D3D3D3D20<BR>> =3D
>>suggestions?<BR>> =3D20
> =3D3D3D<BR>> >><BR>> =3D3D3D20<BR>> =3D
>> =3D20

```

> >More frustrated than my clients,
> =3D
>=3D3D3D
> =3D20
> >>Tom
> =3D3D3D20
> > =3D20
> >
> >
> =3D
>>
> =3D20
> =3D3D3D
> >>
> =3D3D3D20
> =3D
>> >I=3D20
> choose Polesoft Lockspam to fight spam, and you?
>=3D20
> =3D3D3D20
> > =3D
>>http://www.polesoft.com/refer.html=3D20

-----=_NextPart_000_0067_01C81447.C4E16B00

Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"

Subject: Re: More MacDonalds..War of the DAWS!!!
Posted by [laMont \[1\]](#) on Sat, 22 Sep 2007 07:28:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

1@linux" target="_blank">1@linux">news:471a0486\$1@linux...</DIV>
H=
'>n=3D
>ews:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&l=3D
>t;BR>H=3D3D
>i
> =3D20
> =3D3D3D
> >Tom=3D3D3D20
> > <A=3D20
> href=3D3D"mailto:!!@
Sorry">!!@
Sorry to hear you still =3D
>having=3D20
> problems like this ~!!
Must
=3D3D
>be
> =3D20
> =3D3D3D
> >very=3D3D3D20
> > =3D20
> frustrating.
Open the Paris ini file and there change the=3D20
> =3D3D3D
> >mastercardoutput=3D3D3D20
> =3D
>> with your=3D20
> other
cards and see what happens !!
Let=3D20
> me=3D3D3D20
> > =3D20
> know.
Regards,
Dimitrios

"Tom =3D
>Bruhl"=3D20
> <<A=3D3D3D20
> > href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D3D20'=
>mail=3D
>to:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D3D20<B=3D
>R>> =3D20
> > =3D20

> wrote:

>Rick,
>1 =3D
 >mec, no=3D20
 > BNC =3D3D3D
> >involved. Paris=3D3D3D20
> =3D
 >> =3D20
 > boots up so the 1 mec that
>I'm using shows up but never =3D
 >any A=3D20
 > =3D3D
>=3D3D3D
> >to Ds or=3D3D3D20
> =3D
 >> any=3D20
 > installed modules.
>This is the same symptom before I=3D20
 > =3D3D3D
> >repaired one=3D3D3D20
> > =3D
 >of my mecs=3D20
 > with a
>new chip. The clock light continues to=3D20
 > =3D3D3D
> >flash=3D3D3D20
> > =3D
 >too. Never=3D20
 > locks in.
>
>I am using the simplest =3D
 >=3D3D3D
> =3D20
 > >setup I can=3D3D3D20
> > imagine and still it's =3D
 >not=3D20
 > working.
>Mike A. suggested the =3D3D3D
> =3D20
 > >.ini=3D3D3D20
> > file to make sure card A is =3D
 >0. =3D20
 > I'll try =3D3D3D
> =3D20
 > =3D
 >>=3D3D3D3D
>that.
>Pretty=3D3D3D20
> =3D
 >> =3D20
 > sure it's right but who=3D3D3D20
> > =3D
 >=3D3D3D
> =3D20
 > =3D
 >>knows?
>Thanks,
>Tom
>
>=3D
 >gt;
>
>
><=3D3D3D
> =3D20
 > >BR>>"rick"=3D3D3D20
> > <<A =3D
 >=3D3D3D
> =3D20
 > >href=3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto=
 :pa=3D
 >rnell68@hotmail.com">parnell68@hotmail.com</A>=3D20
 > =3D3D
>=3D3D3D
> >wrote=3D3D3D20
> =3D
 >> in=3D20
 > message=3D3D3D20
> > =3D3D3D
> =3D20
 > =3D
 >=3D3D
>>=3D3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u=3D
 >6r@4ax.com...
>&nbs=3D3D3D=3D3D
>
> =3D20
 > >p; i=3D3D3D20
> > know this as dumb as it gets =3D
 >but the=3D20
 > bnc is attached in the=3D3D3D20
> > =3D
 >right
> =3D20

> order...right?
> all the cards show up =3D
>=3D3D3D
> =3D20
> >in=3D3D3D20
> > paris with the single=3D20
> mec?
> how many i/o cards in =3D
>each=3D3D3D20
> =3D20
> > mec?
>
>
> On =3D
>Fri, 19 Oct

Subject: Re: More MacDonalds..War of the DAWS!!!
Posted by [laMont \[1\]](#) on Sat, 22 Sep 2007 07:30:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

=3D20
> 2007 00:22:39 -0400, =3D3D3D
> >"Tom=3D3D3D20
> =3D
>> =3D20
> Bruhl" <<A=3D3D3D20
> > =3D3D3D
> =3D20
> =3D3D
>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=3D=
3D=3D
>3D'>mailto:arpegio@comcast.net">arpegio@comcast.net><B=3D
>R>>&n=3D3D3D=3D3D
>
> =3D20
> >bsp;=3D3D3D20
> > =3D20
> wrote:
>
> >I thought I was groovin' =3D
>but once=3D20
> the =3D3D3D
> >second=3D3D3D20
> > Mec =3D
>was=3D20
> introduced
> >the system stopped. That=3D20
> =3D3D3D
> >was a few=3D3D3D20
> > =3D
>weeks=3D20
> ago.
> >
> >Today I tried=3D20
> =3D3D3D
> >different=3D3D3D20
> > =3D
>cables, eds=3D20
> card

Subject: Re: More MacDonalds..War of the DAWS!!!
Posted by [laMont \[1\]](#) on Sat, 22 Sep 2007 07:36:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

;text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>

<BODY bgColor=#ffffff>
<DIV>Mike,</DIV>
<DIV>I removed the default project and .cfg =
from the=20
folder as you suggested.</DIV>
<DIV>Now the computer won't even boot with =
either of=20
three eds cards installed.</DIV>
<DIV>No Magma, no word clock, no word clock =
line in the=20
existing config.</DIV>
<DIV> </DIV>
<DIV>I'm going to check with a network card =
to see if=20
the PCI slots are burn't.</DIV>
<DIV>I tried three different ones with the =
eds. </DIV>
The one time Windows worked</DIV>
<DIV>with an eds card, the eds card didn't =
show up in=20
device manager. That's </DIV>
<DIV>probably why.</DIV>
<DIV> </DIV>
<DIV>There is some serious funk going on =
over=20
here. Maybe mobo? If this is the</DIV>
<DIV>case I give up. It's not worth =
any more BS to=20
me. </DIV>
<DIV>in my neighborhood to walk me through =
this. </DIV>
My tech helps me</DIV>
<DIV>but the problem seems to be from the =
ground=20
up. </DIV>
<DIV>things still so wrong that nothing =
makes=20
sense.</DIV>
<DIV> </DIV>
<DIV>Cubase is looking more and more =
inviting, learning=20
curve and all.</DIV>
<DIV>Tom</DIV>
<DIV> </DIV>
<DIV> </DIV>
<DIV> </DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Mike Audet" <mike@....> wrote in message <A=20
=
href=3D"news:471bcb77\$1@linux">news:471bcb77\$1@linux...</DIV>
Hi=20
Tom,

I have an idea.

Try removing UseHouseSync=3D1 from =
the=20
paris.cfg file.

Next, remove your default project from the =
program=20
files\emu\paris pro folder.

Let me know if it makes a =

difference.

Good luck!

Mike

"Tom Bruhl" <<A=20
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20
wrote:
>
>
>Mike,
>I used to use a Lucid but =
since all=20
of this mess I stopped.
>I'm trying to get stable from square =
one with=20
the least amount=3D20
>of hardware. I am using the default =
project=20
for sure. The only=3D20
>other thing that I still question =
is my=20
move of Paris to C:ParisPro .
>I should think the default =
project will=20
either work or not. Maybe
>configs or something else is =
fighting=20
during Paris startup?
>
>Pats 42 - Miami 7 . . . Halftime =
and the=20
games over.
>Tom
>
>
>
> "Mike =
Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...

Subject: Re: More MacDonalds
Posted by [Erling](#) on Sat, 22 Sep 2007 07:49:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

>>
&g=
t; =20
Hi Tom,
>
> Are you using a default project with=20
PARIS? I'm so sorry of this has
=3D
>been
> =
asked and=20
answered already. If so, perhaps it is telling card zero=20
to
=3D
>lock
> to an external clock, which it =
can't because=20
there isn't one.
>
> It would be interesting to =
attach an=20
external clock source

Subject: Re: More MacDonalds..War of the DAWWS!!!
Posted by [Dedric Terry](#) on Sat, 22 Sep 2007 14:24:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

;gt; =20
> wrote:
>
>&a mp;
>Thanks=20
Dimitrios.
>
&g t;Mike =3D3D
> =
>said=20
the=3D3D20
> > same thing. Is the ini in =
the Paris=20
folde or system =3D3D
> >32?
>Do I=20
want=3D3D20
> > the Master card to be 0 =
absolutely? I=20
only have one =3D3D
> >card
>in=20
there=3D3D20
> > right now and it's all freaky =
just=20
the=3D3D20
> > =20
=
same.
>Tom
>
>
>< BR>=
> =20
"Dimitrios" =3D3D
> ><<A=3D3D20
> =
> =20
href=3D3D3D"<A=20
=
href=3D'mailto:musurgio@otenet.gr">musurgio@otenet.grmailto:musurgio=
@otenet.gr">musurgio@otenet.gr>=20
wrote
=3D
>in =3D3D
> =
>message=3D3D20
> =20
> =20
=
=3D3D3D
>news:471a0486\$1@linux...
>
>=
 =20
Hi Tom=3D3D20
> > <A=20
href=3D"mailto:!!
"!
> Sorry to hear you =
still having=20
problems like this=3D3D20
> > =
~!!
> Must=20
be very frustrating.
> Open the =3D3D
> =
>Paris=20
ini=3D3D20
> > file and there change the =
mastercardoutput=20
with =3D3D3D
>your=3D3D20
> > =20
other
> cards and see what happens =
!!
> =20
Let me =3D3D
> >
> > =20
know.
> Regards,
> =
=3D3D
> =20
>Dimitrios
>
 > =3D3D20
> =
> "Tom=20

Bruhl" <<A=3D3D20
> > href=3D3D3D"<A=20
 =
 href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=>3D3D20'>mail=
 to:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D20<B=
 R>> =20
 > wrote:
> >
> =20
 >
> =3D3D20
> > =20
 >Rick,
> >1 mec, no BNC involved. Paris =
 boots=20
 =3D3D
> >up so=3D3D20
> > the 1 =
 mec=20
 that
> >I'm using shows up but never any A to=20
 =3D3D
> >Ds or=3D3D20
> > any =
 installed=20
 modules.
> >This is the same symptom =
 =3D3D
> =20
 >before I=3D3D20
> > repaired one of my mecs =
 with=20
 a
> >new chip. The =3D3D
> =20
 >clock=3D3D20
> > light continues to flash =
 too. =20
 Never locks in.
> =3D3D20
> > =20
 >
> >I am using the simplest setup I can =
 imagine and=20
 =3D3D
> >still=3D3D20
> > it's not =
 =3D3D3D
>working.
& amp;gt; >Mike A. =
 suggested =20
 =3D3D
> >the .ini=3D3D20
> > file =
 to make sure=20
 card A is 0. I'll =3D3D
> =20
 >try
=3D3D3D
& g t;=3D3D3D3D
> =
 =3D3D20
> =20
 > >that.
> >Pretty sure it's right =
 but=20
 who=3D3D20
> > knows?
> =20
 >Thanks.
> >Tom
> =
 =3D3D20
> =20
 > >
> >
> =20
 >
> =3D3D
> >>
>=20
 =3D3D20
> > >
> >"rick"=20
 <<A=3D3D20
> > href=3D3D3D"<A=20
 =
 href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.commailto:pa=
 rnell68@hotmail.com">parnell68&#

Subject: Re: More MacDonalds..War of the DAWWS!!!

Posted by Erling on Sat, 22 Sep 2007 15:37:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

mp;nbsp; > > =

wrote:
> =20

>
> > >I =3D3D
> =
>thought=20

I=3D3D20
> > was groovin' but once the second Mec =
was=20

introduced
> =3D3D
> >> =

=3D3D20
> =20

> >

Subject: Re: More MacDonalds

Posted by DC on Sat, 22 Sep 2007 16:02:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

t;BR>> =

> a=20

new C drive which I will load XP and no pace. =

Any=3D3D20
> =20

> =3D3D3D
> other=3D3D3D3D20
& amp;>> =
> =20

=3D3D
> >>suggestions?
> =

=3D3D20
> =20

> > >
> > >More =
frustrated=20

than my=3D3D20
> > clients,
> =

> =20

>Tom
> > =3D3D20
> > =20

>
> > >
> =

> =20

=3D3D
> >>
> =3D3D20
> =

> =20

> >
> > >I choose Polesoft=20

=3D3D
> >Lockspam to=3D3D20
> > =

fight spam,=20

and you?
> > =3D3D20
> > =20

>http://www.polesoft.com/refer.html =3D3D3D3D20
> =

=3D3D20
> > >
> =20

>
> ><!DOCTYPE HTML =

PUBLIC=3D3D20
> =20

> "-//W3C//DTD HTML 4.0 Transitional//EN">
> =20

=3D3D20
> > =20

><HTML><HEAD><BR& amp;>> =20

Subject: Re: More MacDonalds..War of the DAWS!!!
Posted by [Dedric Terry](#) on Sat, 22 Sep 2007 16:03:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: More MacDonalds..War of the DAWS!!!
Posted by [Neil](#) on Sat, 22 Sep 2007 16:10:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Page 170 of 178 ---- Generated from The PARIS Forums

that</DIV><BR& gt;> =3D3D
> =20
>></DIV><FONT=3D3D20
> =20
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>I'm using shows up but never =3D3D
> =20
>any
=3D3D3D
&g t;A to=3D3D20
> =
> =20
=3D3D3D3D
> =20
any=3D3D3D3D20
> =20
>installed=3D3D20
> =20
modules.</DIV><BR& amp;gt;> =
=3D3D
> =20
>></DIV><FONT=3D3D20
> =20
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>This is the same symptom =3D3D
> =20
>before
=3D3D3D
&am p;gt;l=3D3D20
> =
> =20
=3D3D3D3D
> =20
of=3D3D3D3D20
> =20
>my =3D3D
> =20
>mecs with=3D3D20
> =
> =20
a</DIV>
 > =20
></DIV><FONT=3D3D20
> =20
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>new chip. The clock light =3D3D
> =20
>=3D3D3D3D
> =3D3D20
> =20
>continues to=20
flash=3D3D3D3D20
> =20
locks=3D3D20
> =20
> in.</DIV><BR&g t;> =20
></DIV><FONT=3D3D20
> =20
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2> =3D3D
> =20
></DIV>
> =3D3D20
> =20
></DIV>I am =
using=20
=3D3D
> =20
=3D3D
> =20
I
=3D3D3D
>can =3D3D3D3D
> =
>imagine=20
=3D3D
> =20
=3D3D20
> =20
> =20
>still it's not =
working.</DIV><BR& amp;gt;>=20
=3D3D20
> =20
face=3D3D3D3D3DArial=20
size=3D3D3D3D3D2>Mike A. =3D3D
> =20
the=3D3D20
> =20
file
=3D3D3D
>=3D3D 3D3D
> =
=20

>to make=20
 =3D3D
> >sure=3D3D3D3D20
>> =
 =3D3D20
> > =20
 > >card A is 0. I'll try=20
 that.</DIV>
& >> =3D3D
> >=

>
> > ><DIV><FONT =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D2>Pretty sure =3D3D
> >&it's=20
 right=3D3D20
> > but who=20
 =3D3D3D
>=3D3D3D3D
& >=3D3D20
> >=

> =20
 >knows?</DIV>&
> =
 =3D3D
> >=20
 >&&<DIV><FONT=3D3D20
> > =
 face=3D3D3D3D3DArial=20
 =3D3D
> >=20
 >size=3D3D3D3D2>Thanks,& </DIV>
> =

=3D3D20
> > ><DIV><FONT=20
 face=3D3D3D3D3DArial=3D3D20
> > =20
 size=3D3D3D3D2>Tom</DIV >
>=20
 =3D3D20
> > ><DIV><FONT =
 face=3D3D3D3D3DArial=20
 size=3D3D3D3D2>& =3D3D
> >=

>
> >=20
 > </DIV>
> ><DIV><FONT=20
 face=3D3D3D3D3DArial=3D3D20
> > =20
 size=3D3D3D3D2>& </DIV>
> >=20
 =3D3D
> >&&<DIV>&=3D3D20
> >=

> =20
 </DIV>
> ><DIV>& =
 </DIV>
>=20
 =3D3D20
> > ><DIV>&=20
 </DIV>
> >=

><DIV><"rick"=3D3D20
> >=20
 > <<A=3D3D3D3D20
> >=20
 >href=3D3D3D3D3D"<A=3D3D20
> > =
 =3D3D
> >=20
 =
 =3D
>>href=3D3

Subject: Re: More MacDonalds..War of the DAWWS!!!
 Posted by [laMont \[1\]](#) on Sat, 22 Sep 2007 19:26:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

strating.
&Open the Paris =

ini file=20
 and there change the=3D3D20
> > =20
 =3D3D3D
>mastercardoutput=3D3D3D20&a mp;lt;BR>> =
 with your=20
 =3D3D
> >other
cards and=3D3D20
> =
 > =20
 see what happens !!
Let me=3D3D3D20
> =
 =3D3D20
> =20
 > =
 know.
Regards,
Dimitrios&a mp;lt;BR>
 "Tom=20
 =3D3D
> >Bruhl"=3D3D20
> > =20
 <<A=3D3D3D20
> p; =
 href=3D3D3D3D"<A=3D3D20
> =20
 > =3D3D
> =20
 =
 =3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
 ..net>=3D3D3D20'>m=3D
>ailto=3D3D
> =20
 =
 >:arpegio@comcast.net">arpegio@comcast.net>=3D3D3D20&l=
 t;/A>
&g=3D3D
> =20
 >t; =3D3D20
> > =20
 wrote:
>
>&a mp;lt;BR>>Rick,
>1=20
 =3D3D
> >mec, no=3D3D20
> > BNC=20
 =3D3D3D
>involved. =
 Paris=3D3D3D20
> boots up=20
 so =3D3D
> >the 1 mec=3D3D20
> > =20
 that
>I'm using shows up but never any A =
 =3D3D3D
>to=20
 Ds=3D3D20
> > or=3D3D3D20
> any =
 installed=20
 modules.
>This is the =3D3D
> =20
 >same=3D3D20
> > symptom before I=20
 =3D3D3D
>repaired one=3D3D3D20
> of my =
 mecs=20
 =3D3D
> >with=3D3D20
> > =
 a
>new=20
 chip. The clock light continues to=3D3D20
> =
 > =20
 =3D3D3D
>flash=3D3D3D20<BR&am p;gt;> too. =
 Never=20
 locks=3D3D20
> > in.
>
>I =
 am using=20
 the simplest =3D3D
> >=3D3D3D
>setup=20
 I=3D3D20
> > can=3D3D3D20
> =
 imagine and=20
 still it's not =3D3D
> >working.
>Mike=20
 A.=3D3D20
> > suggested the=20
 =3D3D3D
>.ini=3D3D3D20<BR&am p;gt;> file to make=20

=3D3D
> >sure card A is=3D3D20
> > >=0. =20
I'll try=3D3D20
> > >=3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>that.
>Pretty=
=3D3D3D20
>=20
=3D3D
> >; sure it's=3D3D20
> > >=right but=20
who=3D3D3D20
> =3D3D20
> > >=3D3D
> =20
=
>=3D3D3D
>knows?<BR&am p;gt;>Thanks,
>Tom<=BR>><=3D3D
> =20
=
>BR>>
>< BR>>
><=3D3D3D& amp;lt;BR=
>>BR>=3D3D
> =20
>>"rick"=3D3D3D20
> =3D3D20
> > >=
<<A=20
=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>href=3D3D3D'mailto:parnell68@hotmail.com">parnell68@hot=
mail.com</A'>mailto=3D
>:pa=3D3D
> =20
=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=
=3D3D20
> =20
> =3D3D3D
>wrote=3D3D3D20<BR&am p;gt;> in=20
message=3D3D3D20
> =3D3D20
> > >=
=3D3D
> =20
=
>=3D3D3D
>=3D3D3D3D
>news:inqgh393an5s4m99qcao=
jn09vn112t4u6r@4ax=3D3D
> =20
=
>.com...
>&nbs=3D3D3D
>p;=3D3D20
>&n=
bsp;=20
> i=3D3D3D20
> know this as dumb as it gets =
but the=20
bnc is =3D3D
> >attached in=3D3D20
> =
> =20
the=3D3D3D20
> right
> =
=3D3D20
> =20
> order...right?
> all the cards show=20
up=3D3D20
> > =20
=3D3D3D
>in=3D3D3D20<BR&g t;gt; paris with the =
single=20
=3D3D
> >mec?
> =3D3D20
> =
> how=20

many i/o cards in each=3D3D3D20
> =3D3D20
> =
> =20
mec?
>
>& ;lt;BR>> On Fri, 19 Oct=20
=3D3D
> >2007=3D3D20
> > 00:22:39 =
-0400,=20
=3D3D3D
>"Tom=3D3D3D20
> =
Bruhl"=3D3D20
> =20
> <<A=3D3D3D20
>> p;=20
=3D3D3D
>href=3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>
>&am p;am p;n'>=3D3D=3D
>
> =
=20
=
>mailto:arpegio@comcast.net">arpegio@comcast.net><B=
R>=3D3D
> =20
=
>>&am p;n=3D3D3D
> bsp;=3D3D3D20
>>=
=20
=3D3D20
> > =
wrote:
>><B

Subject: Re: More MacDonalds..War of the DAWS!!!

Posted by [audioguy_editout](#) on Mon, 24 Sep 2007 04:16:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

@comcast.net">arpegio@comcast.net>
=3D3D
> >,&n=3D3D3D
>bsp;=3D3D3D20
> =3D3D20
> > wrote:
>
> >I thought I was groovin' =3D3D
> >but once=3D3D20
> > the =3D3D3D
>second=3D3D3D20
> Mec was =3D3D
> >introduced
> =3D3D20
> > >the system stopped. That =3D3D3D
>was a =3D3D
> >few=3D3D3D20
> weeks=3D3D20
> > ago.
> >
> >Today I tried=3D3D20
> > =3D3D3D
>different=3D3D3D20
> cables, eds cards, =
mecs, =3D3D
> >eliminated the=3D3D20
> > =3D3D3D
>magma
=3D3D3D3D
>and
> =3D3D
> >=3D3D3D20
> =3D3D20
> > >still no clock lock or modules showing up in the =3D3D
> >paris=3D3D3D20
> =3D3D20
> > patchbay.
> >
> >This means =3D3D
> >to me=3D3D20
> > =3D3D3D
>software=3D3D3D20
> unless someone tells =

me=3D3D20

> > differently.
> >
> =3D3D20

> > =3D3D3D
>>I=3D3D3D20
> have a new C drive which I =
will =3D3D

> >load XP and no=3D3D20

> > pace. Any=3D3D3D20
> other=3D3D3D3D20
> =3D3D20

> > >suggestions?
> =3D3D3D
>>
>=3D3D20

> > =3D3D3D20
> >More frustrated than my =3D3D

> >clients,
>

Subject: Re: More MacDonalds..War of the DAWS!!!

Posted by [laMont \[1\]](#) on Mon, 24 Sep 2007 06:58:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

/>

behaves. =3D

>Or, if=3D20

> the clock generator is fried,
tell paris to lock externally =
and see

=3D

>what=3D20

> happens when an external clock
source is =
applied.

Isn't there

=3D

>a=3D20

> master house synch switch in the cfg file? I've never =3D

>used
it. =3D20

> Maybe DJ could help with what that should/shouldn't be set =3D

>to.

Wish I=3D20

> could do more than think out loud...

Mike

"Tom =
Bruhl" =3D

><<A=3D20

> =

href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D20

> wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =3D

>many a=3D20

> time.
>I've seen that Mastercard setting as being 0
>but =
=3D

>maybe it=3D20

> changed after removing the 4 other
>eds cards for this round =
of=3D20

> testing.
>
>If it's still 0 what else could this be? =3D

>Busted=3D20

> mobo?
>I'm really in an idunno place right now. I'll =
be=3D20

> checking
>seriously today again because of a session =
tomorrow=3D20

> morning.
>Tom
>
>
> "Mike Audet"=3D20
> <mike@....> wrote in message <A=3D20
> =3D
=
>href=3D3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
>&g=
=3D
>t; =3D20
> Hi Tom,
>
> If you've only got one card in, then the =3D
>
> Mastercard =3D3D3D 0 setting is =3D3D<BR&g

Subject: Re: More MacDonalds..War of the DAWS!!!

Posted by [Ed](#) on Mon, 24 Sep 2007 15:04:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> =
wrote in=20
message <A =
href=3D"news:471c3137@linux">news:471c3137@linux...</DIV>
<DIV>Mike,</DIV>
<DIV>I removed the default project and =
..cfg from the=20
folder as you suggested.</DIV>
<DIV>Now the computer won't even boot =
with either of=20
three eds cards installed.</DIV>
<DIV>No Magma, no word clock, no word =
clock line in=20
the existing config.</DIV>
<DIV> </DIV>
<DIV>I'm going to check with a network =
card to see=20
if the PCI slots are burn't.</DIV>
<DIV>I tried three different ones with =
the=20
eds. </DIV>
<DIV>with an eds card, the eds card =
didn't show up=20
in device manager. </DIV>
<DIV>probably why.</DIV>
<DIV> </DIV>
<DIV>There is some serious funk going on =

over=20

here. Maybe mobo? If this is the</DIV>

<DIV>case I give up. It's not =
worth any more=20

BS to me. There is no person</DIV>

<DIV>in my neighborhood to walk me =
through=20

this. My tech helps me</DIV>

<DIV>but the problem seems to be from =
the ground=20