

---

Subject: OT quick sync survey  
Posted by [Don Nafe](#) on Thu, 26 Oct 2006 01:07:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

zfuYyrhAMMd+7uehHynjoT1osrXBHN3UC3K7GZITOTtHUVMO3axSa  
vdm9omoRabo15bWsohnkA2u8Zbdx7Hg9K3pVlwi7o+fzPLK2KqRITIZcy6vz  
8jnr6Y3PiKzmZVRndyVXgf6tqyd+a57GHpuFNU5atHRaTq1rbWLWtxa7w4fM  
ijLAsAAQCQOBnrzzT0Zskk7EJubaPULG7iimaGDyt6vGAG24HHPfaf1pWQEm  
p6lbXNgYoll84yZy44xljngTn5gDyeFFDSBroYH2SF7rzpWkJ4wo6D9azSad  
wqLmg4o6bV9b8+yt4LdoTbiHy2hMRBQ+uehx2NdUqsXBRs1PnsNldenJHWcr  
p+b737HKaMcRXjel3nr/ANM0rC59FNLS3Q7C41mwu2iL2kkTI8gAiQNuVsgd  
TnIBHHTjjFMWj1RR0u+g09bpJlpH8x42TK4JVSTtPPGcgd/xouCRU1meK8um  
a2MmzYFDuAHbjknHf/Ch7bgt7i+FWtdl1GOd2cn/AJ6Ou7B7HGeaeH9yV5HB  
meGniqfLB2f/AA5R8a38I9p915zxyFVky2lpXKkcDn

---

---

Subject: Re: OT quick sync survey  
Posted by [Aaron Allen](#) on Thu, 26 Oct 2006 01:27:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

tkL28P5kUrbxRb24IS1v  
oLUkdZCqSYHy5wOTyOehzS5JdUNVYdy6fHZZQr6jbOMcl2yTlg3XOcb1HOM  
+tHs5dhOtDuZlztldXEK73dvvc87X4/z+tL2cg9tDuRR6jY8KlzDkngBhzS  
5Gg9vDZM9i+AH/H1rn/bP+tKxqeyUAFACHpR0EfP3x//AOSrfD//AK7J/wCj  
lr1sF/u8/n+R10f4UvmdVDrmIW0c9vcajaRTx3t1vjeZQVzO5GQTXIs5TyHU  
762fxn4jmhuEeNrqaq8bBukKdPWIGXK0/MzrUo1YSpy2aafox2oaub27eaSX  
knAHoOwqqk+adzHDYSIlhqs6W39dip50IYtuG4nk1Gx1cumpDLHYPYrb8hd5  
dgGIBPBz/SrdVvXsZRpRgnZbk9jdmwEgs7l4RJdj1GcEZHBTyOear2raE6  
KaTXczpILWC2nMBy7LjJ5NRKdzXI5WmbOj6qLGzjMMmJXtkQEc4OafzqoVHB  
aHJjMBSxbg6n2ZKXTdEDXUbAqZCQeCM1D953Z1Kz07EMhtZUVJQrIGDbenQ0  
Rai7oVSngorSG3cdjPePPuZmPygk84/IVqpbXuHiklGKJbq4W7sorSe5d7eP  
G1OOMAgc4ycAkDPSj2rIVBJ38ymjQQalp4QgRIXyf+2b1DfU1tyvQ2ptX32N  
varMRFFkdkMtk8/kat1G42OKII9GniHiYbyWu3V37FJ7iJyC77sdM5rNna9Z  
XEje0EsszHEzJsDD0znH86vnsiJUU58zVyGwW3sJoprORopYzuVgec/j1qlV  
B04vcW58i5vBc3MpkIGOTwMAAAYA6AAcdqUql0xxpxgtB2g3UdtLO7vgreB+  
BzwiVMZcrTRFehGtRISntJNfei7d6obq4eaWbLsc/TtRKXNdvuZ4XB0qFJUo

---

---

Subject: Re: OT quick sync survey  
Posted by [Don Nafe](#) on Thu, 26 Oct 2006 11:49:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Sc2txxd2SMW31TS7q4WCGVHI  
Y4A8s/1FL2IzZ4aSjzMv3ZZrYopUDcCTjk4BAH05ouzFqxHp25tJ0vaVCLbj  
IA5Off8ACi4HRWWgi6tjcPdRRKEEj1AAyxA5JHp/LrVcz7isiSTw1iCZ4rm  
KQwxCVICdRsL5HJ6YHvzS533BpHL31zaWMIku2WNCcAlc/ypObRpSpOpsJp9  
3Z3itJZOrheCVUjFNTuOdFw3G3e46tYO5XBnXChcAYXH9M1NzM07O3ku7wQs

ybp5T0XCqC3p7Zqk2haG0nhpGSFzeQr5sZlVWQBtu0tnBPXA78e9Pml3DIRQ  
1bRv7Pgtpi6Sxz/dlXGDtUnPv82Pw96XO+47l5y71TTLWdobmVEIHVfLJ/kK  
l1LdTaoHnJXSNCJh5DG3KAOhCkrwMjGcfjTcrozas7MqadvLamqFQzSR/MVz  
jHPH5Y/Gi5JvaVpR1JmAlVCGCLlc8kMfywp/SqUmFkX28NRklVvoG+eRBwCA  
UTdzgnH4ZHrijncXKjD1O1TT7q5huNn7hmVYr6e1Lna6lKF3ZGTaanpl7OI  
beRJjTyB5ZH8xSVTZNZ4eUY3LWps7WRAKhQGLccsTjv7Y/WnfqYokttxtbJs  
qEW2jGAvJ4zkn8aWzCx0EHh5Xs2uHuoo1WNXYMoABYAgdeeG+vtVKUHWQt74  
bMFtdSrcRy/ZmY0u3njbkjBORlwKOeXcVkcvc3dnYojXjJGrnA+Unn8KmU2j  
enQdR2Q7T7q1u4zNZOrL0LKpFCm2TOk4bnUfDrc3xCsnbb80VwQFXAUeU/FB  
B1nxK/5BWL/9hWz/APR6UAeaaJKLeV5nUssepXTFR1OLhzigDvbr4h6ZcMn2  
jwzPN5bbkLyocH1HpR0uBkePPEo1/T7W0Gi3di6TibfM4lYDcOgHr/KgDFtd  
QurWMrBLhOcjaCCCOQc9j6UAPGr34iMf2l/LJztwODgDj0OABxQgNLwn4ih8  
PSXMk9lLeGZQqrG4XGD70Abq/EbTlZWxw1c7lYup81OGOckcdTk896APPPGI  
8uq3er6jHbPbR3EYKxuwJGEx1H0oA3vDmr6JqiXk1tJcqsO0RxsASSo7mgD  
po/iBp0l6s8fha5a727BIJU349AcZ/CgDlF+rDXNfiuksJ7DyYPJaOVgTnc  
T2+tAEKareoiqs+FUggBQcEdD0zn360ANn1K8nt1gnuGeNQFG7GcDAAz1xwO  
M9hQB0Ph/wAY2mjaMLC40ie8yW3lZFCkE9CDQBoj4j6erMy+G7pSyhWlMqEG  
ZwOnbJ/M0ITPLShS904MpXNznae3XihWV0h6MsDyE162nuh5yRspMDoSjLk5  
JIP047

---

---

Subject: Re: OT quick sync survey

Posted by [Don Nafe](#) on Thu, 26 Oct 2006 20:53:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Fi2PTO4/SgD

mxc2MupTSzTjCiN0wepHmAj/AMeoNqNZ0r2V7q2vmK0tgZC63eCWYnLZ65yB  
6daRq8TKyTVrGhYazbWckMiXEBsROHUKDGR04/Cmc9SftJcxsW3jW3ht3g2W  
vLSK6sFABw2M4PUcD6c9KCBF8ZW3mlm8soSx2iTHUof5oP1oC9jO1DxD63ls  
sLSQlqlmG0YyTjJJ/AUBs7mNZTaeLBA1wRjLHGZMNjBUDj9KDqji2o8tiSke  
yjbK3a/eyMgHHGD3pClXcka9r4itbeKWNZIWSQgkNg4lZgg9jyaZzt3Zp3fj  
iC5hKyC3D4cKyELgMxJ4HB6//roEQz+MLWZZNywlndmOWyMFi+MfU9fSgLXO  
MHWtUtdRvY5ZZ0/eykybcADlBOB+NBdOfI0+zv8AcQzS6dIgRbkqgx+WvzZw  
Oefc80mdH1t3em7uWlFulSJ2JuUYNyc464A/pQZVK3N0Nuy8Yw2roym2ZkRU  
yVByFZSM5/3cZpml+bxnbu7MvkqWBLfNnLFIYn6fIOPc0AQ3fiu1mEqx+Siu  
gT5juYDduxn60Ac7BdWJv5ppZhuSQNH83XKkGg2pVuSNreQB7Bfu3fBVIOTk  
nOPf2pl0+s3jytGpY67b2kscqzxNlpzyBg/hTOeckzWg8a20dp9lZbcwFdpC  
4U/eZuvX+Lp7UEISPxpbrKJH8piCXADYG7zC4PuMnGPSgZkaprttd2SQ+ZCq  
xR7VC4Ge/PqaASZm28unCyRPtJDOEdyHwQwUdPTpSOv667cqj0sSQXNnCwK3  
SYDMcYGMegkdfamRKtzRUbbGzYeJ7az2BXgdVISUB8cFT60HP1NEeNEufJRU  
ieZAFXy+MgFWxtHf5B096BdQ/t2QRRKLJi6OGy0ZION2OMf7Z/IUXKa0HeEd  
bttP8YWupX4mFuqzK7pA74ZkYdFBxyce1AkB/jPxTpWrWulW1nNM0x1SzIDW  
0iggTp3KgUwOfTJ8Ldol5WK393yqEj/Xv3qbgBfUfSa3sYbRrXMKgph43G/J  
Y46+pPTB4pgQajrE9+E862fcpJ3CNsnP1/pilcCrY6qlll3hTzHQFHRk3Y3L  
ggj6H+VNgaFp4iktZjLDYxq2ACFg4IDK3Oc/3cfjRy9RaheeKCBJM0BiTBLs  
wO3JZCT9PKH5mh+QypceLLOWXd5dqVC7VEh3kDJPX6saLaAY+u6zb31veyGW  
MyyqzYGAMkHoKAJ31myO0iZfugdfagDauPHazyNlxtgxzjBPykggkc9wx6/h  
QBI3/iG1vLhpnkiQsAMKeOPqcn8aAH2viS1topYw1vJHlwYrlolyM4x+ZoA0

tN8YJGGhtobeQMWYpGg6HYDjuMbR+fegGPGvPuCmymMOCu3DZ27FTGcdcKOf  
0oHaxENfeR5Z47OMvKzsZBASQWJzz+NG2wtehhXs4S+053SRAJwMMhyflJwB  
34pt6D5rqzNVL8qm37PMQP8AYPrn+lcksPdt7nDUwrbbvuEmoNI6sbabof4  
CM54z0qY4WKi7smGBUIvUS41B5lw1vKADkHy2q6GHjTfMjTD4VUm5k0WryJb  
xxNYrKsYIUyW5JAyT/M10nWXofFE0cMcTWJZI/LKYiIOUxgkgZPKg/4UAV01  
2RYmjazlP7sIp2sMfKyZ9+GNAEM+ryS27wrZCNXI3GOAgNFAHpv7P2Tca0xR  
1BEeNyketAHstABQAE8UAFnN7R//ACWP4a/9d0/9HrVLsB6homp2sdtcwm9h  
SSO9utyGUAr+/klzzS3dhJmh/alrx/p8P/f4f40rFbM5jxRq2pi+h/se7DW2  
xfNMc0WSMkNjcfvY2le3XNArmfgGr+li1ulbtSflhE7RSQgFjnzSMtyw+Ujo  
PvdaAJtZ1XXzCh069RrgQDzFE0Soz5X7pJJ9cnpjtQBjF6prTaj

---

---

Subject: Re: OT quick sync survey

Posted by [Aaron Allen](#) on Thu, 26 Oct 2006 23:42:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ed above). The

> error upon right-clicking only seems to occur on the active  
> desktop. I can right-click inside a window like "My Computer"  
> or "My Documents" & create a new folder & whatnot with no  
> problems.

>

> Which I suppose, is not as big of a problem as I first thought,  
> but it's still weird, and since I tend use the right-click  
> function a lot, I need to figure it out... that's too much of  
> a habit for me to break at this point.

>

> Anyone know if the "Runtime" referred to could be a Java  
> Runtime error? This PC has an older version of the Java applet  
> on there, but since it will probably never see the internet in  
> it's current configuration as a Paris PC, I could probably  
> completely unload the Java stuff without any problems, yes?

>

> Or is the Intel video driver the most likely suspect at this  
> stage & I should try to find that one & disable it?

>

> Neilfor those are were interested in Soundscape DSP products, below is the response  
I got back from them concerning, Interface appearance, DSP track count. mixer,  
summing..

Hello,

Thanks for contacting us.

1. You are right, we have not paid as much attention to the looks of our  
Editor & Mixer as other companies. We have always given priority to feature  
set, performance and reliability over the looks. Having been taken over by

SSL, we have been told that we will need to address the graphical appearance issue; and of course we will. We have however a number of development plans at the same time, and have to put priorities all the time. The skinability is on our list, but we cannot yet commit to a fixed date yet. Today there is no possibility to "skin" the system. We plan to add that possibility later in 2007.

2. A single SS32 with Mixpander is capable of playing/mixing 32 DSP-based tracks plus 32 PC-based tracks, in other words, it is a 64 track system. It is possible to stack multiple SS32, adding each time another 64 tracks to the system. Indeed we're not talking about virtual tracks here, these are all real simultaneously playing tracks. The DSP-based tracks do not rely on PC-power, while the PC-based tracks do. Over and above the SS-based tracks, the mixer can also mix a number of streams that belong to any PC-based audio application. In other words, you could play

---

Subject: Re: OT quick sync survey

Posted by [Don Nafe](#) on Thu, 26 Oct 2006 23:52:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

>of those together in the Soundscape-mixer.

>

>3. In combination with the Soundscape Editor, you can run any other PC-based

>Audio package. Through the Soundscape drivers (ASIO2, WDM, MME, GSIF2, Dwave)

>all of these packages will "see" 48 audio streams In & Out of the Soundscape

>mixer. All packages see all these streams through their own driver simultaneously

>(no need to allocate certain streams to any particular package). This way

>you can mix all of the audio applications with a zero-latency mixer with

>zero-latency DSP-Plugins in the Soundscape mixer. In this mixer at the same

>time you can integrate any VST effect. VST effect relay on PC power and

introduce

>latency.

>

>If you have further questions, do not hesitate to contact me.

>

>If you want me to issue a Quotation for a particular config, just let me

>know

>

>Regards,

>

>Erik Wijnen

>

>Sydec Audio Engineering NV

>Industriepark Noord 10

>B-9100 Sint-Niklaas

>Belgium

>

>Tel : +32-3-7650098

>GSM : +32-476-409989

>Fax : +32-3-7650104

>www.sydec.be

>I am impressed that this guy took the time to respond in this much detail.  
Kinda reminds me of the good old days with Paris and ID a little bit.

-Carl

"LaMont" <jjdpro@ameritech.net> wrote in message news:455ca00e\$1@linux...

>

> for those are were interested in Soundscape DSP products, below is the  
response

> I got back from them concerning, Interface appearance, DSP track count.  
mixer,

> summing..

>

> Hello,

>

>

> Thanks for contacting us.

>

> 1. You are right, we have not paid as much attention to the looks of  
our

> Editor & Mixer as other companies. We have always given priority to  
feature

> set, performance and reliability over the looks. Having been taken over by

> SSL, we have been told that we will need to address the graphical  
appearance

> issue; and of course we will. We have however a number of development  
plans

> at the same time, and have to put priorities all the time. The skinability

> is on our list, but we cannot yet commit to a fixed date yet. Today there

> is no possibility to "skin" the system. We plan to add that possibility  
later

> in 2007.

>

> 2. A single SS32 with Mixpander is capable of playing/mixing 32  
DSP-based

> tracks plus 32 PC-based tracks, in other words, it is a 64 track system.

> It is possible to stack multiple SS32, adding each time another 64 tracks

> to the system. Indeed we're not talking about virtual tracks here, these

> are all real smultaneously playing tracks. The DSP-based tracks do not  
rely

> on PC-power, while the PC-based tracks do. Over and above

Subject: Re: OT quick sync survey

Posted by [Aaron Allen](#) on Thu, 26 Oct 2006 23:54:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

the SS-based  
tracks,  
> the mixer can also mix a number of streams that belong to any PC-based  
audio  
> application. In other words, you could play some Nuendo tracks, some  
GigaSapmler  
> tracks, some Sonar tracks over and above the Soundscape tracks and mix all  
> of those together in the Soundscape-mixer.  
>  
> 3. In combination with the Soundscape Editor, you can run any other  
PC-based  
> Audio package. Through the Soundscape drivers (ASIO2, WDM, MME, GSIF2,  
Dwave)  
> all of these packages will "see" 48 audio streams In & Out of the  
Soundscape  
> mixer. All packages see all these streams through their own driver  
simultaneously  
> (no need to allocate certain streams to any particular package). This way  
> you can mix all of the audio applications with a zero-latency mixer with  
> zero-latency DSP-PlugIns in teh Soundscape mixer. In this mixer at the  
same  
> time you can integrate any VST effect. VST effect relay on PC power and  
introduce  
> latency.  
>  
> If you have further questions, do no hesitate to contact me.  
>  
> If you want me to issue a Quotation for a particular config, just let me  
> know  
>  
> Regards,  
>  
> Erik Wijnen  
>  
> Sydec Audio Engineering NV  
> Industriepark Noord 10  
> B-9100 Sint-Niklaas  
> Belgium  
>  
> Tel : +32-3-7650098  
> GSM : +32-476-409989  
> Fax : +32-3-7650104  
> www.sydec.be  
>LaMont --

good stuff going on there, thanks. It's cool that somebody clued these guys in that their software looks clunky. Be nice if they fixed that. Now, if they get together with their SSL owners and whip up a small-footprint controller/console, a couple banks of motor faders, meters, monitor section, etc. (with or without some of those nice preamps) they might have the all-in-one platform of the future for us project studio people... Bet we'll need to keep an eye on these guys, maybe one more year...

-- chas.

On 17 Nov 2006 04:29:50 +1000, "LaMont" <jjdpro@ameritech.net> wrote:

>  
>for those are were interested in Soundscape DSP products, below is the response  
>I got back from them concerning, Interface appearance, DSP track count. mixer,  
>summing..  
>  
>Hello,  
>  
>  
>Thanks for contacting us.  
>  
>1. You are right, we have not paid as much attention to the looks of our  
>Editor & Mixer as other companies. We have always given priority to feature  
>set, performance and reliability over the looks. Having been taken over by  
>SSL, we have been told that we will need to address the graphical appearance  
>issue; and of course we will. We have however a number of development plans  
>at the same time, and have to put priorities all the time. The skinability  
>is on our list, but we cannot yet commit to a fixed date yet. Today there  
>is no possibility to "skin" the system. We plan to add that possibility later  
>in 2007.  
>  
>2. A single SS32 with Mixpander is capable of playing/mixing 32 DSP-based  
>tracks plus 32 PC-based tracks, in other words, it is a 64 track system.  
>It is possible to stack multiple SS32, adding each time another 64 tracks  
>to the system. Indeed we're not talking about virtual tracks here, these  
>are all real smultaneously playing tracks. The DSP-based tracks do not rely  
>on PC-power, while the PC-based tracks do. Over and above the SS-based tracks,  
>th

---

---

Subject: Re: OT quick sync survey  
Posted by [Don Nafe](#) on Fri, 27 Oct 2006 01:01:51 GMT

er simultaneously  
>(no need to allocate certain streams to any particular package). This way  
>you can mix all of the audio applications with a zero-latency mixer with  
>zero-latency DSP-PlugIns in teh Soundscape mixer. In this mixer at the same  
>time you can integrate any VST effect. VST effect relay on PC power and introduce  
>latency.  
>  
>If you have further questions, do no hesitate to contact me.  
>  
>If you want me to issue a Quotation for a particular config, just let me  
>know  
>  
>Regards,  
>  
>Erik Wijnen  
>  
>Sydec Audio Engineering NV  
>Industriepark Noord 10  
>B-9100 Sint-Niklaas  
>Belgium  
>  
>Tel : +32-3-7650098  
>GSM : +32-476-409989  
>Fax : +32-3-7650104  
>www.sydec.beat least they didn't make you wear a dress...and no, i wasn't raised  
by belgians...the dress was my own idea.

On 17 Nov 2006 04:46:24 +1000, "Neil" <OIUOIU@OIU.com> wrote:

>  
>Ohhh, so they're BELGIAN, eh?  
>  
>"I was adopted by frikken BELGIANS, eh!!! They RAISED me to be  
>evil!"  
>  
>:D  
>  
>  
>  
>"LaMont" <jjdpro@ameritech.net> wrote:  
>>  
>>for those are were interested in Soundscape DSP products, below is the response  
>>I got back from them concerning, Interface appearance, DSP track count.  
>mixer,  
>>summing..

>>  
>>Hello,  
>>  
>>  
>>Thanks for contacting us.  
>>  
>>1. You are right, we have not paid as much attention to the looks of  
>our  
>>Editor & Mixer as other companies. We have always given priority to feature  
>>set, performance and reliability over the looks. Having been taken over  
>by  
>>SSL, we have been told that we will need to address the graphical appearance  
>>issue; and of course we will. We have however a number of development plans  
>>at the same time, and have to put priorities all the time. The skinability  
>>is on our list, but we cannot yet commit to a fixed date yet. Today there  
>>is no possibility to "skin" the system. We plan to add that possibility  
>later  
>>in 2007.  
>>  
>>2. A single SS32 with Mixpander is capable of playing/mixing 32 DSP-based  
>>tracks plus 32 PC-based tracks, in other words, it is a 64 track system.  
>>It is possible to stack multiple SS32, adding each time another 64 tracks  
>>to the system. Indeed we're not talking about virtual tracks here, these  
>>are all real simultaneously playing tracks. The DSP-based tracks do not rely  
>>on PC-power, while the PC-based tracks do. Over and above the SS-based tracks,  
>>the mixer can also mix a number of streams that belong to any PC-based audio  
>>application. In other words, you could play some Nuendo tracks, some GigaSampler  
>>tracks, some Sonar tracks over and above the Soundscape tracks and mix all  
>>of those together in the Soundscape-mixer.  
>>  
>>3. In combination with the Soundscape Editor, you can run any other  
>PC-based  
>>Audio package. Through the Soundscape drivers (ASIO2, WDM, MME, GSIF2, Dwave)  
>>all of these packages will "see" 48 audio streams In & Out of the Soundscape  
>>mixer. All packages see all these streams through their own driver simultaneously  
>>(no need to allocate certain streams to any particular package). This way  
>>you can mix all of the audio applications with a zero-latency mixer with  
>>zero-latency DSP-Plugins in the Soundscape mixer. In this mixer at the same  
>>time you can integrate any VST effect. VST effect relies on PC power and  
>introduce  
>>latency.  
>>  
>>If you have further questions, do not hesitate to contact me.  
>>  
>>If you want me to issue a Quotation for a particular config, just let me  
>>know  
>>  
>>Regards,

>>  
>>Erik Wijnen  
>>  
>>Sydec Audio Engineering NV

---