
Subject: Somebody's gotta' do it
Posted by [Deej \[4\]](#) on Mon, 23 Apr 2007 05:16:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

am, and you?
> =3D
>>http://www.polesoft.com/refer.html =3D20
> =3D3D20
> >
> ><!DOCTYPE HTML PUBLIC =3D
>"-//W3C//DTD=3D20
> HTML 4.0 Transitional//EN">
> =3D20
> ><HTML><HEAD>
> ><META=3D20
> http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html; =3D
>=3D3D3D
> =3D20
> >charset=3D3D3D3DDiso-8859-1">
> ><META =3D
>content=3D3D3D3D"MSHTML=3D20
> 6.00.2800.1400" name=3D3D3D3DGENERATOR>
> =3D20
> ><STYLE></STYLE>
> =3D
>></HEAD>
> =3D20
> ><BODY bgColor=3D3D3D3D#ffffff>
> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial size=3D3D3D3D2>I might snag a 442 from down =3D
>=3D3D3D
> =3D20
> >under. What's the=3D3D3D20
> >easiest way to=3D20
> </DIV>
> ><DIV><FONT =3D
>face=3D3D3D3DArial=3D20
> size=3D3D3D3D2>convert a 442 from 240v to =3D3D3D3D
> =3D20
> >110v?</DIV>
> =3D
>><DIV><FONT=3D20
> face=3D3D3D3DArial =3D
>size=3D3D3D3D2>Tom</DIV>
> =3D20
> ><DIV>

I choose =3D
>Polesoft=3D20
> Lockspam to fight =3D3D3D
>spam, =3D3D3D3D
> =3D
>>and=3D3D3D20
> =3D20
> >you?
<A=3D3D3D20
> =3D
>=3D3D3D
>>href=3D3D3D3D"<A=3D20
> =3D
=
>href=3D3D'http://www.polesoft.com/ref

Subject: Re: Somebody's gotta' do it
Posted by [John \[1\]](#) on Mon, 23 Apr 2007 11:16:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

/>
=3D20
> =3D
>=3D3D
>2000=3D3D20
>w

Subject: Re: Why???

Posted by [IOOIU](#) on Mon, 23 Apr 2007 13:11:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

atts!</DIV>
><DI=3D

>V><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>I bought it to perform on a tall =3D
>=3D3D
>ship here=3D20
> =3D
>in=3D3D20
>Boston</DIV>
><DIV><FONT=3D
>=3D20
> face=3D3D3DArial size=3D3D3D2>in the 90's. It doesn't look like it =
=3D
>=3D3D
>will=3D20
> =3D
>step=3D3D20
>up</DIV>
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>all the way to 240 though only=3D20
> =3D3D
>220.</DIV>
><DIV><FONT =

Subject: Re: Why???

Posted by [rick](#) on Mon, 23 Apr 2007 14:24:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

3D

>face=3D3D3DArial=3D20
> size=3D3D3D2> </DIV>
><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Will that suffice or will I see=3D20
> =3D3D
>smoke?</DIV>
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2> =3D
></DIV>
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>I smell something . .=3D20
> .</DIV>
><DIV><FONT face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</DIV>
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>=3D20
> =3D
></DIV>
><BLOCKQUOTE=3D3D20
>style=3D3D3D"PADDING-RIGHT: =3D
>0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>BORDER-LEFT: #000000 =
=3D
>2px solid;=3D20
> MARGIN-RIGHT: 0px">
> <DIV>"Kim"=3D20
> <&

Subject: Re: Why???

Posted by [Deej \[4\]](#) on Mon, 23 Apr 2007 15:47:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

; =3D
=
>href=3D3D'mailto:hidde nsounds@hotmail.com">hidde nsounds@hotmail.com</A'>=
mai=3D
>lto:hidde nsounds@hotmail.com">hidde nsounds@hotmail.com</A>&g=3D
>t;=3D3D
>=3D20
> wrote=3D3D20
> in message <A=3D3D20
> =3D
>=3D3D
>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:464a9e92\$1@linux">news:464a9e92\$1@linux...</DIV>
<=
BR'=3D
>>news:464a9e92\$1@linux">news:464a9e92\$1@linux...</DIV>=3D
>
<BR>=3D3D
>Don't=3D3D20
> =3D20
> 442's power from the EDS?

If not, a step down =3D
>transformer=3D20
> will
=3D3D
>do it=3D3D20
> however. I think it cost =3D
>me=3D20
> \$90
Australian or so for a 240->110 =3D
>=3D3D
>volt=3D3D20
> =3D20
> unit which would be overkill for=3D20
> such
things.

I =3D3D
>imagine=3D20
> you'd=3D3D20
>

Subject: Re: Why???

Posted by [Neil](#) on Mon, 23 Apr 2007 15:59:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

;> pick one up for \$50.

If =3D
>you have no=3D20
> luck at electronics stores,
=3D3D
>try a=3D3D20
> =3D
>travel agent,=3D20
> or the airport.
Be sure what you get is safe for=3D20
> =3D3D
>computer=3D3D20
> equipment however. Electric=3D20
> shavers
and the like aren't that=3D20
> fussy
=3D3D
>with=3D3D20
> their=3D20
> =3D
>power.

Cheers,
Kim.

"Tom =3D
>Bruhl"=3D20
> <<A=3D3D20
> href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20'>m=
ailto=3D

>:arpeggio@comcast.net">arpeggio@comcast.net=>3D3D20
&g=3D
>t; =3D20
> wrote:
>
>
>I might snag a 442 =3D
>from down=3D20
> under. =3D3D
>What's the=3D3D20
> easiest way=3D20
> to=3D3D3D20
>convert a 442 from 240v to=3D3D20
> =3D20
> 110v?
>Tom
>
>
>I =3D
>choose=3D20
> Polesoft Lockspam to =3D3D
>fight=3D3D20
> spam, and=3D20
> you?
>http://www.polesoft.com/refer.html =3D
>=3D3D20
> =3D20
>
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML =3D
>
> 4.0=3D3D20
> =3D20
> =3D
>Transitional//EN">
><HTML><HEAD>
>=3D
><META=3D3D20
> =3D20
> http-equiv=3D3D3D3DCon

Subject: Re: Why???

Posted by [Deej \[4\]](#) on Mon, 23 Apr 2007 16:31:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

;> =3D20
> size=3D3D3D3D2>

I choose Polesoft Lockspam to =3D
>fight=3D20
> =3D3D
>spam,=3D3D20
> =3D20
> =3D
>=3D3D
>=3D3D3D
>and=3D3D3D20
>you?
<A=3D
>=3D3D3D20
>href=3D3D3D3D"<A=3D3D20
> =3D20
> =3D
=
>=3D3D
>href=3D3D3D'http://www.polesoft.com/refer.html">http://www.po=3D=

>lesoft.com/refer=3D3D
>'>http://www.polesoft.com/refer.html">ht=3D
>

Subject: Re: Why???

Posted by [Dedric Terry](#) on Mon, 23 Apr 2007 16:32:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

t="_blank">tp://www.polesoft.com/refer</A=3D3D
>=3D3D3D
>.html&=3D
>lt;/A> =3D20
> =3D3D20
> =3D20
> =3D

>=3D3D
></DIV></BODY></HTML>
&=3D
>gt;
>
<!=3D3D
>BLOCKQUOTE></BODY><=3D
>./HTML>
>
>
</BLOCKQUOTE></BODY></HTML>
>
>

-----=_NextPart_000_0158_01C7976D.6969F690

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html"; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Sure. That would be =
good.</DIV>

<DIV>Thanks,</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Kim" <<A=20

=

href=3D"mailto:hiddensounds@hotmail.com">hiddensounds@hotmail.com>=
wrote=20

in message <A=20

=

href=3D"news:464ab80b\$1@linux">news:464ab80b\$1@linux...</DIV>

=
Yeh, I=20

could be wrong. The MEC would take a lot of extra grunt though =
as
it has=20

all those slots. On the 442 you only have to run what's built =
in.

I can=20

try and remember to check tonight if you like... won't be =
for=20

about
6 hours though.

Cheers,
Kim.

"Tom Bruhl" =
<<A=20

href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>=20

wrote:
>
>
>Kim,
>Well Dave from out your way =
is=20

telling me it's 240v.
>I should think it needs a plug in the =
wall?=20

.
>The MEC sure does. A 442 is basically the
>master =
section=20
of a MEC Right?
>The IF2 doesn't need a power =
cord.
>
>lf=20
you're right then there should be no =
problem.
>Tom
>

Subject: Re: Somebody's gotta' do it
Posted by [TCB](#) on Mon, 23 Apr 2007 18:51:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

amp;nbsp;=20
><DIV><FONT face=3D3D3D3DArial=20
size=3D3D3D3D2>Tom</DIV&a mp;gt;
> =
> =20
><DIV>

I choose =
Polesoft=20
Lockspam to =3D
>fight =3D3D
> >spam, =
=3D3D3D
> =20
> >and=3D3D3D20
> > =20
>you?
<A=3D3D3D20
> > =
=3D3D
> =20
=3D
>>>href=3D3D3D3D"<A=20
=
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com'>http=
://www.polesoft.com/refer.html">http://www.polesoft.com=3D
>=
/re=3D3D
> =20
>fer=3D3D3D
> > =
>.html =20
</DIV></BODY&g t;</HTML>
> =
> =20
>
> > >
> >
> =20
>
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
Transitional//EN">
> =
><HTML><HEAD>
> =20
><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20
=3D3D
> >charset=3D3D3Diso-8859-1">
> =
><META=20
content=3D3D3D"MSHTML 6.00.2800.1400" =
name=3D3D3DGENERATOR>
> =20
><STYLE></STYLE>
> =
></HEAD>
> =20
><BODY bgColor=3D3D3D#ffffff>
> =
><DIV><FONT=20
face=3D3D3DArial size=3D3D3D2>Okay Kim here's what I found=20
in
=3D
>my=3D3D20
> =20
>basement.</DIV>
> =

<<DIV><FONT=20
face=3D3D3DArial size=3D3D3D2><It's a step up/down =
trnasformer.
=3D
<FONT=20
=3D3D
< >2000=3D3D20
< >=20
<watts!</DIV>
< >=
<<DIV><FONT=20
face=3D3D3DArial size=3D3D3D2><I bought it to perform on a=20
tall
=3D
<=3D3D
< > >ship here =
in=3D3D20
< >=2

Subject: Re: Somebody's gotta' do it
Posted by [Deej \[4\]](#) on Mon, 23 Apr 2007 18:59:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;BR>< >I might =
snag a 442=20
from down under. =3D3D
< >What's =
the=3D3D20
< >=20
< > easiest way to=3D3D3D20
< >convert a 442 from =
240v=20
to=3D3D20
< > >=20
110v?
< Tom
<
<
< I =
choose=20
Polesoft Lockspam to =3D3D
< >=
<fight=3D3D20
< > >=20
spam, and you?
< http://www.polesoft.com/refer.html =20
=3D3D20
< > >=

<
< < !DOCTYPE HTML=20
PUBLIC "-//W3C//DTD HTML 4.0=3D3D20
< > >=20
=
Transitional//EN"
< <HTML><HEAD>
< >=
<META=3D3D20
< >=20
> http-equiv=3D3D3D3DContent-Type=20
content=3D3D3D3D"text/html;=3D3D20
< > >=20
=
=3D3D3D
< > charset=3D3D3D3Diso-8859-1"< <

Subject: Re: Somebody's gotta' do it
Posted by [TCB](#) on Mon, 23 Apr 2007 21:06:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

n here in my hand and I am 100% sure =
that it runs off the EDS cable connection =3D no external power needed.

Hope this helps

Rob

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:464ab95b@linux...

Sure. That would be good.

Thanks,

Tom

"Kim" <hiddensounds@hotmail.com> wrote in message =
news:464ab80b\$1@linux...

Yeh, I could be wrong. The MEC would take a lot of extra grunt =
though as
it has all those slots. On the 442 you only have to run what's built =
in.

I can try and remember to check tonight if you like... won't be =
for about
6 hours though.

Cheers,
Kim.

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Kim,

>Well Dave from out your way is telling me it's 240v.

>I should think it needs a plug in the wall? .

>The MEC sure does. A 442 is basically the

>master section of a MEC Right?

>The IF2 doesn't need a power cord.

>

>If you're right then there should be no problem.

>Tom

>

> "Kim" <hiddensounds@hotmail.com> wrote in message =3D

>news:464ab139\$1@linux...

>

>

> Generally 240V stuff is rated at 220-250. Many Asian countries =
use =3D

>220, and

> even within Australia there are areas that use 250V. Indeed some =
=3D

>country

> areas have 260V I think.

>

> I'm still 95% sure the 442 doesn't require power, because i =
remember =3D
>being
> surprised when i discovered it didn't and thinking "That's a =
worry. =3D
>That's
> gonna suck a lot of juice out of my EDS"...
>
> Could be wrong, but I'm pretty sure...
>
> Cheers,
> Kim.
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> &g

Subject: Re: Somebody's gotta' do it
Posted by [JeffH](#) on Mon, 23 Apr 2007 22:19:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

d Paris, but

> I think he's fit in here. We have a few Sam heads around here, don't
> we?...Bill?.....who else???

>
>
>I've been using their plugs for years and they really are pretty
outstanding. For example, the Optimizer mastering limiter was the best I
had heard in a plug until the UAD limiter, which does beat it.

For some reason they never added anything or changed their interface for
the past several years. They are DX plugs.

Bill L

Rich wrote:

> "I wanna build some small pc's with DSPFX isa audio cards as standalone processors."
>
> What ISA DSPFX cards your refering to??
>I have four of them and no ac needed... One more
reason for a big ass power supply in the computer...

"Robert" <studiomanitou@gmail.com> wrote:

>
>
>Hi Tom and Kim, I have a 442 sittin here in my hand and I am 100% sure =
>that it runs off the EDS cable connection =3D no external power needed.

>
>Hope this helps
>Rob
> "Tom Bruhl" <arpeggio@comcast.net> wrote in message =
>news:464ab95b@linux...
> Sure. That would be good.
> Thanks,
> Tom
>
> "Kim" <hiddensounds@hotmail.com> wrote in message =
>news:464ab80b\$1@linux...
>
>
> Yeh, I could be wrong. The MEC would take a lot of extra grunt =
>though as
> it has all those slots. On the 442 you only have to run what's built
=
>in.
>
> I can try and remember to check tonight if you like... won't be =
>for about
> 6 hours though.
>
> Cheers,
> Kim.
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
> >
> >
> >Kim,
> >Well Dave from out your way is telling me it's 240v.
> >I should think it needs a plug in the wall? .
> >The MEC sure does. A 442 is basically the
> >master section of a MEC Right?
> >The IF2 doesn't need a power cord.
> >
> >If you're right then there should be no problem.
> >Tom
> >
> > "Kim" <hiddensounds@hotmail.com> wrote in message =3D
> >news:464ab139\$1@linux...
> >
> >
> > Generally 240V stuff is rated at 220-250. Many Asian countries =
>use =3D
> >220, and
> > even within Australia there are areas that use 250V. Indeed some
=

>=3D
> >country
> > areas have 260V I think.
>

Subject: Re: Somebody's gotta' do it
Posted by [Aaron Allen](#) on Mon, 23 Apr 2007 22:41:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

; >
> > I'm still 95% sure the 442 doesn't require power, because i =
>remember =3D
> >being
> > surprised when i discovered it didn't and thinking "That's a =
>worry. =3D
> >That's
> > gonna suck a lot of juice out of my EDS"...
> >
> > Could be wrong, but I'm pretty sure...
> >
> > Cheers,
> > Kim.
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Okay Kim here's what I found in my basement.
> > >It's a step up/down trnasformer. 2000 watts!
> > >I bought it to perform on a tall ship here in Boston
> > >in the 90's. It doesn't look like it will step up
> > >all the way to 240 though only 220.
> > >
> > >Will that suffice or will I see smoke?
> > >
> > >I smell something . . .
> > >Tom
> > >
> > > "Kim" <hiddensounds@hotmail.com> wrote in message =3D3D3D
> > >news:464a9e92\$1@linux...
> > >
> > >
> > > Don't 442's power from the EDS?
> > >
> > > If not, a step down transformer will do it however. I think it
=
>cost
> =3D

> >me
 > > =3D3D
 > > >\$90
 > > > Australian or so for a 240->110 volt unit which would be =
 >overkill
 > =3D
 > >for
 > > =3D3D
 > > >such
 > > > things.
 > > >
 > > > I imagine you'd pick one up for \$50.
 > > >
 > > > If you have no luck at electronics stores, try a travel agent,
 =
 >or =3D
 > >the
 > > =3D3D
 > > >airport.
 > > > Be sure what you get is safe for computer equipment however. =
 >=3D
 > >Electric
 > > =3D3D
 > > >shavers
 > > > and the like aren't that fussy with their power.
 > > >
 > > > Cheers,
 > > > Kim.
 > > >
 > > > "Tom Bruhl" <arpeggio@comcast.net> wrote:
 > > > >
 > > > >
 > > > >I might snag a 442 from down under. What's the easiest way =
 >=3D
 > >to=3D3D3D20
 > > > >convert a 442 from 240v to 110v?
 > > > >Tom
 > > > >
 > > > >
 > > > >I choose Polesoft Lockspam to fight spam, and you?
 > > > ><http://www.polesoft.com/refer.html> =3D3D20
 > > > >
 > > > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 =
 >Transitional//EN">
 > > > ><HTML><HEAD>
 > > > ><META http-equiv=3D3D3D3DContent-Type =
 >content=3D3D3D3D"text/html; =3D
 > >=3D3D3D

```
> > > > charset=3D3D3D3Diso-8859-1">
> > > > <META content=3D3D3D3D"MSHTML 6.00.2800.1400" =
> name=3D3D3D3DGENERATOR>
> > > > <STYLE></STYLE>
> > > > </HEAD>
> > > > <BODY bgColor=3D3D3D3D#ffffff>
> > > > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>I might snag a =
> 442 from =3D
> > down =3D3D3D
>
```

Subject: Re: Somebody's gotta' do it
Posted by [TCB](#) on Tue, 24 Apr 2007 04:30:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

ment of their tablet.

One thing is for sure, if Apple releases a tablet, they will act like it's something brand new as if they invented, and tell you it's the coolest thing since sliced bread;)

Articles with illustration for Apples patten for a tablet from 2004-2005

<http://www.macobserver.com/article/2005/05/10.18.shtml>

<http://www.engadget.com/2005/05/10/apples-patented-the-tablet-mac/>

OWC's ModBook

<http://eshop.macsales.com/shop/ModBook>

<http://www.macworld.com/news/2007/01/04/owc/index.php>

"Aaron Allen" <know-spam@not_here.dude> wrote:

>When they gonna make a tablet?

>

>AA

>

>

>"James McCloskey" <excelsm@hotmail.com> wrote in message

>news:4649e911\$1@linux...

>>

>> <http://www.macworld.co.uk/mac/news/index.cfm?newsid=18032&p;pagtype=allchandise>

>

>It's the only way I work now. As I posted in the past, my physical machine

has absolutely nothing installed on it. I install and run everything in a series of VMs. There are a couple of options for XP.

1. Microsoft Virtual PC 2007. Free download. Highly optimized for windows. Tight integration with physical PC (file copy, drag and drop, cut and paste, display resolutions).
2. Virtual Box. Open Source. Free download. Cool.
3. VMWare. Cost\$. Probably the best there is, if only because of the expansive feature set.

There's nothing inherently dangerous about a VM, and I run a bunch of linux distros just fine. In fact, the physical machine is 100% isolated from anything the VM may do.

"Kim" <hiddensounds@hotmail.com> wrote:

>
>
>What's the go hear?
>
>I want to get an isolated copy of Linux running under Windows XP on my work
>laptop here. What's the go? Is it dangerous at all?
>
>What's the popular option software wise?
>
>Cheers,
>Kim.It's been rumored for a while. A third party has come out with an expensive conversion. Apple tries to not step on their third party venders. It will depend on how far along they are in development of their tablet.

One thing is for sure, if Apple releases a tablet, they will act like it's something brand new as if they invented it, and tell you it's the coolest thing since sliced bread;)

Articles with illustration for Apples patten for a tablet from 2004-2005

<http://www.macobserver.com/article/2005/05/10.18.shtml>

<http://www.engadget.com/2005/05/10/apples-patented-the-tablet-mac/>

OWC's ModBook

<http://eshop.macsales.com/shop/ModBook>

<http://www.macworld.com/news/2007/01/04/owc/index.php>

[illegible]

-----=_NextPart_000_0068_01C797B9.AA9342B0--well.....what if you multed the SCSI cable out of the MEC?
.....wouldn't that work?

(ducking for cover ;o)

```
"EK Sound" <askme@nospam.com> wrote in message news:464b1c31$1@linux...
> BZZZZZZZZZZzz.... Wrong! ;-)
>
> David.
>
> DJ wrote:
>
>> Tom,
>> No plug on a 442. It gets it's power from the MEC.
>> DeeJ
>> "Tom Bruhl" <arpeggio@comcast.net <mailto:arpeggio@comcast.net>> wrote
>>   in mess
```

Subject: Re: Somebody's gotta' do it
Posted by [Deej \[4\]](#) on Tue, 24 Apr 2007 08:28:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
age news:464a966e$1@linux...
>> I might snag a 442 from down under. What's the easiest way to
>> convert a 442 from 240v to 110v?
>> Tom
>>
>>
>> I choose Polesoft Lockspam to fight spam, and you?
>> http://www.polesoft.com/refer.htmlThis is a multi-part message in MIME format.
```

```
-----=_NextPart_000_0119_01C797A9.0962DE10
Content-Type: text/plain;
  charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable
```

Other than having a tan, it should be the same.

;o)

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:464b3942\$1@linux...

So all 442s are the same then???

This one's from Australlia.

Tom

"EK Sound" <askme@nospam.com> wrote in message =
news:464b1c31\$1@linux...

BZZZZZZZZZZz.... Wrong! ;-)

David.

DJ wrote:

> Tom,

> =20

> No plug on a 442. It gets it's power from the MEC.

> =20

> DeeJ

> =20

>=20

> "Tom Bruhl" <arpeggio@comcast.net <mailto:arpeggio@comcast.net>> =
wrote

> in message news:464a966e\$1@linux...

> I might snag a 442 from down under. What's the easiest way to

> convert a 442 from 240v to 110v?

> Tom

>=20

>=20

> I choose Polesoft Lockspam to fight spam, and you?

> <http://www.polesoft.com/refer.html>

-----=_NextPart_000_0119_01C797A9.0962DE10

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.6000.16414" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV>Other than having a tan, it should be =
the=20

same.</DIV>
<DIV> </DIV>
<DIV>;o)</DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
 <DIV>"Tom Bruhl" <<A=20
 href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote =
in message=20
 news:464b3942\$1@linux...</DIV>
 <DIV>So all 442s are the same =
then??</DIV>
 <DIV>This one's from =
Australlia.</DIV>
 <DIV>Tom</DIV>
 <BLOCKQUOTE

Subject: Re: Somebody's gotta' do it
Posted by [Neil](#) on Tue, 24 Apr 2007 13:20:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

ted from
>>anything
>>>the VM may do.
>>>
>>>"Kim" <hiddensounds@hotmail.com> wrote:
>>>>
>>>>
>>>>What's the go hear?
>>>>
>>>>I want to get an isolated copy of Linux running under Windows XP on my
>>work
>>>>laptop here. What's the go? Is it dangerous at all?
>>>>
>>>>What's the popular option software wise?
>>>>
>>>>Cheers,
>>>>Kim.
>>>
>>
>Thad,

Good point!

Chuck
"TCB" <nobody@ishere.com> wrote:

>
>In addition to what Chuck said, you also can have all of your 'dirty' apps
>web browsers, games, flash players, development suites, and all of that
>crap,
>on your audio box. It's completely segmented.
>
>Lastly, for me my desktop at work is an XP box but everything I code I put
>on a linux/perl/apache box, so I can write all of that in it's native environment
>and just copy it over to the right folders on the web server and it's done.
>
>
>TCB
>
>"Neil" <OIUOIU@OIU.com> wrote:
>>
>>What's the advantage of running a virtual machine? I don't get
>>that sort of thing at all - how does it differ from a regular
>>PC setup?
>>
>>Neil
>>
>>
>>"TCB" <nobody@ishere.com> wrote:
>>>
>>>I agree wholeheartedly with Chuck. VMWare is probably the best option
>>in
>>terms
>>>of features and quality, it works with damn near anything. If they made
>>a
>>>deb for it that worked I'd probably buy it for my linux box. Virtual box
>>>is also very good, though it's only truly open source if you build it
>>from
>>>source, the binaries are under a different license. In practice this means
>>>absolutely nothing. Of course I haven't tried the MSoft option as I'm
>>avoiding
>>>their software whenever possible.
>>>
>>>Ubuntu Feisty installs easily into both Virtual Box and VMWare, as does
>>Debian
>>>Etch. I haven't tried a Debian testing or unstable netinstall but my guess
>>>is they'd work fine. SuSE as well, but at this point for me running SuSE
>>>is practically as offensive as running XP.
>>>
>>>Good luck, and if you have any questions related to Debian (if you go
>>that
>>>route) or (to a lesser extent) Ubuntu feel free to post here or email
>>me
>>>off list.

>>>
>>>TCB
>>>
>>>"chuck duffy" <c@c.com> wrote:
>>>>
>>>>It's the only way I work now. As I posted in the past, my physical machine
>>>>has absolutely nothing installed on it. I install and run everything
>in
>>>>a series of VMs. There are a couple of options for XP.
>>>>
>>>>1. Microsoft Virtual PC 2007. Free download. Highly optimized for windows.
>>>> Tight integration with physical PC (file copy, drag and drop, cut and
>>paste,
>>>>display resolutions).
>>>>
>>>>2. Virtual Box. Open Source. Free download. Cool.
>>>>
>>>>3. VMWare. Cost\$. Probably the best there is, if only because of the
expansive
>>>>feature set.
>>>>
>>>>There's nothing inherently dangerous about a VM, and I run a bunch of
>linux
>>>>distros just fine. In fact, the physical machine is 100% isolated from
>>>anything
>>>>the VM may do.
>>>>
>>>>"Kim" <hiddensounds@hotmail.com> wrote:
>>>>>
>>>>>
>>>>>What's the go hear?
>>>>>
>>>>>I want to get an isolated copy of Linux running under Windows XP on
my
>>>work
>>>>>laptop here. What's the go? Is it dangerous at all?
>>>>>
>>>>>What's the popular option software wise?
>>>>>
>>>>>Cheers,
>>>>>Kim.
>>>>
>>>
>>
>This is a multi-part message in MIME format.

-----=_NextPart_000_001F_01C797C3.640DEE80
Content-Type: text/plain;

Content-Transfer-Encoding: quoted-printable

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:464b3942\$

Subject: Re: Somebody's gotta' do it
Posted by [TCB](#) on Tue, 24 Apr 2007 13:40:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

-----=_NextPart_000_001F_01C797C3.640DEE80--Every single last one... regardless of origin...

> BZZZZZZZZZZzz.... Wrong! ;-)

>
> David.
>
> DJ wrote:
>
> > Tom,
> >
> > No plug on a 442. It gets it's power from the MEC.
> >
> > DeeJ
> >
> >
> > "Tom Bruhl" <arpeggio@comcast.net <mailto:arpeggio@comcast.net>
> <mailto:arpeggio@comcast.net>> wrote
> > in message news:464a966e\$1@linux...
> > I might snag a 442 from down under. What's the easiest way to
> > convert a 442 from 240v to 110v?
> > Tom
> >
> >
> > I choose Polesoft Lockspam to fight spam, and you?
> > <http://www.polesoft.com/refer.html>guys-

does this mean you have rendered all copy protection schemes irrelevant?
How do dongles work into this?

-steve

"chuck duffy" <c@c.com> wrote:

>
>Thad,
>
>Good point!
>
>Chuck
>"TCB" <nobody@ishere.com> wrote:
>>
>>In addition to what Chuck said, you also can have all of your 'dirty' apps
>>web browsers, games, flash players, development suites, and all of that
>>crap,
>>on your audio box. It's completely segmented.
>>
>>Lastly, for me my desktop at work is an XP box but everything I code I
put
>>on a linux/perl/apache box, so I can write all of that in it's native environment
>>and just copy it over to the right folders on the web server and it's done.
>>

>>
>>TCB
>>
>>"Neil" <OIUOIU@OIU.com> wrote:
>>>
>>>What's the advantage of running a virtual machine? I don't get
>>>that sort of thing at all - how does it differ from a regular
>>>PC setup?
>>>
>>>Neil
>>>
>>>
>>>"TCB&qu

Subject: Re: Somebody's gotta' do it
Posted by [erlilo](#) on Tue, 24 Apr 2007 14:40:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt;
>>>>>It's the only way I work now. As I posted in the past, my physical
machine
>>>>>has absolutely nothing installed on it. I install and run everything
>>in
>>>>>a series of VMs. There are a couple of options for XP.
>>>>>
>>>>>1. Microsoft Virtual PC 2007. Free download. Highly optimized for windows.
>>>>> Tight integration with physical PC (file copy, drag and drop, cut and
>>>paste,
>>>>>display resolutions).
>>>>>
>>>>>2. Virtual Box. Open Source. Free download. Cool.
>>>>>
>>>>>3. VMWare. Cost\$. Probably the best there is, if only because of the
>expansive
>>>>>feature set.
>>>>>
>>>>>There's nothing inherently dangerous about a VM, and I run a bunch of
>>linux
>>>>>distros just fine. In fact, the physical machine is 100% isolated from
>>>>anything
>>>>>the VM may do.
>>>>>
>>>>>"Kim" <hiddensounds@hotmail.com> wrote:
>>>>>>
>>>>>>
>>>>>>What's the go hear?
>>>>>>

>>>>>I want to get an isolated copy of Linux running under Windows XP on
>my
>>>>work
>>>>>laptop here. What's the go? Is it dangerous at all?
>>>>>
>>>>>What's the popular option software wise?
>>>>>
>>>>>Cheers,
>>>>>Kim.
>>>>>
>>>>
>>>>
>>>
>>
>>

>This is a multi-part message in MIME format.

-----=_NextPart_000_00E1_01C797CD.E22B5910

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Thanks you guys.

"EK Sound" <askme@nospam.com> wrote in message news:464b5890@linux...
Every single last one... regardless of origin...

David.

Tom Bruhl wrote:

> So all 442s are the same then???

> This one's from Australlia.

> Tom

>=20

> "EK Sound" <askme@nospam.com <mailto:askme@nospam.com>> wrote in
> message news:464b1c31\$1@linux...

> BZZZZZZZZZZz.... Wrong! ;-)

>=20

> David.

>=20

> DJ wrote:

>=20

> > Tom,

> >=20

> > No plug on a 442. It gets it's power from the MEC.

> >=20

> > DeeJ

> >=20

> >

> > "Tom Bruhl" <arpeggio@comcast.net =
<mailto:arpeggio@comcast.net>

way to

 γ

1

✓

1

✓

—

Center

Control

Center

4150C

<HTML

 $\leq MCT$

charge

<MET

<MLT/
<STYL

CONCLUSION

<BODY>

<DIV>

<BLOCK>

style=3

<DIV>

prof-2

wrote

prof=

single

single
one

wrote:

So al

Austra

Tom

href-

hrcf=

hrof=

Cubio

Subject

[View Fa](#)

—

/

11

[illegible]

$$\text{ =20}$$
[illegible][illegible]

> >=20

[illegible]

> No plug on a 442. It =

gets it's=20

power from the MEC.> >=20

> >=20

[illegible][illegible][illegible][illegible]

Bruhl" <A =

href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net=20

 $\leq A=20$

==

href=3D"mailto:arpeggio@comcast.net">mailto:arpeggio@comcast.net><BR=

> &=20

 $\leq A=20$

==

href=3D"mailto:arpeggio@comcast.net">mailto:arpeggio@comcast.net>=

```
:=20
```

wrote> =

> in=20

message $<A=20$

$$=$$

href=3D"news:464a966e\$1@linux">news:464a966e\$1@linux...
> =>

 =20

> I might snag a 442 from down under. =

What's the=20

easiest way to

> convert a 442 from 240v to=20

110v?> =

[illegible]

Tom > =20

>
 > &=2 0

[illegible][illegible]

choose Polesoft Lockspam to fight spam, and=20

[illegible]

> <A=20

==

href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

```
..html</A></BLOCKQUOTE></BLOCKQUOTE></BODY></HTML>
```