
Subject: Aja...

Posted by [Nei](#) on Sat, 29 Sep 2007 02:53:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
<DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT> =3D
> ></DIV><BR>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT> =3D
> ></DIV><BR>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT>=3D20
> > =3D
> ></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: =3D
> >0px;=3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000
=
>=3D
> >2px solid;=3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"Dimitrios"=3D20
> > <<A=3D3D20<BR>> href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr</A'>mailto:musur=
>gio=3D
> >@otenet.gr">musurgio@otenet.gr</A</A>>=3D20
> > wrote in =3D3D<BR>>message=3D3D20<BR>> <A =3D
> >=3D3D<BR>>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><BR>H=
> i'>=3D
> >news:471a0486$1@linux">news:471a0486$
```

Subject: Re: Aja...

Posted by [Chris Latham](#) on Sat, 29 Sep 2007 06:35:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
r />
> > HTML PUBLIC "-//W3C//DTD =3D3D<BR>>HTML 4.0=3D3D20<BR>> =3D20
> > =3D
> >Transitional//EN"><BR>><HTML><HEAD><BR>>=3D
> ><META=3D3D20<BR>> =
```

Subject: Re: Aja...

Posted by [dc\[3\]](#) on Sat, 29 Sep 2007 06:42:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

at</DIV>
><DIV><FONT=3D
> >=3D3D20
> =3D20
> > face=3D3D3D3DArial size=3D3D3D3D2>l'm usi

Subject: Re: Aja...
Posted by [John \[1\]](#) on Sat, 29 Sep 2007 09:19:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

; =3D20
> > that.</DIV>
><DIV><FONT=3D20
> > =3D3D
>face=3D3D3D3DArial=3D3D20
> size=3D3D3D3D2>Pretty =3D
> >sure it's right=3D20
> > but who=3D3D20
> =3D20
> > =3D
> >=3D3D3D
>knows?</DIV>
><DIV&g=

Subject: Re: Aja...
Posted by [Bill L](#) on Sat, 29 Sep 2007 15:26:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"Mike Audet" <mike@....> wrote in message <A=20
> =
>href=3D"news:471b6eb0\$1@linux">news:471b6eb0\$1@linux...</DIV>
Hi=20

>sorry of=20

>is=20
> telling card zero to lock
to an external clock, which it can't =
>because=20

Subject: Re: Aja...
Posted by [Ted Gerber](#) on Sat, 29 Sep 2007 16:21:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

>
> >"rick" <<A=20
> href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
>wrote in=20

>attached=20

>up in=20

>many i/o=20

>-0400,=20

> =

>href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net>
>&n=
>bsp;=20

>Mec was=20

>cables,=20

>modules=20

Subject: Re: Aja...

Posted by [audioguy_editout_](#) on Sat, 29 Sep 2007 18:18:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Fri, 19 =3D
>Oct =

> =

>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wro'>mail=
>to:arpegio@comcast.net">arpegio@comcast.net>
wro=

> thought I was groovin' but once the second Mec was =

>cables, eds=20

Subject: Re: Aja...
Posted by [Rod Lincoln](#) on Sat, 29 Sep 2007 18:34:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

=20
> content=3D3D3D"MSHTML 6.00.2800.1400" =

>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2>Thanks=20

>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2> =

> ><DIV>Mike said the =
>same=20

> face=3D3D3DArial size=3D3D3D2>Do I want the Master card to=20
>have one=20
> face=3D3D3DArial size=3D3D3D2>in there right now and it's=20

> ><DIV><FONT face=3D3D3DArial=20
> ><DIV> =
>

>><DIV><FONT=20
> face=3D3D3DArial size=3D3D3D2> =

>>style=3D3D3D"PADDING-RIGHT: 0px;=20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>=3D3D
>

Subject: Re: Aja...
Posted by [laMont \[1\]](#) on Sat, 29 Sep 2007 20:03:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

> =
>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D3D20'>mail=
>to:arpegio@comcast.net">arpegio@comcast.net>=3D3D20<B=

> wrote:
>
>
>Rick,
>1 =
>mec, no=20

> boots up so the 1 mec that
>I'm using shows up but never =
>any A=20

> installed modules.
>This is the same symptom before I=20
>of my mecs=20

> locks in.
>
>I am using the simplest =

>not=20

> =

> =

>>knows?
>Thanks,
>Tom
>
&=

> >href=3D3D3D"<A=20

> =

>href=3D'mailto:parnell68@hotmail.com">parnell68@hotmail.com</A'>mailto:pa=
>rnell68@hotmail.com">parnell68@hotmail.com</A>>=20

> =

>=3D
>>=3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u=

Subject: Re: Aja...

Posted by [steve the artguy](#) on Sun, 30 Sep 2007 00:28:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

> =3D3D3D3D

> > > > >can =3D3D3D3D3D3D

> > > > > >imagine and=3D3D3D3D3D3D20

> > > > > >sti

Subject: Re: Aja...

Posted by [Tom Bruhl](#) on Sun, 30 Sep 2007 01:01:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

D>

> > > > ><BODY bgColor=3D3D3D3D3D#ffffff>

> > > > ><DIV>Thanks

=

>=3D3D
> > >Dimitrios.</DIV>
> > > ><DIV>
=
></DIV>
> > > ><DIV>Mike =
>said the
> =3D
> >same thing.
> > =3D3D
> > > Is =3D3D3D
> > > >the =3D3D3D3D
> > > >ini in the=3D3D3D3D20
> > > >Paris folde or system 32?</DIV>
> > > ><DIV>Do I =
>want the
> =3D
> >Master card
> > =3D3D
> > >to be
> > > =3D3D3D
> > > >0=3D3D3D3D20
> > > >>absolutely? I only have one card</DIV>
> > > ><DIV>in =
>there right
> =3D
> >now and =3D3D
> > >it's all
> > > =3D3D3D
> > > >freaky
> > > > =3D3D3D3D
> > > >>just the=3D3D3D3D20
> > > >>same.</DIV>
> > > ><DIV><FONT face=3D3D3D3D3DArial =3D
> >size=3D3D3D3D3D2>Tom</DIV>
> > > ><DIV>
=
></DIV>
> > > ><DIV>
=
></DIV>
> > > ><DIV>
=
></DIV>
> > > >><BLOCKQUOTE=3D3D3D3D20
> > > >>style=3D3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px;
=
>=3D

> >MARGIN-LEFT: =3D3D
> > >5px; =3D3D3D
> > > >=3D3D3D3D
> > > > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > > > <DIV>"Dimitrios" <<A=3D3D3D3D20
> > > > > =3D
> > > > > >href=3D3D3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> =
> > >=3D3D
> > >wrote
> > > =3D3D3D
> > > >in =3D3D3D3D
> > > > >message=3D3D3D3D20
> > > > > <A =3D3D3D3D
> > > > =3D3D3D
> > > =3D3D
> > =3D
> > =
> > &g

Subject: Re: Aja...

Posted by [xpam_mark](#) on Sun, 30 Sep 2007 03:19:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

=3D
> >the =3D3D
> > >=3D3D3D3D
> > > > >mastercardoutput=3D3D3D3D20
> > > > > with your other
cards and see what happens =
> > >!!
Let =3D
> > >=3D3D
> > >me=3D3D3D3D20
> > > > know.
Regards,
Dimitrios

"Tom Bruhl" =3D
> > ><<A=3D3D3D3D20
> > > > > =3D3D
> > =3D
> > =
> > >>>href=3D3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D=
> > >3D3D3=3D
> > >D20
> > > > > wrote:
>
>
>Rick,
>1 mec, no BNC =3D3D3D3D
> > > > >involved. Paris=3D3D3D3D20
> > > > > boots up so the 1 mec that
>>l'm using shows up but
> > =
> > >=3D
> > >never any
> > > =3D3D
> > > >A =3D3D3D

> > > >=3D3D3D3D
> > > >to Ds or=3D3D3D3D20
> > > > any installed modules.
>This is the same symptom =
>=3D
> >before I =3D3D
> > >=3D3D3D3D
> > > >repaired one=3D3D3D3D20
> > > > of my mecs with a
>new chip. The clock light =3D
> >continues to =3D3D
> > >=3D3D3D3D
> > > >flash=3D3D3D3D20
> > > > too. Never locks in.
>
>I am using the simplest
=
>=3D
> >=3D3D3D3D
> > > >setup I can=3D3D3D3D20
> > > > imagine and still it's not working.
>Mike A. =
>suggested
> =3D
> > the =3D3D
> > >=3D3D3D3D
> > > >.ini=3D3D3D3D20
> > > > file to make sure card A is 0. I'll try =3D3D3D3D
> > > >=3D3D3D3D3D
>that.
>Pretty=3D3D3D3D20
> > > > sure it's right but who=3D3D3D3D20
> > > > =3D3D3D3D
> > > > =
>>knows?
>Thanks,
>Tom
>
>
>
>&l

Subject: Re: Aja Trivia 4 U
Posted by [D-unit](#) on Mon, 01 Oct 2007 21:10:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

arpegio@comcast.net" target="_blank">arpegio@comcast.net">arpegio

Subject: Re: Aja Trivia 4 U
Posted by [steve the artguy](#) on Mon, 01 Oct 2007 22:58:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

/>
> >paris=3D3D3D20
> =3D3D20
> > patchbay.
> >
> >This means =3D3D
> >to me=3D3D20
> > =3D3D3D
>software=3D3D3D20
> unless someone tells =
me=3D3D20

> > differently.
> >
> =3D3D20
> > =3D3D3D
>>I=3D3D3D20
> have a new C drive which I will =
=3D3D
> >load XP and no=3D3D20
> > pace. Any=3D3D3D20
> other=3D3D3D3

Subject: Re: Aja...
Posted by [D-unit](#) on Tue, 02 Oct 2007 14:18:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;http://www.polesoft.com/refer.html=3D3D3D20
&=3D=
3D
> >gt; =3D3D20
> > =3D3D
> >=3D3D3D
>=3D3D3D3D20
>
</BLOCKQUOTE></BODY>=3D3D
> >;</HTML>
&=3D3D3D
>gt;
>
</B=3D3D
> >LOCKQUOTE></BODY></HTML>
>
>
</BLOCKQUOTE><=3D3D
> >/BODY></HTML>

Subject: Re: Aja...
Posted by [John \[1\]](#) on Tue, 02 Oct 2007 14:55:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

> >
> >

Subject: Re: Aja...
Posted by [D-unit](#) on Tue, 02 Oct 2007 16:02:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

ernal clock, which it can't =
=3D
>because=3D20
> there isn't one.

It would be interesting to attach an =
external
=3D
>clock=3D20
> source to the MEC and
then start PARIS to see how it behaves. =
=3D
>Or, if=3D20
> the clock generator is fried,
tell paris to lock externally and =
see
=3D

>what=3D20
> happens when an external clock
source is applied.

Isn't =
there
=3D
>a=3D20

Subject: Re: Aja...
Posted by [John \[1\]](#) on Tue, 02 Oct 2007 16:30:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

=3D
>
> >
> >
> >
> > =3D20

Subject: Re: Aja...
Posted by [DJ](#) on Tue, 02 Oct 2007 17:02:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt; wrote:
> > >
> > =3D20
> >
> > >Rick,
> > >1 =3D
>mec, no=3D20
> BNC involved. Paris boots up so the 1 mec that
> =3D
>> =3D20
> >I'm using shows up but never any A to Ds or any installed=3D20
> modules.
> > >This is the same symptom before =3D
>I=3D20
> repaired one of my mecs with a
> > >new =3D
>chip. =3D20
> The clock light continues to flash too. Never locks=3D20
> =3D3D
>in.
> > ><

Subject: Re: Aja...
Posted by [Neil](#) on Tue, 02 Oct 2007 17:04:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

;
> > Hi Tom !@
> > Sorry =3D
>to hear=3D20
> you still having problems like this ~!!
> > Must =3D
>be very=3D20
> frustrating.
> > Open the Paris ini file and =3D
>there change=3D20
> the mastercardoutput with
=3D3D
>=3D3D3D
> >your=3D20
> other
> > cards and see what happens =3D
>!!
> =3D20

> > Let me know.
> > =3D
> Regards,
> =3D20
> > Dimitrios
> >
> > "Tom =3D
> Bruhl"=3D20
> <arpegio@comcast.net> =
=3D
>
&

Subject: Re: Aja...
Posted by [D-unit](#) on Tue, 02 Oct 2007 18:01:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

lt;FONT face=3D3D3D3D3DArial =3D
> size=3D3D3D3D3D2>=3D20
> </DIV>
> > ><DIV><FONT =3D
> face=3D3D3D3D3DArial=3D20
> size=3D3D3D3D3D2> </DIV>
> > =3D20
> ><DIV> </DIV>
> > ><DIV>=3D20
> </DIV><BR&g

Subject: Re: Aja...
Posted by [John \[1\]](#) on Tue, 02 Oct 2007 18:03:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;> > ><DIV>=3D20
> </DIV>
&

Subject: Re: Aja...
Posted by [Paul Braun](#) on Wed, 03 Oct 2007 00:29:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

=3D
>>
</BLOCKQUOTE></BODY></HTML>
> =3D
>=3D20
> > >
> > >
> =3D
>>
> =3D20
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=3D20
> Transitional//EN">
> =3D
>><HTML><HEAD>
> =3D20
> ><META http-equiv=3D3D3D3DContent-Type =
content=3D3D3D3D"text/html;=3D20
> =3D3D3D
> > charset=3D3D3D3Diso-8859-1">
> =3D
>><META=3D20

```
> content="MSHTML 6.00.2800.1400" =3D
>name=GENERATOR><BR>> =3D20
> <STYLE></STYLE><BR>> =3D
>></HEAD><BR>> =3D20
> <BODY bgColor=#ffffff><BR>> =3D
>><DIV><FONT=3D20
> face=Arial size=2>Thanks=3D20
> Dimitrios.</FONT></DIV><BR>> =3D
>><DIV><FONT=3D20
> face=Arial size=2></FONT> =3D
></DIV><BR>> =3D20
> <DIV><FONT face=Arial size=2>Mike said the =3D
>same=3D20
> thing. Is =3D3D<BR>>the =3D3D<BR>> >ini in=3D20
> the=3D3D20<BR>> >Paris folde or system=3D20
> 32?</FONT></DIV><BR>> ><DIV><FONT=3D20
> face=Arial size=2>Do I want the Master card to=3D20
> be<BR>=3D3D<BR>>0=3D3D20<BR>> >absolutely? I only =
```

Subject: Re: Aja...

Posted by [audioguy_editout](#) on Wed, 03 Oct 2007 00:36:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

=3D20

```
> <DIV><FONT face=Arial=3D20
> size=3D3D3D2>Tom</FONT></DIV><BR>> =3D20
> <DIV><FONT face=Arial size=3D3D3D2></FONT> =3D
>
> </DIV><BR>> ><DIV><FONT face=Arial=3D20
> size=3D3D3D2></FONT> </DIV><BR>> =3D
>><DIV><FONT=3D20
> face=Arial size=3D3D3D2></FONT> =3D
></DIV><BR>> =3D20
> ><BLOCKQUOTE
```

Subject: Re: Aja...

Posted by [DJ](#) on Wed, 03 Oct 2007 04:35:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

r />

something.</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<DIV> </DIV>

<DIV> </DIV>

<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Dimitrios" <<A=20
href=3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr> wrote in =
message=20
<A =
href=3D"news:471c67f1\$1 @linux">news:471c67f1\$1 @linux...</DIV>
Hey =

Tom,
Paris cfg file is in Paris folder.
Just open with as a text =
editor=20
and change the mastercardout to whichever
letter will work=20
alright.

Next what I would do is install over the minimum =
setup
exe=20
file (subsystem effects) to your new moved directory exactly =
!!

Then I=20
would for sure delete from the Paris folder the default.ppj =
project
AND the=20
untitled project.ppj to.
Let us know =
!
Regards,
Dimitrios
"Tom=20
Bruhl" <<A =
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
>
>
>Mike,
>I used to use a Lucid but =
since all=20
of this mess I stopped.
>I'm trying to get stable from square =
one with=20
the least amount=3D20
>of hardware. I am using the default =
project=20
for sure. The only=3D20
>other thing that I still question =
is my=

Subject: Re: Aja...
Posted by [neil\[1\]](#) on Wed, 03 Oct 2007 14:29:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

d think the default =
project will=20
either work or not. Maybe
>configs or something else is =
fighting=20
during Paris startup?
>
>Pats 42 - Miami 7 . . . Halftime =
and the=20
games over.
>Tom
>
>
>
> "Mike =
Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b6eb0\$1 @linux">news:471b6eb0\$1 @linux...
>
>g=
t; =20

Hi Tom,
>
> Are you using a default project with=20
PARIS? I'm so sorry of this has
=3D
>been
> =
asked and=20
answered already. If so, perhaps it is telling card zero=20
to
=3D
>lock
> to an external clock, which it =
can't because=20
there isn't one.
>
> It would be interesting to =
attach an=20
external clock source to the MEC
=3D
>and
> then =
start=20
PARIS to see how it behaves. Or, if the clock generator=20
is
=3D
>fried,
> tell paris to lock externally =
and see what=20
happens when an external =3D
&am
