
Subject: Yamaha DM 2000 question

Posted by [DJ](#) on Sun, 09 Sep 2007 00:29:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

wer supply. It might still work with all 5 cards and 1 =

Mec

> > if I baby it.

> >

> > Once it's off I have to unplug, wait, replugin and start =
again.

> > Maybe it will start up with one Mec then. I thought there =
was=3D20

> > a auto shut off mechanism built in to the Magma. I didn't =
see =3D

> >anything

> > about that in the manual.

> >

> > ? ? ?

> >

> > Why Me???

> >

> >

> > I choose Polesoft Lockspam to fight spam, and you?

> > <http://www.polesoft.com/refer.html> =20

> >

> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

> ><HTML><HEAD>

> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D

> > charset=3D3Diso-8859-1">

> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>

> ><STYLE></STYLE>

> ></HEAD>

> ><BODY bgColor=3D3

Subject: Re: Yamaha DM 2000 question

Posted by [Chris Ludwig](#) on Sun, 09 Sep 2007 01:19:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

/>

let me try again.</DIV>

<DIV>I'm just about to hit the =
studio.</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"EK Sound" <<A=20
href=3D"mailto:ask_me@nospam.net">ask_me@nospam.net> wrote in =
message <A=20
href=3D"news:470fbe30@linux">news:470fbe30@linux...</DIV>Try =
hooking the=20
MEC's up but NOT hooking them to A/C... as in =
"off"

David.

Tom=20
Bruhl wrote:

> Hi Mike,
> I think Windows will boot =
fine, at=20
least it used to with
> all 5 cards in it. Now it chokes =
as soon=20
as I attach a
> scsi cable to any of my three new working =
mecs.
>=20
It didn't a couple of days ago.
>
> I'm digging =
deeper into=20
the way the cards are seated now.
> I will check the Magma with =
one card=20
and one interface at a
> time. Maybe the scherzo drivers =
are=20
screwy from removing
> and reinserting the cards?
> =

> This is amazing how one little thing can ruin a good=20
business.
> Well maybe it's 10 little things but. . .
>=20
Tom
>
>
>
>=20

> "Mike Audet" <Mike@...> wrote =
in=20
message <A =
href=3D"news:470f58fa\$1@linux">news:470f58fa\$1@linux...
>=20

> &

Subject: Re: Yamaha DM 2000 question
Posted by [LaMon](#) on Sun, 09 Sep 2007 01:26:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

>work with all=3D20
> > 5 cards and 1 Mec</DIV>
> > <DIV>if I baby =
it.</DIV>
> > <DIV> </DIV>
> > <DIV>Once it's off I have to =
unplug,
> wait,
> =3D
> >replug and=3D20
> > start again.</DIV>
> > <DIV>Maybe it will start up =
with one

> Mec =3D
 > >then. I=3D20
 > > thought there was </DIV>
 > > <DIV>a auto shut off =
 mechanism built
 > in to
 > =3D
 > >the=3D20
 > > Magma. I didn't see anything</DIV>
 > > <DIV>about that in the =3D
 > >manual.</DIV>
 > > <DIV> </DIV>
 > > <DIV>? ? ?</DIV>
 > > <DIV> </DIV>
 > > <DIV>Why Me???</DIV>
 > > <DIV>

I choose Polesoft Lockspam to =

fight
 > spam,
 > =3D
 > >and=3D20
 > > you?
<A=3D20
 > > =3D
 > =

>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
 fer
 > =
 <http://www.polesoft.com/refer.html">http://www.polesoft.com/refer>=3D
 > >.html </DIV></BLOCKQUOTE></BODY></HTML>
 > >
 > >

-----=_NextPart_000_0091_01C80CDF.D52A7930

Content-Type: text/html;
 charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I think I've tried that with the same =
results but=20
```

Subject: Re: Yamaha DM 2000 question
Posted by [LaMon](#) on Sun, 09 Sep 2007 01:45:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

[illegible]

Subject: Re: Yamaha DM 2000 question
Posted by [Larry Upton](#) on Sun, 09 Sep 2007 03:24:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

Page 5 of 11 ---- Generated from The PARIS Forums

[illegible]

Subject: Re: Yamaha DM 2000 question
Posted by [DJ](#) on Sun, 09 Sep 2007 04:09:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

[illegible]

Subject: Re: Yamaha DM 2000 question
Posted by [Chris Ludwig](#) on Sun, 09 Sep 2007 14:33:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
br />
=3D
>=3D3D<BR>>Antec=3D20
> 550=3D3D20<BR>>watt =3D
>supply.</FONT></DIV><BR>><DIV><FONT=3D20
```

> face=3D3D3DArial size=3D3D3D2>Powers up nicely in the Magma. It =
=3D
>=3D3D
>will=3D20
> run=3D3D20
>with 5 EDS=3D20
> cards</DIV>
><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>then shut off just before XP boots =3D
>and
=3D3D
>screws=3D20
> the=3D3D20
>whole shootin'=3D20
> match.</DIV>
><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>I'll double check seating of the =
cards
=3D3D
>but =3D
>
> what=3D3D20
>else would have made=3D20
> even</DIV>
><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>the new supply to croak? Fans are =3D
>=3D3D
>cooling=3D3D20
>well=3D20
> too.</DIV>
><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2> </DIV>
><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>I'm thinking I have a broken EDS then =3D3D
>? =
=3D
>Maybe=3D3D20
>3=3D20
> . . . ? The Magma?</DIV>
><DIV><FONT =3D
>
> face=3D3D3DArial size=3D3D3D2>Damn. Are there Magma =
=3D3D
>drivers? =3D
>If=3D20
> so=3D3D20
>I'd need older ones. The=3D20
> Magma</DIV>
><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>tech was almost laughing at how old =3D3D
>mine =
is.=3D20
> =3D3D20
>It has a slot on the far=3D20
> left</DIV>
><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>for the Magma card. The newer =3D3D
>one's =3D
>slot=3D3D20
>#s go=3D20
> 1-13 rt to left as you face the=3D20
> front.</DIV>
><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>I think mine's the opposite judging =
by
=3D3D
>my=3D20
> master=3D3D20
>card=3D20
> placement.</DIV>
><DIV><FONT =3D


```

>face=3D3D3DArial=3D20
> size=3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Everything is broken it=3D20
> =3D3D<BR>>seems.</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
></DIV><BR>><BLOCKQUOTE=3D20
> dir=3D3D3Dltr=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: 0px; =
PADDING-LEFT: =3D
>5px;=3D20
> MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000 2px solid; =3D
>MARGIN-RIGHT:=3D20
> 0px"><BR>> <DIV>"Tom Bruhl" =3D
><<A=3D3D20<BR>> =3D20
> href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A'>mailto:arp=
egi=3D
>o@comcast.net">arpeggio@comcast.net</A</A>>>=3D20
> wrote =3D3D<BR>>in message=3D3D20<BR>> <A href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:470d9f41$1@linux">news:470d9f41$1@linux</A>...</DIV'>news=
:47=3D
>0d9f41$1@linux">news:470d9f41$1@linux</A>...</DIV</A>><BR>=3D
>> =3D2

```

Subject: Re: Yamaha DM 2000 question
 Posted by [Chris Ludwig](#) on Sun, 09 Sep 2007 14:37:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

```

> face=3D3D3DArial size=3D3D3D2>about that in the=3D20
> =3D3D<BR>>manual.</FONT></DIV><BR>> =3D
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> </DIV><BR>> =3D20
> <DIV><FONT face=3D3D3DArial size=3D3D3D2>? ?=3D20
> ?</FONT></DIV><BR>> <DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2></FONT> </DIV><BR>> =3D
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>Why =3D
>Me??</FONT></DIV><BR>> =3D20
> <DIV><FONT size=3D3D3D2><BR><BR>I choose =3D
>Polesoft Lockspam=3D20

```



```

> to fight spam,<BR>=3D3D<BR>>and=3D3D20<BR>> =3D20
> you?<BR><A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=3D=

>>=3D3D<BR>>.html</A>=3D20
> =3D
></FONT></DIV></BLOCKQUOTE></BODY></HTML><BR=3D
>>><BR>><BR></BLOCKQUOTE></BODY></HTML>
>
>

```

-----=_NextPart_000_0009_01C80CFA.3CBC9B90

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Got everything out of magma, reseated =
it's=20
card.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Booted computer fine with nothing in=20
magma.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tried one eds, computer still booted=20
fine.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tried booting with Mec attached but off =
no=20
probs.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tried with mec on booted fine but am =
back to=20
no</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>clock or modules showing in Mec with =
Paris=20
started.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I forgot to disattach the second Mecs =
clock from=20
the first</FONT></DIV>

```
