
Subject: Another 64 bit question

Posted by [DJ](#) on Sat, 08 Sep 2007 19:48:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

ONT
</DIV>
</DIV>=20

face=3D3DArial size=3D3D2
</DIV> all 5 cards in it.
 Now it chokes =

=3D
</DIV> as=20

soon as I=3D20
</DIV> attach=20

a
</DIV>
</DIV> face=3D3DArial=20

size=3D3D2
</DIV> scsi cable to any of my three new=20

=

=3D
</DIV> working=3D20
</DIV> mecs.
</DIV>
</DIV> =

DIV
</DIV> =20

face=3D3DArial size=3D3D2
</DIV> It didn't a couple of days=20

=3D
</DIV> ago.
</DIV>
</DIV> =

face=3D3DArial=20

size=3D3D2
</DIV>
</DIV> =

face=3D3DArial=20

size=3D3D2
</DIV> I'm digging deeper into the way the =3D
</DIV> cards=20

are=3D20
</DIV> seated =

now.
</DIV>
</DIV> =20

face=3D3DArial size=3D3D2
</DIV> I will check the Magma with one card =

=3D
</DIV> and=20

one=3D20
</DIV> interface at a=20

</DIV>
&

Subject: Re: Another 64 bit question

Posted by [rick](#) on Sat, 08 Sep 2007 20:28:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

XP=20

with no EDS cards in, then
=3D
</DIV> one,=3D20
</DIV>
 then =

two,=20

etc.,
</DIV> until you can find the problem.
 If it is the=20

=3D
</DIV> bridge=3D20
</DIV>
 chips in the Magma,
</DIV> I =

believe=20

Windows would fail even if no cards =3D
</DIV> were =

in=3D20
</DIV>
 =20

it.
 You may want to
</DIV> test it with another PCI card in it =

just=20

=3D
</DIV> in case=3D20
</DIV>
 I'm wrong about that.
 =20

It
</DIV> sounds to me like a bad card that is =

=3D
</DIV>
</DIV> =20

throwing the PARIS driver for a shit
</DIV> when it tries to =

initialize=20

=3D
</DIV> any 442s=3D20
</DIV>
 that are attached (that happens =

on
start up).

Good=3D20

=20
luck!

Mike

 =

"Tom=20
Bruhl"

A=3D20

 href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net=3D20'>mailto=
:arpeggio@comcast.net">arpeggio@comcast.net
=3D

Subject: Re: Another 64 bit question
Posted by [LaMon](#) on Sat, 08 Sep 2007 21:04:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

20

=20
t;
=20
wrote:

Most Excellent Fix It=20
Guys,

New=3D20

 problem.
 Just =
installed a new=20
Antec 550 watt =3D

supply.

Powers =
up=3D20

 nicely=20
in the Magma.
 It will run with 5 EDS cards

then=20
=3D

shut off=3D20

 just before XP boots and screws =
the whole=20
shootin' match.

I'll =3D

double=3D20

 =
check=20
seating of the cards but what else would have made=3D20

=20
=3D3D

even

 ;the new supply to croak?
 =
Fans are=20
cooling =3D

well=3D20

 =
too.

I'm= 20
thinking I have a broken EDS then ?
=3D

Maybe 3 .=20
. =3D20

 . ?
 The Magma?

Damn.
 Are =
there=20
Magma drivers?
=3D

If so=3D20

 I'd need =
older=20
ones.
 The Magma

tech was almost laughing =
=3D

at=20
how=3D20

 old mine is.
 It has a slot on the far=20
=3D3D

left

 ;for =3D

the =
Magma=3D20

=20
card.
 The newer one's slot #s go 1-13 rt to left as you=20
=3D

=3D3D

face=3D20

 the =
front.

I=20
think mine's the opposite judging by my master =
=3D

card=3D20

=20
placement.

Everything is broken =
it=3D20

=20
seems.

am

Subject: Re: Another 64 bit question

Posted by [excelav](#) on Sat, 08 Sep 2007 21:27:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

p;gt;>Tom
> ;
> "Tom Bruhl"=20
<<A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.netmailto:arpegi=
o@comcast.net">arpeggio@comcast.net</A>=20
wrote =3D
>in message=3D20
> =20
=3D3D
>news:470d9f41\$1@linux...
> I =
can't believe=20
this =3D
>one but .=3D20
> .=20
.=3D3D20
>
> I've had 5 cards in a 13 =
slot Magma=20
for =3D
>
> years. Now it =
won't
> =20
start up and keep =3D
>running. This=3D20
> =
began tonight=20
as
> I tried adding Mec #2 to a 1 Mec =
=3D
>setup.=20
=3D20
> The Magma
> would power on for a =
split=20
second then =3D
>stop. I'm=3D20
> =20
thinking
> power supply. It might still work =
with=20
=3D
>all 5=3D20
> cards and 1 =
Mec
> if I baby=20
it.
>
> Once =
=3D
>it's=3D20
> off=20
I hav

Subject: Re: Another 64 bit question

Posted by [DJ](#) on Sat, 08 Sep 2007 22:25:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

e to unplug, wait, replug and start again.
> =20
=3D
>Maybe it=3D20
> will start up with one Mec =
then. I=20
thought there =3D
>was=3D3D20
> =
a=3D20
> auto=20
shut off mechanism built in to the Magma. I didn't =
see=3D20
> =20
=3D3D
>anything
&am p;gt; about that in=20
the=3D20
> manual.
>
> ? ?=20
?
>
> Why=3D20
> =20
Me???
>
> I choose =

Polesoft=20
 Lockspam to =3D
>fight spam,=3D20
> and =
 you?
> =20
 <A=3D20
> =3D
>href=3D3D"<A=20
 =
 href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=
 '>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=
 >=3D
>.html =20
 =3D20
>
>
>< !DOCTYPE HTML =
 PUBLIC=20
 "-//W3C//DTD HTML 4.0=3D20
> =20
 =
 Transitional//EN" >
><HTML><t;HEAD>
>=
 <META=3D20
> =20
 http-equiv=3D3D3DContent-Type =
 content=3D3D3D"text/html;=3D20
> =20
 =3D3D
> charset=3D3D3Diso-8859-1">
><META =
 =3D
>content=3D3D3D"MSHTML=3D20
> =
 6.00.2800.1400"=3D20
> =20
 =
 =3D
 >name=3D3D3DGENERATOR>
&g t;<STYLE></STYLE&=
 gt;
></HEA=3D
 >D>
><BODY=3D20
&=
 gt; =20
 bgColor=3D3D3D#ffffff>
><DIV><FONT =
 fac

Subject: Re: Another 64 bit question
 Posted by [LaMontt](#) on Sat, 08 Sep 2007 22:37:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

<FONT=3D20
> =20
 face=3D3D3DArial size=3D3D3D2>New problem. Just installed a new=20
 =3D
>=3D3D
>Antec=3D20
> =
 550=3D3D20
>watt=20
 =
 =3D
 >supply.</DIV>& ;lt;BR>><DIV><F=
 ONT=3D20
> =20
 face=3D3D3DArial size=3D3D3D2>Powers up nicely in the Magma. It=20
 =3D
>=3D3D
>will=3D20
> =
 run=3D3D20
>with 5=20
 EDS=3D20
> =20
 cards</DIV><BR& ;gt;><DIV><FONT=20
 =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>then =
 shut off just=20
 before XP boots =

=3D
 >and
=3D3D
> screws=3D20
> =20
the=3D3D20
>whole shootin'=3D20
> =20
match.</DIV><BR&am p;gt;></DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2><I'll =
double check=20
seating of the cards
=3D3D
>but =
=3D
>
> =20
what=3D3D20
>else would have made=3D20
> =20
even</DIV><BR& gt;></DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2><the new =
supply to=20
croak? Fans are=20
=
=3D
 >=3D3D
>cooling=3D3D20
>well=3D20
>g=
t; =20
too.</DIV><BR& gt;></DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> =
size=3D3D3D2>=20
</DIV>
></DIV&am p;gt;<FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2><I'm =
thinking I have a=20
broken EDS then =3D3D
>?=20
=3D
>Maybe=3D3D20
>3=3D20
> . . . ? The=20
Magma?</FON

Subject: Re: Another 64 bit question

Posted by [laMont \[1\]](#) on Sat, 08 Sep 2007 22:46:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

T></DIV><BR&am p;gt;></DIV><FONT=20
=3D
>
> face=3D3D3DArial size=3D3D3D2><Damn. Are =
there Magma=20
=3D3D
>drivers? =3D
><If=3D20
> =20
so=3D3D20
>I'd need older ones. The=3D20
> =20
Magma</DIV><BR& ;gt;></DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2><tech =
was almost=20
laughing at how old =3D3D
>mine is.=3D20
> =20
=3D3D20
>It has a slot on the far=3D20
> =20
left</DIV><BR& gt;></DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2><for the =
Magma card. The=20
newer =3D3D
>one's =3D
><slot=3D3D20
>#s=20
go=3D20
> 1-13 rt to left as you face =
the=3D20
> =20
front.</DIV><BR&am p;gt;></DIV><FONT=20
=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2><I think =

mine's the=20
opposite judging by
=3D3D

my=3D20

=20
master=3D3D20

card=3D20

=20
placement.
/FONT

/DIV

B R

/DIV

FONT=20
=3D

face=3D3D3DArial=3D20

=20
size=3D3D3D2

/FONT

=20

/DIV

BR

/DIV

p

FONT=20
=3D

face=3D3D3DArial=3D20

=20
size=3D3D3D2
Everything is broken=20
it=3D20

=20
=
=3D3D

seems.
/FONT

a mp

/DIV

BR

/DIV

g

FONT=3D20

=20
face=3D3D3DArial=3D20

=20
=
size=3D3D3D2
Tom

/FONT

/DIV

p

BR

/DIV

=

FONT=3D20

=20
face=3D3D3DArial size=3D3D3D2

/FONT

=20
=3D

/DIV

BR

BLOCKQUOTE=3D20

=20

dir=3D3D3Dltr=3D3D20

style=3D3D3D"PADDING-RIGHT: 0px; =
PADDING-LEFT:=20
=3D

5px;=3D20

 MARGIN-LEFT: 5px; =
=3D3D

BORDER-LEFT:=20
#000000 2px solid; =3D

MARGIN-RIGHT:=3D20

=20
0px"

BR

/DIV

"Tom Bruhl"=20
=3D

A=3D3D20

BR

 =3D20

=20
href=3D3D3D"

A=3D20

=20
=
=3D

href=3D3D'mailto:arpeggio@comcast.net"

Subject: Re: Another 64 bit question
Posted by [Jamie K](#) on Sat, 08 Sep 2007 23:16:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;BR

in message=3D3D20

A=20
href=3D3D3D"

A=3D20

=20
=
=3D

href=3D3D'news:470d9f41\$1@linux"

news:470d9f41\$1@linux

A

...

/DIV

news:47=3D

0d9f41\$1@linux"

news:470d9f41\$1=
@linux

A

...

/DIV

A

p

BR

=3D

=20
=3D20

/DIV

FONT face=3D3D3DArial =
size=3D3D3D2

I can't=20
believe this =3D

one but . =3D20

=20
=3D3D

BR

/FONT

/DIV

BR

=20
=3D

/DIV

FONT=3D20

=20

 face=3D3D3DArial=20
size=3D3D3D2

/FONT

/DIV

BR

 =

=3D20
> =20
</DIV>I've had 5 cards =
in a=20
=3D
>13 slot=3D20
> Magma=20
=3D3D
>for=3D3D20
& amp;gt; years. Now =
it=3D20
> =20
won't</DIV><BR& amp ;gt;> </DIV></FONT =

=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>start =
up and keep=20
running. This =3D
 >=3D3D
>began=3D3D20<B R>> =

=3D20
> tonight =
as</DIV>
 ;> =20
</DIV></FONT=3D20
> face=3D3D3DArial =
size=3D3D3D2>I tried=20
adding Mec #2 to a 1 Mec =
=3D
>=3D3D
>setup.=3D20
> =20
The=3D3D20
> =
Magma</DIV><BR& amp ;gt;>=20
=3D20
> </DIV></FONT face=3D3D3DArial =
size=3D3D3D2>would power=20
on for a =3D
>split second=3D20
> =20
=3D3D
>then=3D3D20
 > stop. =
I'm=3D20
> =20
thinking</DIV><BR& amp ;gt;> =20
</DIV></FONT=3D20
> face=3D3D3DArial =
size=3D3D3D2>power=20
supply. It might still =3D
>=3D3D
>work =
with=3D20
> =20
all=3D3D20
> 5 cards and 1=20
=3D
 >Mec</DIV>< BR>> =
=3D20
> =20
</DIV>if I =
baby=3D20
> =20
it.</DIV><BR&g t;> </DIV></FONT=20
=3D
>face=3D3D3DArial=3D20
> =
size=3D3D3D2>=20
</DIV>
> =
=3D
></DIV></FONT=3D20
> =20
face=3D3D3DArial size=3D3D3D2>Once it's off I have to =
unplug,=3D20
> =20

Subject: Re: Another 64 bit question

Posted by [Martin Harrington](#) on Sun, 09 Sep 2007 00:11:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

> >
 > >I'm thinking I have a broken EDS then ? Maybe 3 . . . ? The =
 Magma?
 > >Damn. Are there Magma drivers? If so I'd need older ones. =
 The Magma
 > >tech was almost laughing at how old mine is. It has a slot on =
 the
 > far =3D
 > >left
 > >for the Magma card. The newer one's slot #s go 1-13 rt to =
 left as
 > you =3D
 > >face the front.
 > >I think mine's the opposite judging by my master card =
 placement.
 > >
 > >Everything is broken it seems.
 > >Tom
 > >
 > > "Tom Bruhl" <arpegio@comcast.net =
 <mailto:arpegio@comcast.net>>
 > wrote in message =3D
 > >news:470d9f41\$1@linux...
 > > I can't believe this one but . . . =3D20
 > >
 > > I've had 5 cards in a 13 slot Magm

Subject: Re: Another 64 bit question
 Posted by [Martin Harrington](#) on Sun, 09 Sep 2007 00:17:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

a for years. Now it won't
 > > start up and keep running. This began tonight as
 > > I tried adding Mec #2 to a 1 Mec setup. The Magma
 > > would power on for a split second then stop. I'm thinking
 > > po

Subject: Re: Another 64 bit question
 Posted by [Chris Ludwig](#) on Sun, 09 Sep 2007 01:05:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

D#fffff>
 > ><DIV>Most Excellent Fix It =3D
 > >Guys,</DIV>
 > ><DIV>New problem. Just =

installed a new =3D

> >Antec 550=3D20

> >watt supply.</DIV>

> ><DIV>Powers up nicely in the =
Magma. It =3D

> >will run=3D20

> >with 5 EDS cards</DIV>

> ><DIV>then shut off just before =
XP

> boots and

> =3D

> >screws the=3D20

> >whole shootin' match.</DIV>

> ><DIV>I'll double check seating =
of the

> cards

> =3D

> >but what=3D20

> >else would have made even</DIV>

> ><DIV>the new supply to croak? =
Fans are =3D

> >cooling=3D20

> >well too.</DIV>

> ><DIV> </DIV>

> ><DIV>I'm thinking I have a =

broken EDS

> then =3D

> >? Maybe=3D20

> >3 . . . ? The Magma?</DIV>

> ><DIV>Damn. Are there Magma =3D

> >drivers? If so=3D20

> >I'd need older ones. The Magma</DIV>

> ><DIV>tech was almost laughing =
at how old =3D

> >mine is. =3D20

> >It has a slot on the far left</DIV>

> ><DIV>for the Magma card. The =
newer =3D

> >one's slot=3D20

> >#s go 1-13 rt to left as you face the front.</DIV>

> ><DIV>I think mine's the =
opposite

> judging by

> =3D

> >my master=3D20

> >card placement.</DIV>

> ><DIV> </DIV>

> ><DIV>Everything is broken it =

```

=3D
> >seems.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> ><BLOCKQUOTE dir=3D3Dltr=3D20
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Tom Bruhl" <<A=3D20
> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>
> <mailto:arpegio@comcast.net">arpegio@comcast.net</A>>> wrote =3D
> >in message=3D20
> > <A
> =
href=3D3D"news:470d9f41$1@linux">news:470d9f41$1@linux</A>...</DIV>
> <news:470d9f41$1@linux">news:470d9f41$1@linux</A>...</DIV>>
> > <DIV><FONT face=3D3DArial size=3D3D2>I can't believe this =
one but .
> .. =3D
> ></FONT></DIV>
> > <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> > <DIV><FONT face=3D3DArial size=3D3D2>I've had 5 cards in a =
13 slot
> Magma =3D
> >for=3D20
> > years. Now it won't</FONT></DIV>
> > <DIV><FONT face=3D3DArial size=3D3D2>start up and keep =
running. This =3D
> >began=3D20
> > tonight as</FONT></DIV>
> > <DIV><FONT face=3D3DArial size=3D3D2>I tried adding Mec #2 =
to a 1 Mec =3D
> >setup. The=3D20
> > Magma</FONT></DIV>
> > <DIV><FONT face=3D3DArial size=3D3D2>would power on for a =
split second =3D
> >then=3D20
> > stop. I'm thinking</FONT></DIV>
> > <DIV><FONT face=3D3DArial size=3D3D2>power supply. It might =
still =3D
>

```

Subject: Re: Another 64 bit question

Posted by [Martin Harrington](#) on Sun, 09 Sep 2007 04:14:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

> <DIV>about that =
in the=20
=3D
 >&n

```
</>
start=20
    up).<BR>&gt;<BR>&gt;&nbsp; Good luck!<BR>&gt;<BR>&gt;&nbsp;=20
    Mike<BR>&gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; =3D20<BR>&gt;<BR>&gt;&nbsp;&nbsp;&nbsp; "Tom =
Bruhl" &lt;<A=20
    href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt;=20
    wrote:<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;Most=20
    Excellent Fix It Guys,<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;New problem.&nbsp;&nbsp;&nbsp; Just =
installed a=20
    new Antec 550 watt supply.<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;Powers up nicely in the =

Magma.&nbsp;&nbsp;&nbsp; It will run with 5 EDS cards<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;then =
shut off=20
    just before XP boots and screws the whole shootin'=20
    =3D<BR>&gt;match.<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;I'll double check seating of the =
cards but=20
    what else would have made<BR>=3D<BR>&gt;=3D3D<BR>&gt;&nbsp;&nbsp;&nbsp;=20
    &gt;even<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;the new supply to croak?&nbsp;&nbsp;&nbsp; Fans are =
cooling=20
    well too.<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;I'm thinking I have a =
broken=20
    EDS then ?&nbsp;&nbsp;&nbsp; Maybe 3 . . . ?&nbsp;&nbsp;&nbsp; The Magma?<BR>&gt;&nbsp;&nbsp;&nbsp;=20
    &gt;Damn.&nbsp;&nbsp;&nbsp; Are there Magma drivers?&nbsp;&nbsp;&nbsp; If so I'd need older=20
    ones.&nbsp;&nbsp;&nbsp; The =3D<BR>&gt;Magma<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;tech was almost =
laughing at=20
    how old mine is.&nbsp;&nbsp;&nbsp; It has a slot on the =3D<BR>&gt;far =
=3D3D<BR>&gt;&nbsp;&nbsp;&nbsp;=20
    &gt;left<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;for the Magma card.&nbsp;&nbsp;&nbsp; The newer one's =
slot #s=20
    go 1-13 rt to left as =3D<BR>&gt;you =3D3D<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;face =
the=20
    front.<BR>&gt;&nbsp;&nbsp;&nbsp; &gt;I think mine's the opposite judging by my =
master=20
    card placement.<BR>&gt;&nbsp;&nbsp;&nbsp; &g
```

r />

> > > I've had 5 cards in a 13 slot Magma for years. Now it =
won't

> > > start up and keep running. This began tonight as

> > > I tried adding Mec #2 to a 1 Mec setup. The Magma

> > > would power on for a split second then stop. I'm thinking

> > > power sup
