
Subject: OT I need a good 8x8 Midi Patch bay MIDI gurus unite!

Posted by [Tom Bruhl](#) on Mon, 06 Feb 2006 22:46:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

e had

>>

>>

>>>no problems with them. I think maybe 1 or 2 bad boards which believe me

>>

>>

>>>is really low.

>>>

>>>Chris

>>>

>>>

>>>Neil wrote:

>>>

>>>>It's a 600-watt power supply, so that shouldn't be a problem...

>>>>anyway, I finally got it to work... had to reload the USB

>>>>drivers this time, then reload the license control drivers.

>>>>

>>>>I'm almost tempted to just go get a new mobo since this has

>>>>been so flaky from the start, but now that it's working, I'll

>>>>give it a shot for awhile & see if it's decided to settle into

>>>>some level of stability... I hope so, because with this kind of

>>>>work, we all know that the only thing worse than "slow"

>>>>is "unstable".

>>>>

>>>>Neil

>>>>

>>>>

>>>>Chris Ludwig <chrisl@adkproaudio.com> wrote:

>>>>

>>>>

>>>>>Hi Neil,

>>>>>I haven't seen anyone but you so far using this model board so far but

>>

>> I

>>

>>>>

>>>>>assume you wanted to be a guinea pig for it..)

>>>>>It sounds to me like you more than like have a flaky motherboard which

>>

>>

>>>>>may be just that board you have or a piece of hardware that just doesn't

>>>>

>>>>

>>>>>like that motherboard i.e., Ram, hard drives, video card. Do you have

>>
>> at
>>
>>>>
>>>>>least a 450 watt PS? Most all the new board need allot of juice. Are
you
>>>>
>>>>
>>>>>using an ATI X series video card?
>>>>>
>>>>>
>>>>>
>>>>>Chris
>>>>>
>>>>>
>>>>>
>>>>>Neil wrote:
>>>>>
>>>>>
>>>>>
>>>>>>Hey Chris...
>>>>>>
>>>>>>OK, check out this rant, and considering the timing of this
>>>>>>thread, it's pretty relevant:
>>>>>>
>>>>>>I decided recently to upgrade my mobo & CPU, because I
>>>>>>purchased CubaseSX v3, and apparently that app is more CPU-
>>>>>>intensive than the v1.xx I was running (a couple of projects I
>>>>>>had going were pushing the limit already, but when I tried
>>>>>>running them in v3, they started to glitch & have playback
>>>>>>problems - you could see the CPU meter in the "VST Performance"
>>>>>>window, go up a little more than it had in v1.xx - apparently
>>>>>>just enough to cause problems). So I get a new mobo/CPU combo -
>>>>>>an AMD Athlon 64 3000+ sitting on a Gigabyte GA-K8U with a ULi
>>>>>>M1689 chipset.
>>>>>>
>>>>>>I install the new stuff, and expect the usual - a few glitches,
>>>>>>a handful of reboots, and we're off & running, right? Nope.
>>>>>>This thing has been a nightmare from day one - lots of issues,
>>>>>>including getting stuck in a boot loop that took me half-dozen
>>>>>>attempts of having to boot into "safe" mode in order to undo,
>>>>>>and finally, getting stuck in another boot loop, at which point
>>>>>>I even brought it to a service tech - never had to do that
>>>>>>before... ended up having to wipe the hard drive clean,
>>>>>>reformat, and reinstall WinXP.
>>>>>>
>>>>>>OK, so now it should be OK, right? I try to install the drivers
>>>>>>for my RME Multiface, and no luck, the PC is not recognizing it.

>>>>>>I e-mail Synthax (the folks that do RME support for the US),
>>>>>>and they tell me that it might be my card - which is an older
>>>>>>version and has been known on some systems to have problems -
>>>>>>but the good news is for \$40 and a return of my card, I can get
>>>>>>a factory refurb which addresses these issues. So in the
>>>>>>meanwhile I decide to buy a new card, since I've been wanting
>>>>>>to go to 16 inputs anyway & I have two of the Multiface i/o
>>>>>>boxes.
>>>>>>
>>>>>>I get the new card, install it, load the drivers, and after
>>>>>>several hours of trying every combination of possible drivers,
>>>>>>flash updates to the firmware, clearing out extraneous entries
>>>>>>&g

Subject: Re: OT I need a good 8x8 Midi Patch bay MIDI gurus unite!
Posted by [EK Sound](#) on Mon, 06 Feb 2006 22:51:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;in the ASIO portion of the system registry, and another e-mail
>>>>>>to Synthax just to make sure I'm not missing anything, I
>>>>>>FINALLY get it to work... what worked was to reinstall the
>>>>>>chipset drivers, THEN reinstall the RME drivers, then reboot.
>>>>>>Why the chipset drivers? I dunno, I just figured I'd try it.
>>>>>>I have major suspicions about this chipset by now, so why not
>>>>>>give that a shot?
>>>>>>
>>>>>>So now we should be OK, right? It works, right? Nope, I install
>>>>>>CubaseSX v1, which you have to have residing on the PC before
>>>>>>you can install the v3 upgrade), install the update to v.1, and
>>>>>>that all works fine, USB key is recognized, etc... everything's
>>>>>>cool. Set a system restore point titled something like: "OMIGOD,
>>>>>>SX V1 IS WORKING!", and proceed to install CubaseSX v3...
>>>>>>everything's cool, USB license key is recognized, I open up a
>>>>>>project & it plays fine... open up another project, same thing,
>>>>>>everything's working (I'm

Subject: Re: OT I need a good 8x8 Midi Patch bay MIDI gurus unite!
Posted by [Tom Bruhl](#) on Tue, 07 Feb 2006 00:08:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

;>>>>>>3 pci slots. The newer ATI/ULI chipset based boards seem to be working
>>>>>>
>>>>>>
>>>>>>>>>well for UADs and POvercores so that usually means they will work
>>

>> well
>>
>>>>>>
>>>>>>>>with a Paris card.
>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>>Chris
>>>>>>>>
>>>>>>>>
>>>>>>>>W. Mark Wilson wrote:
>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>>>Speaking of the AMD FX line, what chipset are the Epox, Gigabyte
>>
>> and
>>
>>>>>>Asus
>>>>>>
>>>>>>
>>>>>>
>>>>>>>>>crowds liking. I've always been partial to VIA but I am open to
>>
>> a
>>
>>>>change
>>>>
>>>>
>>>>>>>>if
>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>>>there's an equal or better out there.
>>>>>>>>
>>>>>>>>>W. Mark Wilson
>>>>>>>>
>>>>>>>>>"Chris Ludwig" <chrisl@adkproaudio.com> wrote in message
>>>>>>>>>news:44166388\$1@linux...
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>Hi Chris,

>>>>>>>>>Not sure if I'd recommend Paris with a dual core. I would suggest
>>>>
>>>>a
>>>>
>>>>
>>>>>single
>>>>>
>>>>>
>>>>>
>>>>>>>>>core 4000+ a FX57 though.
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>--
>>>>>>>>>Chris Ludwig
>>>>>>>>>ADK
>>>>>>>>>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
>>>>>>>>>www.adkproaudio.com <http://www.adkproaudio.com/>
>>>>>>>>>(859) 635-5762
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>--
>>>>>>>>>Chris Ludwig
>>>>>>>>>ADK
>>>>>>>>>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
>>>>>>>>>www.adkproaudio.com <http://www.adkproaudio.com/>
>>>>>>>>>(859) 635-5762
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>--
>>>>>>>>>Chris Ludwig
>>>>>>>>>ADK
>>>>>>>>>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
>>>>>>>>>www.adkproaudio.com <http://www.adkproaudio.com/>
>>>>>>>>>(859) 635-5762
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>--
>>>>>>>>>Chris Ludwig
>>>>>>>>>ADK
>>>>>>>>>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
>>>>>>>>>www.adkproaudio.com <http://www.adkproaudio.com/>
>>>>>>>>>(859) 635-5762
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>--
>>>>>>>>>Chris Ludwig
>>>>>>>>>ADK
>>>>>>>>>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
>>>>>>>>>www.adkproaudio.com <http://www.adkproaudio.com/>
>>>>>>>>>(859) 635-5762
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>--
>>>>>>>>>Chris Ludwig
>>>>>>>>>ADK
>>>>>>>>>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>
>>>>>>>>>www.adkproaudio.com <http://www.adkproaudio.com/>
>>>>>>>>>(859) 635-5762
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>--
>>>>>>>>>Chris Ludwig

>ADK

>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>

>www.adkproaudio.com <http://www.adkproaudio.com/>

>(859) 635-5762Try MS. For solo gtr it can be just right some times. I do different mic'ing for solo ac gtr than for a track in a mix. I go for more bottom for solo, so I would definitely try LDCs (try omni if you have a nice room) (as well as SDCs).

"Dan B" <daniel_burne@NOSPAM.yahoo.com> wrote in message
news:44197414\$1@linux...

>

> Hi,

> Does anyone have any hot tips on recording acoustic guitar? I'm

> particularly

> thinking solo acoustic fingerstyle steel string (think Michael Hedges,

Subject: Re: OT I need a good 8x8 Midi Patch bay MIDI gurus unite!
Posted by [LaMont](#) on Tue, 07 Feb 2006 08:21:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

> I wasn't aware that any of the ISA video cards would

>>

>>

>> run

>>

>>>> at that

>>>> >>>> resolution.... ;-)

>>>> >>>>

>>>> >>>> David.

>>>> >>>>

>>>> >>>> John wrote:

>>>> >>>>

>>>> >>>>> You guys made me so jealous I just bought a Viewsonic

>>>

>>>

>>> 19"

>>>

>>>> >>>>> 1400x900 for \$350 at staples. As soon as I went to
>>>> install the

>>>> >>>>> drivers my hard drive went bad. Schweet !!!!!!!!!!!

>>>> >>>>>

>>>> >>>>> rick wrote:

>>>> >>>>>

>>>> >>>>>> so where does one touch you to share that feeling???

>>>> >>>>>>

>>>> >>>>>>> On Fri, 17 Mar 2006 09:00:25 -0500, John <no@no.com

```

>>>>> <mailto:no@no.com>> wrote:
>>>>> >>>>>>
>>>>> >>>>>>
>>>>> >>>>>>> I'm on ONE 15" lcd that I bought for $1000 about 6
>>>>> years ago.
>>>>> >>>>>>> Boy do I feel stupid.
>>>>> >>>>>>> john
>>>>> >>>>>>>
>>>>> >>>>>>> Dominic wrote:
>>>>> >>>>>>>
>>>>> >>>>>>>> HELL
>>>>> >>>>>>>>
>>>>> >>>>>>>> IAM USING 2) 19 TUBES WITH A 32" PLASMA
>>>>> >>>>>>>>
>>>>> >>>>>>>> "DJ" <animix_spam-this-ahole_@animas.net
>>>>> <mailto:animix_spam-this-ahole_@animas.net>> wrote:
>>>>> >>>>>>>>
>>>>> >>>>>>>>
>>>>> >>>>>>>>
>>>>>
>> http://www.gateway.com/programs/lcd/index.shtml?cmpid=index* HDLCD21W_overvie
>>
>>
>>>>> >>>>>>>>>
>>>>> >>>>>>>>>> w*tab
>>>>> >>>>>>>>>>
>>>>> >>>>>>>>>>
>>>>> >>>>>>>>>>
>>>>> >>>>>>>>>>
>>>>> >>>>>>>>>>
>>>
>>>
>>>
>>
>>>Never had one, but I'm sure it's a cool effect, and I plan to load up the
>>>UAD 4.2 demo this week.

```

IMHO, it is a bit funny that all the years we (at least I did) spent trying to minimize noise with tape and in low fidelity outboard gear that just didn't have the technical advances to be anything else, it's all become vintage, sought after gear.

I guess I should have kept my Effectron II mono delay. It's probably a classic. After all, clean stereo/surround delays are so 5 minutes ago. ;-)

PS - if anyone is really psyched about this new plugin, that's totally cool - don't mean to knock it at all. Not everything creative has to come from clean, expensive, cutting edge gear. I still want a Prophet 10, DX1, and

Memorymoog...just because.

Regards,
Dedric

On 3/19/06 10:27 AM, in article 441d95bc@linux, "Bill Lorentzen"
<bill@lorentzen.ws> wrote:

> I thought you were being sarcastic in your header. What's the big deal? I
> had one on the PA in a band I was in and they sounded cool for the time, but
> what can it do that a nice DDL plug can't do (besides the tape distortion)?
>
> Bill
>
> "TCB" <nobody@ishere.com> wrote in message news:441831e1\$1@linux...
>>
>>

Subject: Re: OT I need a good 8x8 Midi Patch bay MIDI gurus unite!
Posted by [EK Sound](#) on Tue, 07 Feb 2006 16:08:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

;
> >>>DJ wrote:
> >>>
> >>>>John,
> >>>>
> >>>>Sorry you had such a hassle with this. It sure looked like a good
> >
> > thing
> >
> >>>>on the face of it. WTF does everything have to be so friggin'
> >>>>complicated with this stuff I wonder.
> >>>>
> >>>>Thanks for saving us all osme grief.
> >>>>
> >>>>;0)
> >>>>
> >>>>
> >>>> "Tom Bruhl" <arpeggio@comcast.net <mailto:arpeggio@comcast.net>>
> >
> > wrote
> >
> >>>> in message news:441d0a2d@linux...
> >>>> John,
> >>>> Call it a \$90 lesson you got for free.
> >>>> Such a deal!

> >>>> Tom
> >>>>
> >>>>
> >>>> "John" <no@no.com <mailto:no@no.com>> wrote in message
> >>>> news:441ca90b@linux...
> >>>> Not only is an expensive card required but it appears to ONLY
> >
> > be
> >
> >>>> in PCI
> >>>> Express form and not AGP so I also need a new computer and oh
> >>>> yeah it
> >>>> won't support win98se either. Oh well, it was fun dreaming.
> >>>> Back to
> >>>> the return counter. It's a good think staples and office
> >
> > depot
> >
> >>>> don't
> >>>> charge restocking fees cuz circuit city and best buy do and I
> >>>> would have
&g
