
Subject: Anyone using the Sytek MPX-4A Pre?

Posted by [Rob Arsenault](#) on Wed, 19 Sep 2007 16:53:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

It;FONT face=3D3D3D3DArial size=3D3D3D3D2>new chip. The =
clock light

=3D

>=3D3D3D

> > >continues to flash=3D3D3D20

> > >too. Never locks in.</DIV>

> > ><DIV> </DI

Subject: Re: Anyone using the Sytek MPX-4A Pre?

Posted by [Tom Bruhl](#) on Wed, 19 Sep 2007 17:08:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

V>

> > ><DIV>I am using the =
simplest =3D

>setup I

> =3D3D

> >can =3D3D3D

> > >imagine and=3D3D3D20

> > >still it's not working.</DIV>

> > ><DIV>Mike A. suggested =
the =3D

>.ini file

> =3D3D

> >=3D3D3D

> > >to make sure=3D3D3D20

> > >card A is 0. I'll try that.</DIV>

> > ><DIV>Pretty sure it's =
right =3D

>but who =3D3D

> >=3D3D3D

> > >knows?</DIV>

> > ><DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Thanks,</DIV>

> > ><DIV>Tom</DIV>

> > ><DIV> </DIV>

> > ><DIV> </DIV>

> > ><DIV> </DIV>

> > ><DIV> </DIV>

> > ><DIV> </DIV>

> > ><DIV>"rick" <<A=3D3D3D20

> > =3D

=

>>href=3D3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
=3D
>=3D3D
> >=3D3D3D
> > >wrote in=3D3D3D20
> > >message <A=3D3D3D3D20
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com">news:in=
qgh=3D
>393=3D3D
> >an5=3D3D3D
> > >s4m99qcaojn09vn112t4u6r@4ax.com...</DIV>
> > ><BLOCKQUOTE=3D3D3D20
> > >style=3D3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT: =3D
>5px; =3D3D
> >=3D3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">i=3D3D3D20
> > > know this as dumb as it gets but the bnc is attached in =3D
>the=3D3D3D20
> > > right
order...right?
all the cards show up in paris =
with =3D
>the
> =3D3D
> >=3D3D3D
> > >single=3D3D3D20
> > > mec?
how many i/o cards in each mec?

On Fri, 19 =
=3D
>Oct =3D3D
> >2007
> > =3D3D3D
> > >

Subject: Re: Anyone using the Sytek MPX-4A Pre?
Posted by [Rob Arsenault](#) on Wed, 19 Sep 2007 17:15:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

> > > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > > =3D3D3D
> > =3D3D
> =3D
=
>>>href=3D3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
=
wro=3D

```

>te:=3D3D
> >=3D3D3D
> > ><BR><BR>>I=3D3D3D20
> > > thought I was groovin' but once the second Mec was =3D3D3D
> > >introduced<BR>>the=3D3D3D20
> > > system stopped. That was a few weeks ago.<BR>><BR>>Today I =
=3D3D3D
> > >tried=3D3D3D20
> > > different cables, eds cards, mecs, eliminated the magma =
=3D3D3D
> > >and<BR>>still no=3D3D3D20
> > > clock lock or modules showing up in the paris =3D3D3D
> > >patchbay.<BR>><BR>>This=3D3D3D20
> > > means to me software unless someone tells me =3D3D3D
> > >differently.<BR>><BR>>I=3D3D3D20
> > > have a new C drive which I will load XP and no pace. Any =3D
>other=3D3D3D20
> > > <BR>>suggestions?<BR>><BR>>More frustrated than my=3D3D3D20
> > > clients,<BR>>Tom<BR>><BR>><BR>><BR>><BR>>I choose =3D3D3D
> > >Polesoft=3D3D3D20
> > > Lockspam to fight spam, and=3D3D3D20
> > > you?<BR>>http://www.polesoft.com/refer.html =3D3D3D20
> > ><BR></BLOCKQUOTE></BODY></HTML>
> > >
> > >
> >
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
=3D3D
> > charset=3D3D3Diso-8859-1">
> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D3D#ffffff>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Thanks =
Dimitrios.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Mike said the same thing. =
Is =3D
>the =3D3D
> >ini in the=3D3D20
> >Paris folde or system 32?</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Do I want the Master card =
to be
=3D
>0=3D3D20

```

```

> >absolutely? I only have one card</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>in there right now and =
it's all
=3D
>freaky
> =3D3D
> >just the=3D3D20
> >same.</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> ><BLOCKQUOTE=3D3D20
> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px; =3D
>=3D3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Dimitrios" <<A=3D3D20
> > href=3D3D3D"mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>> =
wrote
=3D
>in =3D3D
> >message=3D3D20
> > <A =3D3D
> =3D
=

```

Subject: Re: Anyone using the Sytek MPX-4A Pre?
 Posted by [Gantt Kushner](#) on Wed, 19 Sep 2007 17:28:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

```

br />
>>href=3D3D3D"news:471a0486$1@linux">news:471a0486$1@linux</A>...</DIV><B=
R>H=3D
>i
> =3D3D
> >Tom=3D3D20
> > !@<BR>Sorry to hear you still having problems like this =
~!!<BR>Must
=3D
>be
> =3D3D
> >very=3D3D20
> > frustrating.<BR>Open the Paris ini file and there change the =
=3D3D
> >mastercardoutput=3D3D20
> > with your other<BR>cards and see what happens !!<BR>Let =

```

me=3D3D20

> > know.
Regards,
Dimitrios

&q

Subject: Re: Anyone using the Sytek MPX-4A Pre?
Posted by [Neil](#) on Wed, 19 Sep 2007 17:58:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

uot;Tom Bruhl" <<A=3D3D20

$$\succ \succ =$$

href=3D3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=3D3D20

> > wrote:

Rick,
>1 mec, no BNC =3D3D

> >involved. Paris=3D3D20

> > boots up so the 1 mec that I'm using shows up but never any =

$$A = 3D$$

$\geq 3D3D$

> >to Ds or=3D3D20

> > any in

Subject: Re: Anyone using the Sytek MPX-4A Pre?
Posted by [EK Sound](#) on Wed, 19 Sep 2007 18:01:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

stalled modules.
>This is the same symptom before I =

=3D3D

```
> >repaired one=3D3D20
```

> > of my mecs with a new chip. The clock light continues to =

=3D3D

```
> >flash=3D3D20
```

> > too. Never locks in.

I am using the simplest =3D3D

```
> >setup | can=3D3D20
```

> > imagine and still it's not working.
>Mike A. suggested the =

=3D3D

```
> >.ini=3D3D20
```

```
> > file to make sure card A is 0. I'll try =3D3D
```

Subject: Re: Anyone using the Sytek MPX-4A Pre?
Posted by [Robert](#) on Wed, 19 Sep 2007 19:21:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

 $\succ$

```
> >=3D3D3D<BR>>that.<BR>>Pretty=3D3D20
```

> > sure it's right but who=3D3D20

> > =3D3D

```
> >knows?<br>>Thanks,<br>>Tom<br>><br>><br>><br>><br>>
```

> >BR>>"rick"=3D3D20
 > > <<A =3D3D
 > =
 >href=3D3D3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
 =3D
 >=3D3D
 > >wrote=3D3D20
 > > in message=3D3D20
 > > =3D3D
 > =3D
 =
 >>=3D3D3D
>news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
>&nbs=
 =3D3D=3D
 >
 > >p; i=3D3D20
 > > know this as dumb as it gets but the bnc is attached in =
 the=3D3D20
 > > right
> order...right?
> all the cards show up =3D3D
 > >in=3D3D20
 > > paris with the single mec?
> how

Subject: Re: Anyone using the Sytek MPX-4A Pre?
 Posted by [Gantt Kushner](#) on Wed, 19 Sep 2007 22:58:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

e
=3D3D
>=3D3D3D
> =3D20
 > >single=3D3D3D20
> > mec?
how many i/o =3D
 >cards in=3D20
 > each mec?

On Fri, 19 Oct=3D20
 > =3D3D
>2007
> =3D3D3D
> >
> =3D
 >> =3D20
 > 00:22:39 -0400, "Tom Bruhl" <<A=3D3D3D20
> > =3D20
 > =3D3D3D
> =3D3D
>>href=3D3D3D3D"<A=3D20
 > =3D
 =
 >href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net>
wrote'=
 >ma=3D
 >ilto:arpegio@comcast.net">arpegio@comcast.net>
w=3D
 >rote:=3D3D
>=3D3D3D
> =3D20
 > >

>I=3D3D3D20
> > thought =3D
 >I was=3D20
 > groovin' but once the second Mec was =3D3D3D
> =3D20
 > >introduced
>the=3D3D3D20
> > system =3D
 >stopped.=3D20
 > That was a few weeks ago.
>
>Today I =3D
 >=3D3D3D
> =3D20
 > >tried=3D3D3D20
> > different cables, eds cards, =3D

>mecs,=3D20
> eliminated the magma =3D3D3D
> >and
>still=3D20
> no=3D3D3D20
> > clock lock or modules showing up in =3D
>the paris=3D20
> =3D3D3D
> =3D20

Subject: Re: Anyone using the Sytek MPX-4A Pre?
Posted by [Rob Arsenault](#) on Wed, 19 Sep 2007 23:44:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

R>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Mike said the same thing. Is the =3D3D
>ini in =3D
>
> the=3D3D20
>Paris folde or system=3D20
> 32?</DIV>
><DIV><FONT face=3D3D3DArial =3D
>
> size=3D3D3D2>Do I want the Master card to be =3D
>0=3D3D20
>absolutely? I=3D20
> only have one card</DIV>
><DIV><FONT =3D
>
> face=3D3D3DArial size=3D3D3D2>in there right now and it's all=3D20
> freaky
=3D3D
>just=3D20
> =3D
>the=3D3D20
>same.</DIV>
><DIV><FONT=3D
>=3D20
> face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</DIV>
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2> =3D
></DIV>
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2> =3D
></DIV>
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>=3D20
> =3D
></DIV>
><BLOCKQUOTE=3D3D20
>style=3D3D3D"PADDING-RIGHT: =3D
>0px;=3D20
> PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D
>BORDER-LEFT: #000000 =
=3D
>2px solid;=3D20
> MARGIN-RIGHT: 0px">
> <DIV>"Dimitrios"=3D20
> <<A=3D3D20
> href=3D3D3D"<A=3D20
> =3D
>
>href=3D3D'mailto:musurgio@otenet.gr">musurgio@otenet.gr'mailto:musur=
gio=3D
>@otenet.gr">musurgio@otenet.gr>>=3D20
> wrote in =3D3D
>message=3D3D20
> <A =3D

>=3D3D
>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>
H=
i'>=3D
>news:471a0486\$1@linux">news:471a0486\$1@linux...</DIV>&=

Subject: Re: Anyone using the Sytek MPX-4A Pre?

Posted by [Neil](#) on Thu, 20 Sep 2007 03:07:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

nk">1@linux">news:471b6eb0\$1@linux...</DIV>
Hi=20
Tom,

Are you using a default project with PARIS? I'm so =
sorry of=20
this has been
asked and answered already. If so, perhaps it =
is=20
telling card zero to lock
to an external clock, which it can't =
because=20
there isn't one.

It would be interesting to attach an external =
clock=20
source to the MEC and
then start PARIS to see how it behaves. =
Or, if=20
the clock generator is fried,
tell paris to lock externally and see =
what=20
happens when an external clock
source is applied.

Isn't there =
a=20
master house synch switch in the cfg file? I've never =
used
it. =20
Maybe DJ could help with what that should/shouldn't be set =
to.

Wish I=20
could do more than think out loud...

Mike

"Tom Bruhl" =
<<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
wrote:
>
>
>Hi Mike,
>Well I've been to .cfg =
many a=20
time.
>I've seen that Mastercard setting as being 0
>but =
maybe it=20
changed after removing the 4 other
>eds cards for this round of=20
testing.
>
>If it's still 0 what else could this be? =
Busted=20
mobo?
>I'm really in an idunno place right now. I'll be=20
checking
>seriously today again because of a session tomorrow=20
morning.
>Tom
>
>
> "Mike Audet"=20
<mike@....> wrote in message <A=20
=
href=3D"news:471b2ec2\$1@linux">news:471b2ec2\$1@linux...
>
&g=
t; =20

Hi Tom,
>
> If you've only got one card in, then the =
Mastercard =3D3D 0 setting is =3D
>right.
> =
The file is=20
Paris.cfg, and it lives in the c:\program=20
files\Emu\PARIS
=3D
>PRO
> =
folder.
>
> =20
I'd still check it out to see what it is set to.
>
> =
If it=20
is wrong, what you are describing will happen.
>
> =
Good=20
luck!
>
> Mike
>
> "Tom Bruhl" =
<<A=20
href=3D"mailto:

Subject: Re: Anyone using the Sytek MPX-4A Pre?

Posted by [DJ](#) on Thu, 20 Sep 2007 05:28:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

 =20
> =20
>I'm using shows up but never any A to Ds or any installed=20
modules.
> > >This is the same symptom before =
I=20
repaired one of my mecs with a
> > >new =
chip. =20
The clock light continues to flash too. Never locks=20
=3D
>in.
> > >
> > =
>I am=20
using the simplest setup I can imagine and still it's not =
=3D3D
> =20
>working.
> > >Mike A. suggested the =
..ini=20
file to make sure card A is 0. I'll =3D
>try
> =
=3D3D
> >=3D3D3D
> > =
>that.
> =20
> >Pretty sure it's right but who knows?
> =
> =20
>Thanks,
> > >Tom
> > =20
>
> > >
> > =
>
> =20
> >
> > >
> > =
>"rick" <<A=20
href=3D"mailto:parnell68@hotmail.com">parnell68@hotmail.com> =
wrote in=20

message =3D3D3D
> > > =20
>&news:inqgh393an5s4m99qcaojn09vn112t4u6r@4ax.com...
> > =20
> > > i know this as dumb as it gets but the bnc is =
attached=20
in the =3D
>&right
> > > > =20
order...right?
> > > > all the cards show =
up in=20
paris with the single mec?
> > > > how =
many i/o=20
cards in each mec?
> > >
> > =
> =20
>
> > > > On Fri, 19 Oct 2007 00:22:39 =
-0400,=20
"Tom Bruhl" =3D3D
> ><&A=20
=
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>
>&n=
bsp;=20
> > > wrote:
> > > =
>
> > =20
> > > I thought I was groovin' but once the second =
Mec was=20
introduced
> > > > the system =
stopped. =20
That was a few weeks ago.
> > > > =20
>
> > > > Today I tried different =
cables,=20
eds cards, mecs, eliminated the
=3D
>=3D3D
> > =20
>&magma
> > > =3D3D3D
> > > =20
>&and
> > > > > still no clock lock or =
modules=2

Subject: Re: Anyone using the Sytek MPX-4A Pre?
Posted by [Aaron Allen](#) on Thu, 20 Sep 2007 06:37:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

BR>> > > > =
=3D3D3D
> > =20
> =3D3D
> =3D
>>>href=3D3D3D3D"<A=20
=
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net>
wro'>mail=
to:arpeggio@comcast.net">arpeggio@comcast.net>
wro=
=3D
>&te:=3D3D
> > =20
>&=3D3D3D
> > > =20
>&

>I=3D3D3D 20
> > > =
> =20
thought I was groovin' but once the second Mec was =
=3D3D3D
> > =20

p;gt;>=20
=3D3D20
> > > know this as dumb as it =
gets but the=20
bnc is attached in=3D3D20
> > =20
the=3D3D3D3D20
> > =3D3D
> =20
>right
>order...right?
 >all=3D3D20
> =
> =20
the cards show up in paris with=20
the
>=3D3D3D
>>=3D3D3 D3D
>> =
=3D3D20
> =20
> >single=3D3D3D3D20
>> > =20
mec?
>how many i/o =3D3D
> >cards =
in=3D3D20
> =20
> each mec?
>
>
>On Fri, 19=20
Oct=3D3D20
> > =
=3D3D3D
>>2007
>& > =20
=3D3D3D3D
>> >
>> =
=3D3D
> =20
>> =3D3D20
> > 00:22:39 -0400, "Tom Bruhl"=20
<<A=3D3D3D3D20
>> > =3D3D20
> =
> =20
=3D3D3D3D
>> =20
=3D3D3D
>>>href=3D3D3D3D3D"<A=3D3D20
> =
> =20
=3D3D
> =20
=
=3D
>>href=3D3D3D'mailto:arpegio@comcast.net">arpegio@comcast=
..net>
>wrote'=3D
>>ma=3D3D
> =20
=
>ilto:arpegio@comcast.net">arpegio@comcast.net>&a
