

Subject: mac, FW, OS 9.2
Posted by [jp](#) on Sun, 01 Jul 2007 20:40:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

[illegible]

Subject: Re: mac, FW, OS 9.2
Posted by [excelav](#) on Mon, 02 Jul 2007 00:22:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

[illegible]

Subject: Re: mac, FW, OS 9.2
Posted by [jp](#) on Mon, 02 Jul 2007 01:10:52 GMT
[View Forum Message](#) < [Reply to Message](#)

p; sp;= 20
 > sp;=3D
 > sp; sp; sp; sp;= 2 0
 =
 ></DIV></BO DY></HTML>
>&am p;lt;=
 BR>>
</=3D
 > sp; sp; sp; sp;= 2 0
 =
 >BLOCKQUOTE></BODY></HTML >
> sp; sp; sp;&nb=
 sp; sp;= 20
 >
 > sp; sp; sp; sp;= 2 0
 =
 ></BLOCKQUOTE></BLOCKQUOTE></BLOCKQUOTE></BLOCKQUOTE
 ></BLOCKQUOTE></BL=
 OCKQUOTE></BLOCKQUOTE></BODY></HTML>

-----= NextPart 000 0047 01C7C80E.CEBA6D50--This is a multi-part message in MIME for

Subject: Re: mac, FW, OS 9.2

Posted by [excelav](#) on Mon, 02 Jul 2007 02:45:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

mat.

-----=_NextPart_000_0012_01C7C80A.F784C450

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Tom, you may find it useful to print out an excel trouble shooting chart = and check off the items as you tag them good/bad. I find that keeping up = with 'everything' on a deal like this (IE, never enough time to just do = it all in one sitting) is just about impossible. Label each 'part', give = it a proper set of troubleshooting criteria (like say, SCSI cable 1, 2, = 3, 4 or EDS 1,2,3,4 and label each part with gaff tape). If you come up = on a bad MEC, pull all expansion cards and make sure that's not biting = you. Don't forget to mark what expansion came from what slot in what = MEC.=20

Just be methodical man, I know you'll find it.=20

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:469c4fda@linux...

Aaron,

I'm on it.

t

"Aaron Allen" <know

Subject: Re: mac, FW, OS 9.2

Posted by [Ted Gerber](#) on Mon, 02 Jul 2007 13:13:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

></DIV>

<DIV> </DIV>

<DIV> </DIV>

<BLOCKQUOTE dir=3Dltr=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"Aaron Allen" <<A=20

=

href=3D"mailto:know-spam@not_here.dude">know-spam@not_here.dude> =
wrote=20
in message <A =
href=3D"news:469c4ccb@linux">news:469c4ccb@linux...</DIV>
<DIV>Yup. Strip it ALL down to a PC only =
with video=20
card, one EDS and one MEC. Get that flying, add a second EDS.. pull =
the 2nd=20
EDS, try another, etc... do the same with MEC's and cables.=20
</DIV>
<DIV>
AA</DIV>
<DIV> </DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"Tom Br

Subject: Re: mac, FW, OS 9.2
Posted by [jp](#) on Tue, 03 Jul 2007 00:25:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

troubleshooting criteria (like say, SCSI =
cable 1, 2, 3, 4 or EDS 1,2,3,4 and label each part with gaff tape). If =
you come up on a bad MEC, pull all expansion cards and make sure that's =
not biting you. Don't forget to mark what expansion came from what slot =
in what MEC.=20

Just be methodical man, I know you'll find it.=20

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:469c4fda@linux...
Aaron,

I'm on it.

t

"Aaron Allen" <know-spam@not_here.dude> wrote in message =
news:469c4ccb@linux...

Yup. Strip it ALL down to a PC only with video card, one EDS and =
one MEC. Get that flying, add a second EDS.. pull the 2nd EDS, try =
another, etc... do the same with MEC's and cables.=20

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:469c263f@linux...

Intermittent success is the best I've got right now.

I plan to install Paris on another comp, try each EDS
individually and ea

Subject: Re: mac, FW, OS 9.2
Posted by [jp](#) on Tue, 03 Jul 2007 00:28:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

ch SCSI cable individually with the 442. =

If

all goes well or not I will have an answer. Next, try the =
same in=20

the actual Paris rig without the Magma. If I can get regular
Paris boots there then it's the Magma power supply
or Magma cable. I'm thinking power supply. I always
had all 5 EDS cards showing even when the hardware
attached to them wasn't.

Does this sound like a logical approach to you?

I'm sick of chasing my tail.

Tom

"Aaron Allen" <know-spam@not_here.dude> wrote in message =
news:469bfc6c@linux...

I don't s'pose it could hurt if they're tarnished. My =
experiences though with the issue your seeing have been bad SCSI cables. =

Start small, test every little component, unless you've got =
a bent up input pin somewhere (and I'd light them well and magnifying =
lense them all) I'm having a hard time buying that you have 4 dead =
cables out of the blue though, something caused that if it's the case.=20

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:469b74bf@linux...

Aaron,

Hyperthreading is off. I'll double check though. I'd =
love to save the money
on those scsi cables.

What do you think about Deoxit in the female scsi jacks?

Tom

"Aaron Allen" <know-spam@not_here.dude> wrote in message =
news:

Subject: Re: mac, FW, OS 9.2
Posted by [jp](#) on Tue, 03 Jul 2007 00:34:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

[href="mailto:469aead6@linux..." target="_blank">469aead6@linux...](mailto:469aead6@linux...)
This might be flogging the rented and dead mule, but you =
did verify that dual core was off in this equation, and hadn't been =
flipped back on by a gremlin?

AA

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =
news:469ad5e8@linux...

Ya Jeff,
At least half the times no C-16 was attached.
Do you think that a bad C-16 cable could cause these =
issues?
I'll remove them from the setup until all is well.
I know at least a few times it worked that the C-16 =
did also.
Tom=20

"Jeff Hoover" <jkhoover@excite.com> wrote in message =
news:4699b378@linux...
Tom,

Stupid question, but did you ever start up without =
any c16's? If so did=20
you see the same issue?

Jeff

I choose Polesoft Lockspam to fight spam, and you?
<http://www.polesoft.com/refer.html>
-----=_NextPart_000_0038_01C7C84E.E83CC710
Content-Type: text/html;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.6000.16481" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Don't have office? <BR>OK, 2 options. =
Go get a=20
google email account ( <A=20
href=3D"
```
