
Subject: Pin the Tail on the donkey
Posted by [Morgan](#) on Mon, 12 Dec 2005 00:48:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

However, it's a little
>>>like the audiophile world sometimes where when the tests seem to disprove
>>>personal experience the test is faulted instead of the experience. That's
>>>fine, ears are very fine instruments and some are just better than others.
>>>
>>>
>>>That said, I now work a good bit of my time in the finance world where
>fortunes
>>>are made and lost according to the certitude of

Subject: Re: Pin the Tail on the donkey
Posted by [John \[1\]](#) on Mon, 12 Dec 2005 12:58:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt;>John wrote:
>>>
>>>>Can anyone add or clarify my new list of Paris no nos ?
>>>>
>>>>
>>>>
>>>>Things to keep you from crashing.
>>>>
>>>>
>>>>In STOP mode
>>>>
>>>> DON'T
>>>> * select a new Native Effect if the current one is open
>>>> * enter record mode without first setting your record path
>>>> (Ctrl-R)
>>>> * use the name of the project for your recording pa

Subject: Mic Challenge Answers
Posted by [Morgan](#) on Mon, 12 Dec 2005 16:48:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;>>>>>Jsut for geekdum sakes, the new Sonar 5 uses a newly coded 64 to
>>>>>>32bit
>>>>>
>>>>> floating
>>>>>
>>>>>>point mixer..

>>>>>>
>>>>>>"Martin Harrington" <lendan@bigpond.net.au> wrote:
>>>>>>
>>>>>>
>>>>>>>Yukkk,
>>>>>>>Don't do it..PT I mean.
>>>>>>>I've just been playing with PT M-Powered 6.8, using my Delta 1010,
> and
>>>>>
>>>>> I
>>>>>
>>>>>>>
>>>>>>>have to say...I don't like it.
>>>>>>>The interface is (IMNSHO), horrible, confusing, and convoluted.
>>>>>>>Moves that come easily in Paris, and more easily in Nuendo, are
>>>>>>>tiresome
>>>>>>>
>>>>>>>in
>>>>>>>
>>>>>>>PT, apart from the reagon tool...taht has always been good, right
> from
>>>>>
>>>>> the
>>>>>
>>>>>>>
>>>>>>>Session 8 days, but not much else.
>>>>>>>And..it only plays .MOV video files, which in my case is a no-no,
>

Subject: Re: Mic Challenge Answers
Posted by [John \[1\]](#) on Mon, 12 Dec 2005 18:06:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

br />
>>>>> it
>>>>>
>>>>>>>
>>>>>>>>didn't have the "life" that the original had, by a long shot.
>>>>>>>>I repeat...don't go there, Jeff.....
>>>>>>>>--
>>>>>>>>Martin Harrington
>>>>>>>>www.lendanear-sound.com
>>>>>>>>
>>>>>>>>"jef knight" <thestudio@allknightmusic.com> wrote in message
>>>>>>>>news:436fce7a\$1@linux...
>>>>>>>>
>>>>>>>>

>>>>>>>I just read the doc, thanks for posting the link. Much of it is
>>>>>>>quite
>>>>>
>>>>>
>>>>>>>interesting and just as much is confusing.
>>>>>>>I didn't know tdm systems sounded gnarly, never having worked with
>
>>>>>>>one.
>>>>>>>
>>>>>>>At
>>>>>>>
>>>>>>>what track count would they sonically crap out?
>>>>>>>
>>>>>>>If I can't get some of my tedious little troubles with paris
>>>>>>>resolved
>>>>>>>
>>>>>>>I'm
>>>>>>>
>>>>>>>considering switching to protocols.
>>>>>>>
>>>>>>>jef
>>>>>>>
>>>>>>>

Subject: Re: Mic Challenge Answers
Posted by [Morgan](#) on Mon, 12 Dec 2005 23:33:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

w.digidesign.com/support/docs/WhitePaper_48BitMixer.pdf
> >> >>>>>>>
> >> >>>>>>>Any comments? It appears to me that the signals are recorded at
> >> >>>>>>>24
> >> >>>>>>>bit, then processed at whatever bit rate the plugin on the
> >> >>>>>>>channel
> >> >>>>>>>has,
> >> >>>>>>>including dither, or not, then reprocessed to 24 bit, then these
> >> >>>>>>>channels
> >> >>>>>>>are summed. I'm no guru when it comes to this stuff, but I get
> >> >>>>>>>this
> >> >>>>>>>
> >> >>>>>>>feeling
> >> >>>>>>>that this reprocessing *per channel* is the reason the TDM
> >> >>>>>>>systems
> >> >>>>>>>seem
> >> >>>>>>>to
> >> >>>>>>>start sounding gnarly as more and more tracks are summed.
> >> >>>>>>>

> >> >>>>>>>
> >> >>>>>>>
> >> >>>>>
> >> >>>>>
> >> >>>>
> >> >>>
> >> >>>
> >> >>
> >> >
> >>
> >
> >
>
>

>I have an XP 2600 barton core running on an Asrock Ks7xe+.
I've used this rig only a few times since new. The asrocks were
around \$50 new.

I also have used the ECS K7s5a which has held up well. I went
ahead and performed the chipset modification by pulling off a
insulation taped cooling radiator block and glueing it back into
place with a dash of Artic Silver for effect (this was on the southbridge
chip and prevented overheating). If you are aware, many of the Athlon
cpu chips are shipped with this adhesive tape between the cooling block.

Either of these two mobos are ebay priced reasonable.

Regards,

El Miguel

"Edna" <edna@texomaonline.com> wrote in message news:43bc01b3@linux...
> Going to get another MB for my barton core 2500+ cpu. The ECS pile I had
> finally expired. Have been looking at possibly ASUS ABIT MSI Shuttle and
> EPOX. I can get a new feature loaded EPOX 8RDA3+ pretty reasonable or
look
> for the others used on ebay - prices in \$70 range. Also can pick up a new
> nVidia FX5200 dual head video card cheap, or a MM G450 real cheap. The
> nVidia chipset boards have a litt

Subject: Re: Mic Challenge Answers
Posted by [John \[1\]](#) on Tue, 13 Dec 2005 00:40:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt;>>>>>>To top it off, playing one of my projects from Nuendo,
>> >>>>>>>(reassembled),

>> >>>>>
>> >>>>> it
>> >>>>>
>> >>>>>>>
>> >>>>>>>didn't have the "life" that the original had, by a long shot.
>> >>>>>>>I repeat...don't go there, Jeff.....
>> >>>>>>>--
>> >>>>>>>Martin Harrington
>> >>>>>>>www.lendaneer-sound.com
>> >>>>>>>
>> >>>>>>>"jef knight" <thestudio@allknightmusic.com> wrote in message
>> >>>>>>>news:436fce7a\$1@linux...
>> >>>>>>>
>> >>>>>>>
>> >>>>>>>>I just read the doc, thanks for posting the link. Much of it is
>> >>>>>>>>quite
>> >>>>>>>
>> >>>>>>>
>> >>>>>>>>interesting and just as much is confusing.
>> >>>>>>>>I didn't know tdm systems sounded gnarly, never having worked
> with
>> >
>> >>>>>>>>one.
>> >>>>>>>
>> >>>>>>>At
>> >>>>>>>
>> >>>>>>>>what track count would they sonically crap out?
>> >>>>>>>>
>> >>>>>>>>If I can't get some of my tedious little troubles with paris
>> >>>>>>>>resolved
>> >>>>>>>
>> >>>>>>>>I'm
>> >>>>>>>
>> >>>>>>>>considering switching to protocols.
>> >>>>>>>>
>> >>>>>>>>jef
>> >>>>>>>>
>> >>>>>>>>DJ wrote:
>> >>>>>>>>
>> >>>>>>>>
>> >>>>>>>>
>>
>>>>>>>>> http://akwww.digidesign.com/support/docs/WhitePaper_48BitMixer.pdf
>> >>>>>>>>>
>> >>>>>>>>>Any comments? It appears to me that the signals are recorded at
>> > 24
>> >>>>>>>>>bit, then processed at whatever bit rate the plugin on the
> channel

>> >
>> >>>>>>>>>has,
>> >>>>>>>>>including

Subject: Re: Mic Challenge Answers
Posted by [Cujjo](#) on Tue, 13 Dec 2005 01:27:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

AWs and what's working and what's not.

>> >
>> >>>>>>>Opinions
>> >>>>>>>varied,but the one constant opinion that was stated was how
> dificult
>> > it
>> >>>>>
>> >>>>> was
>> >>>>>
>> >>>>>>>to mix in Cubase and Nuendo on mixes over 30 tracks. No matter
>> >>>>>>>what
>> > i/o
>> >>>>>
>> >>>>> converters(Apogee,Lucid,Motu,
>> >>>>>
>> >>>>>>>RME) mixing Rock , R&B, Hip-Hop is a dificult chore in
>> >>>>>>>SX/Nuendo..Where
>> >>>>>>>as mixing in Paris and Pro Tools is not.. Hey,Just one Engineer's
>> >>>>>>>opinon.
>> >>>>>>>P.S
>> >>>>>>>Jsut for geekdum sakes, the new Sonar 5 uses a newly coded 64 to
>> >>>>>>>32bit
>> >>>>>>
>> >>>>>> floating
>> >>>>>>
>> >>>>>>>point mixer..
>> >>>>>>>
>> >>>>>>>"Martin Harrington" <lendan@bigpond.net.au> wrote:
>> >>>>>>>
>> >>>>>>>
>> >>>>>>>>Yukkk,
>> >>>>>>>>Don't do it..PT I mean.
>> >>>>>>>>I've just been playing with PT M-Powered 6.8, using my Delta
>> >>>>>>>>1010,
>> > and
>> >>>>>>
>> >>>>>> I
>> >>>>>>
>> >>>>>>>

>> >>>>>>>have to say...I don't like it.
>> >>>>>>>The interface is (IMNSHO), horrible, confusing, and convoluted.
>> >>>>>>>Moves that come easily in Paris, and more easily in Nuendo, are
>> >>>>>>>tiresome
>> >>>>>>>
>> >>>>>>>in
>> >>>>>>>
>> >>>>>>>PT, apart from the reagon tool...taht has always been good, right
>> > from
>> >>>>>
>> >>>>> the
>> >>>>>
>> >>>>>>>
>> >>>>>>>Session 8 days, but not much else.
>> >>>>>>>And..it only plays .MOV video files, which in my case is a no-no,
>> > (the
>> >>>>>
>> >>>>> full
>> >>>>>
>> >>>>>>>
>> >>>>>>>TDM version may play the others but I don't think so).
>> >&

Subject: Re: Pin the Tail on the donkey
Posted by [rick](#) on Tue, 13 Dec 2005 20:23:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt; >fortunes
>>>> >>>>are made and lost according to the certitude of people in their
>>>> experiences
>>>> >>>>or mathmatical models. Over time this has lead me to believe more
> in
>>>> emperical
>>>> >>>>results than my experience. So if I do my own blind tests with the
>>>> Nashville
>>>> >>>>CD and can't generate statistically significant data that DAWs sound
>>>> different
>>>> >>>>then *I* will believe they sound the same. This could mean a flawed
>>>> test
>>>> >>>>or flawed ears but that's my belief until someone can present me
>>>> >>>>with
>>>> more
>>>> >>>>convincing data.
>>>> >&g

Subject: Re: Pin the Tail on the donkey
Posted by [John \[1\]](#) on Wed, 14 Dec 2005 01:17:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

my friend is using the adat card to
his digi-002

Hope it helps
Jorsi

"EK Sound" <spamnot.info@eksoundNO.com> skrev i en meddelelse
news:43bc0326\$1@linux...

> Look for a used Focusrite Octopre with the adat card.

>

> David.

>

> Rod Lincoln wrote:

>

>> I've got a friend/client who's looking for an 8 channel mic pre that has

>> lightpipe/spdif

>> outs. He's running a digi 002 rig and wants to bypass the digi A/D stage.

>> He wants it to be good, but affordability is a concern. He was looking a

>> a preonus digimax LT, but I saw that Aaron had some experience with

>> those

>> and wasn't that hot on them.

>> Right now his chain is a Mackie 1402 vlz into the Digi 002.

>> Any suggestions?

>> TIA

>> Rodht

Subject: Re: Pin the Tail on the donkey
Posted by [Deej \[1\]](#) on Wed, 14 Dec 2005 02:44:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

new feature loaded EPOX 8RDA3+ pretty reasonable or

> > look

> > > for the others used on ebay - prices in \$70 range. Also can pick up a

> new

> > > nVidia FX5200 dual head video card cheap, or a MM G450 real cheap.

The

> > > nVidia chipset boards have a little better performance, and I've had

> good

> > > luck with the

Subject: Re: Pin the Tail on the donkey

it's louder. If you feel that's disconcerting </DIV>
<DIV>try raising the right =
<FONT face=3DArial=20
size=3D2>to level it out. This may decrease the =
effectiveness of the=20
</DIV>
<DIV>process though.</DIV>
<DIV> </DIV>
<DIV>Another way to get it to sound =
more present=20
is to double</DIV>
<DIV>compress the track with comps in =
series but=20
only reducing by 2 or 3db each.</DIV>
<DIV>Sometimes a third comp is needed =
along with=20
level automation. The idea</DIV>
<DIV>is to not hear pumping but have a =
fairly=20
steady state level to the vocal.</DIV>
<DIV>This will allow you to get it to =
ride on top=20
of the mix without jumping out</DIV>
<DIV>to bite you.</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>"RK" <<A=20
=
href=3D"mailto:kent510745@hotmail.com">kent510745@hotmail.com>=20
wrote in message <A=20
href=3D"news:43bc7a43@linux"

Subject: Re: Pin the Tail on the donkey
Posted by [no](#) on Wed, 14 Dec 2005 13:11:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

>news:43bc7a43@linux...</DIV>
<DIV>Trying to get lead vocals to jump out of the mix and I =
remember a=20
trick
listed somewhere telling you to copy a vocal track to a =
different track, pan
tracks left and right, then reverse the =
phase on=20
the second track and slowly
bring the fader on the second =
track to=20
meet the other track fader at 0.
Seemed to work, but the =

effects=20
seemed to cancel each other out. Does
anyone use this, =
and if=20
so, how do you get the FX to not whack each =
other
out?

<FONT=20
face=3DArial size=3D2>RK,</DIV>
<DIV>Only apply effects to the =
+phase=20
track.</DIV>
<DIV><FONT face=3DArial=20
=
size=3D2&

Subject: Re: Pin the Tail on the donkey OOPS!! (wrong mic!)
Posted by [Kim W](#) on Wed, 14 Dec 2005 13:26:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1528" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV>I'm in the San Francisco Bay =
Area.</DIV>
<DIV> </DIV>
<DIV>"Tom Bruhl" <<A=20
href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net> wrote in =
message=20
news:43bc8e94@linux...</DIV>
<BLOCKQUOTE dir=3Dltr=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
<DIV>Kent,</DIV>
<DIV>I'm in the Boston area. I know =
there's a=20
bay around here somewhere...</DIV>
<DIV><FONT face=3DArial

Subject: Re: Pin the Tail on the donkey OOPS!! (wrong mic!)
Posted by [cujo](#) on Wed, 14 Dec 2005 14:49:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

quot; <edna@texomaonline.com> wrote in message news:43bc33c8@linux...

> > Thanks for the info. Yes, I know about the tape. I have been using
> Athlons
> > and Durons for some time now. The ECS board I got, K7VTA3, from FRYs
with
> > the Barton 2500+ was really buggy and I was sorta glad to see it
expedited
> > to another dimension. I think the AGP died, but havent tried it with a
> PCI
> > VC. (It was only \$69 with the cpu, so didnt feel too cheated.) A
friend
> > who went to work there told me Fry's had over an 80% return rate with
ECS
> > (just used as a c'mon to get people in the door), so I don't feel to
> > positive about them. And with PARIS I don't need any extra bugs! :)
> > Not familiar with or seen any reviews of asrock.
> >
> > "Miguel Vigil" <nospam@nospam.com> wrote in message
news:43bc1572@linux...
> > > I have an XP 2600 barton core running on an Asrock Ks7xe+.
> > > I've used this rig only a few times since new. The asrocks were
> > > around \$50 new.
> > >
> > > I also have used the ECS K7s5a which has held up well. I went
> > > ahead and performed the chipset modification by pulling off a
> > > insulation taped cooling radiator block and glueing it back into
> > > place with a dash of Artic Silver f

Subject: Re: Pin the Tail on the donkey OOPS!! (wrong mic!)
Posted by [Kim W](#) on Wed, 14 Dec 2005 15:03:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

or effect (this was on the
> southbridge
> > > chip and prevented overheating). If you are aware, many of the Athlon
> > > cpu chips are shipped with this adhesive tape between the cooling
block.
> > >
> > > Either of these two mobos are ebay priced reasonable.
> > >
> > > Regards,
> > >
> > > El Miguel
> > >
> > >
> > >
> > >
> > > "Edna" <edna@texomaonline.com> wrote in message news:43bc01b3@linux...

> > > Going to get another MB for my barton core 2500+ cpu. The ECS pile
I
> > had
> > > finally expired. Have been looking at possibly ASUS ABIT MSI
Shuttle
> > and
> > > EPOX. I can get a new feature loaded EPOX 8RDA3+ pretty reasonable
or
> > > look
> > > for the others used on ebay - prices in \$70 range. Also can pick up
a
> > new
> > > nVidia FX5200 dual head video card cheap, or a MM G450 real cheap.
> The
> > > nVidia chipset boards have a little better performance, and I've had
> > good
> > > luck with their video cards. Any tips on what works well or not
with
> > > PARIS?
> > >
> > >
> > >
> > >
> > >
> >
> >
>
>Yup, down cold! Now, on to that auto edit window. . .

E
"John" <no@no.com> wrote in message news:43bc634c@linux...
> Is everyone clear on how easy Automation is? It's really so powerful
> you gotta get it. Here's the basics on recording automation one more
time.
>
>
>
> Automation Recording Procedure using the C16 Pro
>
> 1. Stop the Transport
>
> 2. NULL FADERS: Using their Null Arrow LEDs on the C16, synchronize the
> Faders of the Channel strips you intend to automate with their Mixer
> Window counterparts (see page 214).
>
> 3. EN

Subject: Re: Pin the Tail on the donkey OOPS!! (wrong mic!)

LAD

>>

>> "Aaron Allen" <nospam@not_here.dude> wrote:

>>>FWIW, I grabbed the PT M Powered app demo and it loses my M Audio

>>>Firewire

>>

>>>Audiophile rather regularly - requiring a reboot.

>>>AA

>>>

>>>

>>>"Martin Harrington" <lendan@bigpond.net.au> wrote in message

>>>news:43bb0adb\$1@linux...

>>>> John,Look on the B&H site,

>>>>

>>>> <http://www.bhphotovideo.com/bnh/controller/home?A=search&Q=&b=1315&shs=&ci=9576&ac=&Submit.x=17&Submit.y=12>

>>>>

>>>> They have all the cards you'll need plus all the software.

>>>> Buying any M-Audio product means you can buy PT M-Powered for around

>>>> \$300

>>>> Martin Harrington

>>>> www.lendaneer-sound.com

>>>>

>>>> "John" <no@no.com> wrote in message news:43babdce@linux...

>>>>> But how much money is it? And can it use VSTs ?

>>>>>

>>>>> LaMont wrote:

>>>>>> Hey John,

>>>>>>

>>>>>> I don't really know if LE has PDC, HD does. You can get 16 i/os in LE

>>

>>>>>> with

>>>>>> the Following Products:

>>>>>>

>>>>>> -Digi 002(Rack)or not

>>>>>> -M-Audio Project Mix I/O

>>>>>> -FireWire 1814

>>>>>>

>>>>>> All of the above units have a additional Adat ports. That way you can

>>

>>>>>> add

>>>>>> 8 channels of I/O of your choice.

>>>>>> LaMont

>>>>>>

>>>>>> John <no@no.com> wrote:

>>>>>>

>>>>>>Does PT LE have autocompensation for plugs? How much can I get 16
>>>>>>I/Os
>>>>>>
>>>>>>
>>>>>>for ?
>>>>>>
>>>>>>LaMont wrote:
>>>>>>
>>>>>>>Hey guys,

Subject: Re: Pin the Tail on the donkey OOPS!! (wrong mic!)
Posted by [Kim W](#) on Wed, 14 Dec 2005 15:43:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

/>
>>>>>>>
>>>>>>>I know that this is an old thread, but I have to disagree with
>>>>>>>assessments
>>>>>>>on Pro Tools sound quality.
>>>>>>>
>>>>>>>First, I mix with Pro Tools HD at our Church's studio for major
>>>>>>>release
>>>>>>>
>>>>>>> Gospel
>>>>>>>
>>>>>>>Cds. Pro Tools HD sounds wonderful with low and high track counts
>>>>>>>and
>>>>>>>
>>>>>>> ITB
>>>>>>>
>>>>>>>(in the Box) or summed to the SSL,
>>>>>>>
>>>>>>>At my home studio, I have PT LE & Nuendo and while I love Nuendo's
>>
>>>>>>>elequent
>>>>>>>editing and nice soft sound, it's 32 bit floating mixer in a major
>> pain
>>>>>>>
>>>>>>> in
>>>>>>>
>>>>>>>!@# to mix aggressive Rock, R &B, Hip hop with. Onthe other hand,
>>>>>>>those
>>>>>>>
>>>>>>> same
>>>>>>>
>>>>>>>mixes done in PT LE, have that sparkle and width. In Nuendo, after
>> 30

>>>>>
>>>>> tracks,
>>>>>
>>>>>>things start's getting "smeared" and tracks levels tends to get
>>>>>>lost
>>>>>
>>>>> or
>>>>>
>>>>>>they don't sit right.
>>>>>>However, in PT Le, (same songs, tracks are not smeared, levels stay
>>
>>>>>>intacked,
>>>>>>and the overall mix sounds very professional, just like mixes in
>>>>>>Paris..
>>>>>>
>>>>>>Some local Engineer friends in the area(Motown), have been in
>>>>>>discussions
>>>>>>about the state of current DAWs and what's working and what's not.
>>
>>>>>>Opinions
>>>>>>varied,but the one constant opinion that was stated was how dificult
>> it
>>>>>
>>>>> was
>>>>>
>>>>>>to mix in Cubase and Nuendo on mixes over 30 tracks. No matter what
>> i/o
>>>>>
>>>>> converters(Apogee,Lucid,Motu,
>>>>>
>>>>>>RME) mixing Rock , R&B, Hip-Hop is a dificult chore in
>>>>>>SX/Nuendo..Where
>>>>>>as mixing in Paris and Pro Tools is not.. Hey,Just one Engineer's
>>>>>>opinon.
>>>>>>P.S
>>>>>>Jsut for geekdum sakes, the new Sonar 5 uses a newly coded 64 to
>>>>>>32bit
>>>>>
>>>>> floating
>>&g

Subject: Re: Pin the Tail on the donkey OOPS!! (wrong mic!)
Posted by [cujo](#) on Wed, 14 Dec 2005 15:48:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;>>>
>>>>>>>point mixer..

>>>>>>>
>>>>>>>"Martin Harrington" <lendan@bigpond.net.au> wrote:
>>>>>>>
>>>>>>>
>>>>>>>Yukkk,
>>>>>>>Don't do it..PT I mean.
>>>>>>>I've just been playing with PT M-Powered 6.8, using my Delta 1010,
>> and
>>>>>>>
>>>>>>> I
>>>>>>>
>>>>>>>have to say...I don't like it.
>>>>>>>The interface is (IMNSHO), horrible, confusing, and convoluted.
>>>>>>>Moves that come easily in Paris, and more easily in Nuendo, are
>>>>>>>tiresome
>>>>>>>
>>>>>>>in
>>>>>>>
>>>>>>>PT, apart from the reagon tool...taht has always been good, right
>> from
>>>>>>>
>>>>>>> the
>>>>>>>
>>>>>>>
>>>>>>>Session 8 days, but not much else.
>>>>>>>And..it only plays .MOV video files, which in my case is a no-no,
>> (the
>>>>>>>
>>>>>>> full
>>>>>>>
>>>>>>>>TDM version may play the others but I don't think so).
>>>>>>>>To top it off, playing one of my projects from Nuendo,
>>>>>>>>(reassembled),
>>>>>>>>
>>>>>>>> it
>>>>>>>>
>>>>>>>>>didn't have the "life" that the original had, by a long shot.
>>>>>>>>>I repeat...don't go there, Jeff.....
>>>>>>>>>--
>>>>>>>>>Martin Harrington
>>>>>>>>>www.lendanear-sound.com
>>>>>>>>>
>>>>>>>>>"jef knight" <thestudio@allknightmusic.com> wrote in message
>>>>>>>>>news:436fce7a\$1 @linux...
>>>>>>>>>

>>>>>>>>
>>>>>>>>>I just read the doc, thanks for posting the link. Much of it is
>>>>>>>>>quite
>>>>>>>>
>>>>>>>>
>>>>>>>>>interesting and just as much is confusing.
>>>>>>>>>I didn't know tdm systems sounded gnarly, never having worked with
>>
>>>>>>>>>one.
>>>>>>>>>
>>>>>>>>>At
>>>>>>>>>
>>>>>>>>>>what track count would they sonically crap out?
>>>>>>>>>>
>>>>>>>>>>If I can't get some of my tedious little troubles with paris
>>>>>>>>>>resolved
>>>>>>>>>>
>>>>>>>>>>>I'm
>>>>>>>>>>>
>>>>>>>>>>>>considering switching to protools.
>>>>>>>>>>>>
>>>>>>>>>>>>jef
>>>>>>>>>>>>
>>>>>>>>>>>>>DJ wrote:
&

Subject: Re: Pin the Tail on the donkey OOPS!! (wrong mic!)

Posted by [Kim W](#) on Wed, 14 Dec 2005 16:03:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

blank"> http://akwww.digidesign.com/support/docs/WhitePaper_48BitMixer.pdf

>>>>>>>>>>>>
>>>>>>>>>>>>>Any comments? It appears to me that the signals are recorded at
>> 24
>>>>>>>>>>>>>bit, then processed at whatever bit rate the plugin on the
>>>>>>>>>>>>>channel
>>
>>>>>>>>>>>>>has,
>>>>>>>>>>>>>>including dither, or not, then reprocessed to 24 bit, then these
>>
>>>>>>>>>>>>>>channels
>>>>>>>>>>>>>>>are summed. I'm no guru when it comes to this stuff, but I get
>>>>>>>>>>>>>>>this
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>
>>>>>>>>>>>>>>>feeling
>>>>>>>>>>>>>>>>that this reprocessing *per channel* is the reason the TDM

>>>not only breathing here with his pen, year after year ;-)
>>>
>>>Erling
>>>
>>>"Don Nafe" <dnafe@magma.ca> skrev i melding news:43bbc437\$1 @linux...
>>>
>>>>And after all the things we did for that schmuck...made him the EA he is
>>>>today....sheesh!
>>>>
>>>>Don
>>>>
>>>>;-)
>>>>
>>>>
>>>
>>>
>>Yhea!

;o)

"Mike Claytor" <yep@yepper.com> wrote in message news:43bc9d5a\$1 @linux...

>
> I-rovy, huh?
>
> ;0)
>
>
>
> "DJ" <animix_spam-this-ahole_@animas.net> wrote:
> >I'm absolutely floored by this VSTi. It literally sounds like there is a
> >Steinway D sitting right here in my control room. I'm not a keyboard
player,
> >but this thing may inspire me to go there. I'm flabbergasted!! Another
big
> >surprise was that it's not a huge resource hog as I had expected. It uses
> a
> >lot of RAM, but they warn you about that upfront. As far as CPU usage
goes,
> >it's a pussycat. I've got my RME buffers set at 64k and I'm streaming BFD
> >grooves and simultaneously playing the Bosendorfer mofofromhell piano
with
> >the most sample layers and expression options enabled with the sustain
pedal
> >working overtime and my dual core 64 4200+ CPU is hitting around 8-9%
(with
> >1.35G of RAM being utilized for both VSTi's, Cubase SX and the system.
Glad
> >I've got 4G of RAM though. The 7200 RPM dedica

Subject: Re: Pin the Tail on the donkey OOPS!! (wrong mic!)

Posted by [cujo](#) on Wed, 14 Dec 2005 16:12:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

ted HD is having no problems

> >with this at all. I was thinking that I might need to go to a SATA RAID > >array in order to get this app to function correctly. If you're looking > for

> >a VSTi piano, this would be one to consider if you've got the rig to operate

> >it or are considering building a dedicated VSTi box.

> >

> >Man.....this is friggin AWESOME sounding!!!!

> >

> >

>Yeah, avoid that LT man.. cheap hardware, inconsistent volumes across it and just generally felt shoddy.

I'd take a Behr ADA8000 over it 'any day' to be honest, and it's a whole lot less money.

Not sure what the current recommend is though bro, I've been out of that market for a while now and I'd hate to mislead ya.

AA

"Rod Lincoln" <rlincoln@kc.rr.com> wrote in message [news:43bc0147\\$1@linux...](mailto:news:43bc0147$1@linux...)

>

> I've got a friend/client who's looking for an 8 channel mic pre that has > lightpipe/spdif

> outs. He's running a digi 002 rig and wants to bypass the digi A/D stage.

> He wants it to be good, but affordability is a concern. He was looking a

> a preonus digimax LT, but I saw that Aaron had some experience with those

> and wasn't that hot on them.

> Right now his chain is a Mackie 1402 v1z into the Digi 002.

> Any suggestions?

> TIA

> Rodl got Ivory going today also...and echo DJ's sentiment. Sounds great...absolutely great. I, unfortunately, don't have a dual core system (I think it's about

1.6 gig, single core amd 64)and 1 gig of ram. It's on the verge of being

OK, but on the higher layer patches, it causes some glitches in the system.

I could probably live with it if it was for me, but I'm hoping to put together

a rig that I can advertise as an alternative to studio's with a real piano,

and right now, I'm afraid my computer isn't quite up to that task. Deej,

I may be calling you in the not to distant future, for some comp building grocery list tips.

Rod

"DJ" <animix_spam-this-ahole_@animas.net> wrote:

>I'm absolutely floored by this VSTi. It literally sounds like there is a

>Steinway D sitting right here in my control room. I'm not a keyboard player,
>but this thing may inspire me to go there. I'm flabbergasted!! Another big
>surprise was that it's not a huge resource hog as I had expected. It uses
a
>lot of RAM, but they warn you about that upfront. As far as CPU usage goes,
>it's a pussycat. I've got my RME buffers set at 64k and I'm streaming BFD
>grooves and simultaneously playing the Bosendorfer mofofromhell piano with
>the most sample layers and expression options enabled with the sustain pedal
>working overtime and my dual core 64 4200+ CPU is hitting around 8-9% (with
>1.35G of RAM being utilized for both VSTi's, Cubase SX and the system. Glad
>I've got 4G of RAM though. The 7200 RPM dedicated HD is having no problems
>with this at all. I was thinking that I might need to go to a SATA RAID
>array in order to get this app to function correctly. If you're looking
for
>a VSTi piano, this would be one to consider if you've got the rig to operate
>it or are considering building a dedicated VSTi box.

>
>Man.....this is friggin AWESOME sounding!!!!

>
>"DJ" <animix_spam-this-ahole_@animas.net> wrote:

>I'm absolutely floored by this VSTi. It literally sounds like there is a
>Steinway D sitting right here in my control room. I'm not a keyboard player,
>but this thing may inspire me to go there. I'm flabbergasted!! Another big
>surprise was that it's not a huge resource hog as I had expected. It uses
a
>lot of RAM, but they warn you about that upfront. As far as CPU usage goes,
>it's a pussycat. I've got my RME buffers set at 64k and I'm streaming BFD
>grooves and simultaneously playing the Bosendorfer mofofromhell piano with
>the most sample layers and expression options enabled with the sustain pedal
>working overtime and my dual core 64 4200+ CPU is hitting around 8-9% (with
>1.35G of RAM being utilized for both VSTi's, Cubase SX and the system. Glad
>I've got 4G of RAM though. The 7200 RPM dedicated HD is having no problems
>with this at all. I was thinking that I might need to go to a SATA RAID
>array in order to get this app to function correctly. If you're looking
for
>a VSTi piano, this would be one to consider if you've got the rig to operate
>it or are considering building a dedicated VSTi box.

>
>Man.....this is friggin AWESOME sounding!!!!

>
>

Pianos?....pianos?....We don't need no stinking pianos! ;)

They take up too much room, and you actually have to pay somebody to tune them;)Pete -

Another alternative is to go the Home Theater route. I find that for most TV viewing, our 27" TV in the family room is fine (especially with surround audio attached), but what we really want the big screen for is movies. This fall, I decided to build a Home Theater in the basement to accomplish this.

I quickly realized that Plasma, LCD, DLP, CRT, etc, technologies were way too expensive for the type of screen I wanted, so I ended up getting a modest DLP projector (Optoma H31) which is mounted to the ceiling and projecting down on a 92" screen I built myself out of floor molding and blackout cloth. This setup takes up a wall in the basement and provides a true movie theater experience for us.

To handle the sound, I migrat

Subject: Re: Pin the Tail on the donkey OOPS!! (wrong mic!)

Posted by [Morgan](#) on Thu, 15 Dec 2005 11:11:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

pa//8A//8AWIpaWIpaWIpaWIpaWIpaWIpa//8AWIpaWIpaWIpa //8AWIpaWIpa//8A
//8A//8A//8A//8A//8AWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpa WIpaWIpaWIpaWIpa
WIpaY2t7xsbG5+/3///5+/3xu/3tdbntdbnAAAAdv7vxu/3xu/3tdbntdbn tdbntdbntdbntdbn
tdbntdbntdbntdbntdbntdbntdbnrc7erc7epcbepcbepcbperc7erc7e rc7etdbntdbntdbn
tdbnrc7etdbnhLXOWpy9MYy1QoSte63OpcbeAAAAs7Ozs7Ovb29ra2tnJyc IJSUjlyMjlyMjlyM
AAAjlyMjlyMjlyMjlyMhISEhISEe3t7e3t7e3t7AAAA5+/3////vd7v rc7ee5StUnOMUmtz
MTExWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpa//8AWIpaWIpa WIpa//8AWIpaWIpa
WIpaWIpaWIpa//8AWIpaWIpaWIpa//8AWIpaWIpa//8AWIpaWIpaWIpa//8A WIpaWIpa//8AWIpa
WIpaWIpa//8AWIpaWIpaWIpaWIpaWIpa//8AWIpaWIpaWIpa//8AWIpaWIpa //8AWIpaWIpaWIpa
//8AWIpaWIpa//8AWIpaWIpa//8AWIpaWIpaWIpaWIpaY2t7xsbG5+/3 ///5+/3xu/3tdbn
tdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbnrc7e rc7epcbepcbepcbe
pcperc7erc7erc7etdbntdbntdbntdbnrc7etdbnhLXOWpy9MYy1QoSte63O pcbeAAAAs7Ozs7O
vb29ra2tnJycIJSUjlyMjlyMjlyMAAAAjlyMjlyMjlyMjlyMhISEhISEe3t7 e3t7e3t7AAAA5+/3
////vd7vrc7ee5StUnOMUmtzMTExWIpaWIpaWIpaWIpaWIpaWIpa WIpaWIpaWIpaWIpa
WIpaWIpaWIpaWIpaWIpaWIpaWIpa//8AWIpa//8A//8AWIpaWIpa WIpaWIpaWIpaWIpa
WIpaWIpaWIpaWIpa//8AWIpaWIpaWIpaWIpaWIpa//8AWIpaWIpa//8A WIpaWIpa//8AWIpa
WIpaWIpaWIpa//8AWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpa WIpaWIpaWIpaWIpa
Y2t7xsbG5+/3///5+/3xu/3tdbntdbnAAAAdv7vxu/3xu/3tdbntdbntdbn tdbntdbntdbntdbn
tdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbnrc7e rc7etdbntdbntdbn
tdbntdbnhLXOWpStIXOIQoSte63OIL3WISEhxsbgzs7OxsbGtbW1nJycIJSU jlyMjlyMjlyMjlyM
jlyMjlyMjlyMjlyMjlyMhISEhISEe3t7e3t7OUpa5+/35+/3///vd7vrc7e e5StUnOMUmtzMTEx
WIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpaWIpa//8AWIpaWIpaWIpa //8AWIpaWIpaWIpa
WIpaWIpa//8AWIpaWIpaWIpa//8AWIpaWIpa//8AWIpaWIpaWIpa//8AWIpa WIpa//8AWIpaWIpa
WIpa//8AWIpaWIpaWIpaWIpaWIpaWIpa//8A//8A//8AWIpaWIpaWIpaWIpa //8A//8A//8AWIpa
WIpaWIpaWIpa//8A//8AWIpaWIpaWIpaWIpaWIpaWIpaY2t7xsbG5+/3/// 5+/3vd7vtdbntdbn
tdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbnrc7e rc7etdbntdbntdbn
tdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbntdbnrc7e rc7etdbntdbntdbn
tdbntdbnhLXOWpStIXOIQoSte63OIL3W ISEhxsbgzs7OxsbGtbW1nJycIJSUjlyMjlyMjlyMjlyMhISEhISEe3t7 e3t7OUpa5+/35+/3

