Subject: You need this.....
Posted by Deej [4] on Thu, 28 Jun 2007 03:56:43 GMT
View Forum Message <> Reply to Message

</=
A>&g</A>
>   =20
<<A=20
=
href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A&g

Subject: Re: You need this..... no you don't
Posted by Neil on Thu, 28 Jun 2007 04:09:13 GMT
View Forum Message <> Reply to Message

t;&a=
mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=
A>&g</A>>=3D
 >   =2 0
>t;=3D20
>   > =
wrote in=20
message =3D
 >   =2 0
=
>=3D3D
>news:469780ce$

Subject: Re: You need this..... no you don't
Posted by Deej [4] on Thu, 28 Jun 2007 04:12:40 GMT
View Forum Message <> Reply to Message

/>
kind of=20
guy, but the Paris =3D
 >   =2 0
>manual
=3D3D
& gt;describes
>=20
this=3D20
>   > =
procedure=20
pretty well.
> It's on page 4 and 5 of the=20
3.0=3D20
>   > =20
version.
> It kind of sounds to me like you may not =
be=20
=3D
>   >hooking=20
up=3D20
>   > the =
correct=20
eds
=3D3D
>card&amp ;lt;BR>> to the=20
master=3D20
>   > =20
mec.
> Rod
> "DJ" <animix _ at _ =
animas _=20
=3D
>   >dot=20

_=3D20
>   > net>=20
wrote:
> >
> >
>=20
=3D20<BR&gt

Subject: Re: You need this.....
Posted by Sarah on Thu, 28 Jun 2007 08:12:20 GMT
View Forum Message <> Reply to Message

bsp; >in=20
message=3D20
>   > =20
=3D3D3D
> >news:46972376@linux...
>=20
=3D
>   >> This=20
is=3D20
>   > really =
a novice=20
oriented question but . . .
> >=20
=3D
 >   =2 0
>It=3D20
>   > =

Subject: Re: You need this.....
Posted by Deej [4] on Thu, 28 Jun 2007 11:25:07 GMT
View Forum Message <> Reply to Message

; > system =
off line.=20
I can't imagine it being =
=3D
 >   =2 0
>a
=3D3D
>=3 D3D3D
>=20
=3D20
>   > =
>problem. Bent=20
pins on SCSI cables can be a serious issue=20
though.=3D20
>   > =20
Your
=3D3D
>=3D3D3D
> =
>system will not=20
function =3D
>   >with bad=20
SCSI=3D20
>   > =20
cables.
> >
> ><!DOCTYPE HTML=20
PUBLIC=3D20
>   > =
"-//W3C//DTD=20

Subject: Re: You need this.....
Posted by Bill L on Thu, 28 Jun 2007 12:55:53 GMT
View Forum Message <> Reply to Message

HTML 4.0 Transitional//EN">
>=20
=3D20
>   > =20
><HTML><HEAD><BR&a mp;gt;>=20
><META=3D20
>   =
> =20
http-equiv=3D3D3D3DContent-Type content=3D3D3D3D"text/html;=20
=3D
>   =
>=3D3D3D
>=20
=3D20
>   > =20
>charset=3D3D3D3Diso-8859-1">
> >

Subject: Re: You need this.....
Posted by Nil on Thu, 28 Jun 2007 13:28:20 GMT
View Forum Message <> Reply to Message

gt;news:469723=3D
 >   =2 0
=
>76@linux">news:46972376@linux </A>...</DIV</A>>& amp;l=
t;BR>>&nbs=3D
 >   =2 0
>p;=3D20
>   > =
>=20
<DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This=20
=3D
>   >is really=20
a=3D20
>   > novice=20
=3D3D
>oriented =3D3D3D
> >question =
but=20
.=3D20
>   &

Subject: Re: You need this.....
Posted by John [1] on Thu, 28 Jun 2007 16:42:39 GMT
View Forum Message <> Reply to Message

D
>   =
>not=3D3D3D20
>=20
=3D20
>   > > =
function with=20
bad SCSI =3D3D

Subject: Re: You need this.....
Posted by rick on Thu, 28 Jun 2007 17:45:50 GMT
View Forum Message <> Reply to Message

mp;g=
t;<FONT=3D20
 >   =2 0

> face=3D3D3DArial size=3D3D3D2>I'm all set with the =
cables and=20
the =3D
 >   =2 0
=
>=3D3D
>which=3D20
 >   =2 0
> card is =3D
 >   =2 0
=
>A=3D3D20
>bit.</FONT& amp;gt;</DIV>
>&lt ;=
DIV><FONT=3D20
 >   =2 0
> face=3D3D3DArial size=3D3D3D2>Rod you were right =
about what=20
I=3D20
>   > =20
=3D
 >   =2 0
=
>was=3D3D20
>asking.</ FONT></DIV>
&gt=
;<DIV><FO=3D
 >   =2 0
>NT=3D20
>   > =20

Subject: Re: You need this.....
Posted by rick on Thu, 28 Jun 2007 17:47:53 GMT
View Forum Message <> Reply to Message

face=3D3D3DArial size=3D3D3D2></FONT>=20
=3D
 >   =2 0
=
></DIV>
>&l t;DIV><FONT=3D20
> =
;   =20
> face=3D3D3DArial size=3D3D3D2>In any event I =
scaled down to=20
one EDS=3D20
>   > =20
=3D3D
>(Pretty sure=3D3D20

Subject: Re: You need this.....
Posted by John [1] on Thu, 28 Jun 2007 19:29:15 GMT
View Forum Message <> Reply to Message

amp;nbsp; =2 0
=
>ews:469780ce$1@linux">news:469780ce$1@linux</A>...</DIV&g=
t;&l=3D
 >   =2 0
=
>t;BR>I</A>
=3D 3D
>think=3D20
>&nb=
sp;   =20
> Tom=3D3D20
> was asking if there was a =

"3.0"=20
version of the =3D
>   >EDS =

card=3D20
>   > that=20

Subject: Re: You need this..... no you don't
Posted by TCB on Thu, 28 Jun 2007 19:36:58 GMT
View Forum Message <> Reply to Message

=3D3D
>needed
to be=3D3D20
> =
connected to=20
=3D
>   >the=20
master.=3D20
>   > =
The answer=20
to that would be no.
Is this=20
=
=3D3D
>what=3D20
 >   =2 0
> you=3D3D20
> were asking =
Tom?
DJ's advice=20
is very =3D
 >   =2 0
>important=3D20
>   =
> =20
though. I would do =3D3D
>it, =
if=3D3D20
> you=20
haven't=3D20
>   >&nb

Subject: Re: You need this.....
Posted by Deej [4] on Thu, 28 Jun 2007 20:54:00 GMT
View Forum Message <> Reply to Message

p;=2 0
>mec.
Rod
"DJ"=3D3D20
>=20
=3D20
>   > =
<animix _ at _=20
animas _ dot _ net>=3D3D20
>=20
=3D20
>   > =20
wrote:
>
>&a mp;lt;BR>>
> =
"Tom=20
=3D
 >   =2 0
>Bruhl"=3D20
>   > =

<<A=3D3D20<BR&am

Subject: Re: You need this.....
Posted by Bill L on Thu, 28 Jun 2007 23:16:20 GMT
View Forum Message <> Reply to Message

p;gt;>=20
href=3D3D3D"<A=3D20
>   =
> =20
=3D
 >   =2 0
=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A'&g=
t;mailto:arpegi=3D
 >   =2 0
=
>o@comcast.net">arpegio@comcast.net</A</A>>>=3D20<BR=
> >   =2 0
> wrote =3D3D
>in =
message=3D3D20
>=20
=3D20
>   > =20
=3D3D3D
>news:

Subject: Re: You need this..... no you don't
Posted by Neil on Fri, 29 Jun 2007 00:37:29 GMT
View Forum Message <> Reply to Message

entation of=20
the=3D20
>   > =20
=3D3D
>ribbon=3D3D20<BR&g t;> cables will =
determine=20
=3D
 >   =2 0
=
>=3D3D3D
>this.=3D20
>   =
=20
> Have you changed them around =
=3D3D
>during=20
your=3D3D20
> =
=3D
 >   =2 0
>
>   > =20
reconfiguration?
>
 > Start with a new =
SCSI=20
=3D
>   >cable=20
and=3D20
>   > =20
=3D3D
>a=3D3D20
&am p;gt; single EDS card. Test =
each=20
MEC.=3D20
>   > =20
Once
=3D3D3D
>you know if there=20
=3D3D
>is=3D20
>   =
> =20
a=3D3D20
> problem there, add a new SCSI cable and=20

another=3D20
>   > =20
=3D3D3D
>ca

Subject: Re: You need this..... no you don't
Posted by TCB on Fri, 29 Jun 2007 03:03:08 GMT
View Forum Message <> Reply to Message

D3D
>face=3D3D3D3DArial=3D3D20&amp ;lt;BR>> =
size=3D3D3D3D2>It=20
=3D
>   >doesn't matter=20
which=3D20
>   > card =
is the=20
=
=3D3D
>=3D3D3D
&amp ;gt; "A"=3D3D3D20
>=20
=3D
>   =
>=3D3D20
>=20
=3D20
>   > =20
card</FONT></DIV><BR& gt;>=20
<DIV><FONT=3D20
>   =
> =20
=3D3D
>face=3D3D3D3DArial=3D3D20&amp ;lt;BR>> =
size=3D3D3D3D2>in=20
your =3D
>   >system as=20
far=3D20
>   > as =
Paris'=20
ID=3D3D20
> =
=3D
 >   =2 0
=
>=3D3D3D
>orientation=3D3D3D2 0
>=3D20
>&=
nbsp;   =20
> =3D3D20
>=20
=
right?</FONT></DIV><BR&am p;gt;>=3D20
> &nb=
sp; =20
> <DIV><FONT=20
=3D3D
>face=3D3D3D3DArial=3D3D20&amp ;lt;BR>>=20
=3D20
>   > =20
size=3D3D3D3D2></FONT>=20
=
</DIV>
>=3D20
 >   =2 0
>   =3D3D
>&amp

Subject: Re: You need this..... no you don't
Posted by Bill L on Fri, 29 Jun 2007 11:30:55 GMT
View Forum Message <> Reply to Message

t; > <DIV><FONT =
face=3D3D3D3DArial=20
size=3D3D3D3D2>This is really a=20
=3D3D
>   > =
>novice=20
oriented=3D3D20
>   =
> =20
> =3D3D3D
>question but .=20
.=3D3D3D20
> =
=3D3D20
 >   =2 0
> > =
..</FONT></DIV><BR&gt ;>=20
<DIV><FONT =
=3D3D
 >   =2 0
> =20
=
>face=3D3D3D3DArial=3D3D20
 >   =2 0
> > size=3D3D3D3D2>It doesn't matter =
which card=20
is the =3D3D
>   =
> =20
>=3D3D3D
>"A"=3D3D3D20
>=20
=3D3D20
>   > =
> =20
card</FONT></DIV><BR& gt;> =
<DIV><FONT=20
=3D3D
>   > =20
=
>face=3D3D3D3DArial=3D3D20
 >   =2 0
> > size=3D3D3D3D2>in your system as =
far as=20
Paris' ID=3D3D20
>&n

Subject: Re: You need this..... no you don't
Posted by Neil on Fri, 29 Jun 2007 13:41:09 GMT
View Forum Message <> Reply to Message

nbsp;   > =20
><DIV>
>=20
=3D3D20
>   > =
> =20
<DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Yes, it does,=20
and
>   the=20
=3D3D
>   > =20
=
>orientation=3D3D20
 >   =2 0

> > of
=3D3D3D
>the =

slots=3D3D3D20
> you are using in=20
=3D3D
>   > =20
>combination =
with=3D3D20
 >   =2 0
> > the orientation of the=20
ribbon=3D3D3D20
> cables=20
will
>   determine=20
=3D3D
>   > =20
>this.=3D3D20
>   =
> =20
> Have you changed them around=20
during
>   =20
=3D3D3D
>your=3D3D3D20<BR&amp ;gt;>=20
=3D3D
>   > =20
>
>   > =
> =20
reconfiguration?</FONT></DIV>&am p;lt;BR>>=20
=3D3D
>   > =20
=
><DIV><FONT=3D3D20
 >   =2 0
> > face=3D3D3D3DArial=20
size=3D3D3D3D2></FONT> </DIV>
> =

=3D3D20
>   > =
> =20
<DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Start with a=20
new<B

Subject: Re: You need this.....
Posted by Sarah on Fri, 29 Jun 2007 19:50:53 GMT
View Forum Message <> Reply to Message

=
ones.</FONT></DIV>
 >   =2 0
><DIV><FONT face=3D3DArial size=3D3D2>I am =
unable to=20
get more than one
>   EDS=20
=3D
>   >card=20
working=3D20
>   =
>WITH the=20
=
442.</FONT></DIV>
 >   =2 0
><DIV><FONT face=3D3DArial size=3D3D2>Not =
sure why. The=20

ribbons are all =3D
 >   =2 0
>wired=3D20
 >   =2 0
=
>correctly.</FONT></DIV>
>   &n=
bsp;=20
><DIV><FONT face=3D3DArial =
size=3D3D2></FONT>=20
</DIV>
 >   =2 0
><DIV><FONT face=3D3DArial size=3D3D2>I'm =
off to a=20
hellish gigging =3D
 >   =2 0
>weekend. No =
more=3D20
 >   =2 0
>time for hell in=20
=
Paris.</FONT></DIV>
 >   =2 0
><DIV><FONT face=3D3DArial =
size=3D3D2>Thanks for all=20

Subject: Re: You need this.....
Posted by EK Sound on Fri, 29 Jun 2007 20:25:09 GMT
View Forum Message <> Reply to Message

your
>   =20
=
input,</FONT></DIV>
 >   =2 0
><DIV><FONT face=3D3DArial=20
=
 size=3D3D2>Tom</FONT></DIV&g t;
>   =
; =20
=
><BLOCKQUOTE=3D20
 >   =2 0
>style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
MARGIN-LEFT:=20
5px; =3D
>   =
>BORDER-LEFT:=20
#000000 2px solid; MARGIN-RIGHT:=20
0px">
>   > =20
<DIV>"Rod Lincoln"=20
<<A=3D20
>   =
> =20
=3D
>   >href=3D3D"<A =

=
href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&a=
mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=

A>&g</A>
>   =20
<<A=20
=
href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&a=
mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam

Subject: Re: You need this.....
Posted by Bill L on Fri, 29 Jun 2007 23:29:30 GMT
View Forum Message <> Reply to Message

p;nbsp;   =
>hand=20
works=3D20
>   =
> like a=20
champ one card only. I suspect
>either all my =
Mecs=20
=3D
 >   =2 0
>are=3D20
>   =
> screwy=20
now or the SCSI cables are intermitant=20
=3D
 >   =2 0
=
>at
=3D3D
>b est.
>It's=3D20
>&n=
bsp;   =20
> working fine with the 442 so I'm sticking with =
that for=20
=3D
 >   =2 0
>today.
>I'll=20
add=3D20
>   > =
my EDS=20
cards one by one and see if that is back=20
to=3D20
>   > =20
normal.
>
>T hanks for the help and =
if I=20
need scsi cables =3D
>   =
>what=20
and=3D20
>   > =
where to=20
buy them
=3D3D
>would be good info=20
=
too.
>Mr=3D20
 >   =2 0
> Testy
> "Rod Lincoln"=20
<<A=3D20
>   =
> =20
=3D
>   >href=3D3D"<A =

=

href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&a=
mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=
A>&g</A>
>   =20
<<A=20
=
href=3D'mailto:

Subject: Re: You need this.....
Posted by Deej [4] on Sat, 30 Jun 2007 00:21:59 GMT
View Forum Message <> Reply to Message

ref="mailto:rlincoln@nospam.kc.rr.com"
target="_blank">rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&a=
mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=
A>&g</A>>=3D
 >   =2 0
>t;=3D20
>   =
> wrote=20
in message =3D
 >   =2 0
=
>=3D3D
>news:469780ce$1@linux...
>
&g=
t;=20
I=3D20
>   > =
think Tom=20
was asking if there was a "3.0" version of the EDS=20
card=3D20
>   > =

=3D3D
>that needed
> to be =
connected to the=20
master. =3D
>   >The=20
answer=3D20
>   =
> to that=20
would be no.=3D3D20
> Is this what you were=20
asking=3D20
>   =
> =20
Tom?
> DJ's advice is very important though. I =
would=20
do =3D
>   >it, if=20
you=3D20
>   > =
haven't=20
=3D3D
>already.
&am p;gt; I don't want to =
sound like=20
a =3D
 >   =2 0
>"RTFM"=3D20
>   =
> =20
kind of guy, but the Paris =
=3D
 >   &nb

Subject: Re: You need this.....
Posted by Sarah on Sat, 30 Jun 2007 08:52:52 GMT
View Forum Message <> Reply to Message

t;=20
=3D
 >   =2 0
>lt=3D20
>   =
> doesn't=20
matter which card is the "A" card
> > in=20
=3D
 >   =2 0
>your=3D20
>   =
> =20
system as far as Paris' ID orientation =
right?
>=20
=3D
>   =
>>
>=20
=3D20
>   > =
> Yes, it=20
does, and the orientation of the slots you are=20
=3D
>   >using=20
in=3D20
>   > =20
=3D3D3D
> >combination with the orientation =
of the=20
ribbon =3D
 >   =2 0
>cables=3D20
>   =
> =20
will =
determine
=3D3D
>=3 D3D3D
>=20
>this. Have you =
=3D
 >   =2 0
>changed =
them=3D20
 >   =2 0
> around during your =
reconfiguration?
>=20
>
> =
=3D20
 >   =2 0
> > Start with a new SCSI cable and a single =
EDS card.=20
Test =3D
>   >each=20
MEC.=3D20
>   > =

=3D3D
>Once
&gt ; =
=3D3D3D
> >you=20
know if =3D
>   =
>there is=20
a=3D20
>   > =
problem=20
there, add a new SCSI cable and =3D3D
>another =

=3D
>   =
>=3D3D3D
>=20
=3D20
>   > =
>card. Put=20
different modules in the MECs so you can see which one=20
=3D
 >   =2 0
>is=3D20
>   =
> =20
=3D3D
>on =3D3D3D
> >card A, B, =
C at all=20
times. this =3D
>   =
>will=20
give=3D20
>   > =
you the=20
info as to how =
the
=3D3D
>=3D3D3D& amp;lt;BR>>=20
>cards =3D
 >   =2 0
>are=3D20
>   =
> =20
initializing and which card is card A, B, C as you=20
start=3D20
>   =
> =20
=3D3D
>=3D3D3D
&amp ;gt; >adding more =
hardware. the=20
MEC i =3D
>   >sent =
you is=20
one=3D20
>   > =
of 4 that=20
were =3D3D
&

Subject: Re: You need this.....
Posted by John [1] on Sat, 30 Jun 2007 11:53:50 GMT
View Forum Message <> Reply to Message

><BLOCKQUOTE=3D20
 >   =2 0
> dir=3D3D3D3Dltr=3D3D3D20
>=20
>style=3D3D3D3D"PADDING-RIGHT:=20
=3D
 >   =2 0
>0px;=3D20
>   &nbs

Subject: Re: You need this.....
Posted by Bill L on Sat, 30 Jun 2007 13:54:49 GMT
View Forum Message <> Reply to Message

sp;   =2 0

=
>href=3D3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A'&g=
t;mailto:arpegi=3D
 >   =2 0
=
>o@comcast.net">arpegio@comcast.net</A</A>>>=3D20<BR=
> >   =2 0
> =3D3D
>wrote =3D3D3D
> =
>in=20
=3D
 >   =2 0
>message=3D3D3D20
> >=20
=3D20
>   > =
<A=20
=
href=3D3D3D3D"<A=3D20
 >   =2 0
> =3D
 >   =2 0
=
>href=3D3D'news:46972376@linux">news:46972376@linux</A>...&lt=
;/DIV'>news:469723=3D
 >   =2 0
=
>76@linux">news:46972376@linux </A>...</DIV</A>>& amp;l=
t;BR>>&nbs=3D
 >   =2 0
>p;=3D20
>   =
> >=20
<DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>This=20
=3D
>   >is really=20
a=3D20
>   > =
novice=20
=3D3D
>oriented =3D3D3D
> =
>question but=20
.=3D20
>   > =20
.=3D3D3D20
> >=20
=3D
 >   =2 0
>.</FONT></DIV>
>=20
=3D20
>   > =
>=20
<DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>It=20
=3D
>   >doesn't=20
matter=3D20
>   =
> which=20
card =3D3D
>is the =3D3D3D
>=20
=3D
 >   =2 0
>>"A"=3D3D3D20
>=20
=3D20
>   > =
>=20
card</FONT></DIV><BR& gt;> >=20
=3D20
>   > =20

<DIV><FONT face=3D3D3D3DArial =
size=3D3D3D3D2>in your=20
system as =3D
>   =
>far=20
as=3D20
>   > =20
=3D3D
>Paris' ID =3D3D3D
>=20
=3D
 >   =2 0
>>orientation=3D3D3D20
&g t;=20
=3D20
>   > =
>=20
right?</FONT></DIV><BR&am p;gt;> >=20
=3D20
>   > =20
<DIV><FONT face=3D3D3D3DArial=20
=
size=3D3D3D3D2></FONT>=3D20
>   =
;=20
> </DIV>
> >=20
<DIV>
> =
=3D
 >   =2 0
>> =3D20
>   =
> =20
<DIV>&

Subject: Re: You need this.....
Posted by Deej [4] on Sat, 30 Jun 2007 14:26:08 GMT
View Forum Message <> Reply to Message

lt;FONT face=3D3D3D3DArial =
size=3D3D3D3D2>Yes, it does,=20
and =3D
 >   =2 0
>the=3D20
>   =
> =20
=3D3D
>orientation of
> =
=3D3D3D
>=20
>the=3D20
>   =
> =20
slots=3D3D3D20
> > you are using in =
combination=20
=3D
>   >with=20
the=3D20
>   > =20
orientation of the =
=3D3D
>ribbon=3D3D3D20<BR&amp ;gt;>=20

Subject: Re: You need this..... no you don't

5px; =3D
 >   =2 0
=
>=3D3D3D
>BORDER-LEFT:=3D20
>   =
; =20
> #000000 2px solid;=20
=3D3D
>MARGIN-RIGHT:=3D3D20<B R>>=20
=3D20
>   > =20
0px">
> <DIV><FONT=20
=3D
 >   =2 0
>face=3D3D3D3DArial=3D3D20
>= 20
=3D20
>   > =20
size=3D3D3D3D2></FONT> </DIV>
> =

=3D
 >   =2 0
=
><DIV>"Tom=3D20
 >   =2 0
> =3D3D
>Bruhl"=3D3D20
>=20
=
<<A=3D3D3D20
>=3D20
>   &nbs=
p;=20
> href=3D3D3D3D"<A=3D3D20
>=20
=3D20
>   > =20
=3D
 >   =2 0
=
>=3D3D
>href=3D3D3D'mailto:arpegio@comcast.net">arpegio=
@comcast.net&l=3D
 >   =2 0
=
>t;/A'>mailto:arpegi=3D3D
&am p;gt;o@comcast.net">arpegio@co=
mcast.net<=3D
 >   =2 0
>;/A</A>>>=3D3D20< BR>>=20
=3D20
>   > =
wrote=20
=3D3D3D
>in message=3D3D3D20
>=20
<A=3D20
>   =
> =20
href=3D3D3D3D"<A=3D3D20
>=20
=3D20
>   > =20
=3D
 >   =2 0
=
>=3D3D
>href=3D3D3D'news:46972376@linux">news:46972376@=
linux</A>=3D
 >   &n