

>the =3D3D3D
> > > >ini in =
the=3D3D3D20
> > >=20
> >Paris folde or system=20
32?</DIV>
> > &

Subject: Re: Using old outboard digital processors in a new HD world
Posted by [John \[1\]](#) on Fri, 21 Sep 2007 19:28:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

=3D3D3D
> > >=3D3D
> > >=20
=3D
>>>href=3D3D3D3D"<A=20
=
href=3D'news:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV><B'>news=
:471a0486\$1 @linux">news:471a0486\$1 @linux...</DIV><B=
=3D
>&R>H=3D3D
> > >=20
>
> > >=3D3D3D
> > >=20
>Tom=3D3D3D20
> > > > ><A=20
href=3D"mailto:!!@
Sorry">!!
Sorry to hear you still =
having=20
problems like this =3D
>&~!!
Must
> > > =
=3D3D
> > >=20
>&be
> > >=3D3D3D
> > >=20
>&very=3D3D3D20
> > > > > =
frustrating.
Open=20
the Paris ini file and there change the =
=3D
>=3D3D3D
> > >=20
> >mastercardoutput=3D3D3D20
> > > =
> >=20
with your other
cards and see what happens !!
Let=20
=3D
>me=3D3D3D20
> > > > >=20
know.&am

Subject: Re: Using old outboard digital processors in a new HD world
Posted by [DJ](#) on Sat, 22 Sep 2007 00:53:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

t;META=3D20
> > =
http-equiv=3D3D3D3D3DContent-Type=20
content=3D3D3D3D3D"text/html;=3D20
> > >=20
=3D3D
>=3D3D3D3D
&a mp;gt; > =
=3D20
> > >=20
>&charset=3D3D3D3D3Diso-8859-1">
> > >=20
=3D
>><META=3D20
> > >content=3D3D3D3D3D"MSHTML =
6.00.2800.14

Subject: Re: Using old outboard digital processors in a new HD world

Posted by [rick](#) on Sat, 22 Sep 2007 09:06:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

sp; Hi Tom,
> >
> =

> If you've only got one card in, then the Mastercard =3D3D3D =
0=20

setting
=3D
>is =3D3D
> >right.
> =20
> The file is Paris.cfg, and it lives in the c:\program =

=3D
>files\Emu\PARIS
> =3D3D
> =
>PRO
> =20

> folder.
> >
> > I'd =
still check=20

it out to see what it is set to.
> >
> =
> =20

If it is wr

Subject: Re: Using old outboard digital processors in a new HD world

Posted by [Bill L](#) on Sat, 22 Sep 2007 18:46:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

nt-Type=20

content=3D3D3D3D"text/html";=3D3D20
> > =20

=
=3D3D3D
>charset=3D3D3D3Diso-8859-1">
><MET=
A=20

=3D3D
> >content=3D3D3D3D"MSHTML=3D3D20
> =
> =20

6.00.2800.1400"=3D3D20
> > =3D3D
> =20

=
>name=3D3D3D3DGENERATOR>
& ><STYLE></STYLE><=
& </HEA=3D3D
> =20

>D>
& <BODY=3D3D 20
> > =20

bgColor=3D3D3D3D#ffffff>
& <DIV><FONT=20

face=3D3D3D3DArial=3D3D20
> > =20

size=3D3D3D3D2>Thanks=3D3D20
> > =20

Dimitrios.</DIV><B R>& <DIV><FONT=20

=3D3D
> >face=3D3D3D3DArial=3D3D20
> =

> =20

size=3D3D3D3D2> =

</DIV>
& <DI

Subject: Re: Using old outboard digital processors in a new HD world

Posted by Erling on Sat, 22 Sep 2007 19:13:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

D3D3D3D2>=3D3D20
> =20

> =3D3D
> =20

=

></DIV>
>& l t;BLOCKQUOTE=3D3D3D20
>style=3D=3D3D3D" PADDING-RIGHT:=20

=3D3D
> >0px;=3D3D20
> > =

PADDING-LEFT: 5px;=20
