

---

Subject: Yamaha DM 2000 question  
Posted by [DJ](#) on Sun, 09 Sep 2007 00:29:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

wer supply. It might still work with all 5 cards and 1 =  
Mec

> > if I baby it.  
> >  
> > Once it's off I have to unplug, wait, replugin and start =  
again.

> > Maybe it will start up with one Mec then. I thought there =  
was=3D20

> > a auto shut off mechanism built in to the Magma. I didn't =  
see =3D

> > anything

> > about that in the manual.

> >

> > ? ? ?

> >

> > Why Me???

> >

> >

> > I choose Polesoft Lockspam to fight spam, and you?

> > <http://www.polesoft.com/refer.html> =20

> >

> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

> ><HTML><HEAD>

> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D

> > charset=3D3Diso-8859-1">

> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>

> ><STYLE></STYLE>

> ></HEAD>

> ><BODY bgColor=3D3

---

Subject: Re: Yamaha DM 2000 question  
Posted by [Chris Ludwig](#) on Sun, 09 Sep 2007 01:19:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

/>

let me try again.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>I'm just about to hit the =  
studio.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

<DIV>&nbsp;</DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"EK Sound" &lt;<A=20  
href=3D"mailto:ask\_me@nospam.net">ask\_me@nospam.net</A>&gt; wrote in =  
message <A=20  
href=3D"news:470fbe30@linux">news:470fbe30@linux</A>...</DIV>Try =  
hooking the=20  
MEC's up but NOT hooking them to A/C... as in =  
"off"<BR><BR>David.<BR><BR>Tom=20  
Bruhl wrote:<BR><BR>&gt; Hi Mike,<BR>&gt; I think Windows will boot =  
fine, at=20  
least it used to with<BR>&gt; all 5 cards in it.&nbsp; Now it chokes =  
as soon=20  
as I attach a<BR>&gt; scsi cable to any of my three new working =  
mecs.<BR>&gt;=20  
It didn't a couple of days ago.<BR>&gt;&nbsp; <BR>&gt; I'm digging =  
deeper into=20  
the way the cards are seated now.<BR>&gt; I will check the Magma with =  
one card=20  
and one interface at a<BR>&gt; time.&nbsp; Maybe the scherzo drivers =  
are=20  
screwy from removing<BR>&gt; and reinserting the cards? <BR>&gt;&nbsp; =  
  
<BR>&gt; This is amazing how one little thing can ruin a good=20  
business.<BR>&gt; Well maybe it's 10 little things but. . .<BR>&gt;=20  
Tom<BR>&gt;&nbsp; <BR>&gt;&nbsp; <BR>&gt;&nbsp; <BR>&gt;=20  
<BR>&gt;&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; "Mike Audet" &lt;Mike@...&gt; wrote =  
in=20  
message <A =  
href=3D"news:470f58fa\$1@linux">news:470f58fa\$1@linux</A>...<BR>&gt;=20  
<BR>&gt;&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &

---

---

Subject: Re: Yamaha DM 2000 question  
Posted by [LaMon](#) on Sun, 09 Sep 2007 01:26:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>work with all=3D20  
> > 5 cards and 1 Mec</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>if I baby =  
it.</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>Once it's off I have to =  
unplug,  
> wait,  
> =3D  
> >replug and=3D20  
> > start again.</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>Maybe it will start up =  
with one

> Mec =3D  
> >then. I=3D20  
> > thought there was </FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>a auto shut off =  
mechanism built  
> in to  
> =3D  
> >the=3D20  
> > Magma. I didn't see anything</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>about that in the =3D  
> >manual.</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>? ? ?</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>Why Me???</FONT></DIV>  
> > <DIV><FONT size=3D3D2><BR><BR>I choose Polesoft Lockspam to =

fight

> spam,  
> =3D  
> >and=3D20  
> > you?<BR><A=3D20  
> > =3D  
> =  
>href=3D3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/re=  
fer  
> =  
<http://www.polesoft.com/refer.html">http://www.polesoft.com/refer>=3D  
> >.html</A> </FONT></DIV></BLOCKQUOTE></BODY></HTML>  
> >  
> >

-----=\_NextPart\_000\_0091\_01C80CDF.D52A7930

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV><FONT face=3DArial size=3D2>David,</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>I think I've tried that with the same =  
results but=20

Subject: Re: Yamaha DM 2000 question  
Posted by [LaMon](#) on Sun, 09 Sep 2007 01:45:34 GMT  
[View Forum Message](#) <> [Reply to Message](#)

[illegible]





> face=3D3D3DArial size=3D3D3D2>Powers up nicely in the Magma. It =  
=3D  
>=3D3D<BR>>will=3D20  
> run=3D3D20<BR>>with 5 EDS=3D20  
> cards</FONT></DIV><BR>><DIV><FONT =3D  
>face=3D3D3DArial=3D20  
> size=3D3D3D2>then shut off just before XP boots =3D  
>and<BR>=3D3D<BR>>screws=3D20  
> the=3D3D20<BR>>whole shootin'=3D20  
> match.</FONT></DIV><BR>><DIV><FONT =3D  
>face=3D3D3DArial=3D20  
> size=3D3D3D2>I'll double check seating of the =  
cards<BR>=3D3D<BR>>but =3D  
>  
> what=3D3D20<BR>>else would have made=3D20  
> even</FONT></DIV><BR>><DIV><FONT =3D  
>face=3D3D3DArial=3D20  
> size=3D3D3D2>the new supply to croak? Fans are =3D  
>=3D3D<BR>>cooling=3D3D20<BR>>well=3D20  
> too.</FONT></DIV><BR>><DIV><FONT =3D  
>face=3D3D3DArial=3D20  
> size=3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D  
>face=3D3D3DArial=3D20  
> size=3D3D3D2>I'm thinking I have a broken EDS then =3D3D<BR>>? =  
=3D  
>Maybe=3D3D20<BR>>3=3D20  
> . . . ? The Magma?</FONT></DIV><BR>><DIV><FONT =3D  
>  
> face=3D3D3DArial size=3D3D3D2>Damn. Are there Magma =  
=3D3D<BR>>drivers? =3D  
>If=3D20  
> so=3D3D20<BR>>I'd need older ones. The=3D20  
> Magma</FONT></DIV><BR>><DIV><FONT =3D  
>face=3D3D3DArial=3D20  
> size=3D3D3D2>tech was almost laughing at how old =3D3D<BR>>mine =  
is.=3D20  
> =3D3D20<BR>>It has a slot on the far=3D20  
> left</FONT></DIV><BR>><DIV><FONT =3D  
>face=3D3D3DArial=3D20  
> size=3D3D3D2>for the Magma card. The newer =3D3D<BR>>one's =3D  
>slot=3D3D20<BR>>#s go=3D20  
> 1-13 rt to left as you face the=3D20  
> front.</FONT></DIV><BR>><DIV><FONT =3D  
>face=3D3D3DArial=3D20  
> size=3D3D3D2>I think mine's the opposite judging =  
by<BR>=3D3D<BR>>my=3D20  
> master=3D3D20<BR>>card=3D20  
> placement.</FONT></DIV><BR>><DIV><FONT =3D

```

>face=3D3D3DArial=3D20
> size=3D3D3D2></FONT> </DIV><BR>><DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>Everything is broken it=3D20
> =3D3D<BR>>seems.</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial=3D20
> size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> =3D
></DIV><BR>><BLOCKQUOTE=3D20
> dir=3D3D3Dltr=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: 0px; =
PADDING-LEFT: =3D
>5px;=3D20
> MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000 2px solid; =3D
>MARGIN-RIGHT:=3D20
> 0px"><BR>> <DIV>"Tom Bruhl" =3D
><<A=3D3D20<BR>> =3D20
> href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>'mailto:arp=
egi=3D
>o@comcast.net">arpeggio@comcast.net</A/>>>=3D20
> wrote =3D3D<BR>>in message=3D3D20<BR>> <A href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'news:470d9f41$1@linux">news:470d9f41$1@linux</A>...</DIV>'>news=
:47=3D
>0d9f41$1@linux">news:470d9f41$1@linux</A>...</DIV/><BR>=3D
>> =3D2

```

---

Subject: Re: Yamaha DM 2000 question  
 Posted by [Chris Ludwig](#) on Sun, 09 Sep 2007 14:37:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```

> face=3D3D3DArial size=3D3D3D2>about that in the=3D20
> =3D3D<BR>>manual.</FONT></DIV><BR>> =3D
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2></FONT> </DIV><BR>> =3D20
> <DIV><FONT face=3D3D3DArial size=3D3D3D2>? ?=3D20
> ?</FONT></DIV><BR>> <DIV><FONT =3D
>face=3D3D3DArial=3D20
> size=3D3D3D2></FONT> </DIV><BR>> =3D
><DIV><FONT=3D20
> face=3D3D3DArial size=3D3D3D2>Why =3D
>Me??</FONT></DIV><BR>> =3D20
> <DIV><FONT size=3D3D3D2><BR><BR>I choose =3D
>Polesoft Lockspam=3D20

```

```

> to fight spam,<BR>=3D3D<BR>>and=3D3D20<BR>> =3D20
> you?<BR><A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
> =3D
=
>href=3D3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/re=
fer=3D
=
>'>http://www.polesoft.com/refer.html">http://www.polesoft.com/refer</A=3D=

>>=3D3D<BR>>.html</A>=3D20
> =3D
></FONT></DIV></BLOCKQUOTE></BODY></HTML><BR=3D
>>><BR>><BR></BLOCKQUOTE></BODY></HTML>
>
>

```

-----=\_NextPart\_000\_0009\_01C80CFA.3CBC9B90

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Got everything out of magma, reseated =
it's=20
card.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Booted computer fine with nothing in=20
magma.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tried one eds, computer still booted=20
fine.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tried booting with Mec attached but off =
no=20
probs.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tried with mec on booted fine but am =
back to=20
no</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>clock or modules showing in Mec with =
Paris=20
started.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I forgot to disattach the second Mecs =
clock from=20
the first</FONT></DIV>

```



