

---

Subject: Need 1/2 height ventilated rack blanks  
Posted by [Deej \[4\]](#) on Thu, 21 Jun 2007 18:36:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

et</A>mailto:arp=  
egi=3D  
>o@comcast.net">arpegio@comcast.net</A>>>=3D20  
> =3D3D<BR>>wrote =3D3D3D<BR>> >in =3D  
>message=3D3D3D20<BR>> > =3D20  
> <A href=3D3D3D3D"<A=3D20  
> =

---

---

Subject: Re: Need 1/2 height ventilated rack blanks  
Posted by [LaMont](#) on Thu, 21 Jun 2007 18:44:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

3D  
=  
>href=3D3D'news:46972376@linux">news:46972376@linux</A>...</DIV">news:469=  
723=3D  
>76@linux">news:46972376@linux</A>...</DIV</A>><BR>>&nbs=3D  
>p;=3D20  
> > <DIV><FONT face=3D3D3D3DArial size=3D3D3D3D2>This =3D  
>is really a=3D20  
> novice =3D3D<BR>>oriented =3D3D3D<BR>> >question but .=3D20  
> .=3D3D3D

---

---

Subject: Re: Need 1/2 height ventilated rack blanks  
Posted by [LaMont](#) on Thu, 21 Jun 2007 18:50:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

;were=3D20  
> =3D3D<BR>>working<BR>> =3D3D3D<BR>> =3D  
>><BR>> > =3D20  
> perfectly when I took my system off line. I can't imagine it=3D20  
> being<BR>=3D3D<BR>>a =3D3D3D<BR>> =3D  
>>problem.=3D3D3D20<BR>> =3D20  
> > Bent pins on SCSI cables can be a serious issue though. =3D  
>Your=3D20  
> system<BR>=3D3D<BR>>=3D3D3D<BR>> >will =3D  
>not=3D3D3D20<BR>> =3D20  
> > function with bad SCSI =3D3D3D<BR>> =3D20  
> =3D  
>>cables.</FONT></DIV></DIV></BLOCKQUOTE

---

Subject: Re: Need 1/2 height ventilated rack blanks  
Posted by [Deej \[4\]](#) on Thu, 21 Jun 2007 22:08:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I scaled =  
down to one=20  
EDS (Pretty sure that's card A =3D3D<BR>&gt;&nbsp; =  
&gt;right?!!!)<BR>&gt;&nbsp;=20  
&gt;and plugged it into each of my two working Mecs.&nbsp; Paris will =  
boot=20  
but<BR>&gt;&nbsp; &gt;even internal clock was never found nor were the =  
in/outs=20  
on each Mec.<BR>&gt;&nbsp; &gt;The 442 on the other hand works like a =  
champ=20  
one card only.&nbsp; I =3D<BR>&gt;suspect<BR>&gt;&nbsp; &gt;either all =  
my Mecs=20  
are screwy now or the SCSI cables are =  
intermittant<BR>=3D<BR>&gt;at<BR>&gt;&nbsp;=20  
=3D3D<BR>&gt;&nbsp; &gt;best.<BR>&gt;&nbsp; &gt;It's working fine with =  
the 442=20  
so I'm sticking with that for today.<BR>&gt;&nbsp; &gt;I'll add my EDS =  
cards=20  
one by one and see if that is back to normal.<BR>&gt;&nbsp; =  
&gt;<BR>&gt;&nbsp;=20

---

---

Subject: Re: Need 1/2 height ventilated rack blanks  
Posted by [Aaron Allen](#) on Thu, 21 Jun 2007 22:42:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

p;=20  
&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial size=3D3D3D3D2&gt;It doesn't =  
matter=20  
which<BR>=3D<BR>&gt;card =3D3D<BR>&gt;&nbsp; &gt;is the =  
=3D3D3D<BR>&gt;&nbsp;=20  
&gt;&nbsp; &gt;"A"=3D3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp;=20  
card&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp;=20  
&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial size=3D3D3D3D2&gt;in your =  
system as far=20  
=3D<BR>&gt;as =3D3D<BR>&gt;&nbsp; &gt;Paris' ID =3D3D3D<BR>&gt;&nbsp; =  
&gt;&nbsp;=20  
&gt;orientation=3D3D3D20<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp;=20  
right?&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp;=20  
&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial size=3D3D3D3D2&gt;&lt;/FONT&gt; =  
  
&lt;/DIV&gt;<BR>&gt;&nbsp; &gt;&nbsp; &gt;&nbsp; =  
&lt;DIV&gt;<BR>&gt;&nbsp;=20  
&gt;&nbsp; &gt;&nbsp; &gt;&lt;DIV&gt;&lt;FONT face=3D3D3D3DArial=20

---





t;> Digital router, sample rate converter and Firewire interface with  
>>> a  
>>>> few  
>>>>>>  
>>>>>>> tricks.  
>>>>>>>  
>>>>>>>> <http://www.tcelectronic.com/Default.asp?Id=11321>  
>>>>>>>>  
>>>>>>>> Price?  
>>>>>>>>  
>>>>>>>>

---