
Subject: From my new/old homeplace in Norway
Posted by [erlilo](#) on Sat, 16 Jul 2005 20:09:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

>> Should=20

I try =3D
>reinstalling the=3D20
> XP FX subsystem =
again? Is=20

that ok to =

=3D
 >do
=3D3D
>o nce
>=20

Paris=3D20
> is installed and has been=20

used?
>
> Thanks for any=3D20
> =20

tips.=3D3D20
>
>& ;gt;=20

Daniel
>
>& a mp;lt;!DOCTYPE =3D
>HTML=20

PUBLIC=3D20
> "-//W3C//DTD HTML 4.0=3D20
> =20

=

Transitional//EN" >
>
><HTML><HEAD>
>=

<META=3D20
> =20

http-equiv=3D3D3DContent-Type =

content=3D3D3D"text/html;=3D20
> =20

=3D3D
> charset=3D3D3Diso-8859-1">
><META =

=3D
> content=3D3D3D"MSHTML=3D20
> =

6.00.2800.1400"=3D20
> =20

=

=3D
 >name=3D3D3DGENERATOR>
> t;<STYLE></STYLE&=

gt;
></HEA=3D
 >D>
><BODY=3D20
&=

gt; =20

bgColor=3D3D3D#ffffff>
>& lt;DIV><FONT=20

face=3D3D3DArial=3D20
> =20

=

=3D
 >size=3D3D3D2>Daniel,& ;lt;/DIV>
>=

<DIV><FONT=3D
>=3D20
> =20

face=3D3D3DArial size=3D3D3D2>You are dragging them into the lower=20

=3D
>=3D3D
>bin=3D20
> =20

before=3D3D20
>quitting=3D20
> =20

right?</DIV><BR&am p;gt;><DIV><FONT=20

=3D
>face=3D3D3DArial=3D20
> size=3D3D3D2>This =

adds them to your=20

user presets=3D20
> =20

=

=3D
 >for
=3D3D
> other=3D3D20
>proj=

ects.</DIV><BR=3D
>><DIV><FON=

T=3D20
> =20

face=3D3D3DArial=3D20
> =20

=

size=3D3D3D2>Tom</DIV& ;gt;
><DIV><=

FONT=3D20
> =20

face=3D3D3DArial size=3D3D3D2>=3D20
> =20

```

=
=3D<BR> &gt;&lt;/DIV&gt;&lt;BR&gt;&gt;&l t;BLOCKQUOTE=3D3D20&lt;BR&gt;&gt;s=
tyle=3D3D3D"PADDING-RIGHT:=20
=3D<BR>&gt;0px;=3D20<BR>&gt;&nbsp; PADDING-LEFT: 5px; MARGIN-LEFT: =
5px;=20
=3D3D&lt;BR&gt;&gt;BORDER-LEFT: #000000 =3D<BR>&gt;2px =
solid;=3D20<BR>&gt;&nbsp;=20
MARGIN-RIGHT: 0px"&gt;&lt;BR&gt;&gt; &lt;DIV&gt;"dan =
b"=3D20<BR>&gt;&nbsp;=20
&lt;&lt;A=3D3D20&lt;BR&gt;&gt; =
=3D3D&lt;BR&gt;&gt;href=3D3D3D"&lt;A=3D20<BR >&gt;&nbsp;=20
=
=3D<BR>&gt;href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com"&gt;daniel_burne=
NOSPAM@yahoo.com=3D<BR>&gt;'&gt;mailto:daniel_burneNOSPAM@yahoo.com"&gt;d=
aniel_burneNOSPAM@yahoo.com&lt;/A=3D<BR>&gt;&gt;=3D3D&lt;BR&gt;&gt;&lt;/A=
&gt;&gt;=3D3D20&lt;BR&gt;&gt;=20
=3D20<BR>&gt;&nbsp; wrote in message &lt;A=3D3D20&lt;BR&gt;&gt;=20
=3D3D&lt;BR&gt;&gt;href=3D3D3D"&lt;A=3D20<BR >&gt;&nbsp;=20
=
=3D<BR>&gt;href=3D3D'news:4308b8a6$1@linux"&gt;news:4308b8a6$1@linux&lt;/=
A&gt;...&lt;/DIV&gt;&lt;BR&gt;Hi'&gt; ;=3D <BR>&gt;news:4308b8a6$1@linux"&gt;
;news:4308b8a6$1@linux&lt;/A&gt;...&lt;/DIV&gt;&amp;=3D<BR>&gt;lt;BR&gt;H=
i&lt;/A&gt;,&lt;BR&gt;=3D3D&lt;BR&gt; &gt;&lt;BR&gt;&gt;=20
=3D20<BR>&gt;&nbsp; &lt;BR&gt;&lt;BR&gt;Just wondering if anyone has =
any idea=20
how I can =3D<BR>&gt;get my FX=3D20<BR>&gt;&nbsp; =
=3D3D&lt;BR&gt;&gt;presets=20
to=3D3D20&lt;BR&gt;&gt; save&lt;BR&gt;in XP (Paris =3D<BR>&gt;v3).=20
Whenever=3D20<BR>&gt;&nbsp; I reboot I loose them=20
=3D3D&lt;BR&gt;&gt;all?&lt;BR&gt;&lt;BR&gt;Should=3D20 <BR>&gt;&nbsp;=20
I=3D3D20&lt;BR&gt;&gt; try reinstalling the XP FX subsystem again? Is=20
=3D<BR>&gt;that ok to=3D20<BR>&gt;&nbsp; do =
=3D3D&lt;BR&gt;&gt;once&lt;BR&gt;Paris=2 0
is=3D3D20&lt;BR&gt;&gt; installed and =3D<BR>&gt;has =
been=3D20<BR>&gt;&nbsp;=20
used?&lt;BR&gt;&lt;BR&gt;Thanks for any=3D20<BR>&gt;&nbsp;=20
=
=3D<BR> &gt;tips.=3D3D20&lt;BR&gt;&gt;&lt;BR&gt;& ;&lt;BR&gt;Daniel&lt;/BLOCK=
QUOTE&gt;&lt;/BODY&gt;&=3D<BR> &gt;&gt;&lt;/HTML&gt;&lt;BR&gt;&gt;&a mp;lt;BR&gt;=
&gt;&lt;BR&gt;&lt;/BLOCKQUOTE&gt;&lt;/BODY&gt;&lt;/HTML&gt; <BR>&gt;<BR>&=
gt;<BR></BLOCKQUOTE></BODY></HTML>

```

-----=_NextPart_000_0408_01C5A689.D181C400--I don't know for sure, but that could be your problem. DJ has the answers to this. I believe when he moved to SX 3 he got the new 9652 and it works great. I'm still on sx 1.06 so the Dakota card is working for me. I just bought a new 9652, though as I'm getting ready to spring for SX3 also.
 Rod

Chas. Duncan <duncan5199@SPAMLESSsbcglobal.net> wrote:

>

>SX3 -- and the older digi9652 (not the new dsp version) -- thinking

>maybe this is my trouble?

>

>Would be just like the Steinberg guys -- updating their software while

>obsoleting my hardware...

>

>Would be cool to have this confirmed, if possible -- and thanks --

>Chas.

>

>On 21 Aug 2005 12:24:34 +1000, "Rod Lincoln"

><rlincoln@nospam.kc.rr.com> wrote:

>

>>

>>what version of cubase are you using? You should have no problem getting

sample

>>accurate sync...especially with the 9652

>>I get sample accurate sync with Paris and cubase with a frontier Dakota

card,

>>although I'm under the impression that with cubase sx 3 the RME 9652 is

needed.

>>Rod

>>Chas. Duncan <duncan5199ATsbcglobalDOTnet@> wrote:

>>>People --

>>>

>>>Having unhappy time with midi lately... These days I run Paris and

>>>Cubase SX on separate machines, slaving SX to Paris via ADAT out to

>>>RME in, so this would be a non-Paris topic, I guess... Except as it

>>>possibly relates to sync issues...

>>>

>>>Anyway -- Mostly work with VSTi's in SX, which are peachy fine, but

>>>still like to use a couple of older external modules some times, and

>>>that's where unhappines creeps in: Seems to take SX a loooong time to

>>>lock (like 8-10 bars or more) and there's still a bit of drift (I

>>>think) once it does. Alas. My question is: is it the funky older

>>>2x2 usb midi interface? The RME Digi 9652? Some funky preference

>>>setting buried within Cubase's manymanymany menus? Maybe I need more

>>>zinc? (I do need more zinc.)

>>>

>>>Seems like such a caveman problem to be having these days -- I mean,

>>>people had this nailed in 1987 -- where did we go wrong? Any solid

>>>old school midi masters around here care to help out a poor pilgrim?

>>>

>>>muchas gracias -- Chas.

>Actually, it IS possible. You have to use Chuck's wiring plug in the FX

pack, I think that has been released to the public?

Stock, Paris will not do this w/o some creative use/thinking, a few I/O's

and an external compressor.

AA

"RZ" <pearlmusic@sbcglobal.net> wrote in message news:4307dc42@linux...

> That would require an output and input that I've never seen. If they
> existed the routing would have to appear in the patchbay window with a
> separate module labeled effects sidechain I/O.

>

> I would probably use the channel inserts to run through an analog
> compressor

> if you have one with a sidechain.

>

> RZ

>

>

> "Rob Arsenault" <mani2@nbnet.nb.ca> wrote in message

> news:4306a013\$1@linux...

>> Scanning the manual but not finding anything about it.

>>

>> Thanks

>>

>>

>

> "Chas. Duncan" <duncan5199ATsbcglobalDOTnet@> wrote in message
news:bkmeg1h5224tb2h7peon47kslmgk3t9vq7@4ax.com...

.....

>

> Seems like such a caveman problem to be having these days -- I mean,
> people had this nailed in 1987 -- where did we go wrong?

We started using USB for midi, that's where we went wrong. IMHO, midi has no business at all on that bus. Unfortunately, MS has little regard for the sanctity of exact timing, so the PCI bus is not much different, though a bit better. Now it's all up to the software to make it work right or not, whereas cards like the infamous MQX-32 were ROCK solid performers.... too bad those are all ISA slots, just try finding a place to plant one of these (or drivers in Win2k/XP to run it).

AAPACE updated?

AA

"ricalv" <ricardoalvarez@hotmail.com> wrote in message

news:43077ae3\$1@linux...

>

> Hi! I am using Paris 3.0 on a Windows XP with RAID (mirror) system. The

> mirror

> array had a problem recently (went out of sync for some reason) and I had
> to rebuild the array (nothing lost, both disks were ok and had the data;
> I just used one of them as source and formatted/mirrored the other. So
> the mirror is back running and all other applications seem to work
> (Wavelab,
> etc). When I try to open Paris it never comes up, it doesn't even
> initialize
> the MEC (I don't see the LEDs blinking), and the computer freezes.
>
> I tried uninstalling/reinstalling a couple of times, still the same. I
> formatted
> and reinstalled Windows, installed the Scherzo driver, the Interloc
> driver,
> then Paris 3...and still the same problem.
>
> I have no idea what could be causing this. Everything installed without
> errors and device manager sees the Scherzo as a working device. Could
> this
> be a MEC issue? Please help...I'm about to finish a big project but I'm
> really stuck here!!! Thanks...Hi Tom,

Thanks for the suggestions. The files are definitely in the right folder.
What's particularly odd is that 3 presets have stayed in the main library,
but no other.

There is another problems though:

I'm getting occasional crashes too, particularly when closing one project
and opening another. e.g. Unhandled exception c00000005 at address 0a1723b9.
Paris then crashes, and the computer freezes, requiring a hardware reset.

I'm on an Althon XP 3000, so I assume hyperthreading isn't a problem. The
mobo is a AsusA7V880, which has a VIA chipset (any problems here?), and I'm
using a Raedon VE 9000 or 9200 dual head card (I may try my Matrox G450 to
see if this makes any difference). There's no other hardware but the one
EDS (PCI 3).

I did try a reinstall of XP (Professional) a while back - same problems....
so I'm guessing something's going on with the hardware... there's just not
a lot in the machine to make it go wrong though!

Suggetions welcome!

D

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>
>

>Dan,

>It sounds like the saves aren't going to the right folder/file.?.

>

>Do you see "PARIS_Fx.var" in your C:\Program Files\EMU\Paris folder? =20

>Do you also see a file named "PARIS_Fx.var (default)" ? These

>are both in my Paris folder. I believe the first is the file that

>holds all your home grown presets (Paris and VST/DX) along=20

>with the stock ones that came with your install. The second is=20

>a backup of the stock Paris presets. I'm no tech but you can try=20

>this at your own risk. You are having a problem with one of those=20

>files. If the first is missing then there's your problem. I'd remove=20

>the words (default) from the second if that was the case. Others

>here should be able to help you with anything deeper than this.

>

>If you're on XP with a P4 turn off Hyperthreading in the BIOS.

>Is Windows crashing? Are you getting blue screens?

>

>Maybe you have a defective Paris disc?

>

>Ain't no technician,

>Tom

> "dan b" <daniel_burneNOSPAM@yahoo.com> wrote in message =

>news:4308fee5\$1@linux...

>

> Ok, so I've reinstalled the FX subsystem. Still no joy. All presets in

=

>the

> main library lost between reboots, and sometimes also restarts of =

>Paris...

> Any more ideas!?!?!?

>

> Thanks,=20

>

> db

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >

> >

> >Dan,

> >Sounds like a smart move then.

> >Tom

> > "Dan B" <daniel_burneNOSPAM@yahoo.com> wrote in message =3D

> >news:4308cc02\$1@linux...
> >
> > Hi Tom,=3D20
> >
> > Yup - I'm placing them in the library. They show in other projects
=
>=3D
> >once saved,
> > until I reboot... then they disappear. I may try reinstalling the =
>FX =3D
> >subsystem.
> > In the meantime, suggestions welcome!
> >
> > Thanks,=3D20
> >
> > Dan
> >
> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
> > >
> > >
> > >Daniel,
> > >You are dragging them into the lower bin before quitting right?
> > >This adds them to your user presets for other projects.
> > >Tom
> > >
> > > "dan b" <daniel_burneNOSPAM@yahoo.com> wrote in message =3D3D
> > >news:4308b8a6\$1@linux...
> > >
> > > Hi,=3D3D20
> > >
> > > Just wondering if anyone has any idea how I can get my FX =
>presets =3D
> >to =3D3D
> > >save
> > > in XP (Paris v3). Whenever I reboot I loose them all?
> > >
> > > Should I try reinstalling the XP FX subsystem again? Is that ok
=
>to
> =3D
> >do
> > =3D3D
> > >once
> > > Paris is installed and has been used?
> > >
> > > Thanks for any tips.=3D3D20
> > >
> > > Daniel

```

> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html; =
>=3D3D
> > > charset=3D3D3Diso-8859-1">
> > ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D3D#ffffff>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Daniel,</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>You are dragging them =
>into the =3D
> >lower =3D3D
> > >bin before=3D3D20
> > >quitting right?</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>This adds them to your =
>user =3D
> >presets for
> > =3D3D
> > >other=3D3D20
> > >projects.</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D3D20
> > >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px; =3D
> >=3D3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"dan b" <<A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yah=
>oo.=3D
> >com=3D3D
> > ></A>>=3D3D20
> > > wrote in message <A=3D3D20
> > > =3D3D
> > =3D
> =
>>>href=3D3D3D"news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV><B=
>R>H=3D
> >i,
> > =3D3D
> > >
> > > <BR><BR>Just wondering if anyone has any idea how I can get my =
>FX =3D

```



```

> >=3D3D
> > >presets to=3D3D20
> > > save<BR>in XP (Paris v3). Whenever I reboot I loose them =3D3D
> > >all?<BR><BR>Should I=3D3D20
> > > try reinstalling the XP FX subsystem again? Is that ok to do =
=3D3D
> > >once<BR>Paris is=3D3D20
> > > installed and has been used?<BR><BR>Thanks for any tips.=3D3D20
> > ><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML>
> > >
> > >
> > >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> > charset=3D3Diso-8859-1">
> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D3D#ffffff>
> ><DIV><FONT face=3D3DArial size=3D3D2>Dan,</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Sounds like a smart move =3D
> >then.</FONT></DIV>
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
> ><BLOCKQUOTE=3D20
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
=3D
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"Dan B" <<A=3D20
> > =3D
> > =
>>href=3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
>com=3D
> ></A>>=3D20
> > wrote in message <A=3D20
> > =3D
> > =
>>href=3D3D"news:4308cc02$1@linux">news:4308cc02$1@linux</A>...</DIV><BR>H=
>i
> =3D
> >Tom,=3D20
> > <BR><BR>Yup - I'm placing them in the library. They show in other =
=3D
> >projects=3D20
> > once saved,<BR>until I reboot... then they disappear. I may try =3D
> >reinstalling=3D20
> > the FX subsystem.<BR>In the meantime, suggestions =3D

```

> >welcome!

Thanks,=3D20
> >

Dan

"Tom Bruhl" <<A=3D20
> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net=>=3D20
> > wrote:
>
>
>Daniel,
>You are dragging them =3D
> >into the=3D20
> > lower bin before quitting right?
>This adds them to your user =
>=3D
> >presets=3D20
> > for other projects.
>Tom
>
> "dan b" <<A=3D20
> > =3D
> =
>>href=3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
>com=3D
> >=>=3D20
> > wrote in message =3D
> >=3D3D
>news:4308b8a6\$1@linux...
>
> =3D20
> > Hi,=3D3D20
>
> Just wondering if anyone has any idea =3D
> >how I can=3D20
> > get my FX presets to =3D3D
>save
> in XP (Paris v3). =3D
> >Whenever I=3D20
> > reboot I loose them all?
>
> Should I try =3D
> >reinstalling the=3D20
> > XP FX subsystem again? Is that ok to =3D
> >do
=3D3D
>once
> Paris=3D20
> > is installed and has been used?
>
> Thanks for any=3D20
> > tips.=3D3D20
>
> Daniel
>
><!DOCTYPE =3D
> >HTML PUBLIC=3D20
> > "-//W3C//DTD HTML 4.0=3D20
> > Transitional//EN">
><HTML><HEAD>
><META=3D20
> > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=3D20
> > =3D3D
>charset=3D3D3Diso-8859-1">
><META =3D
> >content=3D3D3D"MSHTML=3D20
> > 6.00.2800.1400"=3D20
> > =3D
> >name=3D3D3DGENERATOR>
><STYLE></STYLE>
></HEA=3D
> >D>
><BODY=3D20
> > bgColor=3D3D3D#ffffff>
><DIV><FONT face=3D3D3DArial=3D20
> > =3D
> >size=3D3D3D2>Daniel,</DIV>
><DIV><FONT=3D
> >=3D20
> > face=3D3D3DArial size=3D3D3D2>You are dragging them into the lower
=>=3D
> >=3D3D
>bin=3D20
> > before=3D3D20
>quitting=3D20
> > right?</DIV>
><DIV><FONT =3D
> >face=3D3D3DArial=3D20
> > size=3D3D3D2>This adds them to your user presets=3D20

```

> > =3D
> >for<BR>=3D3D<BR>>other=3D3D20<BR>>projects.</FONT></DIV ><BR>=3D
> >><DIV><FONT=3D20
> > face=3D3D3DArial=3D20
> > size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
> > face=3D3D3DArial size=3D3D3D2></FONT>=3D20
> > =3D
> ></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: =3D
> >0px;=3D20
> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000
=
>=3D
> >2px solid;=3D20
> > MARGIN-RIGHT: 0px"><BR>> <DIV>"dan b"=3D20
> > <<A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
>com=3D
> =
>>'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=3D=
>
> >>=3D3D<BR>></A>>=3D3D20<BR>> =3D20
> > wrote in message <A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
> > =3D
> =
>>href=3D3D'news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV><BR>H=
>i'=3D
> >news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV>&=3D
> >lt;BR>Hi</A>,<BR>=3D3D<BR>><BR>> =3D20
> > <BR><BR>Just wondering if anyone has any idea how I can =3D
> >get my FX=3D20
> > =3D3D<BR>>presets to=3D3D20<BR>> save<BR>in XP (Paris =3D
> >v3). Whenever=3D20
> > I reboot I loose them =3D3D<BR>>all?<BR><BR>Should=3D20
> > I=3D3D20<BR>> try reinstalling the XP FX subsystem again? Is =3D
> >that ok to=3D20
> > do =3D3D<BR>>once<BR>Paris is=3D3D20<BR>> installed and =3D
> >has been=3D20
> > used?<BR><BR>Thanks for any=3D20
> > =3D
> >tips.=3D3D20<BR>><BR><BR>Daniel</BLOCKQUOTE></BODY&=3D
> >gt;</HTML><BR>><BR>><BR></BLOCKQUOTE></BODY></HTML>
> >
> >
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

```

```

><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Dan,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>It sounds like the saves aren't going =
>to the right=20
>folder/file.?.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>Do you see "PARIS_Fx.var" in your =
>C\Program=20

><DIV><FONT face=3DArial size=3D2>Do you </FONT><FONT face=3DArial =
>size=3D2>also see a=20

><DIV><FONT face=3DArial size=3D2>are both in my Paris =

>the first is the file that</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>holds all your home grown presets =
>(Paris and=20
>VST/DX) along </FONT></DIV>
><DIV><FONT face=3DArial size=3D2>with the stock </FONT><FONT =
>face=3DArial size=3D2>ones=20

><DIV><FONT face=3DArial size=3D2>a backup </FONT><FONT face=3DArial =
>size=3D2>of the=20

></FONT></DIV>
><DIV><FONT size=3D2><FONT face=3DArial><FONT>this </FONT><FONT><EM>at =
>your own=20

></FONT></FONT></DIV>

>size=3D2>there's=20

><DIV><FONT face=3DArial size=3D2>the words (default) from the =
></FONT><FONT=20

>Others</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>here should be able to help you =

>deeper than this.</FONT></DIV>

><DIV><FONT face=3DArial size=3D2>If you're on XP with a P4 turn off =
>Hyperthreading=20

```

>in the BIOS.</DIV>
><DIV>Is Windows crashing? Are you getting =
>blue=20
>screens?</DIV>

><DIV>Maybe you have a defective Paris =
>disc?</DIV>

><DIV>Ain't no technician,</DIV>
><DIV>Tom</DIV>
><BLOCKQUOTE=20
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> <DIV>"dan b" <<A=20
> =
>href=3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>>=20
> wrote in message <A=20
> =
>href=3D"news:4308fee5\$1@linux">news:4308fee5\$1@linux...</DIV>
Ok,
=

>so I've=20
> reinstalled the FX subsystem. Still no joy. All presets in the
main
=

>library=20
> lost between reboots, and sometimes also restarts of Paris...
Any =
>more=20
> ideas!?!?!

Thanks,

db

"Tom Bruhl" <<A=20
> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20
> wrote:
>
>
>Dan,
>Sounds like a smart move=20

> =
>href=3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>>=20
> wrote in message =

>They show=20

>reboot... then=20
> they disappear. I may try reinstalling the FX=20

> href=3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net>=20

>before=20

>for=20

>

> =

>href=3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>>=20

>presets=20

>XP (Paris=20

>that ok=20

> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20

> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20

>><META=20

> content=3D3D3D"MSHTML 6.00.2800.1400" =

>><DIV><FONT=20

> face=3D3D3DArial =

> ><DIV>You are =

>dragging them=20

> ><DIV>This adds =

>them to your=20

```

>><DIV><FONT=20
> face=3D3D3DArial =

> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> =
>

> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px;=20

>MARGIN-RIGHT:=20

> =3D<BR>>>href=3D3D3D"<A=20
> =
>href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo'>ma=
>ilto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo</A>.=3D<BR=

> =3D<BR>>>href=3D3D3D"<A=20
> =
>href=3D'news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV><BR>H'>n=
>ews:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV>&l=

><BR><BR>Just=20
> wondering if anyone has any idea how I can get my FX=20

> save<BR>in XP (Paris v3). Whenever I reboot I loose them=20

>do=20

> installed and has been used?<BR><BR>Thanks for any=20

> =
>><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML&g=

>PUBLIC=20
> "-//W3C//DTD HTML 4.0=20
> Transitional//EN"><BR>><HTML><HEAD><BR>><META=20
> http-equiv=3D3DContent-Type content=3D3D"text/html;=20

```

```

> =3D<BR>> charset=3D3Diso-8859-1"><BR>><META =
> content=3D3D"MSHTML=20
> 6.00.2800.1400"=20
> =
> name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=
> D><BR>><BODY=20
> bgcolor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial=20
> size=3D3D2>Dan,</FONT></DIV><BR>><DIV><FONT =
>
> face=3D3DArial size=3D3D2>Sounds like a smart move=20
> =3D<BR>>then.</FONT></DIV><BR>><DIV><FONT=20
> face=3D3DArial=20
> =
> size=3D3D2>Tom</FONT></DIV><BR>><BLOCKQUOTE=3D20<BR>=
>> style=3D3D"PADDING-RIGHT:=20
> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>>BORDER-LEFT: =
> #000000 2px=20

> =
> href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=

> =
> href=3D'news:4308cc02$1@linux">news:4308cc02$1@linux</A>...</DIV><BR>Hi'>=
> news:4308cc02$1@linux">news:4308cc02$1@linux</A>...</DIV>&=

> <BR><BR>Yup - I'm placing them in the library. They show =
> in other=20

> reboot... then=20

> the FX=20
> subsystem.<BR>In the meantime, suggestions=20

> <BR><BR>Dan<BR><BR>"Tom Bruhl"=20

> =
> href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D20'>mailto=
> :arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D20</A><BR>&g=

> =
> wrote:<BR>><BR>><BR>>Daniel,<BR>>You =
> are=20

> quitting=20
> right?<BR>>This adds them to your user=20

```


> projects.
>Tom
>
> "dan b"=20

> =
>href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=

> wrote in message=20
> =
>=3D
>=3D3D
>news:4308b8a6\$1@linux...
><B=
>R>>=20

>wondering if=20

>presets to=20
> =3D3D
>save
> in XP (Paris v3). =
>=3D
>Whenever=20

>all?
>
> Should=20

>again? Is=20
> that ok to =
>=3D
>do
=3D3D
>once
>=20

> tips.=3D3D20
>
>=20
> Daniel
>
><!DOCTYPE =3D
>HTML=20

> =
>Transitional//EN">
><HTML><HEAD>
>=

> http-equiv=3D3D3DContent-Type =

> =3D3D
>charset=3D3D3Diso-8859-1">
><META =
>

> =
>=3D
>name=3D3D3DGENERATOR>
><STYLE></STYLE&=
>gt;
></HEA=3D
>D>
><BODY=3D20
>=</BODY></HTML></>

> bgColor=3D3D3D#ffffff>
><DIV><FONT=20

> =
>=3D
>size=3D3D3D2>Daniel,</DIV>
>=

> face=3D3D3DArial size=3D3D3D2>You are dragging them into the lower=20

> right?</DIV>
><DIV><FONT=20

>adds them to your=20

> =

>=3D
>for
=3D3D
>other=3D3D20
>proj=
>ects.</DIV><BR=3D
>>><DIV><FON=

> =

>size=3D3D3D2>Tom</DIV>
><DIV><=

> =

>=3D
></DIV>
><BLOCKQUOTE=3D3D20
>s=
>tyle=3D3D3D"PADDING-RIGHT:=20

>5px;=20

> =3D3D
>BORDER-LEFT: #000000 =3D
>2px =

> MARGIN-RIGHT: 0px">
> <DIV>"dan =

> <<A=3D3D20
> =

> =

>=3D
>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burne=
>NOSPAM@yahoo.com=3D
>'>mailto:daniel_burneNOSPAM@yahoo.com">d=
>aniel_burneNOSPAM@yahoo.com</A=3D
>>=3D3D
></A=
>>>=3D3D20
>=20

> =

>=3D
>href=3D3D'news:4308b8a6\$1@linux">news:4308b8a6\$1@linux</=
>A>...</DIV>
Hi">=3D
>news:4308b8a6\$1@linux">=
>;news:4308b8a6\$1@linux...</DIV>&=3D
>>lt;BR>H=
>i,
=3D3D
>
>=20

>any idea=20

>=3D3D
>presets=20

> to=3D3D20
> save
in XP (Paris =3D
>v3).=20

> I=3D3D20
> try reinstalling the XP FX subsystem again? Is=20

>=3D3D
>once
Paris=20

> is=3D3D20
> installed and =3D
>has =

> =
>=3D
>tips.=3D3D20
>

Daniel</BLOCK=
>QUOTE></BODY&=3D
>gt;</HTML>
>
=
>;
</BLOCKQUOTE></BODY></HTML>
>
&=
>gt;
</BLOCKQUOTE></BODY></HTML>
>
>I seem to remember that cloning requires you reset the record path and
use a different name.

I also seem to remember that I was Jethro Tull in a previous life.

hmm,
Really don't mind if I sit this one out.
John

dan b wrote:

> Hi Tom,
>
> Thanks for the suggestions. The files are definitely in the right folder.
> What's particularly odd is that 3 presets have stayed in the main library,
> but no other.
>
> There is another problems though:
>
> I'm getting occasional crashes too, particularly when closing one project
> and opening another. e.g. Unhandled exception c00000005 at address 0a1723b9.
> Paris then crashes, and the computer freezes, requiring a hardware reset.
>
>
> I'm on an Althon XP 3000, so I assume hyperthreading isn't a problem. The
> mobo is a AsusA7V880, which has a VIA chipset (any problems here?), and I'm
> using a Raedon VE 9000 or 9200 dual head card (I may try my Matrox G450 to
> see if this makes any difference). There's no other hardware but the one
> EDS (PCI 3).
>
> I did try a reinstall of XP (Professional) a while back - same problems....
> so I'm guessing something's going on with the hardware... there's just not
> a lot in the machine the to make it go wrong though!
>
> Suggetions welcome!
>
> D
>
>
>
>

>
>
> "Tom Bruhl" <arpeggio@comcast.net> wrote:
>
>>
>> Dan,
>> It sounds like the saves aren't going to the right folder/file.?.
>>
>> Do you see "PARIS_Fx.var" in your C:\Program Files\EMU\Paris folder? =20
>> Do you also see a file named "PARIS_Fx.var (default)" ? These
>> are both in my Paris folder. I believe the first is the file that
>> holds all your home grown presets (Paris and VST/DX) along=20
>> with the stock ones that came with your install. The second is=20
>> a backup of the stock Paris presets. I'm no tech but you can try=20
>> this at your own risk. You are having a problem with one of those=20
>> files. If the first is missing then there's your problem. I'd remove=20
>> the words (default) from the second if that was the case. Others
>> here should be able to help you with anything deeper than this.
>>
>> If you're on XP with a P4 turn off Hyperthreading in the BIOS.
>> Is Windows crashing? Are you getting blue screens?
>>
>> Maybe you have a defective Paris disc?
>>
>> Ain't no technician,
>> Tom
>> "dan b" <daniel_burneNOSPAM@yahoo.com> wrote in message =
>> news:4308fee5\$1@linux...
>>
>> Ok, so I've reinstalled the FX subsystem. Still no joy. All presets in
>
> =
>
>> the
>> main library lost between reboots, and sometimes also restarts of =
>> Paris...
>> Any more ideas!?!?!
>>
>> Thanks,=20
>>
>> db
>>
>> "Tom Bruhl" <arpeggio@comcast.net> wrote:
>> >
>> >
>> > Dan,
>> > Sounds like a smart move then.
>> > Tom

>> > "Dan B" <daniel_burneNOSPAM@yahoo.com> wrote in message =3D
>> >news:4308cc02\$1@linux...
>> >
>> > Hi Tom,=3D20
>> >
>> > Yup - I'm placing them in the library. They show in other projects
>
> =
>
>>=3D
>> >once saved,
>> > until I reboot... then they disappear. I may try reinstalling the =
>>FX =3D
>> >subsystem.
>> > In the meantime, suggestions welcome!
>> >
>> > Thanks,=3D20
>> >
>> > Dan
>> >
>> > "Tom Bruhl" <arpeggio@comcast.net> wrote:
>> > >
>> > >
>> > >Daniel,
>> > >You are dragging them into the lower bin before quitting right?
>> > >This adds them to your user presets for other projects.
>> > >Tom
>> > >
>> > > "dan b" <daniel_burneNOSPAM@yahoo.com> wrote in message =3D3D
>> > >news:4308b8a6\$1@linux...
>> > >
>> > > Hi,=3D3D20
>> > >
>> > > Just wondering if anyone has any idea how I can get my FX =
>>presets =3D
>> >to =3D3D
>> > >save
>> > > in XP (Paris v3). Whenever I reboot I loose them all?
>> > >
>> > > Should I try reinstalling the XP FX subsystem again? Is that ok
>
> =
>
>>to
>> =3D
>> >do
>> > =3D3D
>> > >once

```

>>> > Paris is installed and has been used?
>>> >
>>> > Thanks for any tips.=3D3D20
>>> >
>>> > Daniel
>>> >
>>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>>> ><HTML><HEAD>
>>> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html"; =
>>=3D3D
>>> > charset=3D3D3Diso-8859-1">
>>> ><META content=3D3D3D"MSHTML 6.00.2800.1400" name=3D3D3DGENERATOR>
>>> ><STYLE></STYLE>
>>> ></HEAD>
>>> ><BODY bgColor=3D3D3D#ffffff>
>>> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Daniel,</FONT></DIV>
>>> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>You are dragging them =
>>into the =3D
>>>lower =3D3D
>>> >bin before=3D3D20
>>> >quitting right?</FONT></DIV>
>>> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>This adds them to your =
>>user =3D
>>>presets for
>>> =3D3D
>>> >other=3D3D20
>>> >projects.</FONT></DIV>
>>> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>Tom</FONT></DIV>
>>> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> </DIV>
>>> ><BLOCKQUOTE=3D3D20
>>> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>>5px; =3D
>>>=3D3D
>>> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>>> > <DIV>"dan b" <<A=3D3D20
>>> > =3D3D
>>> =3D
>>> =
>>>
>>>>href=3D3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yah=
>>
>>>oo.=3D
>>>com=3D3D
>>> ></A>>=3D3D20
>>> > wrote in message <A=3D3D20
>>> > =3D3D
>>> =3D
>>> =

```

```

>>
>>>>href=3D3D3D"news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV><B=
>>
>>R>H=3D
>> >i,
>> > =3D3D
>> > >
>> > > <BR><BR>Just wondering if anyone has any idea how I can get my =
>>FX =3D
>> >=3D3D
>> > >presets to=3D3D20
>> > > save<BR>in XP (Paris v3). Whenever I reboot I loose them =3D3D
>> > >all?<BR><BR>Should I=3D3D20
>> > > try reinstalling the XP FX subsystem again? Is that ok to do =
>>=3D3D
>> > >once<BR>Paris is=3D3D20
>> > > installed and has been used?<BR><BR>Thanks for any tips.=3D3D20
>> > ><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML>
>> > >
>> > >
>> >
>> >
>> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>> ><HTML><HEAD>
>> ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
>> >charset=3D3Diso-8859-1">
>> ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
>> ><STYLE></STYLE>
>> ></HEAD>
>> ><BODY bgColor=3D3D#ffffff>
>> ><DIV><FONT face=3D3DArial size=3D3D2>Dan,</FONT></DIV>
>> ><DIV><FONT face=3D3DArial size=3D3D2>Sounds like a smart move =3D
>> >then.</FONT></DIV>
>> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
>> ><BLOCKQUOTE=3D20
>> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>=3D
>> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> > <DIV>"Dan B" <<A=3D20
>> > =3D
>> =
>>
>>>>href=3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
>>
>>com=3D
>> ></A>>=3D20
>> > wrote in message <A=3D20
>> > =3D

```

```

>> =
>>
>>>href=3D3D"news:4308cc02$1@linux">news:4308cc02$1@linux</A>...</DIV><BR>H=
>>
>>i
>> =3D
>> >Tom,=3D20
>> > <BR><BR>Yup - I'm placing them in the library. They show in other =
>>=3D
>> >projects=3D20
>> > once saved,<BR>until I reboot... then they disappear. I may try =3D
>> >reinstalling=3D20
>> > the FX subsystem.<BR>In the meantime, suggestions =3D
>> >welcome!<BR><BR>Thanks,=3D20
>> > <BR><BR>Dan<BR><BR>"Tom Bruhl" <<A=3D20
>> > href=3D3D"mailto:arpeggio@comcast.net">arpeggio@comcast.net</A>>=3D20
>> > wrote:<BR>><BR>><BR>>Daniel,<BR>>You are dragging them =3D
>> >into the=3D20
>> > lower bin before quitting right?<BR>>This adds them to your user =
>>=3D
>> >presets=3D20
>> > for other projects.<BR>>Tom<BR>><BR>> "dan b" <<A=3D20
>> > =3D
>> =
>>
>>>href=3D3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
>>
>>com=3D
>> ></A>>=3D20
>> > wrote in message =3D
>> >=3D3D<BR>>news:4308b8a6$1@linux...<BR>><BR>> =3D20
>> > Hi,=3D3D20<BR>><BR>> Just wondering if anyone has any idea =3D
>> >how I can=3D20
>> > get my FX presets to =3D3D<BR>>save<BR>> in XP (Paris v3). =3D
>> >Whenever I=3D20
>> > reboot I loose them all?<BR>><BR>> Should I try =3D
>> >reinstalling the=3D20
>> > XP FX subsystem again? Is that ok to =3D
>> >do<BR>=3D3D<BR>>once<BR>> Paris=3D20
>> > is installed and has been used?<BR>><BR>> Thanks for any=3D20
>> > tips.=3D3D20<BR>><BR>> Daniel<BR>><BR>><!DOCTYPE =3D
>> >HTML PUBLIC=3D20
>> > "-//W3C//DTD HTML 4.0=3D20
>> > Transitional//EN"><BR>><HTML><HEAD><BR>><META=3D20
>> > http-equiv=3D3D3DContent-Type content=3D3D3D"text/html";=3D20
>> > =3D3D3D<BR>>charset=3D3D3Diso-8859-1"><BR>><META =3D
>> >content=3D3D3D"MSHTML=3D20
>> > 6.00.2800.1400"=3D20

```



```

>> > =3D
>> >name=3D3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=3D
>> >D><BR>><BODY=3D20
>> > bgColor=3D3D3D#ffffff><BR>><DIV><FONT face=3D3D3DArial=3D20
>> > =3D
>> >size=3D3D3D2>Daniel,</FONT></DIV><BR>><DIV><FONT=3D
>> >=3D20
>> > face=3D3D3DArial size=3D3D3D2>You are dragging them into the lower
>
> =
>
>>=3D
>> >=3D3D<BR>>bin=3D20
>> > before=3D3D20<BR>>quitting=3D20
>> > right?</FONT></DIV><BR>><DIV><FONT =3D
>> >face=3D3D3DArial=3D20
>> > size=3D3D3D2>This adds them to your user presets=3D20
>> > =3D
>> >for<BR>=3D3D<BR>>other=3D3D20<BR>>projects.</FONT></DIV ><BR=3D
>> >>><DIV><FONT=3D20
>> > face=3D3D3DArial=3D20
>> > size=3D3D3D2>Tom</FONT></DIV><BR>><DIV><FONT=3D20
>> > face=3D3D3DArial size=3D3D3D2></FONT>=3D20
>> > =3D
>> ></DIV><BR>><BLOCKQUOTE=3D3D20<BR>>style=3D3D3D"PADDING-RIGHT: =3D
>> >0px;=3D20
>> > PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D3D<BR>>BORDER-LEFT: #000000
>
> =
>
>>=3D
>> >2px solid;=3D20
>> > MARGIN-RIGHT: 0px"><BR>> <DIV>"dan b"=3D20
>> > <<A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
>> > =3D
>> =
>>
>>>href=3D3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.=
>>
>>com=3D
>> =
>>
>>>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=3D=
>>
>> >>=3D3D<BR>></A>>=3D3D20<BR>> =3D20
>> > wrote in message <A=3D3D20<BR>> =3D3D<BR>>href=3D3D3D"<A=3D20
>> > =3D
>> =

```

```

>>
>>>href=3D3D'news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV><BR>H=
>>
>>'i'=3D
>> >news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV>&=3D
>> >lt;BR>Hi</A>,<BR>=3D3D<BR>><BR>> =3D20
>> > <BR><BR>Just wondering if anyone has any idea how I can =3D
>> >get my FX=3D20
>> > =3D3D<BR>>presets to=3D3D20<BR>> save<BR>in XP (Paris =3D
>> >v3). Whenever=3D20
>> > I reboot I loose them =3D3D<BR>>all?<BR><BR>Should=3D20
>> > I=3D3D20<BR>> try reinstalling the XP FX subsystem again? Is =3D
>> >that ok to=3D20
>> > do =3D3D<BR>>once<BR>Paris is=3D3D20<BR>> installed and =3D
>> >has been=3D20
>> > used?<BR><BR>Thanks for any=3D20
>> > =3D
>> >tips.=3D3D20<BR>><BR><BR>Daniel</BLOCKQUOTE></BODY&=3D
>> >gt;</HTML><BR>><BR>><BR></BLOCKQUOTE></BODY></HTML>
>> >
>> >
>>
>>><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
>><HTML><HEAD>
>><META http-equiv=3DContent-Type content=3D"text/html; =
>>charset=3Diso-8859-1">
>><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
>><STYLE></STYLE>
>></HEAD>
>><BODY bgColor=3D#ffffff>
>><DIV><FONT face=3DArial size=3D2>Dan,</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>It sounds like the saves aren't going =
>>to the right=20
>>folder/file.?.</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2></FONT> </DIV>
>><DIV><FONT face=3DArial size=3D2>Do you see "PARIS_Fx.var" in your =
>>C\Program=20
>>Files\EMU\Paris folder? </FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>Do you </FONT><FONT face=3DArial =
>>size=3D2>also see a=20
>>file named "PARIS_Fx.var (default)" ? These</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>are both in my Paris =
>>folder. I believe=20
>>the first is the file that</FONT></DIV>
>><DIV><FONT face=3DArial size=3D2>holds all your home grown presets =
>>(Paris and=20
>>VST/DX) along </FONT></DIV>

```

>><DIV>with the stock <FONT =
>>face=3DArial size=3D2>ones=20
>>that came with your install. The second is </DIV>
>><DIV>a backup <FONT face=3DArial =
>>size=3D2>of the=20
>>stock Paris presets. I'm no tech but you can try =
>></DIV>
>><DIV>this at =
>>your own=20
>>risk. You are having a problem with one of those=20
>></DIV>
>><DIV>files. If the first is missing then <FONT face=3DArial =
>>size=3D2>there's=20
>>your problem. I'd remove </DIV>
>><DIV>the words (default) from the =
>><FONT=20
>>face=3DArial size=3D2>second if that was the case. =
>>Others</DIV>
>><DIV>here should be able to help you =
>>with anything=20
>>deeper than this.</DIV>
>><DIV> </DIV>
>><DIV>If you're on XP with a P4 turn off =
>>Hyperthreading=20
>>in the BIOS.</DIV>
>><DIV>Is Windows crashing? Are you getting =
>>blue=20
>>screens?</DIV>
>><DIV> </DIV>
>><DIV>Maybe you have a defective Paris =
>>disc?</DIV>
>><DIV> </DIV>
>><DIV>Ain't no technician,</DIV>
>><DIV>Tom</DIV>
>><BLOCKQUOTE=20
>>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
>>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
>> <DIV>"dan b" <<A=20
>> =
>>href=3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>>=20
>> wrote in message <A=20
>> =
>>href=3D"news:4308fee5\$1@linux">news:4308fee5\$1@linux...</DIV>
Ok,
>
> =
>
>>so I've=20

```

>> reinstalled the FX subsystem. Still no joy. All presets in the<BR>main
>
> =
>
>>library=20
>> lost between reboots, and sometimes also restarts of Paris...<BR>Any =
>>more=20
>> ideas!?!?!<BR><BR>Thanks, <BR><BR>db<BR><BR>"Tom Bruhl" <<A=20
>> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=20
>> wrote:<BR>><BR>><BR>>Dan,<BR>>Sounds like a smart move=20
>> then.<BR>>Tom<BR>> "Dan B" <<A=20
>> =
>>href=3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>></A>>=20
>> wrote in message =
>>=3D<BR>>news:4308cc02$1@linux...<BR>><BR>> Hi=20
>> Tom,=3D20<BR>><BR>> Yup - I'm placing them in the library. =
>>They show=20
>> in other projects =3D<BR>>once saved,<BR>> until I =
>>reboot... then=20
>> they disappear. I may try reinstalling the FX=20
>> =3D<BR>>subsystem.<BR>> In the meantime, suggestions=20
>> welcome!<BR>><BR>> Thanks,=3D20<BR>><BR>> =20
>> Dan<BR>><BR>> "Tom Bruhl" <<A=20
>> href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>>=20
>> wrote:<BR>> ><BR>> ><BR>> =20
>> >Daniel,<BR>> >You are dragging them into the lower bin =
>>before=20
>> quitting right?<BR>> >This adds them to your user presets =
>>for=20
>> other projects.<BR>> >Tom<BR>> ><BR>> =
>>
>> > "dan b" <<A=20
>> =
>>href=3D"mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>></A>>=20
>> wrote in message =3D3D<BR>> =
>>
>>>news:4308b8a6$1@linux...<BR>> =20
>>
>> ><BR>> > Hi,=3D3D20<BR>> =
>>
>>><BR>> =20
>>
>> > Just wondering if anyone has any idea how I can get my FX =
>>presets=20
>> =3D<BR>>to =3D3D<BR>> >save<BR>> > in =
>>XP (Paris=20

```

```

>> v3). Whenever I reboot I loose them all?<BR>> =
>>
>>><BR>> =20
>>
>> > Should I try reinstalling the XP FX subsystem again? Is =
>>that ok=20
>> to<BR>=3D<BR>>do<BR>> =3D3D<BR>> =
>>
>>>once<BR>> =20
>>
>> > Paris is installed and has been used?<BR>> =20
>> ><BR>> > Thanks for any =
>>tips.=3D3D20<BR>> =20
>> ><BR>> > Daniel<BR>> ><BR>> =20
>> >!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0=20
>> Transitional//EN"><BR>> =
>>
>>><HTML><HEAD><BR>> =20
>>
>> ><META http-equiv=3D3D3DContent-Type content=3D3D3D"text/html;=20
>> =3D3D<BR>> > charset=3D3D3Diso-8859-1"><BR>> =
>>
>>><META=20
>>
>> content=3D3D3D"MSHTML 6.00.2800.1400" =
>> name=3D3D3DGENERATOR><BR>> =20
>> ><STYLE></STYLE><BR>> =
>>
>>></HEAD><BR>> =20
>>
>> ><BODY bgColor=3D3D3D#ffffff><BR>> =
>>
>>><DIV><FONT=20
>>
>> face=3D3D3DArial =
>> size=3D3D3D2>Daniel,</FONT></DIV><BR>> =20
>> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>You are =
>> dragging them=20
>> into the =3D<BR>> lower =3D3D<BR>> > bin =
>> before=3D3D20<BR>> =20
>> > quitting right?</FONT></DIV><BR>> =20
>> ><DIV><FONT face=3D3D3DArial size=3D3D3D2>This adds =
>> them to your=20
>> user =3D<BR>> presets for<BR>> =3D3D<BR>> =20
>> > other=3D3D20<BR>> =20
>> > projects.</FONT></DIV><BR>> =
>>
>>><DIV><FONT=20

```

```

>>
>> face=3D3D3DArial =
>>size=3D3D3D2>Tom</FONT></DIV><BR>> =20
>> ><DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> =
>>
>> </DIV><BR>> ><BLOCKQUOTE=3D3D20<BR>> =20
>> >style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>>5px;=20
>> =3D<BR>>=3D3D<BR>> >BORDER-LEFT: #000000 2px solid; =
>>MARGIN-RIGHT:=20
>> 0px"><BR>> > <DIV>"dan b"=20
>> <<A=3D3D20<BR>> > =3D3D<BR>> =20
>> =3D<BR>>>href=3D3D3D"<A=20
>> =
>>href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo'>ma=
>>ilto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo</A>.=3D<BR=
>>
>>>>com=3D3D<BR>> =20
>>
>> ></A>>=3D3D20<BR>> > wrote in message=20
>> <A=3D3D20<BR>> > =3D3D<BR>> =20
>> =3D<BR>>>href=3D3D3D"<A=20
>> =
>>href=3D'news:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV><BR>H'>n=
>>ews:4308b8a6$1@linux">news:4308b8a6$1@linux</A>...</DIV>>&l=
>>t;BR>H</A>=3D<BR>>i,<BR>> =20
>> =3D3D<BR>> ><BR>> > =
>><BR><BR>Just=20
>> wondering if anyone has any idea how I can get my FX=20
>> =3D<BR>>=3D3D<BR>> >presets to=3D3D20<BR>> =
>>
>>> =20
>>
>> save<BR>in XP (Paris v3). Whenever I reboot I loose them=20
>> =3D3D<BR>> >all?<BR><BR>Should =
>>I=3D3D20<BR>> =20
>> > try reinstalling the XP FX subsystem again? Is that ok to =
>>do=20
>> =3D3D<BR>> >once<BR>Paris is=3D3D20<BR>> =
>>
>>> =20
>>
>> installed and has been used?<BR><BR>Thanks for any=20
>> tips.=3D3D20<BR>> =20
>> =
>>
>>><BR><BR>Daniel</BLOCKQUOTE></BODY></HTML&g=
>>

```

```

>>t;<BR>> =20
>> ><BR>> ><BR>><BR>><BR>><!DOCTYPE HTML =
>>PUBLIC=20
>> "-//W3C//DTD HTML 4.0=20
>> Transitional//EN"><BR>><HTML><HEAD><BR>><META=20
>> http-equiv=3D3DContent-Type content=3D3D"text/html";=20
>> =3D<BR>> charset=3D3Diso-8859-1"><BR>><META =
>> content=3D3D"MSHTML=20
>> 6.00.2800.1400"=20
>> =
>> name=3D3DGENERATOR><BR>><STYLE></STYLE><BR>></HEA=
>> D><BR>><BODY=20
>> bgColor=3D3D#ffffff><BR>><DIV><FONT face=3D3DArial=20
>> size=3D3D2>Dan,</FONT></DIV><BR>><DIV><FONT =
>>
>> face=3D3DArial size=3D3D2>Sounds like a smart move=20
>> =3D<BR>> then.</FONT></DIV><BR>><DIV><FONT=20
>> face=3D3DArial=20
>> =
>> size=3D3D2>Tom</FONT></DIV><BR>><BLOCKQUOTE=3D20<BR>=
>>
>>> style=3D3D"PADDING-RIGHT:=20
>>
>> 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D<BR>> BORDER-LEFT: =
>> #000000 2px=20
>> solid; MARGIN-RIGHT: 0px"><BR>> <DIV>"Dan B"=20
>> <<A=3D20<BR>> =3D<BR>> href=3D3D"<A=20
>> =
>> href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=
>>
>>>=3D<BR>></A>>=3D20<BR>> =20
>>
>> wrote in message <A=3D20<BR>> =3D<BR>> href=3D3D"<A=20
>> =
>> href=3D'news:4308cc02$1@linux">news:4308cc02$1@linux</A>...</DIV><BR>Hi'>=
>> news:4308cc02$1@linux">news:4308cc02$1@linux</A>...</DIV>&=
>> It;BR>Hi</A><BR>=3D<BR>> Tom,=3D20<BR>> =20
>> <BR><BR>Yup - I'm placing them in the library. They show =
>> in other=20
>> =3D<BR>> projects=3D20<BR>> once saved,<BR>until I =
>> reboot... then=20
>> they disappear. I may try =3D<BR>> reinstalling=3D20<BR>> =
>> the FX=20
>> subsystem.<BR>In the meantime, suggestions=20
>> =3D<BR>> welcome!<BR><BR>Thanks,=3D20<BR>> =20
>> <BR><BR>Dan<BR><BR>"Tom Bruhl"=20
>> <<A=3D20<BR>> href=3D3D"<A=20

```

>> =
>>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net>=3D20'>mailto=
>>:arpegio@comcast.net">arpegio@comcast.net>=3D20
&g=
>>t;=20
>> =
>>wrote:
>
>
>Daniel,
>You =
>>are=20
>> dragging them =3D
>into the=3D20
> lower bin before =
>>quitting=20
>> right?
>This adds them to your user=20
>> =3D
>presets=3D20
> for other=20
>> projects.
>Tom
>
> "dan b"=20
>> <<A=3D20
> =3D
>href=3D3D"<A=20
>> =
>>href=3D'mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com=
>>'>mailto:daniel_burneNOSPAM@yahoo.com">daniel_burneNOSPAM@yahoo.com</A=
>>
>>>=3D
>>=3D20
> =20
>>
>> wrote in message=20
>> =
>>=3D
>=3D3D
>news:4308b8a6\$1@linux...
><B=
>>R>>=20
>> =3D20
> Hi,=3D3D20
>
> Just =
>>wondering if=20
>> anyone has any idea =3D
>how I can=3D20
> get my FX =
>>presets to=20
>> =3D3D
>save
> in XP (Paris v3). =
>>=3D
>Whenever=20
>> I=3D20
> reboot I loose them =
>>all?
>
> Should=20
>> I try =3D
>reinstalling the=3D20
> XP FX subsystem =
>>again? Is=20
>> that ok to =
>>=3D
>do
=3D3D
>once
>=20
>> Paris=3D20
> is installed and has been=20
>> used?
>
> Thanks for any=3D20
> =20
>> tips.=3D3D20
><
