

[View Forum Message](#) <> [Reply to Message](#)

bsp; >=20
 >"A"=3D3D20
> >=20
 >=20
 card
> in your system as far as Paris' ID=20
 orientation=3D3D20
> >=20
 >=20
 > right?
>
> Yes, it do

[View Forum Message](#) <> [Reply to Message](#)

[illegible]

[View Forum Message](#) <> [Reply to Message](#)

mp;gt; =2 0
 >=3D3D
> =20
 >different=3D3D20
> =
 > =20
 > modules in the MECs so you can see which one is=20
 on
> =3D3D3D
>>card=20
 =3D
> >A,=20
 =3D3D
> > B, C=20
 at=3D3D20
> > =
 > all=20
 times. this will give you the info as to how the=20
 =3D
> =
 >=3D3D3D
>>cards=20

Subject: Re: Apple question
Posted by [Deej \[4\]](#) on Wed, 27 Jun 2007 17:28:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: Apple question
Posted by [Deej](#) [4] on Wed, 27 Jun 2007 17:29:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

Page 2 of 7 ---- Generated from The PARIS Forums

[illegible]

[illegible]

Subject: Re: Apple question
Posted by [TCB](#) on Wed, 27 Jun 2007 18:28:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

[illegible]

[illegible]