

Subject: Where do I find Paris Wires
Posted by [Don Nafe](#) on Sun, 18 Sep 2005 14:31:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

$$\frac{A}{\sqrt{\pi}} = \left(\frac{A}{\sqrt{\pi}} \right)^2$$

Subject: Re: Where do I find Paris Wires
Posted by [Don Nafe](#) on Sun, 18 Sep 2005 15:40:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

[illegible]

Subject: Re: Where do I find Paris Wires
Posted by [Jeff Batter](#) on Mon, 19 Sep 2005 17:35:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
gr" target="_blank">musurgio@otenet.gr">musurgio@otenet.gr</A
> > <mailto:musurgio@otenet.gr">musurgio@otenet.gr</A>>> wrote
> > =3D
> > >in =3D3D
> > > >>message=3D3D20
> > > >> <A
> > href=3D3D3D"news:434bd54b@linux">news:434bd54b@linux</A>...</DIV
> > <news:434bd54b@linux">news:434bd54b@linux
```

Subject: Re: Where do I find Paris Wires
Posted by [EK Sound](#) on Mon, 19 Sep 2005 18:12:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
</A>...</DIV>>
> > > >> <DIV><FONT face=3D3D3DArial size=3D3D3D2>Dear =
>Tom,</FONT></DIV>
> > > >> <DIV><FONT face=3D3D3DArial size=3D3D3D2>If you load =
>mp3's on
> > wavelab
> > =3D
```

> > >you can
> > > >=3D3D
> > > >>then save=3D3D20
> > > >> them as wave files.</DIV>
> > > >> <DIV>It is that =3D
> > >simple.</DIV>
> > > >> <DIV><FONT face=3D3D3DArial =
>size=3D3D3D2>Regards,</DIV>
> > > >> <DIV><FONT face=3D3D3DArial =
>size=3D3D3D2>Dimitrios</DIV>
> > > >> <BLOCKQUOTE dir=3D3D3Dltr=3D3D20
> > > >> style=3D3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; =
>MARGIN-LEFT: =3D
> > >5px; =3D3D
> > > >>BORDER-LEFT: #000000 2px solid; MARGIN-

Subject: Re: Where do I find Paris Wires
Posted by [Don Nafe](#) on Mon, 19 Sep 2005 21:07:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

b@linux" target="_blank">434bd28b@linux">news:434bd28b@linux...</DIV>
> > <news:434bd28b@linux">news:434bd28b@linux...</DIV>>
> > > >> <DIV>The files are
=
>Winamp
> > Media
> > =3D
> > >=3D3D
> > > >>Files which are=3D3D20
> > > >> mp3s. </DIV>
> > > >> <DIV>I want to lay
=
>guitar =3D
> > ><FONT
> > > =3D3D
> > > >>face=3D3D3DArial=3D3D20
> > > >> size=3D3D3D2>tracks over Steely Dan covers for him.
> > </DIV>
> > > >> <DIV>Can I make =
>them
> > individual
> > =3D
> > >wavs =3D3D
> > > >>with either=3D3D20
> > > >> Paris, strip wav or</DIV>
> > > >> <DIV>

Subject: Re: Where do I find Paris Wires
Posted by [Jeff Batter](#) on Tue, 20 Sep 2005 01:16:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
/>
> > > >>size=3D3D3D2>to save a=3D3D20
> > > >> step for him I guess...</FONT></DIV>
> > > >> <DIV><FONT face=3D3D3DArial =
>size=3D3D3D2>Tom</FONT></DIV>
> > > >> <DIV><FONT face=3D3D3DArial size=3D3D3D2></FONT> =
></DIV>
> > > >> <DIV><FONT face=3D3D3DArial size=3D3D3D2>PS Don't eat
=
>too much =3D
> > >roasted =3D3D
> > > >>garlic at=3D3D20
> > > >> one =3D
> > >sitting.</FONT></DIV></BLOCKQUOTE></BLOCKQUOTE></BODY> </HTML>
> > > >>
> > > >>
> > > >
> > >
> > >
> > ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> > ><HTML><HEAD>
> > ><META http-equiv=3D3DContent-Type content=3D3D"text/html; =3D
> > >charset=3D3Diso-8859-1">
> > ><META content=3D3D"MSHTML 6.00.2800.1400" name=3D3DGENERATOR>
> > ><STYLE></STYLE>
> > ></HEAD>
> > ><BODY bgColor=3D3D#ffffff>
> > ><DIV><
```

Subject: Re: Where do I find Paris Wires
Posted by [Jeff Batter](#) on Tue, 20 Sep 2005 01:18:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
FONT face=3D3DArial size=3D3D2>Rod,</FONT></DIV>
> > ><DIV><FONT face=3D3DArial size=3D3D2>Thanks for that. Does it
=
>actually =3D
> > >separate=3D20
> > >the interleaved files?</FONT></DIV>
> > ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>
> > ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
> > ><BLOCKQUOTE=3D20
> > >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT:
```

=
>5px; =3D
> > >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > > <DIV>"Rod Lincoln" <<A=3D20
> > > =3D
> > =
>>href=3D3D"mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A=
>>&g
> > =
><mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&g>=3D
> > >t;=3D20
> > > wrote in message <A=3D20
> > > =3D
> > =
>>href=3D3D"news:434bfc35\$1@linux">news:434bfc35\$1@linux...</DIV>
H=
>ere
> > =
&g

Subject: Re: Where do I find Paris Wires
Posted by [Dimitrios](#) on Tue, 20 Sep 2005 07:45:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

lto:arpeggio@comcast.net"

> <<A=20
> =
>href=3D"mailto:arpeggio@comcast.net">mailto:arpeggio@comcast.net>>=
>; wrote=20

>which=20

>covers=20

>Paris,=20

>can=20

>at one=20

>>><!DOCTYPE=20

> HTML PUBLIC "-//W3C//DTD HTML 4.0=20

>

>

> =

>p;=20

Subject: Re: Where do I find Paris Wires
Posted by [Jeff Batter](#) on Tue, 20 Sep 2005 18:02:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

>>>BORDER-LEFT:=20

> #000000 2px solid; MARGIN-RIGHT:=20

> =

>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.net</A'>mailto:arpegi=

> <<A=20

> =

>href=3D'mailto:arpegio@comcast.net">arpegio@comcast.netmailto:arpegi=
>o@comcast.net">arpegio@comcast.net</A>>=20

>>>wrote=20

>>>href=3D3D3D"<A=20

> =

>href=3D'news:434bd28b@linux">news:434bd28b@linux...</DIV'>news:434bd2=

> <<A=20

> =

>href=3D'news:434bd28b@linux">news:434bd28b@linux...</DIV'>news:434bd2=
>8b@linux">news:434bd28b@linux...</DIV>>
>=

>face=3D3D3DArial=20

>>>Files which=20

>size=3D3D3D2>I=20

Subject: Re: Where do I find Paris Wires
Posted by [Aaron Allen](#) on Tue, 20 Sep 2005 21:05:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

too much =

> =

>>sitting.</DIV></BLOCKQUOTE></BLOCKQUOTE&g=

```

>PUBLIC=20
> "-//W3C//DTD HTML 4.0=20

> ><META http-equiv=3D3DContent-Type content=3D3D"text/html";=20

> ><META content=3D3D"MSHTML 6.00.2800.1400"=20


> ><DIV><FONT face=3D3DArial=20
> =

> ><DIV><FONT face=3D3DArial size=3D3D2>Thanks for that. =
>Does it=20


>interleaved=20

> ><DIV><FONT face=3D3DArial=20
> =

> ><DIV><FONT face=3D3DArial size=3D3D2></FONT>=20


> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =
>5px;=20

>solid;=20


> <DIV>"Rod Lincoln" =

> =
>href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</A>&a=
>mp;g">mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=

> <<A=20

```

> =

>href=3D'mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com&a=
>mp;g'>mailto:rlincoln@nospam.kc.rr.com">rlincoln@nospam.kc.rr.com</=

>message=20

> =
