

---

Subject: Another 64 bit question  
Posted by [DJ](#) on Sat, 08 Sep 2007 19:48:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

ONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;/DIV&gt;&lt;/FONT=20  
face=3D3DArial size=3D3D2&gt;&lt;/FONT=20  
=3D<BR>&gt;&lt;/FONT=20  
soon as I=3D20<BR>&gt;&lt;/FONT=20  
a&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;/DIV&gt;&lt;/FONT face=3D3DArial=20  
size=3D3D2&gt;&lt;/FONT=20  
scsi cable to any of my three new=20  
=  
=3D<BR>&gt;&lt;/FONT=20  
working=3D20<BR>&gt;&lt;/FONT=20  
mecs.&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;/FONT=20  
DIV&gt;&lt;/FONT=20  
face=3D3DArial size=3D3D2&gt;&lt;/FONT=20  
It didn't a couple of days=20  
=3D<BR>&gt;&lt;/FONT=20  
ago.&lt;/FONT&gt;&lt;/DIV&gt; <BR>&gt;&lt;/FONT=20  
FONT =  
face=3D3DArial=20  
size=3D3D2&gt;&lt;/FONT=20  
&lt;/DIV&gt;<BR>&gt;&lt;/FONT=20  
FONT =  
face=3D3DArial=20  
size=3D3D2&gt;&lt;/FONT=20  
I'm digging deeper into the way the =3D<BR>&gt;&lt;/FONT=20  
cards=20  
are=3D20<BR>&gt;&lt;/FONT=20  
seated =  
now.&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;/FONT=20  
DIV&gt;&lt;/FONT=20  
face=3D3DArial size=3D3D2&gt;&lt;/FONT=20  
I will check the Magma with one card =  
=3D<BR>&gt;&lt;/FONT=20  
and=20  
one=3D20<BR>&gt;&lt;/FONT=20  
interface at a=20  
&lt;/FONT&gt;&lt;/DIV&gt;<BR>&gt;&lt;/FONT=20  
&lt;/FONT=20

---

---

Subject: Re: Another 64 bit question  
Posted by [rick](#) on Sat, 08 Sep 2007 20:28:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

XP=20  
with no EDS cards in, then<BR>=3D<BR>&gt;&lt;/FONT=20  
one,=3D20<BR>&gt;&lt;/FONT=20  
&lt;/FONT=20  
then =  
two,=20  
etc.,&lt;/FONT&gt;&lt;/DIV&gt;&lt;/FONT=20  
until you can find the problem.&lt;/FONT&gt;&lt;/DIV&gt;&lt;/FONT=20  
If it is the=20  
=3D<BR>&gt;&lt;/FONT=20  
bridge=3D20<BR>&gt;&lt;/FONT=20  
&lt;/FONT=20  
chips in the Magma,&lt;/FONT&gt;&lt;/DIV&gt;&lt;/FONT=20  
I =  
believe=20  
Windows would fail even if no cards =3D<BR>&gt;&lt;/FONT=20  
were =  
in=3D20<BR>&gt;&lt;/FONT=20  
&lt;/FONT=20  
it.&lt;/FONT&gt;&lt;/DIV&gt;&lt;/FONT=20  
You may want to&lt;/FONT&gt;&lt;/DIV&gt;&lt;/FONT=20  
test it with another PCI card in it =  
just=20  
=3D<BR>&gt;&lt;/FONT=20  
in case=3D20<BR>&gt;&lt;/FONT=20  
&lt;/FONT=20  
I'm wrong about that.&lt;/FONT&gt;&lt;/DIV&gt;&lt;/FONT=20  
It&lt;/FONT&gt;&lt;/DIV&gt;&lt;/FONT=20  
sounds to me like a bad card that is =  
=3D<BR>&gt;&lt;/FONT=20  
<BR>&gt;&lt;/FONT=20  
&lt;/FONT=20  
throwing the PARIS driver for a shit&lt;/FONT&gt;&lt;/DIV&gt;&lt;/FONT=20  
when it tries to =  
initalize=20  
=3D<BR>&gt;&lt;/FONT=20  
any 442s=3D20<BR>&gt;&lt;/FONT=20  
&lt;/FONT=20  
that are attached (that happens =



Subject: Re: Another 64 bit question

Posted by [excelav](#) on Sat, 08 Sep 2007 21:27:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

p;gt;&gt;Tom&lt;BR&gt;&gt; ;&lt;BR&gt;&gt;&nbsp; "Tom Bruhl"=20  
&lt;&lt;A=3D20<BR>&gt;&nbsp; href=3D3D"<A=20

=  
href=3D'mailto:arpeggio@comcast.net">arpeggio@comcast.net</A'>mailto:arpegi=  
o@comcast.net"&gt;arpeggio@comcast.net&lt;/A</A>&gt;=20  
wrote =3D<BR>&gt;in message=3D20<BR>&gt;&nbsp;=20  
=3D3D&lt;BR&gt;&gt;news:470d9f41\$1@linux...&lt;BR&gt;&gt;&nbsp; I =  
can't believe=20  
this =3D<BR>&gt;one but .=3D20<BR>&gt;&nbsp; .=20  
.=3D3D20&lt;BR&gt;&gt;&lt;BR&gt;&gt; &nbsp; I've had 5 cards in a 13 =  
slot Magma=20  
for =3D<BR>&gt;<BR>&gt;&nbsp; years.&nbsp; Now it =  
won't&lt;BR&gt;&gt;&nbsp;=20  
start up and keep =3D<BR>&gt;running.&nbsp; This=3D20<BR>&gt;&nbsp; =  
began tonight=20  
as&lt;BR&gt;&gt;&nbsp; I tried adding Mec #2 to a 1 Mec =  
=3D<BR>&gt;setup.=20  
=3D20<BR>&gt;&nbsp; The Magma&lt;BR&gt;&gt;&nbsp; would power on for a =  
split=20  
second then =3D<BR>&gt;stop.&nbsp; I'm=3D20<BR>&gt;&nbsp;=20  
thinking&lt;BR&gt;&gt;&nbsp; power supply.&nbsp; It might still work =  
with=20  
=3D<BR>&gt;all 5=3D20<BR>&gt;&nbsp; cards and 1 =  
Mec&lt;BR&gt;&gt;&nbsp; if I baby=20  
it.&lt;BR&gt;&gt;&lt;BR&gt;&gt;&nbsp; Once =  
=3D<BR>&gt;it's=3D20<BR>&gt;&nbsp; off=20  
I hav

---

Subject: Re: Another 64 bit question

Posted by [DJ](#) on Sat, 08 Sep 2007 22:25:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

e to unplug, wait, replug and start again.&lt;BR&gt;&gt;&nbsp;=20  
=3D<BR>&gt;Maybe it=3D20<BR>&gt;&nbsp; will start up with one Mec =  
then.&nbsp; I=20  
thought there =3D<BR>&gt;was=3D3D20&lt;BR&gt;&gt;&nbsp; =  
a=3D20<BR>&gt;&nbsp; auto=20  
shut off mechanism built in to the Magma.&nbsp; I didn't =  
see=3D20<BR>&gt;&nbsp;=20  
=3D3D&lt;BR&gt;&gt;anything&lt;BR&gt;&gt;&nbsp; about that in=20  
the=3D20<BR>&gt;&nbsp; manual.&lt;BR&gt;&gt;&lt;BR&gt;&gt;&nbsp; ? ?=20  
?&lt;BR&gt;&gt;&lt;BR&gt;&gt;&nbsp; Why=3D20<BR>&gt;&nbsp;=20  
Me??&lt;BR&gt;&gt;&lt;BR&gt;&gt;&nbsp; I choose =

Polesoft=20  
Lockspam to =3D<BR>&gt;fight spam,=3D20<BR>&gt;&nbsp; and =  
you?&lt;BR&gt;&gt;&nbsp;=20  
&lt;A=3D20<BR>&gt;&nbsp; =3D<BR>&gt;href=3D3D"<A=20  
=  
href=3D'http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
'>http://www.polesoft.com/refer.html"&gt;http://www.polesoft.com/refer</A=  
>=3D<BR>&gt;.html&lt;/A&gt;&nbsp;=20  
=3D20<BR>&gt;&nbsp; &lt;BR&gt;&gt;&lt;BR&gt;&gt;&lt; !DOCTYPE HTML =  
PUBLIC=20  
"-//W3C//DTD HTML 4.0=3D20<BR>&gt;&nbsp;=20  
=  
Transitional//EN" &gt;&lt;BR&gt;&gt;&lt;HTML&gt;&lt; t;HEAD&gt;&lt;BR&gt;&gt;=  
&lt;META=3D20<BR>&gt;&nbsp;=20  
http-equiv=3D3D3DContent-Type =  
content=3D3D3D"text/html;=3D20<BR>&gt;&nbsp;=20  
=3D3D&lt;BR&gt;&gt; charset=3D3D3Diso-8859-1"&gt;&lt;BR&gt;&gt;&lt;META =  
=3D<BR>&gt; content=3D3D3D"MSHTML=3D20<BR>&gt;&nbsp; =  
6.00.2800.1400"=3D20<BR>&gt;&nbsp;=20  
=  
=3D<BR> &gt; name=3D3D3DGENERATOR&gt;&lt;BR&gt;&g t;&lt;STYLE&gt;&lt;/STYLE&=  
&gt;&lt;BR&gt;&gt;&lt;/HEA=3D<BR> &gt;D&gt;&lt;BR&gt;&gt;&lt;BODY=3D20 <BR>&=  
&gt;&nbsp;=20  
bgColor=3D3D3D#ffffff&gt;&lt;BR&gt;&gt;& lt;DIV&gt;&lt;FONT =  
fac

---

Subject: Re: Another 64 bit question  
Posted by [LaMontt](#) on Sat, 08 Sep 2007 22:37:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

&lt;FONT=3D20<BR>&gt;&nbsp;=20  
face=3D3D3DArial size=3D3D3D2&gt;New problem. Just installed a new=20  
=3D<BR>&gt;=3D3D&lt;BR&gt;&gt;Antec=3D20<BR >&gt;&nbsp; =  
550=3D3D20&lt;BR&gt;&gt; watt=20  
=  
=3D<BR> &gt; supply.&lt;/FONT&gt;&lt;/DIV&gt;& amp ;lt;BR&gt;&gt;&lt;DIV&gt;&lt;F=  
ONT=3D20<BR>&gt;&nbsp;=20  
face=3D3D3DArial size=3D3D3D2&gt;Powers up nicely in the Magma. It=20  
=3D<BR>&gt;=3D3D&lt;BR&gt;&gt; will=3D20<BR >&gt;&nbsp; =  
run=3D3D20&lt;BR&gt;&gt; with 5=20  
EDS=3D20<BR>&gt;&nbsp;=20  
cards&lt;/FONT&gt;&lt;/DIV&gt;&lt;BR& amp ;gt;&gt;&lt;DIV&gt;&lt;FONT=20  
=3D<BR>&gt;face=3D3D3DArial=3D20<BR>&gt;&nbsp; size=3D3D3D2&gt;then =  
shut off just=20  
before XP boots =





=3D20<BR>&gt;&nbsp;=20  
&lt;/DIV&gt;&lt;/FONT face=3D3D3DArial size=3D3D3D2&gt;I've had 5 cards =  
in a=20  
=3D<BR>&gt;13 slot=3D20<BR>&gt;&nbsp; Magma=20  
=3D3D&lt;/BR&gt;&gt;for=3D3D20&lt;/BR&gt;& amp;gt;&nbsp; years. Now =  
it=3D20<BR>&gt;&nbsp;=20  
won't&lt;/FONT&gt;&lt;/DIV&gt;&lt;/BR& amp ;gt;&gt;&nbsp; &lt;/DIV&gt;&lt;/FONT =  
  
=3D<BR>&gt;face=3D3D3DArial=3D20<BR>&gt;&nbsp; size=3D3D3D2&gt;start =  
up and keep=20  
running. This =3D<BR> &gt;=3D3D&lt;/BR&gt;&gt;began=3D3D20&lt;/B R&gt;&gt; =  
  
=3D20<BR>&gt;&nbsp; tonight =  
as&lt;/FONT&gt;&lt;/DIV&gt;&lt;/BR&gt ;&gt;&nbsp;=20  
&lt;/DIV&gt;&lt;/FONT=3D20<BR>&gt;&nbsp; face=3D3D3DArial =  
size=3D3D3D2&gt;I tried=20  
adding Mec #2 to a 1 Mec =  
=3D<BR>&gt;=3D3D&lt;/BR&gt;&gt;setup.=3D20<BR >&gt;&nbsp;=20  
The=3D3D20&lt;/BR&gt;&gt;&nbsp; =  
Magma&lt;/FONT&gt;&lt;/DIV&gt;&lt;/BR& amp ;gt;&gt;=20  
=3D20<BR>&gt;&nbsp; &lt;/DIV&gt;&lt;/FONT face=3D3D3DArial =  
size=3D3D3D2&gt;would power=20  
on for a =3D<BR>&gt;split second=3D20<BR>&gt;&nbsp;=20  
=3D3D&lt;/BR&gt;&gt;then=3D3D20&lt;/BR&gt; &gt;&nbsp; stop. =  
I'm=3D20<BR>&gt;&nbsp;=20  
thinking&lt;/FONT&gt;&lt;/DIV&gt;&lt;/BR& amp ;gt;&gt;&nbsp;=20  
&lt;/DIV&gt;&lt;/FONT=3D20<BR>&gt;&nbsp; face=3D3D3DArial =  
size=3D3D3D2&gt;power=20  
supply. It might still =3D<BR>&gt;=3D3D&lt;/BR&gt;&gt;work =  
with=3D20<BR>&gt;&nbsp;=20  
all=3D3D20&lt;/BR&gt;&gt;&nbsp; 5 cards and 1=20  
=3D<BR> &gt;Mec&lt;/FONT&gt;&lt;/DIV&gt;&lt;/BR&gt;&gt; =  
=3D20<BR>&gt;&nbsp;=20  
&lt;/DIV&gt;&lt;/FONT face=3D3D3DArial size=3D3D3D2&gt;if I =  
baby=3D20<BR>&gt;&nbsp;=20  
it.&lt;/FONT&gt;&lt;/DIV&gt;&lt;/BR&g t;&gt;&nbsp; &lt;/DIV&gt;&lt;/FONT=20  
=3D<BR>&gt;face=3D3D3DArial=3D20<BR>&gt;&nbsp; =  
size=3D3D3D2&gt;&lt;/FONT&gt;=20  
&lt;/DIV&gt;&lt;/BR&gt;&gt;&nbsp; =  
=3D<BR>&gt;&lt;/DIV&gt;&lt;/FONT=3D20<BR>&gt;&nbsp;=20  
face=3D3D3DArial size=3D3D3D2&gt;Once it's off I have to =  
unplug,=3D20<BR>&gt;&nbsp;=20

---

Subject: Re: Another 64 bit question

Posted by [Martin Harrington](#) on Sun, 09 Sep 2007 00:11:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

> >  
> >I'm thinking I have a broken EDS then ? Maybe 3 . . . ? The =  
Magma?  
> >Damn. Are there Magma drivers? If so I'd need older ones. =  
The Magma  
> >tech was almost laughing at how old mine is. It has a slot on =  
the  
> far =3D  
> >left  
> >for the Magma card. The newer one's slot #s go 1-13 rt to =  
left as  
> you =3D  
> >face the front.  
> >I think mine's the opposite judging by my master card =  
placement.  
> >  
> >Everything is broken it seems.  
> >Tom  
> >  
> > "Tom Bruhl" <arpegio@comcast.net =  
<mailto:arpegio@comcast.net>>  
> wrote in message =3D  
> >news:470d9f41\$1@linux...  
> > I can't believe this one but . . .=3D20  
> >  
> > I've had 5 cards in a 13 slot Magm

---

---

Subject: Re: Another 64 bit question  
Posted by [Martin Harrington](#) on Sun, 09 Sep 2007 00:17:09 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

a for years. Now it won't  
> > start up and keep running. This began tonight as  
> > I tried adding Mec #2 to a 1 Mec setup. The Magma  
> > would power on for a split second then stop. I'm thinking  
> > po

---

---

Subject: Re: Another 64 bit question  
Posted by [Chris Ludwig](#) on Sun, 09 Sep 2007 01:05:05 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

D#fffff>  
> ><DIV><FONT face=3D3DArial size=3D3D2>Most Excellent Fix It =3D  
> >Guys,</FONT></DIV>  
> ><DIV><FONT face=3D3DArial size=3D3D2>New problem. Just =

installed a new =3D

- > >Antec 550=3D20
- > >watt supply.</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>Powers up nicely in the =

Magma. It =3D

- > >will run=3D20
- > >with 5 EDS cards</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>then shut off just before =

XP

- > boots and
- > =3D
- > >screws the=3D20
- > >whole shootin' match.</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>I'll double check seating =

of the

- > cards
- > =3D
- > >but what=3D20
- > >else would have made even</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>the new supply to croak? =

Fans are =3D

- > >cooling=3D20
- > >well too.</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>I'm thinking I have a =

broken EDS

- > then =3D
- > >? Maybe=3D20
- > >3 . . . ? The Magma?</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>Damn. Are there Magma =3D
- > >drivers? If so=3D20
- > >I'd need older ones. The Magma</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>tech was almost laughing =

at how old =3D

- > >mine is. =3D20
- > >It has a slot on the far left</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>for the Magma card. The =

newer =3D

- > >one's slot=3D20
- > >#s go 1-13 rt to left as you face the front.</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>I think mine's the =

opposite

- > judging by
- > =3D
- > >my master=3D20
- > >card placement.</FONT></DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>
- > ><DIV><FONT face=3D3DArial size=3D3D2>Everything is broken it =

=3D  
> >seems.</FONT></DIV>  
> ><DIV><FONT face=3D3DArial size=3D3D2>Tom</FONT></DIV>  
> ><DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
> ><BLOCKQUOTE dir=3D3Dltr=3D20  
> >style=3D3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: =  
5px; =3D  
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
> > <DIV>"Tom Bruhl" <<A=3D20  
> > href=3D3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>  
> <mailto:arpegio@comcast.net">arpegio@comcast.net</A>>> wrote =3D  
> >in message=3D20  
> > <A  
> > =  
href=3D3D"news:470d9f41\$1 @linux">news:470d9f41\$1 @linux</A>...</DIV>  
> <news:470d9f41\$1 @linux">news:470d9f41\$1 @linux</A>...</DIV>>  
> > <DIV><FONT face=3D3DArial size=3D3D2>I can't believe this =  
one but .  
> .. =3D  
> ></FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2></FONT> </DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>I've had 5 cards in a =  
13 slot  
> Magma =3D  
> >for=3D20  
> > years. Now it won't</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>start up and keep =  
running. This =3D  
> >began=3D20  
> > tonight as</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>I tried adding Mec #2 =  
to a 1 Mec =3D  
> >setup. The=3D20  
> > Magma</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>would power on for a =  
split second =3D  
> >then=3D20  
> > stop. I'm thinking</FONT></DIV>  
> > <DIV><FONT face=3D3DArial size=3D3D2>power supply. It might =  
still =3D  
>

---

Subject: Re: Another 64 bit question

Posted by [Martin Harrington](#) on Sun, 09 Sep 2007 04:14:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

&gt;&nbsp; &lt;DIV&gt;&lt;FONT face=3D3DArial size=3D3D2&gt;about that =  
in the=20  
=3D<BR> &gt;&n

---

---

Subject: Re: Another 64 bit question  
Posted by [Chris Ludwig](#) on Sun, 09 Sep 2007 14:49:27 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

/>  
start=20  
up).<BR>&gt;<BR>&gt;&nbsp; Good luck!<BR>&gt;<BR>&gt;&nbsp;=20  
Mike<BR>&gt;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp; =3D20<BR>&gt;<BR>&gt;&nbsp; "Tom =  
Bruhl" &lt;<A=20  
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt;=20  
wrote:<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;Most=20  
Excellent Fix It Guys,<BR>&gt;&nbsp; &gt;New problem.&nbsp;&nbsp; Just =  
installed a=20  
new Antec 550 watt supply.<BR>&gt;&nbsp; &gt;Powers up nicely in the =  
  
Magma.&nbsp;&nbsp; It will run with 5 EDS cards<BR>&gt;&nbsp; &gt;then =  
shut off=20  
just before XP boots and screws the whole shootin'=20  
=3D<BR>&gt;match.<BR>&gt;&nbsp; &gt;I'll double check seating of the =  
cards but=20  
what else would have made<BR>=3D<BR>&gt;=3D3D<BR>&gt;&nbsp;=20  
&gt;even<BR>&gt;&nbsp; &gt;the new supply to croak?&nbsp;&nbsp; Fans are =  
cooling=20  
well too.<BR>&gt;&nbsp; &gt;<BR>&gt;&nbsp; &gt;I'm thinking I have a =  
broken=20  
EDS then ?&nbsp;&nbsp; Maybe 3 . . . ?&nbsp;&nbsp; The Magma?<BR>&gt;&nbsp;=20  
&gt;Damn.&nbsp;&nbsp; Are there Magma drivers?&nbsp;&nbsp; If so I'd need older=20  
ones.&nbsp;&nbsp; The =3D<BR>&gt;Magma<BR>&gt;&nbsp; &gt;tech was almost =  
laughing at=20  
how old mine is.&nbsp;&nbsp; It has a slot on the =3D<BR>&gt;far =  
=3D3D<BR>&gt;&nbsp;=20  
&gt;left<BR>&gt;&nbsp; &gt;for the Magma card.&nbsp;&nbsp; The newer one's =  
slot #s=20  
go 1-13 rt to left as =3D<BR>&gt;you =3D3D<BR>&gt;&nbsp; &gt;face =  
the=20  
front.<BR>&gt;&nbsp; &gt;I think mine's the opposite judging by my =  
master=20  
card placement.<BR>&gt;&nbsp; &gt;

---

---

Subject: Re: Another 64 bit question  
Posted by [Martin Harrington](#) on Mon, 10 Sep 2007 00:42:30 GMT

---

r />

> > > I've had 5 cards in a 13 slot Magma for years. Now it =  
won't

> > > start up and keep running. This began tonight as  
> > > I tried adding Mec #2 to a 1 Mec setup. The Magma  
> > > would power on for a split second then stop. I'm thinking  
> > > power sup

---