

---

Subject: Mastering in Paris

Posted by [dc\[3\]](#) on Sat, 27 May 2006 04:57:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

boards along the =

highway

> > sort

> >> of like old Burma shave ads, then absolutely nothing for the next =

50

> > miles,

> >> then suddenly an adult sex toy/video superstore popping up out of =  
the

> > void,

> >> only to be followed 50 miles later by more burma shave-like anti  
abortion

> >> ads.....an

---

---

Subject: Re: Mastering in Paris

Posted by [Rob Arsenault](#) on Sat, 27 May 2006 14:49:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

;BR>"Neil"=20

&lt;<A href=3D"mailto:OIU@OIU.com">OIU@OIU.com</A>&gt; wrote in =  
message <A=20

=

href=3D"news:44942a06\$1 @linux">news:44942a06\$1 @linux</A>...<BR>&gt;<BR>&g=  
t;=20

100 Greatest (Rock/Blues) Guitar Solos of all time?<BR>&gt;<BR>&gt; =  
<A=20

=

href=3D"http://guitar.about.com/library/bl100greatest.htm"&

---

---

Subject: Re: Mastering in Paris

Posted by [John \[1\]](#) on Sat, 27 May 2006 17:26:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

AA

> "uptown jimmy" <johnson314@bellsouth.net> wrote:

>>Did some folks here recommend Bit Defender as the best in =  
class? It wants

> me

>>to uninstall Norton before installing Bit Defender. Good move?

>>  
>>Also, if so, which package? Standard?  
>>  
>>Thanks!  
>>Jimmy  
>>  
>>  
>>  
>

I choose Polesoft Lockspam to fight spam, and you?  
<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0019\_01C69ADD.032BA640  
Content-Type: text/html;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0

---

---

Subject: Re: Mastering in Paris  
Posted by [dc\[3\]](#) on Sun, 28 May 2006 06:11:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

:<BR>>><BR>>>for paris. desperately and =  
>urgently=20  
> needed!<BR>>>any bright ideas?<BR>>>cheers,=20  
> <BR>>>dan<BR>>><BR>></BLOCKQUOTE>  
> <DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam,  
=  
>and=20  
> you?<BR><A=20  
> =  
>href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
  
>  
>I was trying to send out the SPDIF 0404 to the SPDIF on the MEC and I got  
no signal in PARIS. I didn't try to sync lock the signal and I didn't make  
sure everything was on the same sample rate, but it should be. Would the  
absence of a sync clock cause the signal not to be recognized? Or should  
I have heard something at least with pops and clicks?  
In the PatchMix Output config I selected MON for the SPDIF.  
I was registering on the Stereo LED output meter of the PatchMix software.  
But when I routed from the DL and RL on the MEC to a pair of channels and  
record enabled them I got nothing for sound.  
Does this sound right.  
I was using a brand new Monster SDPIF RCA cable.

Thanks

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>Yessiree!!!!

>

>[http://www.m-audio.com/products/en\\_us/CO2-main.html](http://www.m-audio.com/products/en_us/CO2-main.html)

>

>I use one of these and it works great.....and it's bidirectional so  
you

>only need one of them to send and return converted signals.

>

>DJ

>

>"Brandon" <a@a.com> wrote in message news:44a4213e\$1@linux...

>>

>> I know RME has products that do this, but they look a little pricey. Does  
&g

---

Subject: Re: Mastering in Paris

Posted by [Aaron Allen](#) on Sun, 28 May 2006 06:57:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

ded to see what was out there in the low

>> cost,

>> great value market (diamonds in the rough?) for LDC mics just in case I

>> get

>> in a pinch and rental isn't an option - any suggestions? I don't really

>> want to spend more than \$200 as it would just be an emergency backup, and

>> I

>> may rent anyway, but any range is of interest if only out of curiosity.

>>

>> When I recently found my vocal mic for the session that day (and my last

>> good one) had developed a terminal case of buzz and hum (not cables

>> unfortunately - probably a cap or the power supply), I had to fall back to

>> a

>> Chinoknockoff \$99 LDC from Pacific Pro Audio that I had bought a few years

>> ago on a whim.

>>  
>> Despite my expectations, the PPA mic actually sounded good - much better  
>> than I expected. The high mids and highs were better on this vocalist  
>> (female) than the mic that died. No sibilance problems - easy to EQ  
>> (proximity and sensitivity isn't consistent, and low mids aren't great on  
>> male vocals, but for this it worked). Hmm. My brain knows this mic  
>> can't  
>> be that good (didn't fare so well on the key jangling test, or on a male  
>> R&B  
>> vocalist, but...\$99 is only \$99) - hey, if it works, it works. It still  
>> isn't the best of the inexpensive knockoffs though...  
>>  
>> So, what other sleeper mics are out there that are clear, clean, and as  
>> smooth as one can expect for that price (other than the Studio Projects  
>> C1)?  
>>  
>> Regards,  
>> Dedic  
>>  
>  
> Mine doesn't do the car key test very well but fortunately I'm not recording  
car keys. I think the PPA is a 797 Audio with Pacific Pro Audio's label on  
it. Haven't looked into it deeply but I think that was confirmed by someone  
in the know.

W.

"Dedic Terry" <dterry@keyofd.net> wrote in message  
news:C0CC2662.183B%dterry@keyofd.net...

> Hey Mark,

>

> I had forgotten about that. It sounds like I liked it at the time :-).

> It

> is interesting that some of these mics do turn out to be a bargain of  
> sorts.

> I had forgotten about mine until recently.

>

> Regards,

> Dedic

>

> On 7/1/06 12:10 PM, in article 44a6b982\$1@linux, "W. Mark Wilson"

> <wmarkwilson@integrity.com> wrote:

>

>> Hey Dedic, I bought one of these on your recom. Still have it, still

>> lean

>> on it. Great mic.

>>

>> W.

>>  
>> "Dedric Terry" <dterry@keyofd.net> wrote in message  
>> news:C0CC02C4.1824%dterry@keyofd.net...  
>>> Well,  
>>>  
>>> My two best vocal mics both went south (how inconsiderate of them) and  
>>> while  
>>> I'm waiting for repairs I decided to see what was out there in the low  
>>> cost,  
>>> great valu

---

---

Subject: Re: Mastering in Paris  
Posted by [dc\[3\]](#) on Sun, 28 May 2006 07:02:35 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

e market (diamonds in the rough?) for LDC mics just in case I  
>>> get  
>>> in a pinch and rental isn't an option - any suggestions? I don't really  
>>> want to spend more than \$200 as it would just be an emergency backup,  
>>> and  
>>> I  
>>> may rent anyway, but any range is of interest if only out of curiosity.  
>>>  
>>> When I recently found my vocal mic for the session that day (and my last  
>>> good one) had developed a terminal case of bu

---

---

Subject: Re: Mastering in Paris  
Posted by [Neil](#) on Sun, 28 May 2006 07:21:10 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

=>"mailto:dterry@keyofd.net" target="\_blank">dterry@keyofd.net> wrote in message  
>>> news:C0CC02C4.1824%dterry@keyofd.net...  
>>>> Well,  
>>>>  
>>>> My two best vocal mics both went south (how inconsiderate of them) and  
>>>> while  
>>>> I'm waiting for re

---

---

Subject: Re: Mastering in Paris  
Posted by [Rod Lincoln](#) on Sun, 28 May 2006 15:31:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

want to attach it to a post  
> =

> >to this NG, If you want to send me a PM at animix@animas.net, I'll =  
> >e-mail it to you. It converts .paf to .wav.  
> >  
> >  
> > Deej  
> >  
> > "BRAD LUND" <blund@comcast.net> wrote in message =  
> >news:44a5b42c\$1@linux...  
> > Hi all  
> >  
> > Are there any kind of utilities that will convert PPJ files, =  
> >independent of PARIS,

---

---

Subject: Re: Mastering in Paris  
Posted by [Rod Lincoln](#) on Sun, 28 May 2006 15:35:16 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

s, I can't remember what was you were talking about.....</FONT></DIV>  
> ><DIV><FONT size=3D2>Happy BDay</FONT>-- <BR>Martin Harrington<BR><A=20  
>  
>href=3D"http://www.lendaneer-sound.com">www.lendaneer-sound.com</A><BR></=  
> >DIV>  
> ><BLOCKQUOTE dir=3Dltr=20  
> >style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
> > <DIV>"DJ" <<A=20  
> > =  
>  
>href=3D"mailto:animix\_spam-this-ahole\_@animas.net">animix\_spam-this-ahole=

---

---

Subject: Re: Mastering in Paris  
Posted by [Aaron Allen](#) on Sun, 28 May 2006 15:39:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

into some other form? My PARIS system crashed a =  
> >while back and frankly I do not want to rebuild another system. But I =  
> >had some great mixes in PPJ format that I would love to transfer into =  
> >Nuendo. Any help is appreciated!  
> >  
> > Thank you  
> >  
> > --=20  
> > Brad Lund  
> >  
> > -----

```
> >
> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
> ><HTML><HEAD>
> ><META http-equiv=3DContent-Type content=3D"text/html; =
> > charset=3Diso-8859-1">
> ><META content=3D"MSHTML 6.00.5346.5" name=3DGENERATOR>
> ><STYLE></STYLE>
> ></HEAD>
> ><BODY bgColor=3D#ffffff>
> ><DIV><FONT size=3D2>Now that you're 56, it's already starting to happen,
> =
> >trouble=20
> >i
```

---

---

Subject: Re: Mastering in Paris  
Posted by [DC](#) on Sun, 28 May 2006 15:49:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
r />
> >_@animas.net</A>>=20
> > wrote in message <A=20
> >href=3D"news:44a68ca6@linux">news:44a68ca6@linux</A>...</DIV>
> > <DIV><FONT face=3DArial size=3D2>oh wait.....ppj=20
> > files???.....duhhhhh.....sorry.....now where's my =
> >
> > coffee???</FONT></DIV>
> > <BLOCKQUOTE dir=3Dltr=20
> > style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
> > <DIV>"DJ" <<A=20
> > =
>
>href=3D"mailto:animix_spam-this-ahole_@animas.net">animix_spam-this-ahole=
> >_@animas.net</A>>=20
> > wrote in message <A=20
> > href=3D"news:44a68c05$1@linux">news:44a68c05$1@linux</A>...</DIV>
> > <DIV><FONT face=3DArial size=3D2>There is the pafway converter. I =
> >think it was=20
```

---

---

Subject: Re: Mastering in Paris  
Posted by [Aaron Allen](#) on Sun, 28 May 2006 16:53:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
rial size=3D2>Thank you</FONT></DIV><FONT =
```

```
> >> >face=3DArial=20
> >> >size=3D2>
> >> > <DIV><BR>-- <BR>Brad Lund</DIV>
> >> > <DIV> </DIV>
> >> > =
> >>
>
>><DIV>-----</FONT></=
> >> >DIV></BLOCKQUOTE></BLOCKQUOTE></BLOCKQUOTE></BODY></HTML >
> >> >
> >> >
> >>
> >
> >
> >
```

>Hi James,  
Let me reiterate my point in choosing earth Wind And Fire.

First you have to define Rock & Roll. What is Rock & Roll? Where did it come from? To you and others, Rock & Roll came via the 60's with the Beatles with a sound of Distorted Guitars.

But, that's not true.. It started in the 50's with Little Richard and Chuck Berry, Ike Turner..Rock & Roll was formed by Swinging Blues..

Now, Earth Wind And Fire was not my favorite band growing up. I'm more partial to Quincy Jones Brothers Johnson band.. But, when you factor in that a band could and did cover all the STYLES of Rock & Roll..There's no denying that Earth Wind and Fire topped the list in all forms.

Style, Vocals, Musicianship, Stage Persona, Choreography, Stage precision..

It's insulting to even compare them to a 3-4 bar chord band. It really is.

More often than not, most of these kind of list are voted from the "Heart" than the head.

No, Detroit ( My Home Town) Should not be the home of Rock & Roll because, you are talking about the "Distorted" Rock & Roll form. The Home of Rock & Roll Should be in Memphis Tennessee or one of those Mississippi towns. Where the

---

Subject: Re: Mastering in Paris  
Posted by [Edna Sloan](#) on Sun, 28 May 2006 16:57:58 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

br />  
>

>"Neil" <OIUOIU@OIU.com> wrote:

>>

>>\*\*\*>No, EWF is thee greatest band of all time..

>>\*\*\*

>>

>>See, here's the problem when you're attempting to assess the  
>>the "greatest" ANYTHING... so much of it is subject to personal  
>>taste. EWF is a band i always thought had great arrangements,  
>>and i enjoyed a couple of their songs, but isn't even a band  
>>that would immediately come to mind for me if i were the one  
>>compiling the list, because they're simply not in a genre that  
>>i pay all that much attention to.

>>

>>I think you'd have to narrow the focus more, in order to have a  
>>list - or set of lists - that people could even remotely begin  
>>to agree with.

>>

>>Best Straight-ahead Rock

>>Best Soul/Motown

>>Best Jazz

>>Best Progressive Rock

>>Best Blues

>>Best Pure Country

>>Best Crossover Country

>>etc., etc.

>>

>>Something like that would be a good start, and then apply the  
>>criteria in each of those columns WITHIN EACH GENRE.

>>

>>Neil

>>

>Neil the reason you would not think them is because your definition of Rock  
& Roll is of the "Distorted Guitar" form of Rock & Roll.

I grew up in the late 60's- 70's which in my opinion is some the greatest  
music ever. My musical exposure growing up in Detroit is vast my many other  
musicians coming from other states. In Detroit(inner-city), most of the players  
grew up playing Hendrix out the gate right along with Motown, and bebop.  
This was expected out of all Detroit Musicians..Now, my buddies accros 8  
mile rd (aka the Burb) where ONLY concentrating on the "Hendrix" aspect of  
the Rock art form..HmMMM.. What's the reason for that.

Well, having many buddies rockers across 8 miles(akak the burbs), and afetr  
many beers and jam sessions, we on the other side of the tracks (8 mile)  
summized that they we just 'LAZY" and playing 3-4 bar chords and "licks was  
easier to learn to play. Yep the old Beta vs VHS.

During the 70's in our region and across the US, playing the 3-4 bar chord  
was every where. Me and my friends in'The Hood" were deep in studio of the  
masters of Jazz,and you were not considered a"serious" musician if all you

played were 3-4 bar chords. By age 15, we were playing all forms of Rock & Roll and we could go and sit in with any 3-4 bar chord bands and "ripped" them a knew one :).

I said all to say, that these kinds of list goes beyond personal taste, but of the pure "ignorance" of the history of music..  
Take care, LaMont

"Neil" <OIUOIU@OIU.com> wrote:

>

>\*\*\*>No, EWF is thee greatest band of all time..

>\*\*\*

>

>See, here's the problem when you're attempting to assess the  
>the "greatest" ANYTHING... so much of it is subject to personal  
>taste. EWF is a band i always thought had great arrangements,  
>and i enjoyed a couple of their songs, but isn't even a band  
>that would immediately come to mind for me if i were the one  
>compiling the list, because they're simply not in a genre that  
>i pay all that much attention to.

>

>I think you'd have to narrow the focus more, in order to have a  
>list - or set of lists - that people could even remotely begin  
>to agree with.

>

>Best Straight-ahead Rock

>Best Soul/Motown

>Best Jazz

>Best Progressive Rock

>Best Blues

>Best Pure Country

>Best Crossover Country

>etc., etc.

>

>Something like that would be a good start, and then apply the  
>criteria in each of those columns WITHIN EACH GENRE.

>

>Neil

>I have to agree with Neil. It really doesn't make sense to say that R&B and Rock&Roll are the same thing, or in the same genre.

---

Subject: Re: Mastering in Paris

Posted by [Rod Lincoln](#) on Sun, 28 May 2006 18:37:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

haggs.jpg"

Content-Transfer-Encoding: base64

Content-Disposition: attachment; filename="shaggs.jpg"

/9j/4AAQSkZJRgABAQEASABIAAD/2wBDAAYEBQYFBAYGBQYHBwYIChAKCgkJ  
ChQODwwQFwQYGBcUFhYaHSUfGhshJBYWICwglyYnKSopGR8tMC0oMCUoKSj/  
2wBDAQcHBwoIChMKChMoGhYaKCgoKCgoKCgoKCgoKCgoKCgoKCgoKCgoKCgo  
KCgoKCgoKCgoKCgoKCgoKCgoKCgoKCgoKCj/wAARCAAC0ALQDASIAAhEBAxEB/8QA  
HAAAQUBAQEAAAAAAAAAAAAAAAAABgADBAAUHAQEI/8QAQRAAAQMDAwIEAwQHBwMF  
AQAAAQIDBAAFEQYSITFBeyJRYQcUcTKBkcEVI0JScqGxFiQzNGLR8HOC4Rcl  
Q6Lxsv/EABoBAAMBAQEBAAAAAAAAAAAAECAwQABQb/xAAAEQACAgEEAQME  
AgAHAAAAAAAAABAgARAwQSITFBBSJRExRhcTKBIzORobHB4f/aAAwDAQACEQMR  
AD8Awh0knqfteterJIPJ/GvV43ff+deL6Gliy60npuZqa4LiQVob2oLi3HCd  
qR/+0Wp+EF64P6Qt4ST1C1H8qCLPeLjaDJNtkqYMhotOFOOUn37fWtp1c+9H  
+EcCSw4pt9puK4laTyCCOa+d9V1Ws0+ZFXsArmhx1+ZqwljKdw6mfwhffZk  
iW0h2GlcZ0tKcNtKnqCAOcEdM0xavhteLqZnysq3n5Z9TC/7wTIQ9MDpWg/B  
a5S7u5fJlweU9JccaKlAE4SQOPwq5+GpsB/TH9nUy0/3j9f8x3V5unt1rzt  
V6xrdO+XGeSm3ocWe5VMGNgp+fzMfs/w7vF2fmsxJNvLkR0suJ+Yyc+ox2rq  
b8OLzFgTZQIW58Q0Fx1tmTvWAOvH+9F/wNChqbUIA68n6+lahavjQTHTG0f8  
wq6vSpSjiUEB5SOqgrHVGema2D1HUUnWHBuFCjdCue7PiJ9Fdm6plOF54Jz99  
HNt+GN7IW1qW+/Dgh4Dw25LxSpWeR9CfSgprKXUbBIYUMA9zkYFfSaJtk1K2  
zY7/AB0N3NG0qgvkpUFhP2kKHUY6EGtXrGvz6Qlcl4PLHsgfr4i4Ma5CbmPR  
vhveXtRSLOuTCZkstJeytZw4k90jqfenUfDK6OX920puVsEhtkPn9YonaTjG  
3Gc9/oa0G32U2n4wx0plvyWnbash9zeptlIG3J7DtnmrWA/p9XxRuDLEWUL  
8lg+K8pX6op2p6DPXGK8nL63qhbLbGzdwo783KjTpXPz8zA9Y6bk6ZuqYMyT  
HfcKAvLKido9COoNSLpoS9W7TjF8fbbMN1AWpKHMrbSehUPSITXInevnxhkW  
1kHe+60gn91OwFR+4ZrZYcN6S3dLTNbiGzhtLMbw3ApZb27TvHY962an1vJp  
sOF7BJAZv1FTArMR/pPmbTWmbjqOaY1qaK1JGVrUdqED1Joll/Ca/sMuusvw  
ZlaSoqS0+cggZ28jr7Vqnwxs/wCh7NerajCZ7MtxtSj1PIHhn6Y5oS+G2mbk  
WLi/F1GYU0qUzLjeB4hbOSMr3cA9SCKGT1nl2TIUYKqEdi7v/iKMIFXyTM60  
jo+66okOptqUhprAcfdUUoQT2+vtV7c/hjeoNukTUSIUyNHQVrLDxJ46jH

---

Subject: Re: Mastering in Paris

Posted by [DC](#) on Sun, 28 May 2006 20:43:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ial size=3D2></FONT>&nbsp;</DIV>

<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>

<BLOCKQUOTE dir=3Dltr=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"uptown jimmy" &lt;<A=20

=

href=3D"mailto:johnson314@bellsouth.net">johnson314@bellsouth.net</A>&gt;=  
=20

wrote in message <A=20

href=3D"news:44a3233b@linux">news:44a3233b@linux</A>...</DIV>

<DIV><FONT face=3DArial size=3D2>Rock on. Good help =  
here.</FONT></DIV>



nobody&nbsp;else=20  
save the govt will be keen to. In a corporate, twisted kind of way =  
I'm=20  
actually ok with this. That very thing might be the ticket to =  
nailing some=20  
terrorists.&nbsp;Vista, after all the hoopla has died, will be =  
little if=20  
any different in this respect. If you want a scary bedtime story, =  
start=20  
reading all your EULAs. This goes for most EULAs (including Apple) =  
outside=20  
of MS, but not all of course. There are freeware alternatives, but =  
that a=20  
completely different bucket of worms. Bottom line in those EULAs =  
is: You=20  
own nothing, you are allowed to USE software. </FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>I'll pick my battles, and I can =  
attest that=20  
the 100ish machines I have on beta II Windows Defender have zero=20  
fail/infections found by other means rates. In corporate security, =  
it's=20  
about layers of protection so I pref

---

---

Subject: Re: Mastering in Paris  
Posted by [John \[1\]](#) on Mon, 29 May 2006 10:48:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

ed chicken.  
>  
>Or my Miller High Life.  
>  
>Jimmy  
>  
>  
>"rick" <parnell68@hotmail.com> wrote in message  
>news:l4tla2h5qt7s51rj5s5kmt6a74i7l0cjq@4ax.com...  
>> EFFIN' RIGHT...no matter who tries to quash it...  
>>  
>> On 5 Jul 2006 01:16:09 +1000, "James McCloskey" <excelsm@hotmail.com>  
>> wrote:  
>>  
>> >  
>> >Happy 4th of July to all!  
>> >  
>> >Independence is a great thing!  
>> >

>> >James

>>

>Now, celebrate that independence by going back to work today. errrr....hmmm.....

"James McCloskey" <excelsm@hotmail.com> wrote:

>

>Happy 4th of July to all!

>

>Independence is a great thing!

>

>JamesHey,

Any of you with a a Paris machine on one of the Athlon 64 X2 dual cores might want to try this to see if it might improve things for you.

<http://www.dailytech.com/article.aspx?newsid=3152>

Chris

--

Chris Ludwig

ADK Pro Audio

(859) 635-5762

[www.adkproaudio.com](http://www.adkproaudio.com)

chrisl@adkproaudio.com Quick!, Doug, install this and let me know if it helps your Cubase machine... ;-)

David.

Chris Ludwig wrote:

> Hey,

> Any of you with a a Paris machine on one of the Athlon 64 X2 dual cores

> might want to try this to see if it might improve things for you.

>

> <http://www.dailytech.com/article.aspx?newsid=3152>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>  
>Yeah....you know what will happen if you don't.....!!!!  
and while your at it...build a dual core amd Paris rig and try it on that.  
;-)  
rod

EK Sound <askme@nospam.com> wrote:

>Quick!, Doug, install this and let me know if it helps your Cubase  
>machine... ;-)

>  
>David.

>  
>Chris Ludwig wrote:

>> Hey,  
>> Any of you with a a Paris machine on one of the Athlon 64 X2 dual cores

>> might want to try this to see if it might improve things for you.

>>  
>> <http://www.dailytech.com/article.aspx?newsid=3152>

>>  
>>  
>>  
>>  
>>  
>>  
>> Chris

>>  
>>I'm trying to help a friend sync his Adrenalin to his Paris rig.  
I think the Adrenalin syncs to midi clock...NOT timecode. If that's so he  
would need something that either has a smpte to midiclock (could use BT smpte  
stripe)miditimecode to midiclock(using Paris miditimecode) or 9 pin sync  
to midiclock (using adat card)

Any one know of a good box for this?

RodThis is a multi-part message in MIME format.

-----080705010802020305090101

Content-Type: text/plain; charset=us-ascii; format=flowed

Content-Transfer-Encoding: 7bit

You need a Paris Sync module... ;-)

David

Rod Lincoln wrote:

> I'm trying to help a friend sync his Adrenalin to his Paris rig.  
> I think the Adrenalin syncs to midi clock...NOT timecode. If that's so he  
> would need something that either has a smpte to midiclock (could use BT smpte  
> stripe)miditimecode to midiclock(using Paris miditimecode) or 9 pin sync

> to midiclock (using adat card)  
> Any one know of a good box for this?  
> Rod

-----080705010802020305090101

Content-Type: image/jpeg;  
name="sync.jpg"  
Content-Transfer-Encoding: base64  
Content-Disposition: inline;  
filename="sync.jpg"

```
/9j/4AAQSkZJRgABAQEBALEsAAD/2wBDAAUDBAQEAwUEBAQFBQUGBwwIBwCH  
Bw8LCwkMEQ8S  
EhEPERETFhwXExQaFRERERGCEYGH0dHx8fExcjJCleJBweHx7/2wBDAQUBQcG  
Bw4ICA4eFBEU  
Hh4eHh4eHh4eHh4eHh4eHh4eHh4eHh4eHh4eHh4eHh4eHh4eHh4eHh4e  
Hh4eHh7/wAAR  
CAJoAOSDASIAAhEBAxEB/8QAHAAAAGlDAQEAAAAAAAAAAAAAAAAAAgMAAQQHCAUG  
/8QAWxAAAQEC  
BAIGCAMFAwCHCQYHAQIRAAMEEiExBUEGEyJRYXEHCDBkaGx8MHR4RQjQILx  
FRczFiQnNGJk  
tBglN2NydllmNUNEhJOUpMNFU1Rzs9ODkqKjssLS/8QAGQEBAQEBAQEAAAAA  
AAAAAAAAAAEC  
AwQF/8QAMxEAAgIBAwMCBAUEAQUAAAAAAAAAECEQMEITESQVETYXGBocEiMpGx  
8AUUI9FCFVJi  
4fH/2gAMAwEAAhEDEQA/AOxdTzrCuP8Av7o0MMP/APEVkfYnZ1rlX09eljp5 0a9K3F+DcF41  
bwuBw4sG3bGDsXPasW2aWdCdyedXgLC6fGUnQAiqZgCGIHjpH6VxrY9OXpNe  
yL1/pFhLKHRS  
3DrBZ9dwMnumju+nv0iNba3b49b0Im4nCbe9/PTXy+FUHYxYHTTykD8aGXDC ZiuOD6efSjCU  
Nb6RlgDan+ycOJ12Mil8oov78vSQAx/ysswSdRwrDORowEDly8zM1SUdjG4Q NWPjrnCtyZkT  
3a/SuNk9N/pHTKT04Uj+KeC4YfHsVa+m30j9YW/y0sxMi3/ZWFykeeWY99C0 dku+hMA++obj  
CJE1xtd9NvplJlumlplB0XhWFIPvyHXwqx6a/SUW6y
```

---

Subject: Re: Mastering in Paris  
Posted by [John \[1\]](#) on Mon, 29 May 2006 10:49:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
300uyR7I4ThCR7urP2 KEo7LDgj+Wiz  
DSQD41xk3pt9lxy9Z05ZMxkBeE4Uk67T1e1Lu+m30igKx6c4rJOjjhGDAkTo T1etBR2fmE6B  
R3xR9YY02rjH++v0jqqt00xJgaEcLwWvn+6+nfSI9N3pCtWmC9NsazAzrwb H4E2Y+dBR2lm  
03BnaqFwuDqQfEVxa/py9I9u0Ft9LsXdYyYbBYP6ix9DUt+nb0IXSRd6U3Lc R/hcPwkj/wDm  
smaCjtIXCR4+W1ErEeA74ritfTN07zteXpnxQu5B1wmEAnkl6gg8hrVP6ae nZIZumfExpqR  
h8H9BY3+FUUdpm5DaEd33rUDT7vGuMP76enZUr/ldxFwBEfsuGB+PU7/ADpT emvpqGLN0p4k  
SCNVSyBoZ2FuN/DXY91QUdrKYHKatCJBG/gB+VcUD01dNCQ7dKeLBDHYtBS  
DpyWDy3GnKhv  
+mnpflvjrek/FC1sCMtxLYgd4VQCfOfM0FHbQaQYOvgf6VR1JEk8tta4IT0z 9NC5CdluLRHO  
5Onw0+vnS39M/Ti2cqdluJAiQQ9/n79vnQUduFoPj4T/AEq87HbSPEVwzd9M PTm7cZ/8ouLE
```

sQSBiXVRA8GgfChX0t9NIKBuknFoUxK4y5Plvr999UUd1LM/WKBwQGlb41wz ifSh09uWTdwX  
TTjdrer2XxRj75U/wAQrAt+lv0koTl6Z8Yg663yfrWeplqi2d8cHeclDST1 jfWs0GdZrVxq  
08a4px30V4PiXF8dexuMuYrEZ7t5pZouED5Vs3fXLNER3lwGmJJrh71ozHpu 6RNpouGlij/ut  
qu4mOm5Gk1w761BVvTbx8INerwwPif2a3+EVmfBqJrTE4ki6vVFXAAGq7d1J uMjZLlxXGnLU  
7+6iu2x1hZyVJGg1NRLVsqDGj6nM0QPsVohdu5aByLJJMQ3Z089aJZUEgQCY  
0MRSQArFkUiN  
CsmfOmXCVgMTIEAtufnQBBwQJZFH8RJOvz1oXCEz7Y70jWIW361SHCyANc0T  
7qvNIGRG1BJM  
ayNI2oWx2fKbKlJOvZGp+/uKU1xCCcubMdWcHTyM0IyNbJFzKx3GxJ7vKrQD LDkghoP5Rz+N  
CE6zKhCK5I/iBkUYUQLhUK22sQfUbmGjPmWP4jrPjS/3ZTXJEzqonx7iaAK 31ofq1Ftif5f  
vSm3rttAVZnBAg6RB8B3eA86QgUAhHKqxyMdp+tBbS2kl0ljt4flUboGeGtt YMMbekMYMn3z  
tWMWCoYuGJJ0Go8aXm1kqu3KmW2U6RBnYmZ+NRSTK00VdPWS3Xow37NuPol+  
FDaWEYEE89GF  
S4zC+SvZzGDI5j6UbuA5VFBUnnrp9PkKpLFXoQjtMYHMR8xTA91me2xtqo3A UfhqaG86KjDW  
ecrH0Nj5Zhk7t6oMhnbMvVtcDRoxMT+XxoQw/jynX30TA6gMWJGxGhoOp1Z nlf9nnQDXPZJ  
dxHLnl+NL65mUjQLt7MUxW7RBuMwj+WfHzpRtLGRILzPn4a/SgDBzv1QCslm QNaZ2TDB1Bnv  
Aj3UIXOIZDn2OUfIQ9YimHz5gYJUc/KhLPT4Bbs3Lt27faBatu5bQzAJ0kky /OvKBrJw2IIS  
8pIZShA5R7vvesUb1zmbidr+qa0ehnaA6fteIH/9w1t0daRlj3sfyrUnqlkn 0MYAQP8AWsTy  
1/xDW2575+Fdl8GZckJ8CD51xD61hU+mrjmX/wC6w4On+7267fcEiND5zXEP rXqU9NXGWDk5  
rOGbecv7hBHyn31mfAiawL2+ZQrpIDfKgn7WTeYB1j40V4sAoR9QdYaBS5u FZblSd2Z5IHu  
rROA7hYEkoFUnReQPn1pc3bTFwQNPZCyCPEHepbFsLkUvrMEpy86IKTowXL  
GjSdaFIFR3gH  
QmQYknfuNTqVzSEuEHdiugobhu2tLeUAe1IGvulmrW2DJJzPviYSPwPIQFXA  
M4BVSbqDoDVM  
wBBJDBNhO/n9/CpczZTGYsN4/HTwq1t3UtdsfuwJlzTr+H6UICGLMRdYL/4d NfIVLaKTq8qp  
0lt6lshitiSwU7yu5/GkupgdrMJOXXI5UA677YJY+zlk7j8aWNiefOnYUAMOt ObuWY+dXfwrW  
y3atmJ0DyQK55E6NQEHEfepJAjMQOcVKPDWXxF5bNsSzH+priuTbHJdtvYKso BXUECSfp9aBO  
zmXrGVDriJJ98U3EFVa7btocubQ5YMfOkEjOWygnbxNek4kEhoS4pXdhvA+I UbXW3ALaFdCY  
3J5k6Db7ml3dTICGIHOjV7jSW7KwJ5AjlPzqgtjCEfVbiv3FVmtgFWd5mAlP z18ahTMskkjk  
QIBPu86mVssEK06GdqALOlwOGd1G+Zpg/l60BKEi2SbkbxtTW7Jy629ly7fd ekG3kYFWBIGk  
xv8AjQDbuUoJDLG0gAHw08qC4qBQYjXTWZq2UmFZu0DpoADp7p86q+GVldmz  
tPs66ffnQGSsp  
IsuwJZShHZMgGOeumk1jrvRWIW9ba7LIIUg6fj3UC71zn2OkTtf1UBHoX4eY OuKxHL/rDW3F  
BjVTO2gArU3qogf3K8MYf/icSTA/601txQIG9dYcGHYrjOxJjxriH1rly+mr jJlzms4c7bfu  
E21128Pz7bJBJ1ju00rib1tl/vk4lv8A6rh9/wD8paxPgsTVF4Wsoluww10J M1AjdUFJnWTq  
SY8al62XyIlXvklfPeo5019qdwPaPhAgVQEmZEIcrG0AajuoS7ZyLbK57yIBj z3+FXZuMZVSV  
gay0a/HalXFYF8ufKDrDSP1qgYR1QHymnYGSklpyyWVhp2CwAPcZoUQ6kF8g jadCTzFS7dRT  
2WLEGCGWfPegDLluxmTTYs2i+WulC1tWYsCBI1nSjbKROhgff3tShiFDFeqY toJJ0nwiKAYw  
cDKoJXL2ijEyB38qG0EJzKGGkATqPGeVXdtgpuuY7kGfluPfQW1dsodTI1ym JoTkJWZXy3ZB  
n2hObyr1AbeJtrbxWHe6ir2b1sjrEHIGdCPnXIkMAvVgq06MGqLmV4btMTy3 qDgzXwvDRLDi  
NzKBsMPmJPdAbf5U3rbOFwrW7Fh7RuIqzXCDCcHIH8l+9YrAFzEDV3uW/NyZ HdSbjOvYAC6S  
Cs66VFFlrk2E17rMqm2oQiBlk6dxo4CQs6EbSPqdvDQMclwpbzMCdAygMPr9 KgtncuQGtIC  
r9mqQpmlu2gJB3HIHvMa+fhQX7d1mAUUsYQBuac7BJVsgMbBfwoR1j2wMzm2 eTQdapCrNq9b  
bMwIG2o1Hx2obkBYIBYydFire2qD24O4hp+mtFetM1vOplUHIOwRPviPnQoN tboGYKRbmYPd  
TrRsPZZiWDoBAVIB11E8vPwiKHIIJZTLd4marrCBKW5B0JJmfHSoLAF1jdGo lJ0LH6mquOxt  
auCp5Eax+FGTbuqFCOCTG9QWtMwYaelEGqEMsMptFYEIWiAsfy76UN6fbJC  
t7QcAzEREHfx  
nTXvpliedc5m4nbPqpkD0KcLMn/WMTP/AL562yGkaEfKtTeqrI9CnCJOjXsT 7v371tZCQoAV

dPKuseDD5LZiTGyQd64r9bgAemHHEMWBwWHieX7viXaNxSTodY1FcWetomX0  
x8QkklSjhzB5  
fuwIHwrE+Cx5NUvcOVQFuZiB2s86d/fVG5kJVrjFp5AGB5GrFuGVixBKgEih ERpPy3obxDPk  
0YnYjftI41oEtsLifyljBGi/Xeistr1RhGZWnZCJj86xYy38lyYG4G5rLhS5 HVBguglal+Ov  
2aglRcfK6qQqcyug75NVCO3aKE7b6D3zrVMqs/aYH+ELPOpcGYZVygcTFUB NbhYLac50Huo  
MugBKF+9x+dbC9EfBcLjOBdleLjg1rjvE+HLbOE4fcllYMTmcoCC8AbfpXk9 KOKVniGAv8Nx  
fRDgvCscHWLuDsNh7luDJDJmRpsl868S1fVmlihG+mk917Pjmv4jbx1FSb5 PksyqAUdSQII  
gyfGrNxynWW7Y3huzPPxqgOrcgrntjcwdd8qNbioVdFRivahgdfvrx2HMWL7 sFUkrJ10Pwob  
yMinss0akxFbH6W9H8Jx3ozwzpf0P4UtrrnXB8R4daBPU4iYUgTMMSPiO815 fpG4XwvpgPD8F  
0WwuHsYri9k9dxbGLqVuEf4Kcgq8/H314sWuhkcYpPqbdruq5v8Am9o6ywtW +x8iZVRIWZ1J  
BB+JqnVGcksiQdWGoHvG9Batgk9XcA02AmvsPQ5w3hnFfSDw3h/EsNaxWEbr M9txowFtiNAO  
8D4V6M+VYcUsj4Sb/QxCLIJRxc+StHtuqE5QdMoBzd/OrDsXKgSsa5pAP6Vs bpd0NwnCPSPw  
ZcloxPR3i+Ks3cKQ5KNbZxmtnyn4EV8t6QMhhsF0y4zg8LaSzhrGMu27SCYR QxgDw5cq5YNZ  
jzuKh3V/Wq+JqeJwuz53EMpHZDN3/wAoHgKah2HVMtIGwmR9+dLtsUZ7bABQ  
YmBPzr770fdH  
uCJ0a4p006SWr2K4Xw91tWcEr5P2m+dgxB0UZI+PclPTUZ44ldcvhty2+EZh Bzdl+DBuyoUo  
J09nT3zpTLjKqSAFY7EKPkd6+uxfTXA8QwN/DXugvRmxYuWnS0+Hstau2mll BD5jmjfUaxXx  
yoyLkgEaCSIAq4pzm1x6fmn+wkkuzHFYIT2goY9qNJ8DRrIRwAAAYJmBvz5 0Fu1lkAgwZ7O  
se+gV9SI0kqBAG/412MDIFpQrSjdxB8+W499DccZ2SM4YgiGEA+4mqAAat5IQ SR/EfuedUpKu  
qjsknxMzyqAyAWRdWGqGGDEyl8T37+dIG9OXD9Y6gZRctodt21JkjmdfgB3U Id65zOkDtz1V  
QD6FODxBPXyo+X7962rBkwDHma1V6qwn0KcGgb3cTP8A7+5W1woO8fGu0eDA  
LtIEAz4jQa1x  
T62xtp6Z8Vm0V8Fh2Yjn2l0+ArtIk5SO/edhXF3rdZP767un/wBn4fNPMw34 RvUkrQRqhV6y  
6bll3KssN2tSPL8qC7dIXKqmZ2kfWB8KprHaXLcCiNYk61aqQSzXgWYxmJiA PvehSruQMhle  
zq0MRNFbbrACXQjQ5YAJ7tqlwaE5cyfxHb9BSWsh890r1fmDv3UJQ+FLjssp 2MrrHclO/wCV  
KuvZFYagLSRdfxa+FDUs5XIWgaL40wBBILSTvvHz2ihT6boXwvpdf3009F rGOdsl/

---

Subject: Re: Mastering in Paris  
Posted by [Aaron Allen](#) on Mon, 29 May 2006 18:59:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

zmUDtLuNu+k3bzFoU3GIOjZyaAY4drgLMY7nO3hrUGQHkYjXU GRt+e3OoS1tB  
s5O85pFU0uqgplMyoBn5c/jUKVdyJb7O525/p98qRYuSQRpAmZHL8admuPlu stweNLv2kBzW  
we/uoQdDJHNG1JGoJ8qiWpJXtidYiBFBYtsCrdZoTyOtNNy0WYIVYDfIHfzo EBccqFhB2Yka  
QffVdlUDHDhhGstGnl0xlc2h+7uFO8lxAqgFKDLIYT7Rn4b1mM4y2TNOLXKB cZ1Bi2pl0U6V  
aspaV0Ea5u+hu3GMFSVga9x91UuV7fazwRuze15DetN0rZIKxkAJIlyiJB0M 8tu6hLVkZbg  
iDmn5VM7We0wu2jGjFWEeRFFcJuwrltdQS2YR3g1mM4y/Kyyi48ojrdAh0Co Tqx/SoxRQxBU  
Nyy/jUW3kkZCsnXSJqOHIGYgNzYCPca2ZAU52ley2c/xFgF+eINB6sQGUcog EH60FtRDAXGm  
Y15z5b/OqZ0INsXSp55gYmNzQDLZzKSrASfHX4fj/SXAWWOrIAPM8/ISHYC4 qsyppzqdDHkK  
NwTbJzHMZmOX3+NChZmAYscxMaM3y76g7IAQhp3GsDxqBg5GYtcUaAZh+VCo  
L3jkvM3MKGLE  
eFCB59Y1C/ygnWojEEMHQnal2FC11jqASFmSx3Mco2+IUrkGoz1XTXtSDQBu  
wCRdKDtI+mp  
8KzMIba3P3bq4GpTMRPjrzmsGBcU9p2kyNfjPNZvDrlq2+VwwKn+GJ8taFO0 vVug+hXo9LEy  
cXsf98v1sc55OjB8tq116tsj0L9HxrqcXy3H7Ze/StlguB2UQjIwIwQZrEbd 4rkz120UdOej  
twRmPDnBMf8AWN1NdZOdNBvsY8K5L9dtFXp30evBpuHhjKydwF1iD75I91Z ZUaLY3Ae0Z5e  
yFj78aEmSCyhZprH5RFLZCFyk5w2xkiKYMumc8bEmY8DFCH1HBeiuH4r0A4 rx21fxVviOBu

EWcOGBW5aVVNzIOYBidDsp0rM6VdGOjfrpOENxI8VxV7F4VjiUw9+3bFq+jA MoJRtASR3yKw  
ujPSt+AcLwyYC2tzHWelviMt62Wsvbaz1ZRtQTz08RrWN0o4+nFuFcls3Gvf tmHfEvimdBd  
dul5HaOmvOvl9Gpln3f4Lf7P6Wv1Z6LxqG3J63Sro9wHCdJbXRjg2H4tc4le /ZhZvX8VbNub  
qo2qhAdnjfxisLpBheh3CMdi+FAcXxWJwwa0ccult27bXgCNLPVkiJ0nNJFV 0p6Urf6b2Okn  
CUuqMOMK1tbhAl7NtF1gkFZU89jV9JLlVq/ivEcTxjDY7iOCv4rNdbh5wSXXL p1hbocdiecSB  
yNTEssVD1Oqq35/NtzW/25vsWTjv01/6Pkb0yCWBP8Pf86z+BYVMRjckjZUA YzG5748qwbhT  
MDIzmNTz0rK4e64K8MUSWsXOzdIHsHkY7q9mrclibiTTdPqLqPubY6OrZ6i4 cS9wjW4CR8Bt  
Hur4vpNhrOE4gl3DPmtXGysRpPcfOvp7V5WwfXpirBtxObrBA+dfLcRdOJYx erzPhrBL3Lg5  
nIe/fwr4+l1XrZUsa45PpanHGGNuTmlszBVuXpLb+XnXt9FsHhL1zr8bc6u2 DpA1yzsJ514Y  
Vs63EQZAYGu+te1wm8mEfqGurbU62rpY5WB3E8iDI1r6evIKGNSSStLk8OjUX OmfT4+x0bxeH  
NrC3byXI06wkq3x/CtfOowfELuFJ7A7aazFfYY7F27NktexNsKRsrklvITrX y5t9fcvY++jo  
LnZtjLOg5kzp+deLQ5nmy3Bbdz16yEYQpvc9LoNwrC8b6YcO4PiLt5LOLvZL j2iM0EcjqK9j  
FdH+A4vopxbjXCDxLCnht+1auJLiXLd4OxHZZVWGETGuleT0G4thOBdMOGc

XxXXNYw18XGW

2suRHcYHPvoeP9IONcWAXifE8ZibC3C1pL105FmdQNhpzFe3JDNLP+F1FJfu 7272tvY+dFWu  
N+T0+N8Lt4PoFav4LHcKx2BfiZR6YR0xAudXOUu4BKRrHfWZ0JxL8Q6O9I+ HYu1gb2HwvBL  
t2wTg7QdHzpr1mXPME8+fhXjNxcn0f2+ABLzYpOKNiywUFAhthYGszPL51f RXjGH4ThuOWs  
Ut124hwt8LZAIa5dSM0nQaHUVznhnLDJNW+rb9Vv+hpSSkn7A8B6OJjeEXeM 43iOD4Xw2zdX  
Dm9cRrhuXWBIRFUHWBJOkV6WD6GIOMmA4BxXiuFs4bHCzdw+KRbjDFW7jADq

yEMMRPtgAEGT

3o6OcZ4PiOh1/oxxa9i8AiY0Y3DYizbF2GyZWRlZLoREQdxWTxpbZgm6U8Ax 3D7V9uH8DTD2  
rSXiBdvLbbMWOOpAJJOkmNKK5amU5Rja57e2zT8thLGkm/wCeTxulfBeHclxm IsYTj+G4ibWI  
e0bVq1dD21BIGbOiqTy7JI7q8e0tskgEZRBPd/D75V7fTD+wcVxDECr4XxXH YtsZfe6bNzCC  
31asS0EhzJBIG3jXiKtoEIV1B5rv9DXs07bxq22/dU/2Ryn+bYtOrRSCWVZg IQTE6az+FWTb  
DugYSOzLCJ+OIU7sFzKHk7dmaWCVIdABJ0jmO413MDle4ylWuKQe1kS2Btz0 rK4beD3mVeyO  
QMDWsV5ZWQIVYawVG8QPf+dZOBS31zSDm0JzAz8qA7X9W8T6FOj8bzi9tY/z u9Wyhl7vjWtv  
Vu/6Fuj0wROK3E/+t3q2NluSYdQJ5/0rS4KPbWdomuUvXdAPSnotmEj9kxGg 29ta6rf29CJ2  
23rlb13UYdKOitzU5sLiFjydD+NZYRz+yxKygHeSBz75oGuWi2WWLDSNI+P4 x+FMLIVLTi7g  
YnT799CQQTK2w1l4J+NAA6ocpOQRqIlg+JNUo/9GMxEzC6g/nXp8C4HxXjL Xxw63bKWED4i  
7du27Vu1OgJdyFE7b6xzph6M8au8btcDtWLF/iN8F7a2cVbdXUAsSLgYrsp3 PKuTzY4tpyVr  
nc0oSaujyChJgKpBG0aj386nUyyqAVI5Tr9/rXs8V6L8f4fgreMxthuouXRa 661iLd9C51yl  
kYgHwJrLx3QnpLgsPinv8NSMKubEWreJtXXsqIksiMSB4xWf7nDt+Nb+6Hpy 8HzF4vmgSJGp  
U6GsvA4i5ZErcGVI7VswQw/7JpJPMq58AQPfKvBYZsRiltJBc6kn+Ed9dZy UVbJGLk6RI5+  
HFg9zhts7yLdxgD7oPyIpWMxq3ctixksDIVSQAfGd/M19Pb6FYu7hBe6tsx EjNfyufGNh8q  
+U4pg7mDxf7NidQxPVuRDKRyNeaGoh1VVweieCaV3YhGUOARLDYyDFZmGxty

wGR7Vq7aYyUY

xB8OYPzrA6rKSwIvuQDaz5b1m8JwN3G3R7RZoIDebse4d1d8uSOONyOOODm

6Q9MTw9O2vDF

VvB2YfAnX3zWPjcRcxb5rssl0SSAPGI0r6nE9Cr9rC9aoQXAskLdJYfgfjXy GJtYvvZvwHT  
WQvtDvrlizxk+mQOmTDDKktuyIjYBE33YH5GgFsBiVcrJ/hP47fPITMnhr2Nx dnCYa11mlu3A  
ItAdWZtAB76+i4t0QxWC4bj8ThOK4DHPw64tviFjCly+HJOUTmUBIB0JUnX4 10nmhBqMnuzi  
oNq0fLtdZdUQagSSvKm2gQqHUoTqJ5/WqXICQoQMdDMGfiNP1r3OB9H7nEcB

iOLYnHYThnDs

O4tPib+cg3CJCIEBZm0nTQDurU8kcauQUW3SPnr1ovczAAa5oB0A7tTNfbSE ym6DH8Mkj5Cs  
rH4RsPjbuHt4y3jLNs9i8mYW303GYAj3gGh4Zw69xLH2sFgMPcxOKuTkRBLN pOg9xq9S6ep8  
Ep3Qu3AJgh1Gugn3EEfWhy7MyuQoEsFG48ROvKspMBi3wrcQNhlgwuiyb5U 5OsOuXxPOKy+  
mfA7nR7pJiuEteXEvHxUdaQ5AxxgHQT499Z9SHV0Xv/qv9ovS6s8qbnaY9gHQ kbMfsVareAHV  
lgPKN6guhKaKanzQqCpJzo0MQBoq6Ej410IWYc5aJOUBDrk1jv3rJwNsBiDI adQV3Hw8qRet

qwKsWDDWWBrl4cbSNrccKdoyoBE+M7UZDtb1bzHoX4BpJLYuf/i71bIDPGhAH vNa39W7/AKGO  
AaR2sVrr/wDi79bKjwHxNWPBQ30B01H8prlT13mJ6R9E1Mz+zYnsjxa38dq6 rYCT/WuU/XhC  
r0i6KOCQ5w2JBOsQHtwR8T8qjCOfnXK7KF7Q2AB37vA/nS2SDPYmBzEA+UUZ  
JUHMWKEkQNJ5  
Ukk+yEbeloD6/oHjONWcBxSxh+jFzpDwjE9WuPwyo5ykSUYMnaQ+1rt519V0 c4Pw3g3pU6Nn  
CWcdhFxmBxF+9w7FuGvYmMzd7JMDcCRmEwda1dae7bPWYe7es3FP+IDII980  
hCSxvm6WfNLF  
jEz418/Po5ZXOpUpJp891W+9beavsd0ZVFLbg+tudl+Grwf/ACc4FgMTYw2l xlvEYq9jL4uX  
LhScqgKqhRqTzJr6fp90g4Twdpt0nbh2FxlCxxS3MLcv3746q0rqAxRFSSY2 zNArVqIUaMym  
Dm0XQe8a1d8koXaC2u7SfdWpaDG5qT43vne65/TgLLJKiDMEXNbY3DMmPn41  
ndHmOH4kZYZr  
tsNbM7kcvPWawSwFsBHAI5kw3yJp1hrNy31N49WqtmF5ZDI3hHKu+pxPLjcV yTDP05qTPsuv  
e4M5xGIB5xdIP0r5npbda/icLaZi15nDEmJAHM/fKs23f4tbw/VpisHdXldY AMPp9K817dvD  
3HutiGxOOofQsFY5fKQJPwr5On0uqllTzUkvqfRz6rD6dQ5ZitbALqxUAAtvIH P70r0+jDtYu3  
7OCi6jltDBKnmK8grl0TIsySTvXo4U4bEi21zHCzi00S8CZ8iD+tfS1mCWbH UHTXB4dPIWOd  
vg+me46AOt/FFhtmuGK+U4IOK4tcKSTaty5AB1J0r18R/at2wEu8TwotnQta SWj3CvFxa4e3  
b/Z8H1kEy7MYNw9/l514dFpdSpqWetvB6dVqcUo9OMLguOxPDeM4LH4ErcxV jEJctqUJzFWB  
AiJjIG9bKw2K4Xb6LdNOLpwLG8L/ALRtCy4xV7MP2hrk9XaGQSB2mMyRA256 qVHTLcTQ2ola  
NqfjOMcV4m1s8T4ljcULWiddeZwo8JJivbqdl60k+OL57NOv5weKGTpTMyxw Tiel4Fe42mGd  
+H2LotXL+dYVjEAIznuUcq+34Xi+r9EeEuYThOH4tisNxl+vt3bJuhA6LIJQa GcuUE+Ma1rsY  
3FWcM+Ft3L4sO+ZrYuHlxHPLtlgfCm4DiGO4dcuX8BjMVgHcZS1i4yFh3EqQ aZ9PPMqbWztc  
8eH9RCaiz2fSVw/h3DemWMwfd8N1FpRbdrStmFI2RS9ud+yxl+XKs30Lur+k vhlFRAe4CAZP  
+G3Ovk2z3Hks7XGMkzJJP330ODOJw2Ka7h2vWlifixUrPiNa1LTuWmeFvdx q/IVkU0p9Vdz  
7XpvtHcl4Rxbgf7zo3aVcOmHM5sHf0zi7GpZrn5iBpEV9x0g41xDG9NemX R++2HPC7fCcR  
cXDi0oBuLaVhcPMtPM92m1aRt4i/Ytvaw129ZtXYFxA8K8HSRz9+1PGOxfXX MQ2LxBvXFK3L  
wvNmYHQgncgivLP+ndaSb4utt92nfx257nRZ6+ZsboLi+k3Aui9njt+7xK9h gG

---

Subject: Re: Mastering in Paris

Posted by [John \[1\]](#) on Mon, 29 May 2006 19:53:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ThXDRLRYW7z

TrcuAbWIJ2/iOm01rrid7E4riWlxGPLnF3rrNeJUA5ySWleR+ndTI4xxyxYS zhuMcRtJbHZV  
MS6qB4AGKw2vYrE4hmvMb9xyS5uGWY988z416NPP3jySyNK348fzynyE59UU I2ISmTKr76sS  
SCPE99ZGBGU5klCCJyanz8qVflVGJ00JAYkk/lb0WEvtlCt1bLsNwfjtXsZy O3fVxCn0L8A0  
P/rRI8P2u9WycG7yK1v6uOvoY6PyYP8AnX/F3q2MjEKApWPEVpcFHPJB7vjX K3ryqy8b6JXC  
qAGxixO5MNa3+P1rqojQgH3aVyp68rOONdEgR+76jFle+S1qef8A2aywjnjO c0FjJbUxPy2q  
BGC5+syk6mNJ1+dS/ZDXJUheerQKK4WCnMIJMDKTt7+VACQWnPdVh3TrVLad  
KUS3nOxYgyPI  
b1FUmCEKnfXn8qjXBAzKjOY7A2oEULa28zXCe4FYyEH30OHZE9WhLlpgSNSf vIRAutwXAvZA  
JOsRRPka2zdc0JGkqVPv01oUhX94SsqZgyxBHefvWrZsr5jPdqsj50u05KID odwY376YlxQw  
UzP82WB9KEsLr7gOhulYmcsn6e+lszBSxeSf43Scxol1bKvLXtTp4jIRXCo0 KhcxkSuvx7qA  
UrMCFJjSTD7/AAoWtAtknkQJLTRpbUNCsR3iJB86BltgTMwdRmmfGgGDKoJF ul0kkkn70q3K  
5hIBY6zANKPVntBFEDTMdDV27rqypnezAjsmeW+mtAWW9nI6Eg6ACNKNQEOe  
SMugg0K5rent  
mdDI/MSamb92S5AjSA0/KhCm6zLnFznIOF7NHbAUE9Y0nXQUtWAAa2o1PPYD  
8KtmGQsyntDU

ToffzoUaORJKseYMH4nQCgKLBEBp7yD8lpTSpFtQVnSRBBPdvU6wpmOWBuJ  
ga+6gHgmCYZQ  
f4WPL5fSpKN2WYqZ9kmKSrtJUOrOmVhpUtXFNplByE6Dcb+PdQg3sKQoyADy A/OitnOpg9ka  
iQZHifjSUSIF0KvPmYA5/rTVKmCSZA1JGXTb9KAmZBC2wrTpBOnv2rKwQU3U ItFmOxEbnv02  
rDNxACSC/KlgeGuwrlweJRiFNhVneZIH376A7e9XEBfQx0fHeMSZ33xV6tiZ Z1kfOtbermzH  
0OdH4aTGKGN/AHq7WYhkjXQ1pcAe7RyOlcrevSHbi/RD2ur6nGRvE5rM/h8q 6oubb6nIFcs+  
vAb54/0SZyP2b9nxWTTZs1rN8slZZUc+MBkAdezEyBj3/pSLiHRVzDwOn40 RAZiUu9r/ZUi  
PdzpRwxa4TmzS2okAk+E/WgCeUDZmE6QsTNDkKW8C6WchGp7qu+VzhHEEDkAD  
VaJdyhTAESN9  
aAJrStGaFaYGN1++VLFYBOBTxij6sKQezBM6Ad20VlyF2y3M0ZZB1loCwCD 1jXM/LtaxQXB  
1oK9YWjmW0XymrNwlwgDTcJv5UMILcXWdRuNNPHnQFWXVIUlpjcf1pqsoh8u h55dPrSrahHD  
2ritzgTIH340TJbfXrCAN5Uz79loAbtxcpXKGUbHIVLcZky9UrRoNCKyMqZe wUKbkA8/rS5C  
A9hRJ1ynagBsq6EywVYmdx51ZYk6EN/LAgGjGoaQxDciZ93fQEOjTkDCI2mh AwTMMGV9TIAj  
4VJXMCBmjkQAQPChRusJLEZTyIFWozqGGZoilYwfvyoAVuj2Comdo1iqd3Dd u2lwRyiT5xtV  
hdc4AYagZpAH9KMIJMAMSNgN/jQCyr9YTk7OX2XacvITHBFsHLovhodu+htP nMZQuVdCcxPI  
pp41LqKzHM6EHuBBHxoCJeYDMHYHvVjp8altgWJNvJ3ZdTPv0oc4RSq5WIOm k0dl3Zm7Dd2j  
Tpz0oASGDm9wtOsTpHgOVFDgEhFjSC7bT4wPy0owWQ5la2O/MJBHv2NAtxmu  
FSqqGMjlp3d3  
yoBgQ5AGuWpmCFcGNPDYbfKsjCZUYEWSRJ2laR8PnWNbUJEJbEztBJn8PnWR  
g2uPfAhiAezk  
015THnFCna3q5Ej0McCBUSHxYeb/AOs3T8ZNBKD6DWP/AAmtb+rkg+hrgCr u/7STPf+03R+  
FbHVSRqB8f1qxLZLLIIGneQK5g9eYRjOhZz6RjpQ/wDs+uvOunmjMATp4Vy7 68yE4/oa6hY6  
vHCJ13scqMpzK7hkYohaORP4UTKWJBDa7jYn3fH7FPwGAXPE8dYweBw7YnFX  
dEs2wMzGJMDy  
BrO4v0c47wnDi/xDhl6xYJCAug9rcDz0Pzrk8sly6W1fgqi2ro8G7b7RjMBy Mz86ZbBBGZ8u  
mgJkfp86OStxfZuc9GAj6RVZmJUqWknUEk795roQgADNcJYzp2QCAPjtQhhn PVtbA/mjU/KK  
+i6F9HuHdJuJYfhV3jBwGPv3urs2zhTcU6Tq2YRz01r566HTE5GmBIIHP8xX OOWMpuC5X3/+  
FcWIZVxHdogQddRr5xQ5WfMbjGY/iMR8al0iZdiTyiDPwpWlxLoESyga/cYL bzcw/wB1bbos  
luTpGQquAWUduNCJn60D3ip7SgE6agj8fnXr4XodisVhlv4jGW7bsoKC7fYM fcBARwulWsvW  
fiAwOP8A3iOYVmm5ffzFZUzs9O0rTserWEYglp3BUyPpQvduZmW2xPLVBP50 K32ANsLB2k6z  
RW7elxuPHD8lxVyP3jggETynlWm6Ryx43N0ho6wGXL90FZj41agKIAkRoTuB XrYjoOEwpuWe  
IWWvgTIDmfjz+VfN4TEXlxF3A4mevs7NGrD86yp2dJ4KvP2ZbKSSAVyziObU +GvP4VRuJAUF  
tJ0YR7hE1SsUhWDXNCF0eR7hWdjOHYvCcOwmPxNkWsPjQxw7lwTcynK0QdIP  
eBVckqTfJwow  
1X2m7Kgb7EGpkF11Czi7GAB7UnbQfZq8NgcZjrhXDWLt91EwiSfgNayuH8Px eP4la4fhMPdf  
GXXFoJtLEwAdsua7UckrtimeeLxtlluFmcz2uennRF0e2AAJ5Rofl6U7HYR sLibli/bKvac  
22TbKwMH71qms4izZtPcwN23auCUuOjBX8jsfdTqT7igbQbQKQoIEhoP1qy5 MpcZQ3IEE+/n  
999QEhmAXKSNO750KQhyFO0TAIEjXwrRC7gOWM+VgJAKiTQhVbKc+Rt99T5U  
QtgKwUgtuQSN  
B3UQtWyFd5GYT7MffwoUJwykLcDNm0UFdfnWTh3AuKCjyxjMHgr3ctaxjkW3 IKiSd9wadgxL  
QJUpzYajejldterfJ9DPR1hLCMVGuV8ArV6tlKwjn8K1p6uin+5Po8QAVnFE GY3xd6tjMWnR  
RFWIMsie6uYPXitAYzoW4AkrjlgASf8AVzGnnXTzkgCWgVzL68dtT/kc0Sc2 OGhA0ix7+X51  
GU056HdPSbwcMAf3r5hJk/u2rA4vwu3iL2GscP4FxfhnWX1tl8fi+utHMYEx aTLr4nyr5/D4  
rE4VxdsXns3UPZuW3IYeIIPcayMbxjiuLtHD4rG4q/ZnUXr9x130MEx8q8ks EvX9WL7Jd+1/  
J89zopro6WbZ4zZxp6LdMuE8QxnGOKvw21al8ThAuHS6LqgmwBMCJ5iV1ivn R0h4j0d9GXRr  
E8KuJYv3cdjM15Lam4FBtnKCdgZ1A3gCa+Mbj/GnbPc4xxW4Utm0hGJfRDoU Bn2TppsYrz2v  
Xb1m3h2uXOotSy23PZQmJyzzPOK8uL+nNJRyU1d8f+Ncce50InvdeK+tn2fo yxzcQ9L/AAjH  
3llvYrHm60IFEtJPzO2tK9HmLwtrpLieD8QheH8YRsFfzj2GY9h//C4UyfGv ILF+9hHW9hrz

2biGVZLmVgfjPvFZnRnieB4XjVx2O4cvERbhrNtnKKrhpBeBLDTaR516M2mt Ta7xSSxtdfv9  
DEJ8fE9/0g4T+wcBguhyFWxGDDYriTWxKnEOBCyP5UC+8tXwfFM1i/hMbnIJ ymOTaaeHKvV4  
pjMTxPH3+J4t2uXcRcN52kjtMZ939Kx7V2zce5g8Vh0u2bsTDQw7iDsCK6Ys ThiUZPfv8e5q  
GVRyKdbfYNOLWj2rt/HK8TAutB7o8K8ji2JfiOMw1IDdds4CBmJIE6kzMV67 cBs9X/m3GAiz  
/HJKjugKT76bZweC4SrXLV18TinH+K/IHuBGv3tzqhK9z35NVgUPwJ2Y7LY6 1kQK4Jksu3x5  
V52e5w/jF2fZugMpVj2h3SK9B1YyWyHtdpgSfpWUEweNsLhcf2Qutu5Oq6d+ bQeEfCus49S2  
PBp8yxTtq0Yp4pZCytm6LkTq7fXNXm8M6zHccu4mSVtWyWaJknSNQa9k9HMH c0bjLMg/hkTH  
jH50V39gwGG/YsG5S3MvCyWPiZ1jkNq5wxyvc9mp1WGUOnGufJh3FMMCCII9 oxPfpFbA4xwH  
jf/R50PPDOEY/HrZt4oXDhsK93L++0nKDGLa/JV3UKsrVJ3PhvTLN64mVVv FlkDKxg/Opmx  
Sm4yi6cXf0a9vJ86EkrT7mwOhvBeL4Xo9xHGhukbXbePTC3OGcLutYvBwCQ9 0IWYgagdk6k1  
63SHG4vg3p7wultYjF8PsY2/hDcuLcKLftsLeeWEB1JGp2JFavw9+8uf19xA +jw0TPf4Uq9d  
vvCEPKjKskyB3V5ZaFzySnOSdprjzXv2o6LMIFJLg2DxU8Z/vFwi9Nm40/BV 4xAGPa51Cp1n  
8OcxGWNuVe106xfEbOB6T4HG8E6TYqxiLq3FvGLYXMLh8tzsvahQApByiDsQ K1NcxGJulEvY  
y7dRT2VdyQvl3UtcXibmGFhr11whkW2YkfDap/0+5Qba/D7eHdfr9S+ts15K RWL/ALtOs7xB  
MePy50Vy0GURK6eQ9070tWZn7Y1ie0eXdRultkly5dJmNPhGlTPOV2sqi8y DuMSTHiBRBj  
FjE+I5fnpQ5bSe1czE6ADQT8KYgaAVKwNTENHjQB0gn2k5dn8vfTcOCXI7 amYEEfA896Q2  
YglioC8wSAfOmYfrcwJYtbzbEmI9/wB6+NGDtn1Zpb0K8HBlgXmVl2gj9pub e+tnAgDUitZ+  
rbB9CXAQH/ixglT/AL3e2rZJt221ZFJkKqYCaQZzRyFc0evC0L0LJLQHx0g Hww+vn+ZrpVv  
E6nu3rmP16cvV9DRBLZsdqe7/N6MqOciVfNlls38l50tzz6tQdOVNaAqiASd l11rFxJR8mQf  
LaoCXUCsGmF123FBbQsQAfeSKfYBSyGAUb9lhv76Fw1xusiANiTE60CCw69r  
RkJmMpG1FcNw  
KfZykfy+X9Kp2YQgVQNyCI5bGoxPV6RJ7hp89RQpbC2ERpOUDsgMGI8x3UK  
InMZpHLX75Vd  
p2YEKAZd+0ZjvqXMwGjqDHNtV091DJT3btkjq77oNoTs/SIC3cuuMqliNyKc YBGZQc3MaChu  
KgAUFQJkSvKhRCf44CrJGpB5+FNUg0ysl25cRwe7Tz3/AAqyrm2WtrmC7kr9 xQ27iyZ0q+4a  
GoByZsptvc9nYuREe8ihYoEOitO4UjX4USKbqlUCsBrGnv0qQCSiopkaAz8a pCnVChBjMdVn  
YUGHQq8ZgO+R+VQOvWBCpCqdCDRo5KyBrzEg/KgKc5mH78jUnWdKJSrLAYHX  
Usv41VxbeQ6O  
YnTfXuqheWCoUSRyAoUdmXa6zKm0n6CIWwpzsGc6zqB89aMuEKgGRAnWD3b6  
6VV9gGUrnBB0  
7x8BHKhASpftF85XI3+FWTIWAxmYyg6ff5USAlitx8pClg7TqQCQNIZMQPE9 1CI24TkNskd+  
x/WgLuKHADKYjQd3w+tS3aCt1jTpsVOo7vv8qgcCCSqc1k6fISaiOQZVBcJ5 gEGgGs+bXWIK  
lpkD70503DMtq8HlBq2MEqY5HkRr8KxiSyISSjSDEHXp+Ctqb2ZvbUznD0B 2x6soy+hPgr5  
jla7i8g2gftV3Qe8GtnBgBB5VrP1ZzPoR4GJJluYySef+d3q2YBoNtq0iinZ IERy57VzJ68z  
qbXQ8Ks9rHHNrA0w+ndzrplxtrPIBmuaPXkW2mB6lspUMLuMgEdoiLEny0Hy rL4COc1Nzq1I  
PZ3ACfj+VUzSvahhrpuNvCKBQ2UONViCuv191WgVEltNZGYkifdQgGJJyZVt sknUzoT+FLzi  
5bl85lbU770+6qkwZ0nvPx025VRti2JMgx7X5a0KVIrVSA2baSfv4VbiV1Pm xMR9+dXmaM69  
26mDtziYNLLE2wzMIB0DAEj30HBd4hJzgpqdQR9frSkTOxzOBqBB0p1wpl1 WToQCIPTrnAy  
aHYKBr8aEGE5jnnP5mZqM1tXysxBgzCAz8TUckBQ11UiD7Ma+4VADckMhuEG c8afCPCgBftA

---

Subject: Re: Mastering in Paris  
Posted by [chuck duffy](#) on Mon, 29 May 2006 23:39:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>  
ZAJPMnl5UtrSFGVD+87omaaodQxVIWdApPf3jIS1W0cxKKGBO2/xoA7Fhxbk o5O+go8qjVPM  
HL+fKhUo5KxqBA0k0u5dUHKqiOZnf8qANgwM5QSfL6DSjZYMhdCfaG3IMkUL 3IFwLk7XKG0q

XFBGV0htDqNh8d6AJ1zpAzAkwBMj71oEQoSmsnmAQaJ0kSbpJA7PaB/GqUOq  
7o2mxEx76ApQ  
uuUwf9ogTTFM6KrknkABP1pYctIjtmDsV3ow1sKEZSCdtooCZ0WVIZ8Kq3Nx odyHQ66xNVc  
tMwgpqPiRRQFQyGjLoC2n40AWUvCsrBge7w7qEsQoAXXYCOVWsAgiB/sx8hA  
0qOMmpUnXdWj  
+vOgBFwdWR1rXDuZMifM1I4N814KhZGZQZAT4yd4++6sbq0Sbjba6ZdN9t6y LCK13sMFYbEd  
8/e1AdserOCPQhwQnfrCwDv97u1tBPZHtD3VrH1YdfQb0fJMHrMZqP8Avl6t nL2RlyzHOqgY  
zHUAkA+dc1+vMw/s3ompZM/XYshT7UZbUkeHf7q6UedANBy0Nc0+vIAeH9Em hdLuLE77izUf  
BUc5KAFGULB5Ny38RQNctoArsZOoKw2vx0pilTCsMpUazGvjQ66MoQ6wCzR8  
NYoASFa2ZCgH  
fST4Ch0QkqdxBKkzHdVkkNKsoM6RDA/h/SrbOsm7Ij2c0z8O7yoCnQqICgRo Qy7/AC0oWtQC  
CmUk85AqW+syZTcuLA7MNt5CiQqjBZg95G/uj60IDeD21GUGV2IOo86FHYI8 ySOBMPH9M0i  
IIHhGtAwtS1W1ZGOuomPePyoUJwrgGgnTTx9/xoC9tlguy7zpM0SW2UDlZCP d/XShy2iSpaA  
SNSCT5g7UIVoFLWg5A110j7+/EhltjNkGYneJ/CKMr1ehkMlJN2Y+VCWYghw jufHf4UKLWj  
m9okj+GQDUFIcFRmIJ0ImKhtupl0CQIIFEGtWwVN6TzXLI+NQAgnr3iAER AA50VxsikBWB  
G7CD/T41TMjijFJ0OnZ09/wDSr7Q0BJUDUVSC1cporAgidBTnN1UyyTGsyCPd 8qW4BQLNtQdY  
AE+/nR2WQCQ4Vo2JlmgIq9WwzZgpHvn776sZLhMgEzqSRtVrIkDrE8iZio2S dMwMmCpn8KAH  
KVtHtrK9zAHXw3+tCt4uMoRge+effFMLMJErlMZE1se4nn8aXl6kZkcCeUyD 9/KgCt3LzKMy  
ZIJ1AIB/SrtuUGdkedspJEe/ShLFIZrRB5AHXz2o0cdXKZZ8NPdQBwWgS4Xn vqPEfCm4e4Ov  
ChSzGYLmQR5frSEcETkkRIIMe4jb6U/Bsn7Zo9142ImAPeOe23OgO3PvDjB0 lcCJ/wDvMWTr  
/vd6tox5CtW+q20+gzgMtm/eYvaZ1xd6toliD7BP/hqx4BhvrI0EnlZrm314 VnhHRVzcAlxO  
JGQnVgVt6+6PnXSN5go0geca1zd68Cg8F6LXcw0xOJEQJMpb/IVGVHNjKAEY qdRO0k/n+tA1  
uYzZd/5okfCiK3IAK+yRuD96VZW2XY5ihmTJ+dCCTcZADJAG2Ux+FLN32vbh tSJ0PypPckFb  
ZDgDUnSPGIFH9oqTpprQowX5PsKJGg1j5UQVVck3bYn6/WoqkvUAERBxLM/ WpcuJkkqJiJ  
0PjQpaZodnDXQICn8NaEorEkkG8xrp5il270FlyBiTpJpoaNXds3iln30IGF CgABNdBm01/D  
30q45zfwXNNdyAdfvSruqGUBWMxIG4oLT5bZzIzFtJFCDBbAUB7YTXtkKPU n s6D+VTA+GpPz  
oENuCOIQxGUCGIPjtUbrCCFZwv8AEuYx8JkigJdDBZySANR+f9aV1RuOCDkJ OggmnhI2UZVW  
BAInf3n6VQlmbhUuxnSAAPdQvAu2gKDOhHjJAPupisUBDXGZdAMozRG3OoYO  
oJknnvV53y5R  
qY0hh3bkd2goQq5kZNGcgj+JQs/OsUZ0aZOht7t6yrYurRqqHwHP8AH4VTo7kF dTPsq06/GZoC  
rCKUL/xcuZP1oiSGINwb6A8/Hb60BLuwAa41wiMrSYHh3VbA9TosDkTuaAuV bdVXTcuuvn8K  
uBJARQNpANdbTKArPA3Mz9Ypd6zcdzMBJ7JAKiPfQo8wrSFzQZ7Jn40JUdZK  
GNOZBB08KG2E  
siEuNrqpzEDz05VdoZmBUnN3ro09/f9/AQcMqzkWIIB7PP70+9WYJWW4XyG SNInv5VitmKH  
tKoBkcz8edZWHcuo/eZ4MsDAg0B2z6qxD+gzgckE9bi50kz+03a2mEA2kf8A iFan9VDN/cbw  
bUD9/io5f+sXK2vB8PjVRTDZQoAyqs6mK5t9d1CbHQ45QbQu4wE5vCzGm3I6 /rXSLIYgkfGu  
dfXZEch6KgKpJxelgzr7CcvvYd9Rg5ncMCTbe2IE6NI5b7xSbli9cuFpzSRO XUCmM1sKXSSF  
/IEf0qzrDDYDeNvy5UBQt3LzW7FIHZ2EgKjEnQ8vjTrmA4hZ1uYLGhVGZna0 0D7ikWsTi8Fj  
RicJjMRYxCjS7bco4kQdR4aV95034zxs9Fuiani+OjE8LcXw2Jf98eucdrXX TTXlpXmzZZwy  
RjFKn/pv7G4RTTb7HwhsXmtm+UuG2TBudoqJGxPKjXBYzFJ+5w9501g27ZK7 d4H1rcnC+A4g  
9F/8iX/s1ExfDjijGxlnrxxAkXEXq82fRAqHTma8PgV25hvRdgyOktzgLXm 9muW+uLPfNA  
Lep17mIFeNf1JST6V3rzs7p7Jvs9jr6Fc+DWBCWoRkgz2v6Gqa+sXM6oEESA dz5c+XdX0HpH  
4xhekHS3F8TWF4ti6LYzuAr3CqBS7Ac2IJPnXy15WV7IKnJ1mpB58q+hjIK cFKSptceDzZX  
0Jtb0e1vvhWPx1rNYwz5QBCpbzR5nakY3C3cHfFvFWmQzEssEHulr3MHxbFJ h1s4fEJYVROA  
I/HWvO6TY+5i8GVxFxbUHtBYPIM1pM8P9xW9nmOSpDMUHeMgBq8OL11ISMz  
P7Inl3mqCAff  
3YYsASSYM1ncFJXiTs0M2VSSiQRrPzrlqcvpY+o+rgxrJNRZnp0a4jcw37St nEslkMLHZ8xp  
MeNePeW7avm1ezC4ASDmJBHPevtRxXiBg/2g4XmgQR8Jmvl+kzftHEcMYAvX GJMLyXSVdJ1

f+RJO7Pbl0qUG6qjBw9q7dxFuxhrbXbjkKltVI2PIADWaG8Llp2tXIZHQIWU pDIwOx00Pga9  
roBbCdO+BkDbiFnUzE5xpNJ6TQ3S3iwdsoOPvCAToOsOte9ZX6vp+1/U+d0/ hs8VusFwgEsW  
OvfV3LUsDIZWiZkR8K3OLdv+809Cm4bg/wDJv9kgL+zICbXUZv2jrYzZs2ua fCvmLuludHPR  
xwfiXAbGH67HYq+mNxxw6Xnt5CMLsFgQollvGvJD+odfSIHeVVv2ab322ez2 37HR4avfj+fc  
+U4dwC9xHgPEuMdeDa4YLXWo5Odusfll0jQ66xXmtCpqDqJAA8PGtlejRuH8 Y4T0qbpJjEs4  
TEXMCCtDt2hbCg39NFAC6xqBAmYNfLekW3xDD9JsRZ4jwvC8PNgKli1hhFtb Udgqf4gRrm3O  
vPbph1Tlnnil2/1Hjzu/lsSWOoKS/nJ81aLICw013Lanzmjtoy3R2+2QYnWB 9OVDJuEx1aSu  
oLb/ABo7dpkJ/ePqlyqd/lc69xxLRNSWIOYyC3ZB9/3tVtaMMLjMWVYbt/jN Cxt5WZgjSJPa  
GtLJAudZv7/dQDreTqyqYdgNO010ET8qPAuATkbt765oiffrVdhiGDFidZLS Y1113p1lVByp  
OmgJGkfYNAdqeql9BvB/wD8/F/8RcrbBVWMLoJ8a1T6qYP9xXAOBB6zFf8A E3a2rpGy1pFM  
F4BMgDWNDXOvruWy3Aui1wOwjF4gZNYMomvdlj5mOddGOliZl28fIXP3rrsR 0W6NoGgtxK4Y  
jQ/uiPx+dZYOWymnWKpUfxZZ79qssQV1BAEhpMj5/fwonC5pKTOOY/LupZOI nXRNwSO0ffE+  
+gISVZc6HKxJgD57/cVk4rimNxnRBJevm4mDGTDI6r2FzEwBERJO9Y0qQYFs c2lvp3+6qY5W  
JmFnUgT5VlxT5QTZmXeLcTfjB4yuMvjiPXdebwYZw4M5tPHwocbxjiOLwwwm IvucM2lfEICg  
0utAZtBudKxH6iZNXw5AwZPx/SiAX2jLADvE/l9+FT04bOuC9TF3SwOrZlGh g7eHwp9h8Net  
NhMQzKr+y0SqtyPfrWPcRS0hgvhPzora6exmOwP4CtGTOt4biGGU/uFxlqIF xCT81BH0qjgL  
7Ot/iCrh7aGVstoWPIDBjxgfGl2cTjWUnD38SwGhZO17p2+Fla9euYr3c7z2 usBDR5bRU2PN  
HT4VO1yG91rtwvcNsFjuNAR4Vk4ZEXAVkxCYfF2/8MsRDDuJ/PT6jBfOqlio yeG3x+zQFEzN  
dJIA3Ljbx3pOEZrpkjtj1xk4u0fSDEcWWyVPDEZ4/xRJtZ0kfOvNa2bT3MTic SLuLYRCa9WO7  
TTXuFYVrGXLarB/aAp1DKpg+41RvG4BdlbgJnNMEe4V5cGhwYJOUI7nWesnm  
XS5WMSXLuFxl  
vE2b1xMRbfPbdHKspBkEHkQdRXqcR6VdLeI4S7hMd0g4li8lw7dq9iXZG566 6614Z622IN0y  
D/C2kfjV5+zmgXCBpm3FeiWOEmnJJtHJSa2TPVPSjijtVhP8AZLcZx7YAp1f7 P15yZf5YPLw2  
8KrgnSHjfCEe3wzimJwiXoLraukKTylRoT4kV5i211LAtpBA0g766UYMAKGP V9x2Pz+dT0cd  
NdKp+w6pc2Ox/FuLXb+Nc8Sxdz9ucHEI7hm/IMqXEmYO07UN7H8UxuGw9rFY  
nEX7WGTqrGd2  
bq1/IXkB4CkF3LZcq/8AaQk0GR2YMbkknb2vKa0oRXCJbGKhBCXA0Dk2kA/S qGlw5EXKTrMA  
Dx/rpVqlcKoaYMrE/ChuZrQJSUnkdRWyFhwSVcBo3BG35896oHKiqUzr3ToP hTMyFCQAYHeG  
Ab4b/WrtmAjGbeSBt9jwoUjDNbLICDGPkgU+wWFwjrAUjxAPuj691A4cK2V wCdSAZ99Lw2J  
uC75H2tyarIdveqmR/cXwKNusxU//E3a2kXgwY+Nas9VHT0F8BkGTcxX/E3a 2sYmqimC4CqF  
mAfCue/XVAPRro1cJuiOIXVGXRdbc6iNTppqOeh5dCM0MJET3QfjXPvrrsD0 X6OEIwTxJzos  
iOqMz999ZYNB9HMFhcT0J6V43FYcXMVg0wpsXH3TPdCk+8Vi9A+ADpP0mt8M VryILT3rz24L  
BEXMco5sdANdyKLo3x/C8L4dxfh2J4cMdheJLbW4gvNaZerbMCCAdZ+IXw/p NheEccs8T4Lw  
ZcKi2ms38NfxDXkvo4KsrSAQCdyrwTWdeqLd/le1fIXv5vsdV0fhv5/qr0 w6H4XhnR3C8b  
tYXi3Dg2LOFu4XiGR7p7OZXQhVBBAlINDzp3FeheBXodxHiljh/G+G38B1Nw JxC5bPW07ZZy  
BVNs6g6kiK+dxHGefYXGYPG8D4G+BvYfFJfD38Y19JQzky5V7MxvJ03r1cZ0 54firfHbNvo0  
U/tztYp/252cXQ+dShywFDT2SCT/ADVwcdWIFK3v7cWtvzeL33+XJtPG7/n2 H4HgPRPB9EeC  
ca47ieMO3ELt5DZwoSFCPlzZmUwAOUEnwquG8G6lp0Tu9l+K47iz4f8AtW5g 7FvD5M91AoZS  
SwhTB10PIAc6+cx3GLuO6PcJ4Ncw1tV4a1/l4ftObjZtRyiOVFd45dPRG30d GDtdTbXrYzrc  
5mSgXKR7t66+hna3k95Puvy26r5V7meqHjt9TJ6d8Gt9HulGK

---

Subject: Re: Mastering in Paris  
Posted by [Rod Lincoln](#) on Tue, 30 May 2006 00:53:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

4Xg8Tfu4ZAI yzceA5V0VwG8  
YaPdtXzjqrXUtmV60wfARqK9zpdxm50g4u3Fblv9mV7dtCokrClqb85yzXIX LdzEWusw6lr1

iHAgnMOYr1YFNyOrJ+alfxOGfdS6PkfX8NuclweBNu9aN4kAurFggjaANCdd /E14vStMA1n9  
qwAZCskK09nvEncUrh/EVdAbeKW2Ykq7ZSDWDxG++OuDB4VuvuOYd1Eqq89a  
3ufHjmcpcKMVu  
YygFw6uATqATtNM4dbXGcQW1dIFpIY90k6fSrxPVI3tWs2Qcy2mlOsocO642 2t57OUJf7BIN  
dD491bZ9HU9Xpvp5PsUfo7asiwyXbrAdq4S4M+AGkeFflcew9nCcVtthGJs3 jG0TvGnfXorj  
x1GdMdaNsDfOBHnXI5/23EjFQ5wliT1kHtuRAA+/wrCs+fgzSyZEooE2rj3h bt23d3ltqqk6  
k7DxmvmvfRzgtnouf7Hw4GO4FiEwfFboJpXm6D95HhcDJ8K+O4DxEcH47g+ LLhRi2wj9all  
9BmGxOmwIB91evg/SBx+7b4hg+LY/F8XweNw72LlJf4pnVCSldRrDKQDtXk1 MM8skZY+I+9X  
5+l81u/Y+7BwSal3PVvwQvht7pvwTghxOJWzj+HWsVddWAdWa0XIXSAJHMHU  
QvAdGsV0S6Q4  
zimFx74nCWLbm4jLCTdCyk843zT4U/h3pHwuBv8ADsdd6N4S/wAVwOEXCDEv  
ff8AwwpUQkZV  
aDBbXyr5zozx2zwtOJ4XE4L+0MDxGwtnEWhe6pxDBIKtrqCO415/T1U4NStV 091vTd9+6rmj  
d409vf8AbY9DgfBuB4zD8Z421/iNvg/C0ftu1yDEXblw5VUNIIUSCZg6DasX pXwPhuE4Vwrj  
3B72Jbh/EVukLeIYNcs3LbZXUkABhqCDA56UfCekOC4c3EsHY4OLnBul20S/ gruKJfsGVcXA  
ohgdducRWF0I6Q/2vYwPDMJg0wPDMBbZcPYFw3GzOZdmYxmYnwA0iu8Y5/WT 36fiuOnj49Xf  
x3Mtw6ff73+1HjOFZwrmCTrlGs/fcalsFUjKxidFgH4zrSYVCvzbz+0AaejE gBmj/ZIMV9A4  
CgyCCqyx3Dn8oo9d9NY0JifL4VZZkthralCdBlmhS4pgFHE6yDmigHMCLWa5 IGmUELI+VXhr  
dtnbKYbUNyH1qG2snKAdPEfGeVAoUlc/ZYeyVGIGEdueqmCnoM4EwK9q5ij4 /wCs3a2rKnXN  
Hma1V6qYj0E8BM7vij/8zdrae2mZV8lrSBhPIMErM6Cd/wBa559d/Xon0dbM FI4hcGX+LW3v  
8vmK6HYGNNI7q579dx0HQrgKPIF1uKF111yi0+b5layyo5fdf3YulCpKyNQn efnvQWkcjMxJ  
7gZP3tTGuglqEnJH8KifidfnU6xiCqEsxM7iPpvQFsuHk5Y2kwwJ+GtLZAEI YkMBCwoA+NUV  
dnz3LZVVAkSdPj400ZypYrAl2kxt9dqFESQwyqg31XY01mVrZbtle4j9dvjU UyQF1JHcdPhv  
SmfISGUqwGmb2gfvvoC/3hYBAok7ZJimK5S6CLoVwcxKgLBHyoLQkELmfStz  
Hw91W5Nu4DdG  
VQJIRqPiRv30IZv7RgLr5sZgrVwkRnEqTruYMH3AUGlx+Hw9lrNnC20Rt1UM Dt3kzHw3rzxd  
R7ypbJIO+Y5Zq5QRKqANAI+/pUCSKtGQXVgHnbLMeVZeCxNzDvm6zMfHWsdh  
DBs+VuRGkfSr  
C3FbrFuQY5wQapD0TjOGPcm7w2ybuxlXs/lj6GI47FO+j2wlpdAlsZY+VYLF mVxAXN3d3h3V  
VtTbGU9UwO+YxB8loBnWN1eYoYmIjnTzihW2oYaAqN5qyFJmSvIS8x31asCp zGT35tPv5UAF  
xzJGRCQZjXX786ZbDspzKgXeDpHnV2yerK9aGE7Tz8DtFCCsaFNNJBmhQ1Jj ONhyaYHvocZ  
md2Qlt8oH5Uq6/VwBJ1JDSO/kal3XuHXrjvBjnahAxlg+y67SJ3+X0q8pZGC ISOZ1+MccpTq  
dGkaaDf4fjVe1chUAMaSSTv4fTWgC2gMe1t2omPKiQQxKqcw1LDUad/3+gsS rQHI5mNSPpVZ  
VUqAl8SCPCKAO72Vi4RGsDLE/SjsZXYZgAYgjNqPpWNbnOyEgLuNY99Ptrnm  
WH+yJ+cUB216  
qoj0FcBkmM+KP/zN3StqhQROUH31qr1Ux/oM4FqNXxRif96u1tUDTIWkUwtm 0J18N6589d5v  
/ljgFuB2uKFh3iLT/n9K6CcTDQI8vxxrn713pPQfgOgKnipnWdepf9aywjl5 mQ217Jkx7/fS  
yEACi4QX1jWN+cfj30Yu3ittQmkanJv+dLMXELZ1BYye0CfLv/CgLCqbeoLA bZITPkDS0GbV  
ljcat+dE63JVgnaNJMEcqYxJillilMkSAff9KgQKhnbFzWdiiFALR6tUAERJ AA1pzBgiSSsi  
SSDHjHdQgQcltpJ/8Q84k/cUatsMTeC9uGIKiDLA/OissBcderMAbNAG3ifp VATEIWJmkrFB  
iUkSQIA3ka/CqQly2j3CC3VXANgCQfxBoAtxdTMAgyTT7ShArQQI12+WIKdV OrFsreFQo6YY  
ZmAMc5M/CrPadh1WVp9mDp+NKFoXbQNq2QBz6e/aKoyQtss/Z5EaA+FUgwm  
4Acw7R0gyBRI  
X0ZmVpOkH7ihV2RDmdzl2BjGUAvAsYLBcd41+E1AMJIGUg5ecnz5fnNUiqr IQRMkSY8fsUT  
Ag9kP1ffiAFC5DFs1yffJn37++qC2jLB58p1qmeCB7R5azUW6kGQwWnpDa0B Kon7oiSY8aAs  
3Ar5T+8YHRQxXL+nz8qHW83s5WGgyySfCqtMQoPV5+ZnSm5hJLwfAQfxoCr+ flxElhp50Nq6  
vVEkT/sk6mruN1RZtCDzzAx37UnLnYFZVSN96AeLgIWUIkxIMfPlypga3qBI K7huXv8A0paM  
qjJKmNhrHvq7lrMPZlXoB970KUFUlmho3jNqfrT8JcggFWC9+Qn3/ZrHTtgl iqLrGIZWDYs0

ICsCBRM0ldseqqD/AHHcB8GxW/8A3q7W1Ax5H4zWqvVU/wCg7gR0jNihv/vV 2tpk67E/CtlG  
KQU1gkgd1c/+u693/ITgSqSLLcVlvFhZcL8i33NdAFPP31oH13IA9H/BHyQR xgCYjexdn6VI  
IRy6RNhQS2oiFO+nPWY93fWL1QS4pVpX+LUVIQRWtSSNASCDr4RzpLMiKuVw  
YOhHL8aAirGY  
ZeyDvljfYVZhnGcqrEGQX39+gH6Uq7cAYB0VV5woJPxplp7TGELTIPtLEe+T QgKqysWLwrT2  
ZDT999RoChXJEnSNtTUS2vXE5gNNAp0J/pVsobKJ1J2l+WICIsDoSM3IERqf xoLjKLZaDEeQ  
P0o1u14aQBIMExBHjv8AhQC4jktbMEbMwEfCKBBDtDNiUFRoY1B8zy8qC8Ct oZIBgjLmkn8q  
C8zl6ODy0KjKpDutXWtu1pgR3ENoPHagCtBCVzNqontgkH4CmKVVyMsydFQx  
p37GhyLcBMgA  
jckL8qtRBzZlJl/iEFh3yaAEITADwG72g/WhNkrbZIV3YCANoqrtoXFL7kbn YJ+FMYKuTPkW  
ARsZPzoQXaLHKVTVQT3zTAzXkPWhFI5BAv5ULWgzStw67AA6+PIRp1i2wLLW  
9DoWAjxkH8qF  
ElzF2Q5goHaKqGnLaK5bjWO0ANJlrvrt9KII0ki0RtMnn56fCqIX+BSDzCif jrUIWwJlyoI5  
g7/fvoSJcuxSI2J0JzqncpDZFZDoNDK+UHX31Fu2rjQru0cmX9apQ2TNbKm CI3VvpFKtXAI  
w2t+crqY/H30ZvKrZWRlFvkEeGkfjRMval/8QiDJ1mhBSurOrC2yrGhn50Vt 1Uil1Os6+8Cp  
nUFkIGUDdRM+Hh9ihsW1YAs8gmNe/wAaFG5rguQWWY1MRHhWTZV3WVmdpTv7  
u+kAshOXMyIf  
Z6yPrTblyvna9c7WikTINCHa3qrt/oN4DA1D4qO/WrtbTGdhliPvvrVfqtz /cbwBc38eLER  
/vV2tpl15kT51pFE3G12lgjYfhWhfXUsi50A4K1xyMvFxoGiZsXdfdHzrfT5 gY1itE+ueD/d  
9wcZQR/a69qJj9zd0n728KxLgq5OULfZVyMqooEs2v3tSyyGCqaB5019w/pR hGuFIWSREAc9  
6mW5bUW7yMDICqUIHjrp385rMXsHsyQSSArAjKQND5/GpOgAUcRz3I9+n351 TW7jEiCy9yrl  
HjH591L6tUuhgpYajKTArREMOZVAdEHONp+NKDtdLJmi2BtM/fnTQSdGUgMO 75d5oLarbJy  
nQjIVKD1aKwUSddzrNFdNwWyiO2ULsmYD50RzRAyEnbteeuh3raN/idzh3QD oqlrpVjOCNcw  
189XYsO/WxeYSSpAniX1Od4eJXbrv4b7J+DUIdV+Xq2FIDMVZgNe3M+f5T SimgY25BBmG+  
4rY2H49xbhvotw+PwPEbtjE4jil7rbgcBro6pSc06HXka9PiPEuFcD6VcM4x i8M2Dv8AFeAK  
9+7grQZfCYi4I69EMKDAmBB7RNcHrZptKF81v4+X+zaxLz4+pqmHIUOepZdR JMz3x8KoFmYA  
GQu5JOp2mvtummEx1/C8L4ni+lx47wi5eaxy903DcsNoWW4rSw0IMAnwrw+ JcP4XhbD3MH0  
kwPEboP+Dbw19SR5sijtZr0YtRGcU/Ps/rsq+dGJQaZ4w7CkiGI55v0pRcO0 snZP8MnStlrg  
uD8T6NWbfrfCcCxmlTh+bHYXEm4uPW4FJuOksA4G4CkwBsaTwxej/B+hHR7i N3o3gOI47iGJ  
v2rj4q45U21dR7KkS0GAeXca4/36raLu6ra+G+/wNej7nwACSO6tV/IWfx+ /dUukKT1isJ2  
llnx3+lbGxPR3g3B+M9N8ecAmMscBvKmCwd12yA3LmUM8EMVXunXnXyFzF4f j2NspibWA4Pb  
hg93D27htzvmZAWM7DQV0w6tZt4p0q3+KT454aJLH08s8dLpUFgMsCIED8Na 9biHRrj2C4Wv  
E8TvwEWMmqjMzASit7JcAyoPlkCeVZPDeFclw3SHhUdlcFxOw2OtLetpZvWi qZhJJuloPkK+  
2wr3X9JXT5Mawa0cDj+vzHRVX/D58iFju0rln1koP8C2q3aa7pUuDUMSfJre z0e47f4Re4ww  
CsUMBYGa5iWtEW940MQdTsKwFAslo1J2Ag19z0LvX73RHpcLI17i2+GWltg k5VHXpoJnSvi  
WQhusLFSdBy9/wAa9GHJKUpxl2f2T+5iUUKmu4OUMZuPLDdliPOjRzos5S2m USPqajEoDCAk  
bwDI/LaibthpBnmSZ+cd9eg5gBUysgDLpoT+PdVhVygqCI37qI9aWUkDQdru PjpHKmKy5OYc  
MZJPLI5azPuoUh1UhFtuAvKRJ8f0qnzEIXbMCIOu503pd5yjAAISDqrCYP39 86LUsGJmZ7vp  
WZcFitzt31YVH9xnR8ALE4r/Alq7Wz1EKB9TH4VrL1Yh/oO6OGSP9a2H+93q 2hmXv+VbjwRi  
COWsVon10Af7veEFV7J4upJ8eovVvUliR8tN/GtF+ub1f93HCpB6z+2UyyOX UXp/Csy4LHk5  
LJAFwETmUAabamqs22CTbcKs92nvokUOXBAmAfrQ5GQFQqMCZzEEH3a/hNSP  
AlyF1b3FBYc4  
QJAZDXy/SqYZSGbrdoXU/ffSXFstly5TOpA5U0t+7LKhEaT+P0rRAC1zrYtZ jIvaYA0aW4Ib  
UQdR40A6u6oBlmZOYk6++rdkKAFuyJOAHwoQnWqCykAxyDaH4g/jOle9gumH  
GbXC8Pgns8Mu  
4TCIVw4xPDbF9kDMWIBuKTEEnvr5qwe2c6BgNhmim3LhViDaCmJnU+6ueTFDJ tNWajJx4Pet9  
NOPYPDvhhB4Z1L4hsULdzh+HuC3cYAFkVkitQDRYArCsdKOM2uN4ril+/h+l X8UuXENjMPbv  
K66ECHUgbCI2ivNUuXlc5I5yd6YSbQUKpk7jmPy+FYWmwq/wrf2L1y8np8b4 /j+M2MPh8b+z

2cLZJOHwuFsLbtox3IVQAWOkk6/SvKUKI1gxAjUeUCguXSlwhLYzE6zuKppD KwsrmlmDsdTX  
SElwXTFUiNtu2fRr0v4wuEezh04fh772OobE2cBZTEMhGUguFnUbnc8zXm4n jONPDcBw+5fL  
4bAu74dQi9hmlLGYk6gb1iRdkZRbUQZkSB5ztVFgUjsCZBYAn9PhWI4MUelo rnJ8s9rDdLeM  
px3G8bt4tGxXEMwxfWWka3fU7q9srll91YfGuJX+KG21yxgsEtoEKMJhEsgD nOQCSfGfCsBS  
pg65SYAA1P0qOLRYZlykjcjf3VY4McZdSikyOcmqbCTNmnMk6conx+zXu8R6 Y8e4jw+7gb17  
DHrraJibyYdEv4hVjKHuAS4EDc8hM14Clo9mFPL9KsOwSc6CNcxEz74qzxQm 05K6Ck1wz3MB  
0y4z

---

Subject: Re: Mastering in Paris

Posted by [dc\[3\]](#) on Tue, 30 May 2006 04:03:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

wrAHA4K1wlbNxRavi/DMM7XVBmHYoS2uvaJrxL+MfH469iWwlm09xizL YQlgPcFAAA8B  
ApYLXCWZmdtgWH50TAgkMyhhI0PyNSGHHCTIGKTYcm1TZFQm1HtLsdJ+fKil ynSQY/i7Wn3y  
qodSSkIT3qJ91CqFGJS4Y5ida6mSaXBkUmY5bUxHuoctwIRyETQoerQFUBBJ EFj+G3xogc2Z  
igGvaOpA9+tAQAowzMCrGV7Jnfl+tHdTq3VRMRIBO00PVhHKIzBilysvf5mO X0qyFGTKDJBN  
u35VmXBqPJ3B6sX/AEGdHAI2xX/F3q2bodda1j6soP8Acb0cggHLiv8Ai71b Nk8IX3kVuPBH  
yLuDtyRI2iK0X65qs3o24YwQIRxm2S2b2f3F7I9/Ot6Ouvdt51ov1zbbH0a8 LuSYHGrYK/8A  
8C/r8j8azPgseTkuyW6wgQQQJnu1q2BTImBGgzRz599CsMlxTscvPxNEzsqw FUknQcvz90+6  
pHgS5AJUsFykEgmVMz4ffhRsuVysMO9QJ0pF25dLFFREecplBk0Fn24Km4Rq  
ygQZqmRpK3SF  
ykxznX3chVrCrDAgSDvHxqi1y48rKgnRDrJ/OoXZRIBEnsmAapbKFsZmaCJ 7v0q2W7auLnV  
lVlzKSIkbaTykVTsScx6tF3BG5+OgobKsF1uXANdBv37UBV5nXQaDkQYosPn NsZYb/tGB+tQ  
l5ClraIbAbcE9xGompaTKNWEbyp1+NAR2cGQCCPakffwqWrpdy/UpbWAOzP4 k1bAwikWk6am  
Psa+FFnEkDIEUZewJ18qCh3U2mXMxJWIEmT+ICgsxluE5Dro25+BpRbuEGqz MDIMGufq10s  
lwlrk9p12BI1FLNxiTXMdJEkmfL75UZcSpJgzBn86mla0wJuFwp5xrNbTszR LfxnJhIJ71kf  
nR3rgywWDydiFP4yKG1Atdh0Ouuo+m9VcQgtc7JY6yDEe461SF3FkoyOyAHT tT9N6im60yVu  
lOeQKP6+NRMrEOoIPjpJ/Ogvda9xVF0sJMS0+cfGgGSC3YdRPtBfaFXbKBgu YBtNyZaikj95  
EITGkRPw3oHCsARDQZERV+NAVcdbbgkEMDI308KCySCCqlj4mdNtu/zqXmuP CIVynZtoH0pq  
i6sZckCQFZth5igDc5UnQ29gO7wE/e1HiGzG2wQqCGg6gET3HaluwDFIGckQ vbkge/6VdxHX  
lz6ZsxAGw20rMuDUeTt/1Zx/oS6Nk/y4kf8AzV6tmDLHtVrT1Zf+g/o2CQOz iv8Ai71bMyn+  
dh4VuPBHyWxAM+FaG9c6f7teFjLK/wBtWyWHL9xf3+Nb5uEKpYZtByEn5Vor 10Aq+jLhiliG  
PGrcATr+4v1mfBY8nJfTsguHbQazEa99Bce3lzCWUnKAIUie/WahErdBj2RA iZ1pNtogMDIB  
kamB41I8CS3CtWw2UEklv4VGupqJnW6y3LZM+Hy7qa6I4VoLTsVH3+dWplON tMo5c9tz9+6t  
GRZMgBkABH8wKn4+6jVwkBkCiJCZd/l+PupDm4L4Zgbg/wBqSlomORM9tEPj QtBMAXzZMxOp  
liT8atyI7QQE6wJAP33zSIS0qgl+rZtiTp460Fu4EutIPWleBAg+6gMhZLQ1 sFQI5zQoERSZ  
bTUpv7vIUlRwGgKOZ1NGucsS1wGDsxAJ+P0oQC1eZXLlLyxJALaEx3AUu3l 6sZQRrJnvpjP  
1aZihZQYykmD37fhFZ9q0Ltq5g8yM5OfDuAFzeB23G3jWZK0VGBVaUTqyOys  
GVhoQRBF97V  
5zsRQC2pjT+IS8mewV7PmCZn78Kz0svhcMrMqdf9hGOoXvi8e41hYhmtX2t M3sNIMHY8xvF  
d4KkpcpmKtllPWEqCNpE1lgEmBAPhMGfvvpZdWJBUc4pkTOwEd9FYBUFRsTo  
ZnT3AzWzJZVC  
wGTQDdogeEUFsswbMABvqqqXL7DJ1RkRB3AnyolZmtsXVjcA75JoUJ0zK3YV mMSe74aUVslx  
GZYWezpr9+dJuJffe6hU7Av7J8qNestg21tqjAbkGfy99QgR6zLCarOs6x3z UvNITObStlMS  
M2/iZj4UKszZc2WBUzKgeVWDbL9u+HbKzAwP1+VUCDimyZcikToOdZRdnW2W  
37XPy/Wsd7ES  
yFTIGokAn70rJOYWrKtyzaR3x8azLg1Hk7i9Wj/oQ6N/9jEb/wDeb1bKn/YP wrW3q19n0I9G

IAj93fOv/ebtbHLGdBp7q3HgjDu6GtGeuYJ9FvD5KyONWiJMH/Av7a7+Fbyf Nudl2kb1pL1y  
UdvRVhCFHZ4xZLE7gdTeH4isy4LHk49CK7MpBjJSDTTnMZcOXXun5RrQ2lm6 ViZU86t0lgjg  
HlmkfifyqR4EuSbjLbZCDocqjtfj8KWbas5IT94NAMoE+cHf3UzqmRHCISWO rCCPyqONChLE  
bBgdfLu+HzrRkWyFgAQsHUmZ92unnUT93CB9e8kaT4TTAqgBOR5TEXP1n5UA  
REBZuU6Bde6N  
ooWxLX7tslCVdQdJA28DRXCrgsVRSyWYWT9TVXrRcF1YkCN9PdTQhPtz2xEQ  
CPhQhi20CsGF  
vNrTXWclxpKk7HkKdlKnlttSvLtagUBVWYdgqROrGZjwoUiwnZlFM3NVAH1o 7WhGeYmR2dR+  
BoXKopbrR2thln6j9KrMqg5nVQdgNCPHTShD0rV58UsXMJbx7AdlgTmPw7RH yo2e7YHW4fgg  
4Xl1l1mMHwzHf7ivGuNeLSxzLMgFpFBcdwrnsoFEaCJqUima9w9f+0C8GxGY xcgKB5EjU+PL  
ISGRAjmFJbckH471SK1u0DlIcjWSYIP38qZlyr7aCNwFn86pBF22o7VsMrZc pjY9/uogoyKr  
A5dYXKCaY7MGJcZjGsALHwq12kZUSDAiSPPwoCgbZ7IUg8hl0Pdr/SqIZiSj By7Sw3E1ah2k  
sAyg6GTPz5VOyCUJWDMljA900BQLHMFYMNJnXxAFUwZf8NUM6iJimWxbVTG  
UwTohGvvoVZy  
QSFYH+EH6n8KAtBcaTGdgCWAQk+e30pN3DktnUgZuR5frTboBgsgga6sJjy/ rS7N+2zKphUJ  
gbGPFQoywrKozPmlGoBJHhtTrxVktMpn2huCRtoY+/xRLF4ZSAD7SgjNTGgy xrmkkmeWkfQ1  
mXBY8nc/q2qP7kejY59Xe/4i7Wx8qnUkfCtc+rck+hLo1qf8K9/xF2tiRGml bjwRj2tActa+  
H9MnQA+kHolb4COKjhZXGJiOvOG66cqOMuXMv8281KIKsvBqFPVSAAdGbp6YB  
1A4PBOvI9fpp  
50Nz1UwxJPT1Fnb/AJnJ/wDr61KIZUUg5FH1VCQf/L23zj/mU/hfof8AkqXF Ay9PLIMml4QR  
/wDXqVKvSEwB6qlwkC506tBZkj+ym3/99FT/AJK+JC9np1hzA0nhTD3f41Sp TpLYseqrjW/x  
OmeCU944Yx/+qKN/VXxsAL01wjA7zwxhr/72pUqUSxJ9Vnia+z0vwHvwDj// AHqv+S5xbb/K  
/h8eGdf/AP6qVKvSLKPqucXyhv8AK7hobmP2V9Pfm1pbeq3xmZHSvhRJ3/zZ 9vialSnSLLue  
q1xqYXpVwxhHPCuPIJpVz1WONnT/ACn4SZ3/AHNwVKIFEWRfVb44ohOk3CIO kdTc/Kr/AOS5  
0h9kdJ+DnwNu4PwqV/KULBX1XekpBnpLwYNroFuEfHLQ/8l3pTIM9JOck8v8A Eg//ANFSpSi2  
Lf1X+l5b/wA/9H2A5ub0/wD6dLb1X+mZLFePdHSfFrwP/wCIUqVekWC3qwdO NSvGujcRzvXx  
8uqpberD03l/869GW8sRe/8A2alSnSSxVz1aun1nsnGcBvA7xjLv42aUfVs6 cgAJf4DsJnE3  
B9LNSpTpFjbPq19PbjQMZwBNd2xt38LFNPqwdPgS39rdFf8A4zEf/sVKIToT HUdH+hzo3xDo  
x6NuD8B4m+HuYvBrdS4+Hcshm87CCwBOhG4HOvr+pPJR9+6pUqojP//Z

-----080705010802020305090101--I disagree. It's more like ty-wrapping a pianist's left  
hand to his belt  
loop. The inexperienced drummer will fill that freq space up beyond  
recognition.

W.

"Don Nafe" <dnafe@magma.ca> wrote in message news:44aa5a8b@linux...  
> No offense here guys but ttis is like asking a guitar player to leave all  
> his notes on the 1st string out.I think Jodie Foster just entered the room wearing Carl's moniker.

W.

"rick" <parnell68@hotmail.com> wrote in message  
news:r1tla2lipf7jrdk90o2gac9qihioh5agiu@4ax.com...  
>i never would have pegged you as an abandoned lesbian...gotta be the  
> Canadian thing...  
>  
> On Tue, 4 Jul 2006 16:58:53 -0500, "Carl Amburn"

> <carlamburn@hotmail.com> wrote:

>

>>Booo. Ney ta ta miss chick-pea.

>>

>>-CarlHa Ha, you wish....

--

Martin Harrington

www.lendaneer-sound.com

"EK Sound" <askme@nospam.com> wrote in message news:44ac4233@linux...

> You need a Paris Sync module... ;-)

>

> David

>

> Rod Lincoln wrote:

>

>> I'm trying to help a friend sync his Adrenalin to his Paris rig.

>> I think the Adrenalin syncs to midi clock...NOT timecode. If that's so he

>> would need something that either has a smpte to midiclock (could use BT

>> smpte

>> stripe)miditimecode to midiclock(using Paris miditimecode) or 9 pin sync

>> to midiclock (using adat card)

>> Any one know of a good box for this?

>> Rod

>Good analogy, and an experienced drummer will play them in the right places anyway.

Rod

"Dubya Mark Wilson" <mark.xspam@avidrecording.com> wrote:

>I disagree. It's more like ty-wrapping a pianist's left hand to his belt

>loop. The inexperienced drummer will fill that freq space up beyond

>recognition.

>

>W.

>

>"Don Nafe" <dnafe@mag

---

Subject: Re: Mastering in Paris

Posted by [Aaron Allen](#) on Tue, 30 May 2006 06:00:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ma.ca> wrote in message news:44aa5a8b@linux...

>> No offense here guys but ttis is like asking a guitar player to leave all

>> his notes on the 1st string out.

>

>Hey, maybe I could get Dimitrois to build one!!!!

Seriously...you uys know of anything. The dude doesn't have cubase synced up or anything, just striaght Paris.

Rod

"Martin Harrington" <lendan@bigpond.net.au> wrote:

>Ha Ha, you wish....

>--

>Martin Harrington

>www.lendanear-sound.com

>

>"EK Sound" <askme@nospam.com> wrote in message news:44ac4233@linux...

>> You need a Paris Sync module... ;-)

>>

>> David

>>

>> Rod Lincoln wrote:

>>

>>> I'm trying to help a friend sync his Adrenalin to his Paris rig.

>>> I think the Adrenalin syncs to midi clock...NOT timecode. If that's so

he

>>> would need something that either has a smpte to midiclock (could use

BT

>>> smpte

>>> stripe)miditimecode to midiclock(using Paris miditimecode) or 9 pin sync

>>> to midiclock (using adat card)

>>> Any one know of a good box for this?

>>> Rod

>>

>

>I've got a Gigabyte NForce 3 mobo here with an AMD 64 4200 x 2 CPU sitting in the ZIF socket. I also have a brand new system drive, a floppy and a DVD R+W. What I don't have right now is the RAM and the time to get around to building another PC. I've got another 13 slot Magma with a hosed backplane that I'm going to send to Magma for repair (hopefully) in the next 30 days or so. Once that is resolved, I may give this a try. By that time, someone will probably have beaten me to the punch.

I was going to use this machine as a standalone VSTi host and perhaps give FXT another try with some of the newer stuff coming down the pike. As far as using it for Paris is concerned, unless running a dual core CPU with Paris could resolve UAD-1 latency issues so I could migrate to using Paris on Win XP without all of these ADAT modules that need Win ME OS, there's really not much interest in it for me. My AMD XP 2800 runs all the Paris stuff I need.

I do, however, feel the stirrings of some primal Frankensteinian urges.....so we'll see .....

;o)

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message

news:44ac3f5d\$1@linux...

>

> Yeah....you know what will happen if you don't.....!!!!

> and while your at it...build a dual core amd Paris rig and try it on that.

> ;-)

> rod

>

> EK Sound <askme@nospam.com> wrote:

> >Quick!, Doug, install this and let me know if it helps your Cubase

> >machine... ;-)

> >

> >David.

> >

> >Chris Ludwig wrote:

> >> Hey,

> >> Any of you with a a Paris machine on one of the Athlon 64 X2 dual cores

>

> >> might want to try this to see if it might improve things for you.

> >>

> >> <http://www.dailytech.com/article.aspx?newsid=3152>

> >>

> >>

> >>

> >>

> >>

> >> Chris

> >>

> >>

> >>

>In the past I've used the JL Cooper PP1 and PPS2 with great results, but those are definitely older boxes.

AA

"Rod Lincoln" <rlincoln@kc.rr.com> wrote in message news:44ac415b\$1@linux...

>

> I'm trying to help a friend sync his Adrenalin to his Paris rig.

> I think the Adrenalin syncs to midi clock...NOT timecode. If that's so he

> would need something that either has a smpte to midiclock (could use BT

> smpte

> stripe)miditimecode to midiclock(using Paris miditimecode) or 9 pin sync

> to midiclock (using adat card)

> Any one know of a good box for this?

> Rod

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>Absolutely worth viewing on PBS:

Performance, vibe, musicianship and sound, all great.

<http://www.pbs.org/wnet/gperf/shows/springsteen/>

Gene'l'm not a huuuuuge fan, but Springsteen is untouchable. He channels something very powerful.

Jimmy

"gene lennon" <glennon@NOSPmyrealbox.com> wrote in message news:44ac6e71\$1@linux...

>  
> Absolutely worth viewing on PBS:  
> Bruce Springsteen -- Seeger Sessions: Live From ST. Luke's Church In London.  
>  
> Performance, vibe, musicianship and sound, all great.  
>  
> <http://www.pbs.org/wnet/gperf/shows/springsteen/>  
>  
> Gene'l would party/hang with Jodie Foster any day of the week. ;) Tay n da way.

-Carl

"Dubya Mark Wilson" <mark.xspam@avidrecording.com> wrote in message news:44ac42af\$1@linux...

> I think Jodie Foster just entered the room wearing Carl's moniker.  
>  
> W.  
>  
> "rick" <parnell68@hotmail.com> wrote in message  
> news:r1tla2lipf7jrdk90o2gac9qihoh5agiu@4ax.com...  
> > i never would have pegged you as an abandoned lesbian...gotta be the  
> > Canadian thing...  
> >  
> > On Tue, 4 Jul 2006 16:58:53 -0500, "Carl Amburn"  
> > <carlamburn@hotNOSPAMmail.com> wrote:  
> >  
> >>Booo. Ney ta ta miss chick-pea.  
> >>  
> >>-Carl  
>  
> You can remix "Shock The Monkey" (plus some other RealWorld artists' stuff), and maybe win a nice prize...

Here's my "Monkey" remix:

---

---

Subject: Re: Mastering in Paris

Posted by [John \[1\]](#) on Tue, 30 May 2006 21:12:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

9@cs.com> wrote in message news:44acca76\$1@linux...

>  
> Hey Paris People, how are you!?  
>  
> Well, I don't really know who's still here after all this time, but =  
I just  
> wanted to let those who may be interested, or were interested at one =  
time,  
> or used to be interesed and still just might be interested, that we=20  
> finally  
> have a CD for sale of the  
> songs I posted oh so long ago (all recorded on Paris in my  
> little home studio).  
>  
> Please check out our website:  
>  
> <http://www.themateswebsite.com/>  
>  
> Thanks a lot!!!  
>  
>  
>  
>  
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>=20

-----=\_NextPart\_000\_003F\_01C6A0EA.109B4340

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =  
charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>  
<BODY bgColor=#ffffff>  
<DIV><FONT face=Arial size=2>Macle,</FONT></DIV>  
<DIV><FONT face=Arial size=2>Very British sounding.&nbsp; Nice vocal =  
blends and=20  
parts.&nbsp; You</FONT></DIV>  
<DIV><FONT face=Arial size=2>made a great sounding album with a =  
small amount of=20  
gear.</FONT></DIV>  
<DIV><FONT face=Arial size=2>I hope you do well with it.&nbsp;=20  
Congrats!</FONT></DIV>  
<DIV><FONT face=Arial size=2>Tom</FONT></DIV>  
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>  
<DIV><FONT face=Arial size=2>PS Where are you from?</FONT></DIV>  
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>  
<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
  <DIV>"Aaron Allen" &lt;<A=20  
  href=3D"mailto:nospam@not\_here.dude">nospam@not\_here.dude</A>&gt; =  
wrote in=20  
  message <A =  
href=3D"news:44ad15ac@linux">news:44ad15ac@linux</A>...</DIV>It's=20  
  good to see you here again man. Enjoyed your website, keep up the nice =  
  
  <BR>work<BR><BR>AA<BR><BR>"macle" &lt;<A=20  
  href=3D"mailto:Mates9999@cs.com">Mates9999@cs.com</A>&gt; wrote in =  
message <A=20  
  =  
href=3D"news:44acca76\$1 @linux">news:44acca76\$1 @linux</A>...<BR>&gt;<BR>&g=  
t; Hey=20  
  Paris People, how are you!?!<BR>&gt;<BR>&gt; Well, I don't really know =  
who's=20  
  still here after all this time, but I just<BR>&gt; wanted to let those =  
who may=20  
  be interested, or were interested at one time,<BR>&gt; or used to be =  
interesed=20  
  and still just might be interested, that we <BR>&gt; finally<BR>&gt; =  
have a CD=20  
  for sale of the<BR>&gt; songs I posted oh so long ago (all recorded on =  
Paris=20  
  in my<BR>&gt; little home studio).<BR>&gt;<BR>&gt; Please check out =  
our=20  
  website:<BR>&gt;<BR>&gt; <A=20  
  =  
href=3D"http://www.themateswebsite.com/">http://www.themateswebsite.com/<=  
/A><BR>&gt;<BR>&gt;=20  
  Thanks a lot!!!<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt; <BR>&gt;<BR><BR><BR>I =

choose=20

Polesoft Lockspam to fight spam, and you?<BR><A=20

=

href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>=20

<BR><BR></BLOCKQUOTE></BODY></HTML>

-----=\_NextPart\_000\_003F\_01C6A0EA.109B4340--Very nice Macle. Really like your songs/arrangements.....This is soo much better than 90% of the music I hear on the radio these days. You guys did a great job.

;o)

"macle" <Mates9999@cs.com> wrote in message news:44acca76\$1@linux...

>

> Hey Paris People, how are you!?

>

> Well, I don't really know who's still here after all this time, but I just  
> wanted to let those who may be interested, or were interested at one time,  
> or used to be interesed and still just might be interested, that we  
finally

> have a CD for sale of the

> songs I posted oh so long ago (all recorded on Paris in my  
> little home studio).

>

> Please check out our website:

>

> <http://www.themateswebsite.com/>

>

> Thanks a lot!!!

>

>

>

>

>Doesn't it do this anyway???.....whenever I load a .wav file in Paris, it automatically makes a .paf out of it. Have I been doing something wrong?

"Aaron Allen" <nospam@not\_here.dude> wrote in message news:44ad1323@linux...

> I haven't seen that directly, but if I'm doing another DAW's stuff it's

> probably going to be 24 bit and that means import to PAF after stripwav.

> AA

>

> "Don Nafe" <dnafe@magma.ca> wrote in message news:44ad0f7c@linux...

> > The last three projects that were given to me from a Nuendo rig all  
needed

> > to be stripped...nothing new there but inevitably every one of these

Paris

> > project ends up showing an unhandled exception notice and will not load,  
> > with Paris crashing right after closing the message...and in most cases  
> > causing the computer to crash and restart.

> >

> > Then yesterday Paris itself somehow got corrupted and wouldn't let me  
> > launch...got an "unable to locate vst folder" notice immediately  
followed

> > by an unhandles exception notice and then a complete black screened  
comp.

> >

> > Had to remove Paris and reinstall it...no big deal but a PITA

> >

> > As a work around - if I immediately render the

---

Subject: Re: Mastering in Paris

Posted by [Amuse](#) on Tue, 30 May 2006 23:16:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

>>>>>I know many of you have successfully migrated to XP, and the K8NS

>>>>>is one of the fave mobos.

>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)

>>>>>Are there any shortcuts that you guys could throw my way as far as which  
>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
attempt

>>>>>to preserve what's left of my hair??

>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.

>>>>>Or..... should I stick with 98 or ME???

>>>>>I remember Kim having teething problems with this combo.

>>>>>Did it pan out for you??

>>>>>Thanks,

>>>>>Kim #2.

>>>>>

>>>>>

>>>>>

>>>>

>>

>Cool!

Hope you don't mind if I need to pick your brains a bit over the next few  
days if I need to.

I need to be up and running by wednesday.

Thanks again for your advice.

Kim

"Kim" <[hidensounds@hotmail.com](mailto:hidensounds@hotmail.com)> wrote:

>

>  
>Running DirextX 9.0c...  
>  
>Cheers  
>Kim.  
>  
>"Kim W" <no@way.com> wrote:  
>>  
>>Thanks, Kim.  
>>No Dual core.  
>>Just a 3500+ which is cheap right now in OZ.  
>>I don't really want a "screamer". Just sometyhing that will do the biz.  
>>What version of Direct X are you using?  
>>Is SP2 a no-go?  
>>Did you have to disable anything in the bios?  
>>These are the sort of issues I'm concernred about.  
>>So far I have a barebones XP service pack 1 install, which I am about to  
>>image.  
>>I'll look up the f6 bios.  
>>  
>>Cheers,  
>>  
>>Kim  
>>  
>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>  
>>>  
>>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That  
>>may  
>>>be an issue for you.  
>>>  
>>>If you like, and you need dual core support, I can load up the latest  
BIOS  
>>>and have a look see. I haven't tried F9 or F10 yet...  
>>>  
>>>Cheers,  
>>>Kim.  
>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>  
>>>>  
>>>>The biggest pitfall I found with the K8NS was that while the manual states  
>>>>you have pretty good interrupt control, they actually removed it from  
>the  
>>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>>they've  
>>>>added it back - haven't checked for months) is version F6, which I use.  
>>>>It's

>>>>quite old but I haven't had any issues. The thing never crashes. It's  
>maybe  
>>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>>  
>>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>>but that seems unlikely...)  
>>>>  
>>>>Apart from that though it's great. I run only a two card system though,  
>>>>and  
>>>>only dual head video (A Nvidia card currently) but have had no issues  
>apart  
>>>>from the BIOS losing hdd's on startup which appears to be a MB fault  
(should  
>>>>take it back before my warranty runs out...).>>>>  
>>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>>  
>>>>Cheers,  
>>>>Kim.  
>>>>  
>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>This has worked well with my old ASUS p4 system.  
>>>>>Cheers.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>>  
>>>>>>Hi, all.  
>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
upgrade  
>>>>>>at some stage.  
>>>>>>It appears the time is nigh!!  
>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>is one of the fave mobos.  
>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>Are there any shortcuts that you guys could throw my way as far as  
which  
>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>attempt  
>>>>>>to preserve what's left of my hair??  
>>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>>Or..... should I stick with 98 or ME???>>>>>>I remember Kim having teething problems with this combo.

>>>>>Did it pan out for you??

>>>>>Thanks,

>>>>>Kim #2.

>>>>>

>>>>>

>>>>>

>>>>

>>>>

>>>>

>Pick away. Happy to be of help where I can. Good luck.

And GHOST GHOST GHOST!!

Cheers,

Kim.

"Kim W." <no@way.com.> wrote:

>

>Cool!

>Hope you don't mind if I need to pick your brains a bit over the next few  
>days if I need to.

>I need to be up and running by wednesday.

>Thanks again for your advice.

>Kim

>

>"Kim" <hiddensounds@hotmail.com> wrote:

>>

>>

>>Running DirextX 9.0c...

>>

>>Cheers

>>Kim.

>>

>>"Kim W" <no@way.com> wrote:

>>>

>>>Thanks, Kim.

>>>No Dual core.

>>>Just a 3500+ which is cheap right now in OZ.

>>>I don't really want a "screamer". Just sometyhing that will do the biz.

>>>What version of Direct X are you using?

>>>Is SP2 a no-go?

>>>Did you have to disable anything in the bios?

>>>These are the sort of issues I'm concernned about.

>>>So far I have a barebones XP service pack

Subject: Re: Mastering in Paris

Posted by [DC](#) on Wed, 31 May 2006 00:52:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

dinghampton.com" target="\_blank">tony@standinghampton.com> wrote in message

> > news:C0D330A3.15D7F%tony@standinghampton.com...

> > > I hear ya DeeJ. I also have several of the HOSA "molded" end snakes in a

> > > closet here somewhere. I use some of their insert adapter cables on my > > live

> > > rig too. I just figured being a budget brand, that something as > sensitive

> > as

> > > a word clock might be a gamble. It's good to know their hardware is > > decent.

> > > You know, if they'd have put the Zoalla brand name on it . . . Naw, then

> > > they'd have to charge ten times as much. I might just have to give it a

> > try.

> > > The price is definitely right.

> > >

> > > Speaking of live gear, I've been itching to talk about my new live > mixer.

> > > Mackie TT24 digital board. I've only had it a couple of months, but so > far

> > > I'm loving it. It replaced an older Roland VM-7200 rig I was using and > the

> > > difference in sound is remarkable. The user interface is solid and > pretty

> > > easy to learn and I've eliminated a 16 space rack of EQ's and > compressors

> > > since this thing has everything I need built right in. OK, enough of > that.

> > > Just had to dote on my new baby.

> > >

> > > Tony

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > >

> > > digital cabling is made by Hosa. It is called Zaolla. I think Hosa gets  
> a  
> > bad  
> > > rap because of their molded "semipro" snakes. I have used them and  
> > though  
> > > they don't have the "top" that Mogami has, I wouldn't expect this with  
> > such  
> > > an inexpensive product. To be fair, I never once had one fail. They  
> > always  
> > > did exactly what they were advertised to do without any problem  
> > whatsoever.  
> > > I don't equate Hosa with the likes of Behringer or the new Mackie  
> stuff  
> > (I  
> > > picked up one of the Mackie live mixers recently and it is a POS  
> > > personified.....easily as crappy as Behringer). OTOH, I've got a  
> couple  
> > of  
> > > the Hosa AES>spdif bidirectional format converters here and they are  
> > > excellent products. Based on my experience with their products, I  
> would  
> > >

---

---

Subject: Re: Mastering in Paris  
Posted by [Neil](#) on Wed, 31 May 2006 01:03:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

be interested, that we finally  
>>>have a CD for sale of the  
>>>songs I posted oh so long ago (all recorded on Paris in my  
>>>little home studio).  
>>>  
>>>Please check out our website:  
>>>  
>>><http://www.themateswebsite.com/>  
>>>  
&gt;

---

---

Subject: Re: Mastering in Paris  
Posted by [DC](#) on Wed, 31 May 2006 03:12:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

t;>> ;o)

>>>  
>>> "John" <no@no.com> wrote in message news:44ae4177\$1@linux...  
>>>> Oh Man, you're never gonna get close to divorce that way. BTW, the  
> kicks  
>>>> on the TD-20 suck. The snares, toms, cymbals and hihats are pretty  
> nice.  
>>>> John  
>>>>  
>>>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>&gt;

---

---

Subject: Multi Band Mastering in Paris  
Posted by [Aaron Allen](#) on Wed, 31 May 2006 04:18:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

;>> [http://www.korg.com/gear/info.asp?a\\_prod\\_no=KPC1](http://www.korg.com/gear/info.asp?a_prod_no=KPC1)  
>>>>>  
>>>>> I did this because I'm just a wimp compared to John.  
>>>>>  
>>>>>  
>>>>>  
>>>>>  
>>>  
>  
>It does stream from disk normally. For live triggering, I'm thinking it  
would be perhaps a bit more frisky if the samples were loaded to RAM. I'm  
going to map the Korg wussie controller to BFD and see how it works.

;o)

"Jamie K" <Meta@Dimensional.com> wrote in message news:44aeb4ba@linux...  
>  
> Ah, gotcha.  
>  
> Another option, if RAM is short, is to enable direct from disk mode.  
> Does BFD support something like that?  
>  
> I'm running with just 2.5GB RAM and haven't had a problem, even with  
> huge scores running multiple instances of a variety of plugins for  
> orchestral sections, large piano sample set, large drum/percussion  
> sample sets and tons of recorded instrument tracks, and even while also  
> running other programs. But since this thing will take up to 8GB I've  
> been mulling throwing in a couple more GB RAM for extra headroom on the  
> graphics/animation side.  
>  
> Cheers,  
> -Jamie  
> <http://www.JamieKruz.com>

>  
>  
> DJ wrote:  
>> Your 2.5Ghz duallie should work just fine as long as you have sufficient  
>> RAM. I didn't know what kind of rig John was using, but thus the  
suggestion  
>> that he spend as much \$\$ as possible.  
>>  
>> ;o)  
>>  
>> "Jamie K" <Meta@Dimensional.com> wrote in message  
news:44ae8f12\$1@linux...  
>>> Is that for live, DeeJ, or are you really suggesting a dedicated  
>>> computer for BFD? Is BFD that much of a CPU hog?  
>>>  
>>> I haven't used BFD. But I can trigger complex libraries from my DDrums,  
>>> via MIDI, using Battery 2 as a plugin in Logic. My dual 2.5GHZ Mac  
>>> doesn't sweat it, no additional computer necessary. Superior worked OK  
>>> also, back when I was testing it.  
>>>  
>>> Cheers,  
>>> -Jamie  
>>> <http://www.JamieKruz.com>  
>>>  
>>>  
>>> DJ wrote:  
>>>> You need to build a standalone host computer for BFD so you can  
trigger  
>>> the  
>>>> BFD kits in real time. I think that BFD has a mapping template for the  
>>>> Roland giantmofo kit that you own.  
>>>>  
>>>> ;o)  
>>>>  
>>>> "John" <no@no.com> wrote in message news:44ae4177\$1@linux...  
>>>>> Oh Man, you're never gonna get close to divorce that way. BTW, the  
>>>> kicks  
>>>>> on the TD-20 suck. The snares, toms, cymbals and hihats are pretty  
>>>> nice.  
>>>>> John  
>>>>>  
>>>>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>>> [http://www.korg.com/gear/info.asp?a\\_prod\\_no=KPC1](http://www.korg.com/gear/info.asp?a_prod_no=KPC1)  
>>>>>>  
>>>>>> I did this because I'm just a wimp compared to John.  
>>>>>>  
>>>>>>  
>>>>>>

> >>>  
> >  
> >Hey DJ, wow, thanks, that's very cool!!

Right now we are wrapped up in being a complete DIY indie thing (switching from re-mastering engineer to graphic designer to webmaster to CD packing and distribution, while working on some new room treatment and finally getting down to CD 2 and, oh yeah, almost forgot, writing songs :) ).

We sort of are trying to not think about "the biz", and actually kind of enjoying the DIY thing, but, you know, a multi-million dollar deal with chicks and cocaine and someone else to pack the CDs might change our mind (maybe)!

What is the event?

Thanks very much!

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>You need to get this material to Tony Ferguson at Innerscope. He's the guy  
>who \*discovered\* No Doubt. I will be on staff at an event in Park Cities  
>Utah in October. Tony (among others) will be there. If you're interested  
in  
>attending, e-me at animix@animas.net and I'll make sure this gets heard.

>

>DJ

>

>"macle" <Mates9999@cs.com> wrote in message news:44ad84d7\$1@linux...

>>

>> Hey DJ, you are too kind! We just hope to find a little niche  
>> somewhere on the musical landscape. If we sell the 100 CDs  
>> here in this cardboard box, we will jump around the kitchen as if  
>> we're number 1 on Billboard.

>>

>> Thnaks DJ!

>>

>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>> >Very nice Macle. Really like your songs/arrangements.....This is soo  
>much

>> >better than 90% of the music I hear on the radio these days. You guys  
did

>> a

>> >great job.

>> >

>> >;o)

>> >

>> >

>> >"macle" <Mates9999@cs.com> wrote in message news:44acca76\$1@linux...

>> >>  
>> >> Hey Paris People, how are you!?  
>> >>  
>> >> Well, I don't really know who's still here after all this time, but  
I  
>> just  
>> >> wanted to let those who may be interested, or were interested at one  
>time,  
>> >> or used to be interesed and still just might be interested, that we  
>> >finally  
>> >> have a CD for sale of the  
>> >> songs I posted oh so long ago (all recorded on Paris in my  
>> >> little home studio).  
>> >>  
>> >> Please check out our website:  
>> >>  
>> >> <http://www.themateswebsite.com/>  
>> >>  
>> >> Thanks a lot!!!  
>> >>  
>> >>  
>> >>  
>> >>  
>> >>  
>> >  
>> >  
>>  
>  
>Right! More than we will I'm sure.

Thanks again Tony!

"Tony Benson" <tony@standinghampton.com> wrote:  
>That comes autographed then, right? I can sell it on eBay in a few years  
and  
>make some big bucks! ;>  
>  
>Tony  
>  
>  
>"macle" <Mates9999@cs.com> wrote in message news:44ad864a\$1@linux...  
>>  
>> Hey Tony, it looks like you are the official owner of  
>> The Mates Future Junk first CD sold ever!!! We are no longer  
>> rank amatuers giving away our wares for free, but big fat  
>> stinking capitalist rock n roll pigs!  
>>  
>> Thank you very much!

>>  
>> "Tony Benson" <tony@standinghampton.com> wrote:  
>>>Excellent!  
>>>  
>>>Tony  
>>>  
>>>  
>>>"macle" <Mates9999@cs.com> wrote in message news:44acca76\$1@linux...  
>>>>  
>>>> Hey Paris People, how are you!?  
>>>>  
>>>> Well, I don't really know who's still here after all this time, but  
I  
>> just  
>>>> wanted to let those who may be interested, or were interested at one

>>>> time,  
>>>> or used to be interesed and still just might be interested, that we  
>>>> finally  
>>>> have a CD for sale of the  
>>>> songs I posted oh so long ago (all recorded on Paris in my  
>>>> little home studio).

>>>> Please check out our website:  
>>>>  
>>>> <http://www.themateswebsite.com/>

>>>> Thanks a lot!!!

>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>  
>>>  
>>

>Hey Neil, how ya doing?

Thanks a lot...yes, after mucho madness, finally got it done,  
feels good.

"Neil" <IOUOIU@OIU.com> wrote:

>  
>Congrats to Macle & Max for getting it done - some great tunes  
>on there!  
>  
>Neil

>  
>  
>"Tony Benson" <tony@standinghampton.com> wrote:  
>>That comes autographed then, right? I can sell it on eBay in a few years  
>and  
>>make some big bucks! ;>  
>>  
>>Tony  
>>  
>>  
>>"macle" <Mates9999@cs.com> wrote in message news:44ad864a\$1@linux...  
>>>  
>>> Hey Tony, it looks like you are the official owner of  
>>> The Mates Future Junk first CD sold ever!!! We are no longer  
>>> rank amateurs giving away our wares for free, but big fat  
>>> stinking capitalist rock n roll pigs!  
>>>  
>>> Thank you very much!  
>>>  
>>> "Tony Benson" <tony@standinghampton.com> wrote:  
>>>>Excellent!  
>>>>  
>>>>Tony  
>>>>  
>>>>  
>>>>"macle" <Mates9999@cs.com> wrote in message news:44acca76\$1@linux...  
>>>>>  
>>>>> Hey Paris People, how are you!?  
>>>>>  
>>>>> Well, I don't really know who's still here after all this time, but  
>|  
>>> just  
>>>>> wanted to let those who may be interested, or were interested at one  
>  
>>>>> time,  
>>>>> or used to be interesed and still just might be interested, that we  
>>>>> finally  
>>>>> have a CD for sale of the  
>>>>> songs I posted oh so long ago (all recorded on Paris in my  
>>>>> little home studio).  
>>>>>  
>>>>> Please check out our website:  
>>>>>  
>>>>> <http://www.themateswebsite.com/>  
>>>>>  
>>>>> Thanks a lot!!!  
>>>>>  
>>>>>

>>>>  
>>>>  
>>>>  
>>>  
>>>  
>>>  
>>  
>>  
>>

>Hi Sarah, thanks! I'm the king of broke, so I hear what you're saying. (Maybe we're broke because we're always giving our stuff away?!). Seriously though, The Mates actually made a pact to not give any away, or swap or anything, even to friends or family or even those damn industry people. For a long time, we were giving our CD away, swapping with everyone, giving it away on the net and so on, but since we have this new re-mastered one with packaging and all, we feel we should try to be more real about it, if you know what I mean. Hope that doesn't seem kinda dicky :)Thanks very much James!

"James McCloskey" <excelsm@hotmail.com> wrote:

>  
>Hey macle, your songs sound great! I know quite a few A&R guys and Deej's  
>idea of getting your material to Tony Ferguson is a 100% direct hit. Tony  
>would be the number one guy I would submit your songs to first. I think  
>he would like your stuff. I recommend you take Deej up on his offer!  
>  
>James  
>  
>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>You need to get this material to Tony Ferguson at Innerscope. He's the  
>>guy  
>>who \*discovered\* No Doubt. I will be on staff at an event in Park Cities  
>>Utah in October. Tony (among others) will be there. If you're interested  
>>in  
>>attending, e-me at animix@animas.net and I'll make sure this gets heard.  
>>  
>>DJ  
>>  
>>"macle" <Mates9999@cs.com> wrote in message news:44ad84d7\$1@linux...  
>>>  
>>> Hey DJ, you are too kind! We just hope to find a little niche  
>>> somewhere on the musical landscape. If we sell the 100 CDs  
>>> here in this cardboard box, we will jump around the kitchen as if  
>>> we're number 1 on Billboard.  
>>>  
>>> Thnaks DJ!  
>>>  
>>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>>> >Very nice Macle. Really like your songs/arrangements.....This is soo  
>>much  
>>> >better than 90% of the music I hear on the radio these days. You guys  
>did  
>>> a  
>>> >great job.  
>>> >  
>>> >;o)  
>>> >  
>>> >  
>>> >"macle" <Mates9999@cs.com> wrote in message news:44acca76\$1@linux...  
>>> >>  
>>> >> Hey Paris People, how are you!?  
>>> >>  
>>> >> Well, I don't really know who's still here after all this time, but  
>I  
>>> just  
>>> >> wanted to let those who may be interested, or were interested at one  
>>time,  
>>> >> or used to be interesed and still just might be interested, that we  
>>> >finally  
>>> >> have a CD for sale of the  
>>> >> songs I posted oh so long ago (all recorded on Paris in my  
>>> >> little home studio).  
>>> >>  
>>> >> Please check out our website:  
>>> >>  
>>> >> <http://www.themateswebsite.com/>  
>>> >>  
>>> >> Thanks a lot!!!  
>>> >>  
>>> >>  
>>> >>  
>>> >>  
>>> >>  
>>> >>  
>>> >  
>>> >  
>>>  
>>  
>>  
>Hey Steve, good to see ya! So cool that so many from the  
ol' days are still around here.

Thanks very much for buying the CD, appreciate it.

You know, I remember a long while ago, when I posted The  
Buzz Is Over here, and you said it was the first song in a long  
while that you felt compelled to pick out the chords like a

Beatle song. That meant a lot to me, very inspiring. That sort of comment is what keeps you going when feel like giving up.

So thanks very much Steve!

"steve the artguy" <artguy@longtimenosee.net> wrote:

>  
>I thought it was a good day since I just got back from seeing Nickel Creek  
>for free. A friend had an extra ticket. Extraordinary show. As good as any  
>in memory.

>  
>And now a macle CD! This has turned into a great day!

>  
>Thanks, macle!!!!

>  
>-steve

>  
>  
>  
>"macle" <Mates9999@cs.com> wrote:

>>  
>>Hey Paris People, how are you!?  
>>  
>>Well, I don't really know who's still here after all this time, but I just  
>>wanted to let those who may be interested, or were interested at one time,  
>>or used to be interesed and still just might be interested, that we finally  
>>have a CD for sale of the  
>>songs I posted oh so long ago (all recorded on Paris in my  
>>little home studio).

>>  
>>Please check out our website:  
>>  
>><http://www.themateswebsite.com/>

>>  
>>Thanks a lot!!!

>>  
>>  
>>  
>>  
>>

>You are seriously funny?!

rick <parnell68@hotmail.com> wrote:  
>nobody ever takes me seriously...sigh

>  
>On 7 Jul 2006 07:33:22 +1000, "macle" <Mates9999@cs.com> wrote:

>  
>>  
>>Now THAT'S funny!!

>>  
>>rick <parnell68@hotmail.com> wrote:  
>>>just what the world needs...more pretty people with talent...  
>>>  
>>>On 6 Jul 2006 18:31:50 +1000, "macle" <Mates9999@cs.com> wrote:  
>>>  
>>>>  
>>>>Hey Paris People, how are you!?  
>>>>  
>>>>Well, I don't really know who's still here after all this time, but I  
just  
>>>>wanted to let those who may be interested, or were interested at one  
time,  
>>>>or used to be interesed and still just might be interested, that we finally  
>>>>have a CD for sale of the  
>>>>songs I posted oh so long ago (all recorded on Paris in my  
>>>>little home studio).  
>>>>  
>>>>Please check out our website:  
>>>>  
>>>><http://www.themateswebsite.com/>  
>>>>  
>>>>Thanks a lot!!!  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>  
>I'll get back to you with more details in the next few days. I have a couple  
of calls out right now to the organizers. If he's interested the first thing  
Tony (or any A&R guy) will want to know is if you're ready to perform this  
material live (as in 'giggin locally and on the road"). The fact that you  
have a \*radio ready\* CD is a big plus. The fact that you guys are from LA is  
also a plus. A & R guys like to walk in to a readymade money machine-act  
with strong local following/draw piotential if at all possible. If you've  
done a lot of self promotion and are making money due to your own efforts  
and they can just sign you and get that money themselves is always a plus in  
their book Whether or not there's enough in it for you to make it worth your  
while is another matter altogether.

;o)

"macle" <Mates9999@cs.com> wrote in message news:44aecef4\$1@linux...  
>  
> Hey DJ, wow, thanks, that's very cool!!  
>  
> Right now we are wrapped up in being a complete DIY indie thing (switching

> from re-mastering engineer to graphic designer to webmaster to CD packing  
> and distribution, while working on some  
> new room treatment and finally getting down to CD 2 and, oh yeah,  
> almost forgot, writing songs :) ).  
>  
> We sort of are trying to not think about "the biz", and actually kind of  
> enjoying the DIY thing, but, you know, a multi-million dollar deal with  
chicks  
> and cocaine and someone else to pack the CDs might change our mind  
(maybe)!  
>  
> What is the event?  
>  
> Thanks very much!  
>  
> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >You need to get this material to Tony Ferguson at Innerscope. He's the  
guy  
> >who \*discovered\* No Doubt. I will be on staff at an event in Park Cities  
> >Utah in October. Tony (among others) will be there. If you're interested  
> in  
> >attending, e-me at animix@animas.net and I'll make sure this gets heard.  
> >  
> >DJ  
> >  
> >"macle" <Mates9999@cs.com> wrote in message news:44ad84d7\$1@linux...  
> >>  
> >> Hey DJ, you are too kind! We just hope to find a little niche  
> >> somewhere on the musical landscape. If we sell the 100 CDs  
> >> here in this cardboard box, we will jump around the kitchen as if  
> >> we're number 1 on Billboard.  
> >>  
> >> Thanks DJ!  
> >>  
> >> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >> >Very nice Macle. Really like your songs/arrangements.....This is so  
> >>much  
> >> >better than 90% of the music I hear on the radio these days. You guys  
> >> did  
> >> a  
> >> >great job.  
> >> >  
> >> >);o)  
> >> >  
> >> >  
> >> >"macle" <Mates9999@cs.com> wrote in message news:44acca76\$1@linux...  
> >> >>  
> >> >> Hey Paris People, how are you!?

> >> >>  
> >> >> Well, I don't really know who's still here after all this time, but  
> I  
> >> just  
> >> >> wanted to let those who may be interested, or were interested at one  
> >time,  
> >> >> or used to be interesed and still just might be interested, that we  
> >> >finally  
> >> >> have a CD for sale of the  
> >> >> songs I posted oh so long ago (all recorded on Paris in my  
> >> >> little home studio).  
> >> >>  
> >> >> Please check out our website:  
> >> >>  
> >> >> <http://www.themateswebsite.com/>  
> >> >>  
> >> >> Thanks a lot!!!  
> >> >>  
> >> >>  
> >> >>  
> >> >>  
> >> >>  
> >> >  
> >> >  
> >>  
> >  
> >  
> >  
>Btw, some people are commenting on the sound (thanks!). Must be  
listening to the clip I have on the website. Those snippets  
are before the re-mastering, so (hopefully) the CD will sound  
better than that.

Okay, thanks, sorry to be bogarting the board with this :).

"macle" <Mates9999@cs.com> wrote:

>  
>Hey Paris People, how are you!?  
>  
>Well, I don't really know who's still here after all this time, but I just  
>wanted to let those who may be interested, or were interested at one time,  
>or used to be interesed and still just might be interested, that we finally  
>have a CD for sale of the  
>songs I posted oh so long ago (all recorded on Paris in my  
>little home studio).  
>  
>Please check out our website:  
>  
><http://www.themateswebsite.com/>

>  
>Thanks a lot!!!  
>  
>  
>  
>  
>I think that what I'm hearing was well mixed. I have ordered the CD and am looking forward to hearing the remastered version.

DJ

"macle" <Mates9999@cs.com> wrote in message news:44aed727\$1@linux...

>  
> Btw, some people are commenting on the sound (thanks!). Must be  
> listening to the clip I have on the website. Those snippets  
> are before the re-mastering, so (hopefully) the CD will sound  
> better than that.

>  
> Okay, thanks, sorry to be bogarting the board with this :).

>  
> "macle" <Mates9999@cs.com> wrote:

> >

> >Hey Paris People, how are you!?

> >

> >Well, I don't really know who's still here after all this time, but I  
just

> >wanted to let those who may be interested, or were interested at one  
time,

> >or used to be interesed and still just might be interested, that we  
finally

> >have a CD for sale of the

> >songs I posted oh so long ago (all recorded on Paris in my  
> >little home studio).

> >

> >Please check out our website:

> >

> ><http://www.themateswebsite.com/>

> >

> >Thanks a lot!!!

> >

> >

> >

> >

> >

> >After 4 days of work I got a kick that works great! Woo hoo. All I  
needed was one! Finally, Now my TD-20 is a total solution for me.

ahhhhh

DJ wrote:

> You need to build a standalone host computer for BFD so you can trigger the  
> BFD kits in real time. I think that BFD has a mapping template for the  
> Roland giantmofo kit that you own.  
>  
> ;o)  
>  
> "John" <no@no.com> wrote in message news:44ae4177\$1@linux...  
>  
>>Oh Man, you're never gonna get close to divorce that way. BTW, the kicks  
>>on the TD-20 suck. The snares, toms, cymbals and hihats are pretty nice.  
>>  
>>John  
>>  
>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>  
>>>[http://www.korg.com/gear/info.asp?a\\_prod\\_no=KPC1](http://www.korg.com/gear/info.asp?a_prod_no=KPC1)  
>>>  
>>>I did this because I'm just a wimp compared to John.  
>>>  
>>>  
>>>  
>>  
>  
>OK. I'd done a "just using original trax" remix, but it wasn't going ANYWHERE...

Forms a good basis though. Working on the jazz remix right now. :o)

By the way, I don't know what rating I gave yours... I clicked something  
(not the stars) and it said "rating accepted" and went "But I didn't rate  
it yet!!" so if you get there and I've given you a zero or something my apologies!  
;o)

Cheers,  
Kim.

"Neil" <OIUOIU@OIU.com> wrote:

>  
>So far, all the "Monkey" remixes I've heard on the site have  
>been in the dance/trance/electronica/ambient vein.... mine's the  
>only rock-oriented remix/reproduction up there. Someone do a C&W  
>or Jazz version just to spice things up, willya? lol  
>  
>Neil  
>  
>  
>Dedric Terry <dterry@keyofd.net> wrote:

>>Yes - thanks for the info Neil. I'm giving this one a go too - always  
been  
>>a Peter Gabriel, and Genesis fan. Should be interesting to hear everyone's  
>>take on a remix.  
>>  
>>Regards,  
>>Dedric  
>>  
>>On 7/7/06 4:24 AM, in article 44ae365e\$1@linux, "Kim"  
>><hiddensounds@hotmail.com> wrote:  
>>  
>>>  
>>>  
>>> Gee, thanks heaps for that heads up. This is the most fun I've had for  
>weeks.  
>>> :o)  
>>>  
>>> I'll let you know when mine's finished...  
>>>  
>>> Cheers,  
>>> Kim.  
>>>  
>>> "Neil" <OIUOIU@OIU.com> wrote:  
>>>>  
>>>> You can remix "Shock The Monkey" (plus some other RealWorld  
>>>> artists' stuff), and maybe win a nice prize...  
>>>>  
>>>> Here's my "Monkey" remix:  
>>>>  
>>>> [http://www.realworldremixed.com/remix.php?remix\\_id=pPgmQ9h0V WL6O94](http://www.realworldremixed.com/remix.php?remix_id=pPgmQ9h0V WL6O94)  
>>>>  
>>>>  
>>>  
>>  
>What I need here is some horn players to play that main synth line...

"Neil" <OIUOIU@OIU.com> wrote:  
>  
>So far, all the "Monkey" remixes I've heard on the site have  
>been in the dance/trance/electronica/ambient vein.... mine's the  
>only rock-oriented remix/reproduction up there. Someone do a C&W  
>or Jazz version just to spice things up, willya? lol  
>  
>Neil  
>  
>  
>Dedric Terry <dterry@keyofd.net> wrote:  
>>Yes - thanks for the info Neil. I'm giving this one a go too - always

been

>>a Peter Gabriel, and Genesis fan. Should be interesting to hear everyone's  
>>take on a remix.

>>

>>Regards,

>>Dedric

>>

>>On 7/7/06 4:24 AM, in article 44ae365e\$1@linux, "Kim"

>><hiddensounds@hotmail.com> wrote:

>>

>>>

>>>

>>> Gee, thanks heaps for that heads up. This is the most fun I've had for  
>weeks.

>>> :o)

>>>

>>> I'll let you know when mine's finished...

>>>

>>> Cheers,

>>> Kim.

>>>

>>> "Neil" <OIUOIU@OIU.com> wrote:

>>>>

>>>> You can remix "Shock The Monkey" (plus some other RealWorld

>>>> artists' stuff), and maybe win a nice prize...

>>>>

>>>> Here's my "Monkey" remix:

>>>>

>>>> [http://www.realworldremixed.com/remix.php?remix\\_id=pPgmQ9h0V WL6O94](http://www.realworldremixed.com/remix.php?remix_id=pPgmQ9h0V WL6O94)

>>>>

>>>>

>>>

>>

>Alright, cool.

Yeah, that's the thing, all the stuff you mention, not sure if we're really at the place they would want or need (we're not playing live, for example). Plus, based on the experience we had before, not sure if we really want to deal with that stuff right now (long story).

But, you never know!

Thanks very much DJ.

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>I'll get back to you with more details in the next few days. I have a couple

>of calls out right now to the organizers. If he's interested the first thing

>Tony (or any A&R guy) will want to know is if you're ready to perform this  
>material live (as in 'giggin locally and on the road"). The fact that you  
>have a \*radio ready\* CD is a big plus. The fact that you guys are from LA  
is  
>also a plus. A & R guys like to walk in to a readymade money machine-act  
>with strong local following/draw potential if at all possible. If you've  
>done a lot of self promotion and are making money due to your own efforts  
>and they can just sign you and get that money themselves is always a plus  
in  
>their book Whether or not there's enough in it for you to make it worth  
your  
>while is another matter altogether.  
>  
>;o)  
>  
>  
>"macle" <Mates9999@cs.com> wrote in message news:44aecef4\$1@linux...  
>>  
>> Hey DJ, wow, thanks, that's very cool!!  
>>  
>> Right now we are wrapped up in being a complete DIY indie thing (switching  
>> from re-mastering engineer to graphic designer to webmaster to CD packing  
>> and distribution, while wor

---

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Kim](#) on Wed, 31 May 2006 09:16:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

with a view to upgrade  
>at some stage.  
>It appears the time is nigh!!  
>I know many of you have successfully migrated to XP, and the K8NS  
>is one of the fave mobos.  
>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>Are there any shortcuts that you guys could throw my way as far as which  
>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt  
>to preserve what's left of my hair??  
>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>Or..... should I stick with 98 or ME???  
>I remember Kim having teething problems with this combo.  
>Did it pan out for you??  
>Thanks,  
>Kim #2.  
>  
>HOW LATEX GLOVES ARE MADE

A dentist noticed that his next patient, an elderly lady, was

looking very nervous so he decided to tell her a little joke as he put on his gloves.

Do you know how they make these gloves?" he asked.

"No, I don't" she replied.

"Well," he spoofed, "there's a building in China with a big tank of latex. Workers of all hand sizes walk up to the tank, dip in their hands, let them dry, then peel off the gloves and throw them into boxes of the right size."

She didn't crack a smile.

"Oh well, I tried," he thought. But five minutes later, during a delicate portion of the dental procedure, she burst out laughing!

"What's so funny?" he asked.

"I was just picturing how condoms are made!" she said.

Gotta watch those little old ladies! Their minds are always working!Hi, all.

Back in the 70's I owned and loaned a couple of LF bootlegs, which I never got back!. I was reminiscing the other night, and decided to google the title "Beak Positive" in the hope of locating a hard copy of this fab LP. (the opener was a ROCKIN' version of "Skin It Back".

I found a legit site which hosts open source "artist approved" live recordings and I am now re-living my wayward youth to the tune of "Eldorado Slim", recorded at the Santa Monica Civic Centre in 1973.

This site has all you could eat, feat-wise.

<http://www.archive.org/search.php?query=little%20feat>

Sorry if it's old news, it's the beer talkin'....Is this the board?

[http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1868](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1868)

I'm looking for a board that has more slots. And I need the slots to not be shared with other resources. Right now I have 3 slots on an Asus mx800 and 1 shares irq with sound and another with agp card. When will IRQ hell end !!! Probably when I get rid of Paris! hehe In the meantime I need a better motherboard.

"Kim W." <no@way.com> wrote:

>

>Forgot to mention I am running four 19" monitors,

>using AGP/PCI Nvidia Quadro cards.

>This has worked well with my old ASUS p4 system.

>Cheers.

>

>"Kim W." <no@way.com> wrote:

>>

>>Hi, all.

>>My Paris (win98) rig refused to boot the other day.

>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade

>>at some stage.  
>>It appears the time is nigh!!  
>>I know many of you have successfully migrated to XP, and the K8NS  
>>is one of the fave mobos.  
>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>Are there any shortcuts that you guys could throw my way as far as which  
>>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt  
>>to preserve what's left of my hair??  
>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>Or..... should I stick with 98 or ME???  
>>I remember Kim having teething problems with this combo.  
>>Did it pan out for you??  
>>Thanks,  
>>Kim #2.  
>>  
>>  
>The biggest pitfall I found with the K8NS was that while the manual states  
you have pretty good interrupt control, they actually removed it from the  
bios. The latest BIOS which gives you proper interrupt control (unless they've  
added it back - haven't checked for months) is version F6, which I use. It's  
quite old but I haven't had any issues. The thing never crashes. It's maybe  
crashed once or twice since I've had it, which is about 12 months now.

My motherboard seems to have a quirk in the BIOS and I'm currently running  
on the backup BIOS on the board, but she runs fine like that. It forgets  
HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
but that seems unlikely...)

Apart from that though it's great. I run only a two card system though, and  
only dual head video (A Nvidia card currently) but have had no issues apart  
from the BIOS losing hdd's on startup which appears to be a MB fault (should  
take it back before my warranty runs out...).

It's quick though, and very stable. I'm happy with it. :o)

Cheers,  
Kim.

"Kim W." <no@way.com> wrote:

>  
>Forgot to mention I am running four 19" monitors,  
>using AGP/PCI Nvidia Quadro cards.  
>This has worked well with my old ASUS p4 system.  
>Cheers.

>  
>"Kim W." <no@way.com> wrote:

>>  
>>Hi, all.

>>My Paris (win98) rig refused to boot the other day.  
>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>at some stage.  
>>It appears the time is nigh!!  
>>I know many of you have successfully migrated to XP, and the K8NS  
>>is one of the fave mobos.  
>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>Are there any shortcuts that you guys could throw my way as far as which  
>>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt  
>>to preserve what's left of my hair??  
>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>Or..... should I stick with 98 or ME???  
>>I remember Kim having teething problems with this combo.  
>>Did it pan out for you??  
>>Thanks,  
>>Kim #2.  
>>  
>>  
>Nope, this one... five slots:

[http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)

If you stick with BIOS rev F6 it has interrupt control in the BIOS for each slot. It's close to as good as I've seen with interrupt control. It's not perfect... I think slot 1 shares with 5 or something, but you can separate as much as you're likely to be able to on anything else.

....and it's really stable and really quick. :o)

Cheers,  
Kim.

"John" <no@no.com> wrote:

>  
>Is this the board? [http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1868](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1868)

>  
>I'm looking for a board that has more slots. And I need the slots to not  
>be shared with other resources. Right now I have 3 slots on an Asus mx800  
>and 1 shares irq with sound and another with agp card. When will IRQ hell  
>end !!! Probably when I get rid of Paris! hehe In the meantime I need  
>a better motherboard.

>  
>"Kim W." <no@way.com> wrote:

>>  
>>Forgot to mention I am running four 19" monitors,  
>>using AGP/PCI Nvidia Quadro cards.  
>>This has worked well with my old ASUS p4 system.

>>Cheers.

>>

>>"Kim W." <no@way.com> wrote:

>>>

>>>Hi, all.

>>>My Paris (win98) rig refused to boot the other day.

>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade

>>>at some stage.

>>>It appears the time is nigh!!

>>>I know many of you have successfully migrated to XP, and the K8NS

>>>is one of the fave mobos.

>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)

>>>Are there any shortcuts that you guys could throw my way as far as which

>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt

>>>to preserve what's left of my hair??

>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.

>>>Or..... should I stick with 98 or ME???

>>>I remember Kim having teething problems with this combo.

>>>Did it pan out for you??

>>>Thanks,

>>>Kim #2.

>>>

>>>

>>

>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That may be an issue for you.

If you like, and you need dual core support, I can load up the latest BIOS and have a look see. I haven't tried F9 or F10 yet...

Cheers,

Kim.

"Kim" <hiddensounds@hotmail.com> wrote:

>

>

>The biggest pitfall I found with the K8NS was that while the manual states

>you have pretty good interrupt control, they actually removed it from the

>bios. The latest BIOS which gives you proper interrupt control (unless they've

>added it back - haven't checked for months) is version F6, which I use.

It's

>quite old but I haven't had any issues. The thing never crashes. It's maybe

>crashed once or twice since I've had it, which is about 12 months now.

>

>My motherboard seems to have a quirk in the BIOS and I'm currently running

>on the backup BIOS on the board, but she runs fine like that. It forgets

>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,

>but that seems unlikely...)

>  
>Apart from that though it's great. I run only a two card system though,  
and  
>only dual head video (A Nvidia card currently) but have had no issues apart  
>from the BIOS losing hdd's on startup which appears to be a MB fault (should  
>take it back before my warranty runs out...).

>  
>It's quick though, and very stable. I'm happy with it. :o)

>  
>Cheers,  
>Kim.

>  
>"Kim W." <no@way.com> wrote:  
>>  
>>Forgot to mention I am running four 19" monitors,  
>>using AGP/PCI Nvidia Quadro cards.  
>>This has worked well with my old ASUS p4 system.  
>>Cheers.

>>  
>>"Kim W." <no@way.com> wrote:  
>>>  
>>>Hi, all.  
>>>My Paris (win98) rig refused to boot the other day.  
>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>>at some stage.  
>>>It appears the time is nigh!!  
>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>is one of the fave mobos.  
>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>Are there any shortcuts that you guys could throw my way as far as which  
>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt  
>>>to preserve what's left of my hair??  
>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>Or..... should I stick with 98 or ME???

>>>I remember Kim having teething problems with this combo.  
>>>Did it pan out for you??  
>>>Thanks,  
>>>Kim #2.

>>>  
>>>  
>>  
>Thanks, Kim.  
No Dual core.  
Just a 3500+ which is cheap right now in OZ.  
I don't really want a "screamer". Just sometyhing that will do the biz.  
What version of Direct X are you using?  
Is SP2 a no-go?  
Did you have to disable anything in the bios?

These are the sort of issues I'm concerned about.  
So far I have a barebones XP service pack 1 install, which I am about to image.  
I'll look up the f6 bios.

Cheers,

Kim

"Kim" <hiddensounds@hotmail.com> wrote:

>  
>  
>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That may  
>be an issue for you.  
>  
>If you like, and you need dual core support, I can load up the latest BIOS  
>and have a look see. I haven't tried F9 or F10 yet...

>  
>Cheers,  
>Kim.

>  
>"Kim" <hiddensounds@hotmail.com> wrote:

>>  
>>  
>>The biggest pitfall I found with the K8NS was that while the manual states  
>>you have pretty good interrupt control, they actually removed it from the  
>>bios. The latest BIOS which gives you proper interrupt control (unless  
>>they've  
>>added it back - haven't checked for months) is version F6, which I use.  
>It's  
>>quite old but I haven't had any issues. The thing never crashes. It's maybe  
>>crashed once or twice since I've had it, which is about 12 months now.  
>>  
>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>but that seems unlikely...)  
>>  
>>Apart from that though it's great. I run only a two card system though,  
>and  
>>only dual head video (A Nvidia card currently) but have had no issues apart  
>>from the BIOS losing hdd's on startup which appears to be a MB fault (should  
>>take it back before my warranty runs out...).  
>>  
>>It's quick though, and very stable. I'm happy with it. :o)  
>>  
>>Cheers,

>>Kim.

>>

>>"Kim W." <no@way.com> wrote:

>>>

>>>Forgot to mention I am running four 19" monitors,

>>>using AGP/PCI Nvidia Quadro cards.

>>>This has worked well with my old ASUS p4 system.

>>>Cheers.

>>>

>>>"Kim W." <no@way.com> wrote:

>>>>

>>>>Hi, all.

>>>>My Paris (win98) rig refused to boot the other day.

>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade

>>>>at some stage.

>>>>It appears the time is nigh!!

>>>>I know many of you have successfully migrated to XP, and the K8NS

>>>>is one of the fave mobos.

>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)

>>>>Are there any shortcuts that you guys could throw my way as far as which

>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt

>>>>to preserve what's left of my hair??

>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.

>>>>Or..... should I stick with 98 or ME???

>>>>I remember Kim having teething problems with this combo.

>>>>Did it pan out for you??

>>>>Thanks,

>>>>Kim #2.

>>>>

>>>>

>>>

>>

>I've been a pretty happy camper on XP SP-2 with this board.

I don't remember disabling anything, though I may have. I did go in and set up the interrupts. I may have turned off things like the printer port. I'm just having a look at F10 BIOS now and will report back in a moment (if the computer boots ;o).

Not sure which DirectX I have... probably should know that... how do I check?

Cheers,  
Kim.

"Kim W" <no@way.com> wrote:

>

>Thanks, Kim.

>No Dual core.  
>Just a 3500+ which is cheap right now in OZ.  
>I don't really want a "screamer". Just something that will do the biz.  
>What version of Direct X are you using?  
>Is SP2 a no-go?  
>Did you have to disable anything in the bios?  
>These are the sort of issues I'm concerned about.  
>So far I have a barebones XP service pack 1 install, which I am about to  
>image.  
>I'll look up the f6 bios.  
>  
>Cheers,  
>  
>Kim  
>  
>"Kim" <hiddensounds@hotmail.com> wrote:  
>>  
>>  
>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That  
>may  
>>be an issue for you.  
>>  
>>If you like, and you need dual core support, I can load up the latest BIOS  
>>and have a look see. I haven't tried F9 or F10 yet...  
>>  
>>Cheers,  
>>Kim.  
>>  
>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>  
>>>  
>>>The biggest pitfall I found with the K8NS was that while the manual states  
>>>you have pretty good interrupt control, they actually removed it from  
the  
>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>they've  
>>>added it back - haven't checked for months) is version F6, which I use.  
>>It's  
>>>quite old but I haven't had any issues. The thing never crashes. It's  
maybe  
>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>  
>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>but that seems unlikely...)  
>>>  
>>>Apart from that though it's great. I run only a two card system though,

>>and  
>>>only dual head video (A Nvidia card currently) but have had no issues  
apart  
>>>from the BIOS losing hdd's on startup which appears to be a MB fault (should  
>>>take it back before my warranty runs out...).

>>>  
>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>  
>>>Cheers,  
>>>Kim.

>>>  
>>>"Kim W." <no@way.com> wrote:  
>>>>  
>>>>Forgot to mention I am running four 19" monitors,  
>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>This has worked well with my old ASUS p4 system.  
>>>>Cheers.

>>>>  
>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>Hi, all.  
>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>>>>at some stage.  
>>>>>It appears the time is nigh!!  
>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>is one of the fave mobos.  
>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>Are there any shortcuts that you guys could throw my way as far as which  
>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
attempt  
>>>>>to preserve what's left of my hair??  
>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>Or..... should I stick with 98 or ME???

>>>>>I remember Kim having teething problems with this combo.  
>>>>>Did it pan out for you??  
>>>>>Thanks,  
>>>>>Kim #2.

>>>>>  
>>>>>  
>>>>  
>>>  
>>  
>  
>Good news. The F10 BIOS update seems to have the full IRQ control back on  
board again. I'm running that now, and the machine boots. Can't tell you  
much more.

I've updated BIOS as well as IDE drivers on board here in the hope that it

fixes my issue with losing HDD's. We'll see. I might be lucky...

Cheers,  
Kim.

"Kim W" <no@way.com> wrote:

>  
>Thanks, Kim.  
>No Dual core.  
>Just a 3500+ which is cheap right now in OZ.  
>I don't really want a "screamer". Just something that will do the biz.  
>What version of Direct X are you using?  
>Is SP2 a no-go?  
>Did you have to disable anything in the bios?  
>These are the sort of issues I'm concerned about.  
>So far I have a barebones XP service pack 1 install, which I am about to  
>image.  
>I'll look up the f6 bios.  
>  
>Cheers,  
>  
>Kim

>  
>"Kim" <hiddensounds@hotmail.com> wrote:

>>  
>>  
>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That  
>may  
>>be an issue for you.  
>>  
>>If you like, and you need dual core support, I can load up the latest BIOS  
>>and have a look see. I haven't tried F9 or F10 yet...  
>>  
>>Cheers,  
>>Kim.

>>  
>>"Kim" <hiddensounds@hotmail.com> wrote:

>>>  
>>>  
>>>The biggest pitfall I found with the K8NS was that while the manual states  
>>>you have pretty good interrupt control, they actually removed it from  
the  
>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>they've  
>>>added it back - haven't checked for months) is version F6, which I use.  
>>It's  
>>>quite old but I haven't had any issues. The thing never crashes. It's  
maybe

>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>  
>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>but that seems unlikely...)  
>>>  
>>>Apart from that though it's great. I run only a two card system though,  
>>and  
>>>only dual head video (A Nvidia card currently) but have had no issues  
apart  
>>>from the BIOS losing hdd's on startup which appears to be a MB fault (should  
>>>take it back before my warranty runs out...).

>>>  
>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>  
>>>Cheers,  
>>>Kim.  
>>>  
>>>"Kim W." <no@way.com> wrote:  
>>>>  
>>>>Forgot to mention I am running four 19" monitors,  
>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>This has worked well with my old ASUS p4 system.  
>>>>Cheers.  
>>>>  
>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>Hi, all.  
>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>>>>at some stage.  
>>>>>It appears the time is nigh!!  
>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>is one of the fave mobos.  
>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>Are there any shortcuts that you guys could throw my way as far as which  
>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
attempt  
>>>>>to preserve what's left of my hair??  
>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>Or..... should I stick with 98 or ME???

>>>>>I remember Kim having teething problems with this combo.  
>>>>>Did it pan out for you??  
>>>>>Thanks,  
>>>>>Kim #2.  
>>>>>  
>>>>>

>>>>

>>>

>>

>Hi, Kim.

Search for DXdiag.exe

It's probably in windows/system32 directory.

That will tell you which DirectX version you are running.

Thanks.

Kim

"Kim" <hiddensounds@hotmail.com> wrote:

>

>

>I've been a pretty happy camper on XP SP-2 with this board.

>

>I don't remember disabling anything, though I may have. I did go in and set

>up the interrupts. I may have turned off things like the printer port. I'm

>just having a look at F10 BIOS now and will report back in a mom

ent (if the

>computer boots ;o).

>

>Not sure which DirectX I have... probably should know that... how do I

>check?

>

>Cheers,

>Kim.

>

>"Kim W" <no@way.com> wrote:

>>

>>Thanks, Kim.

>>No Dual core.

>>Just a 3500+ which is cheap right now in OZ.

>>I don't really want a "screamer". Just sometyhing that will do the biz.

>>What version of Direct X are you using?

>>Is SP2 a no-go?

>>Did you have to disable anything in the bios?

>>These are the sort of issues I'm concernned about.

>>So far I have a barebones XP service pack 1 install, which I am about to

>>image.

>>I'll look up the f6 bios.

>>

>>Cheers,

>>

>>Kim

>>

>>"Kim" <hiddensounds@hotmail.com> wrote:

>>>  
>>>  
>>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That  
>>may  
>>>be an issue for you.  
>>>  
>>>If you like, and you need dual core support, I can load up the latest  
BIOS  
>>>and have a look see. I haven't tried F9 or F10 yet...  
>>>  
>>>Cheers,  
>>>Kim.  
>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>  
>>>>  
>>>>The biggest pitfall I found with the K8NS was that while the manual states  
>>>>you have pretty good interrupt control, they actually removed it from  
>the  
>>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>>they've  
>>>>added it back - haven't checked for months) is version F6, which I use.  
>>>It's  
>>>>quite old but I haven't had any issues. The thing never crashes. It's  
>maybe  
>>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>>  
>>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>>but that seems unlikely...)  
>>>>  
>>>>Apart from that though it's great. I run only a two card system though,  
>>>and  
>>>>only dual head video (A Nvidia card currently) but have had no issues  
>apart  
>>>>from the BIOS losing hdd's on startup which appears to be a MB fault  
(should  
>>>>take it back before my warranty runs out...).>>>>  
>>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>>  
>>>>Cheers,  
>>>>Kim.  
>>>>  
>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>Forgot to mention I am running four 19" monitors,

>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>This has worked well with my old ASUS p4 system.  
>>>>>Cheers.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>>  
>>>>>>Hi, all.  
>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
upgrade  
>>>>>>at some stage.  
>>>>>>It appears the time is nigh!!  
>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>is one of the fave mobos.  
>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>Are there any shortcuts that you guys could throw my way as far as  
which  
>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>attempt  
>>>>>>to preserve what's left of my hair??  
>>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>>Or..... should I stick with 98 or ME???  
>>>>>>I remember Kim having teething problems with this combo.  
>>>>>>Did it pan out for you??  
>>>>>>Thanks,  
>>>>>>Kim #2.  
>>>>>>  
>>>>>>  
>>>>>  
>>>>  
>>>  
>>  
>>  
>Running DirextX 9.0c...

Cheers  
Kim.

"Kim W" <no@way.com> wrote:

>  
>Thanks, Kim.  
>No Dual core.  
>Just a 3500+ which is cheap right now in OZ.  
>I don't really want a "screamer". Just sometyhing that will do the biz.  
>What version of Direct X are you using?  
>Is SP2 a no-go?  
>Did you have to disable anything in the bios?  
>These are the sort of issues I'm concernred about.  
>So far I have a barebones XP service pack 1 install, which I am about to

>image.  
>I'll look up the f6 bios.  
>  
>Cheers,  
>  
>Kim  
>  
>"Kim" <hiddensounds@hotmail.com> wrote:  
>>  
>>  
>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That  
>may  
>>be an issue for you.  
>>  
>>If you like, and you need dual core support, I can load up the latest BIOS  
>>and have a look see. I haven't tried F9 or F10 yet...  
>>  
>>Cheers,  
>>Kim.  
>>  
>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>  
>>>  
>>>The biggest pitfall I found with the K8NS was that while the manual states  
>>>you have pretty good interrupt control, they actually removed it from  
the  
>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>they've  
>>>added it back - haven't checked for months) is version F6, which I use.  
>>It's  
>>>quite old but I haven't had any issues. The thing never crashes. It's  
maybe  
>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>  
>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>but that seems unlikely...)  
>>>  
>>>Apart from that though it's great. I run only a two card system though,  
>>and  
>>>only dual head video (A Nvidia card currently) but have had no issues  
apart  
>>>from the BIOS losing hdd's on startup which appears to be a MB fault (should  
>>>take it back before my warranty runs out...)  
>>>  
>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>

>>>Cheers,  
>>>Kim.  
>>>  
>>>"Kim W." <no@way.com> wrote:  
>>>>  
>>>>Forgot to mention I am running four 19" monitors,  
>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>This has worked well with my old ASUS p4 system.  
>>>>Cheers.  
>>>>  
>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>Hi, all.  
>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>>>>at some stage.  
>>>>>It appears the time is nigh!!

---

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Rod Lincoln](#) on Wed, 31 May 2006 12:42:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

1 install, which I am about  
to  
>>>image.  
>>>I'll look up the f6 bios.  
>>>  
>>>Cheers,  
>>>  
>>>Kim  
>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>  
>>>>>  
>>>>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That  
>>>>>may  
>>>>>be an issue for you.  
>>>>>  
>>>>>If you like, and you need dual core support, I can load up the latest  
>>>>>BIOS  
>>>>>and have a look see. I haven't tried F9 or F10 yet...  
>>>>>  
>>>>>Cheers,  
>>>>>Kim.  
>>>>>  
>>>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>>>

>>>>  
>>>>>The biggest pitfall I found with the K8NS was that while the manual states  
>>>>>you have pretty good interrupt control, they actually removed it from  
>>the  
>>>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>>>they've  
>>>>>added it back - haven't checked for months) is version F6, which I use.  
>>>>It's  
>>>>>quite old but I haven't had any issues. The thing never crashes. It's  
>>maybe  
>>>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>>>  
>>>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>>>but that seems unlikely...)  
>>>>>  
>>>>>Apart from that though it's great. I run only a two card system though,  
>>>>and  
>>>>>only dual head video (A Nvidia card currently) but have had no issues  
>>apart  
>>>>>from the BIOS losing hdd's on startup which appears to be a MB fault  
>(should  
>>>>>take it back before my warranty runs out...).

>>>>>  
>>>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>>>  
>>>>>Cheers,  
>>>>>Kim.

>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>>  
>>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>>This has worked well with my old ASUS p4 system.  
>>>>>>Cheers.

>>>>>>  
>>>>>>>"Kim W." <no@way.com> wrote:  
>>>>>>>>  
>>>>>>>>Hi, all.  
>>>>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
>upgrade  
>>>>>>>>>>at some stage.  
>>>>>>>>>>>It appears the time is nigh!!  
>>>>>>>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>>>>>>>>is one of the fave mobos.



>>This has worked well with my old ASUS p4 system.  
>>Cheers.  
>>  
>>"Kim W." <no@way.com> wrote:  
>>  
>>>Hi, all.  
>>>My Paris (win98) rig refused to boot the other day.  
>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>>at some stage.  
>>>It appears the time is nigh!!  
>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>is one of the fave mobos.  
>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>Are there any shortcuts that you guys could throw my way as far as which  
>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt  
>>>to preserve what's left of my hair??  
>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>Or..... should I stick with 98 or ME???  
>>>I remember Kim having teething problems with this combo.  
>>>Did it pan out for you??  
>>>Thanks,  
>>>Kim #2.  
>>>  
>>>  
>>  
>excellent potential !

Kim wrote:

> Nope, this one... five slots:  
>  
> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)  
>  
> If you stick with BIOS rev F6 it has interrupt control in the BIOS for each  
> slot. It's close to as good as I've seen with interrupt control. It's not  
> perfect... I think slot 1 shares with 5 or something, but you can separate  
> as much as you're likely to be able to on anything else.  
>  
> ...and it's really stable and really quick. :o)  
>  
> Cheers,  
> Kim.  
>  
> "John" <no@no.com> wrote:  
>  
>>Is this the board? [http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1868](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1868)  
>>  
>>I'm looking for a board that has more slots. And I need the slots to not

>>be shared with other resources. Right now I have 3 slots on an Asus mx800  
>>and 1 shares irq with sound and another with agp card. When will IRQ hell  
>>end !!! Probably when I get rid of Paris! hehe In the meantime I need  
>>a better motherboard.

>>

>>"Kim W." <no@way.com> wrote:

>>

>>>Forgot to mention I am running four 19" monitors,  
>>>using AGP/PCI Nvidia Quadro cards.  
>>>This has worked well with my old ASUS p4 system.  
>>>Cheers.

>>>

>>>"Kim W." <no@way.com> wrote:

>>>

>>>>Hi, all.

>>>>My Paris (win98) rig refused to boot the other day.

>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>>>at some stage.

>>>>It appears the time is nigh!!

>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>is one of the fave mobos.

>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)

>>>>Are there any shortcuts that you guys could throw my way as far as which  
>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt  
>>>>to preserve what's left of my hair??

>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.

>>>>Or..... should I stick with 98 or ME???

>>>>I remember Kim having teething problems with this combo.

>>>>Did it pan out for you??

>>>>Thanks,

>>>>Kim #2.

>>>>

>>>>

>>>>

>I'm reading that AGP shares with 1 \$ 5 so I really on get 4 IRQs. Still  
good but why can't motherboards find a workaround to give me 20 slots  
and 20 irqs?

Kim wrote:

> Nope, this one... five slots:

>

> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)

>

> If you stick with BIOS rev F6 it has interrupt control in the BIOS for each  
> slot. It's close to as good as I've seen with interrupt control. It's not  
> perfect... I think slot 1 shares with 5 or something, but you can separate  
> as much as you're likely to be able to on anything else.

>



video and ethernet. Really lame.

run the setup app to install the scherzo drivers, reboot, then install Paris, reboot, then the effects subsystem, then reboot.

musicxp.com tips

- Processor Scheduling for Background Services
- Visual Effects for best performance
- Switch Off Desktop Background Image
- Disable Screen Saver
- Disable Fast User Switching
- Switch Off Power Schemes
- Switch Off Hibernation
- Disable System Sounds
- Do Not Map Through Soundcard
- Disable System Restore
- Disable Automatic Updates
- Startup and Recovery Options
- Disable Error Reporting
- Disable Remote Assistance
- Fixed Swap File (Virtual Memory)
- Speed up Menus
- Disable Offline Files
- Disable Remote Desktop
- Disable Internet Synchronise Time
- Disable Hide Inactive Icons
- Disable Automatic Desktop Cleanup Wizard
- Disable NTFS Last Access Time Logging (NTFS Only)
- Disable Notification Area Balloon Tips
- Disable CDROM Autoplay
- Disable Disc Indexing

-----  
Additional tips  
-----

- 2 audio Partitions
- Use NTFS drives with 64k clusters
- In BIOS disable USB, LPT1, Serial port
- Remove Messenger
- Classic Mode
- Classic Start Menu
- Power Schemes: you can have the monitor turn off but set Turn Hard
- Drives off to NEVER

Disable the Computer Browser in Services to improve mapped drive browsing.  
Disable your network card by right clicking on the nic icon  
Defrag regularly  
Keep your desktop clean  
No wallpapers  
Set video to highest color depth  
Increase your IRQ priority  
Disable Power Management  
Set graphic acceleration to full  
Disable background applications  
Disable USB  
Graphical window settings  
Disable NTFS Last Access Time Logging (NTFS Only)  
Make sure DMA mode is enabled on drives

Restart your machine at this point in time. When you come back the first thing you should do is defrag the main drive even if it doesn't say it needs it. This way the swap file has been truly set and you're ready to continue.

-----  
Processor scheduling should be set to background services and not Programs.  
Start > Settings > Control Panel > System > Advanced > Performance  
Settings > Advanced Tab > Background Services

Advanced tab: Press Settings tab under Performance Visual Effects tab:  
set to Adjust for Best Performance.

Switch Off Desktop Background Image  
Right Click Desktop > Properties > Desktop Tab > Background None

Click on the Screen Saver tab, Set Screensaver to None, Press the Power button near the bottom

Disable Fast User Switching  
Start > Settings > Control Panel > User Accounts > Change the way users log on or off > Untick Use Fast User Switching

Switch Off Power Schemes  
Start > Settings > Control Panel > Power Options > Always On > Turn off monitor and turn off hard discs to Never

Switch Off Hibernation  
Start > Settings > Control Panel > Power Options > Hibernate > Untick Hibernation

Disable System Sounds

Start > Settings > Control Panel > Sounds and Audio Devices > Sounds Tab > Sound Scheme to None.

#### Do Not Map Through Soundcard

Start > Settings > Control Panel > Sounds and Audio Devices > Hardware Tab > (highlight your soundcard from the list) > Properties > Audio Devices > (highlight your soundcard from the list) > Properties, and check the "Do not map through this device" checkbox.

#### Disable System Restore

Start > Settings > Control Panel > System > System Restore Tab. Tick the "Turn off System Restore on all Drives"

#### Disable Automatic Updates

Switch off Automatic Updates by going to Control Panel, System, Automatic Updates and ticking the box labelled "Turn off automatic updating. I want to update my computer manually."

#### Startup and Recovery Options

Right click My Computer and click on Properties > Advanced > Start Up & Recovery Settings and uncheck "Automatically Restart".

#### Disable Error Reporting

Start > Settings > Control Panel > System > Advanced TAB > Error Reporting > Click the Disable Error Reporting box (Tick the "But Notify Me When Critical Errors Occur" if you prefer)

#### Disable Remote Assistance

Start > Settings > Control Panel > System > Remote > Untick "Allow Remote Assistance Invitations to be sent from this computer"

#### Disable Remote Desktop

Start > Settings > Control Panel > System > Remote > Untick "Allow users to connect remotely to this computer"

#### Fixed Swap File (Virtual Memory)

Select the Advanced tab of the Systems applet and then select the Performance settings button. Then select the Advanced page. In here it is possible to customise the Virtual Memory. For custom size, this is often recommended to be 1.5 to 2 times the amount of your total RAM for both initial and maximum size. Set this to a fixed minimum and maximum value according to your existing RAM

#### Speed Up Menus

You can use this tip to speed up the Start Menu in Windows XP. You can customize the speed of the Start Menu by editing a Registry Key. Click Start, and then click Run. Type Regedit in the box, and then click OK. Expand the menu in the left panel and select the

HKEY\_CURRENT\_USER\Control Panel\Desktop folder. Scroll down in the right panel and double click on the MenuShowDelay file. In the Value Data box, change to default value for the menu speed from 400 to a lesser number, such as 1. Click OK.

#### Disable Offline Files

Start > Settings > Control Panel > Folder Options > Offline Files > Untick "Enable Offline Files"

#### Disable Internet Synchronise Time

Start > Settings > Control Panel > Date and Time > Internet Time > Untick "Automatically synchronize with an internet time server"

#### Disable Hide Inactive Icons

Start > Settings > Taskbar and Start Menu > Taskbar TAB > Uncheck "Hide Inactive Icons"

#### Disable Automatic Desktop Cleanup Wizard

Start > Settings > Control Panel > Display > Desktop > Customise Desktop > Untick "Run Desktop Cleanup Wizard every 60 days"

#### Disable NTFS Last Access Time Logging (NTFS Only)

Start > Run > regedit > HKEY\_LOCAL\_MACHINE > SYSTEM > CURRENTCONTROLSET > CONTROL > FILESYSTEM Add a new DWORD value - "NtfsDisableLastAccessUpdate" (without quotes) and set the value to 1. Then reboot to make changes effective

#### Disable Notification Area Balloon Tips

Click Start , click Run , type regedit , and then press ENTER.

HKEY\_CURRENT\_USER\Software\Microsoft\Windows\CurrentVersion\Explorer\Advanced Right-click the right pane, create a new DWORD value, and then name it EnableBalloonTips . Double-click this new entry, and then give it a hexadecimal value of 0 . Quit Registry Editor. Log off Windows, and then log back on.

-----  

#### Disable CDROM Autoplay

One of the very important (and well documented) tweaks in Windows 98SE, was to disable CDROM autoplay (auto insert notification). Disabling CDROM autoplay no longer offers a significant performance benefit in Windows XP, and therefore you do not need to disable it. Just don't insert a CD during a crucial recording.

However, if you really want to disable it then here a few different methods.

#### Method 1

Start > Run > Regedit

HKEY\_LOCAL\_MACHINE\System\CurrentControlSet\Services\Cdrom

Set autorun to 0.

## Method 2

Open My Computer Right Click on each CDROM and choose Properties Click on the Auto Play tab In the drop down box you can choose the Action for each choice shown in the drop down box

## Method 3

Go to Start->Run->gpedit.msc Computer Config -> Administrative Template -> System Double click Turn off Autoplay Enable it.

---

## Disable Disc Indexing

Indexing Service is a service that extracts the information from a set of documents and organizes it in a way that makes it quick and easy to access that information through the Windows XP Search function, the Indexing Service query form, or a Web browser.

This information can include text from within a document, (its contents), and the characteristics and parameters of the document, (its properties), such as the author's name. Once the index is created, you can search, or query the index for documents that contain key words, phrases, or properties.

---

## Additional tips Descriptions

---

Partitioning. A useful tip when configuring your audio disc, is to split this into two partitions. Set up a smaller "audio scratch" partition - say 6GB of a 30GB hard disc. This partition will be used for the songs that you are currently working on. The benefit of a smaller partition is obviously quicker defragmentation. If you use the entire 30GB as one partition, then this will take ages to defragment. When you are finished with a song, transfer the audio files to the non-scratch partition, where disc I/O performance isn't so critical.

Messenger starts up at the windows load up but we can get rid of that in no time at all..

Start Menu>Run

Type this in exactly as it is here:

RunDll32 advpack.dll,LaunchINFSection %windir%\INF\msmsgs.inf,BLC.Remove

Hit Enter...you will see a DOS-like shell appear and disappear very quickly and then it will ask you to restart.

Right-click on your desktop, and then click Properties.  
Click on Themes tab  
Set Themes to Windows Classic

Also do this for the Start Menu:

Right-click the Start button, and then click Properties.

Click Classic Start menu.

Click the Customize button to select items to display on the Start menu.

By default, selecting the Classic Start menu also adds the My Documents, My Computer, My Network Places, and Internet Explorer icons to your desktop.

-----  
Increase your IRQ priority - You can increase the IRQ priority of the real-time CMOS clock to gain some system performance by doing the following:

- 1.) First create a text file with the extension .reg
- 2.) Paste the following into the file:

REGEDIT4

```
[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Control\PriorityControl]
"IRQ8Priority"=dword:00000001
```

- 3.) Double-click on the file to enter the tweak into your registry.

This can be un-installed should you need to by repeating the three steps above with a new file, except this time use the following in your .reg file:

```
[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Control\PriorityControl]
"IRQ8Priority"=dword:00000000
```

-----  
Disable Power Management - Power management can be disabled by going

to "Always On" and set "System Standby", "Turn off hard disks" and "Turn off monitor" to "Never".

Set graphic acceleration to full - You can do this by going to your desktop, right clicking and clicking on "Properties" then on "Settings", "Advanced" and the "Performance" tab. Make sure the Hardware Acceleration slider is set to "full" to reduce the load on your CPU.

Disable background applications - Background applications start up when your computer starts up and can use up unnecessary resources. To prevent

box. Click on the "startup tab" and disable (uncheck) programs such as

"taskmon", "load power profile", "real player", "office startup", "winamp agent" and so on. Keep programs like "scan registry", "system tray" and programs relating to interfacing with your audio card (such as console software to control its features).

Disable USB - If you do not have any devices actively using USB in your system (this includes dongles for your software), disable USB as it is known to sometimes cause problems in certain DAW configurations. Not only will this help to increase system performance, but it will also free up an IRQ. Right click on your "My Computer" icon on your desktop and select "Properties". Click on the "Device Manager" tab and scroll down until you see the USB section. Click on the "Properties" for the USB device and check off "Disable in this Hardware Profile". You will have to reboot for these settings to take effect.

click on the "View" tab. Under "Visual settings" check off "Show window contents while dragging". This is more of a usability tweak, as it will allow you to see the contents of windows on the screen as you drag them around (instead of them going blank).

Disable NTFS Last Access Time Logging (NTFS Only), Start > Run > regedit > HKEY\_LOCAL\_MACHINE > SYSTEM > CURRENTCONTROLSET > CONTROL > FILESYSTEM Add a new DWORD value - "NtfsDisableLastAccessUpdate" (without quotes) and set the value to 1. Then reboot to make changes effective

Kim wrote:

> I've been a pretty happy camper on XP SP-2 with this board.  
>  
> I don't remember disabling anything, though I may have. I did go in and set  
> up the interrupts. I may have turned off things like the printer port. I'm  
> just having a look at F10 BIOS now and will report back in a moment (if the  
> computer boots ;o).  
>  
> Not sure which DirectX I have... probably should know that... how do I  
> check?  
>  
> Cheers,  
> Kim.  
>  
> "Kim W" <no@way.com> wrote:  
>  
>>Thanks, Kim.  
>>No Dual core.  
>>Just a 3500+ which is cheap right now in OZ.

>>I don't really want a "screamer". Just something that will do the biz.  
>>What version of Direct X are you using?  
>>Is SP2 a no-go?  
>>Did you have to disable anything in the bios?  
>>These are the sort of issues I'm concerned about.  
>>So far I have a barebones XP service pack 1 install, which I am about to  
>>image.  
>>I'll look up the f6 bios.  
>>  
>>Cheers,  
>>  
>>Kim  
>>  
>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>  
>>>  
>>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That  
>>  
>>may  
>>  
>>>be an issue for you.  
>>>  
>>>If you like, and you need dual core support, I can load up the latest BIOS  
>>>and have a look see. I haven't tried F9 or F10 yet...  
>>>  
>>>Cheers,  
>>>Kim.  
>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>  
>>>>  
>>>>The biggest pitfall I found with the K8NS was that while the manual states  
>>>>you have pretty good interrupt control, they actually removed it from  
>  
> the  
>  
>>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>>  
>>>they've  
>>  
>>>>added it back - haven't checked for months) is version F6, which I use.  
>>>  
>>>It's  
>>>  
>>>>quite old but I haven't had any issues. The thing never crashes. It's  
>  
> maybe  
>

>>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>>  
>>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>>but that seems unlikely...)  
>>>>  
>>>>Apart from that though it's great. I run only a two card system though,  
>>>  
>>>and  
>>>  
>>>>only dual head video (A Nvidia card currently) but have had no issues  
>  
> apart  
>  
>>>>from the BIOS losing hdd's on startup which appears to be a MB fault (should  
>>>  
>>>>take it back before my warranty runs out...).>>>>  
>>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>>  
>>>>Cheers,  
>>>>Kim.  
>>>>  
>>>>"Kim W." <no@way.com> wrote:  
>>>>  
>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>This has worked well with my old ASUS p4 system.  
>>>>>Cheers.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>>Hi, all.  
>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>>>>>at some stage.  
>>>>>>It appears the time is nigh!!  
>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>is one of the fave mobos.  
>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>Are there any shortcuts that you guys could throw my way as far as which  
>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>  
> attempt  
>  
>>>>>>to preserve what's left of my hair??  
>>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.

>>>>>Or..... should I stick with 98 or ME???

>>>>>I remember Kim having teething problems with this combo.

>>>>>Did it pan out for you??

>>>>>Thanks,

>>>>>Kim #2.

>>>>>

>>>>>

>>>>>

>where do the hdds go?

Kim wrote:

> Good news. The F10 BIOS update seems to have the full IRQ control back on board again. I'm running that now, and the machine boots. Can't tell you much more.

>

> I've updated BIOS as well as IDE drivers on board here in the hope that it fixes my issue with losing HDD's. We'll see. I might be lucky...

>

> Cheers,

> Kim.

>

> "Kim W" <no@way.com> wrote:

>

>>Thanks, Kim.

>>No Dual core.

>>Just a 3500+ which is cheap right now in OZ.

>>I don't really want a "screamer". Just sometyhing that will do the biz.

>>What version of Direct X are you using?

>>Is SP2 a no-go?

>>Did you have to disable anything in the bios?

>>These are the sort of issues I'm concernrd about.

>>So far I have a barebones XP service pack 1 install, which I am about to image.

>>I'll look up the f6 bios.

>>

>>Cheers,

>>

>>Kim

>>

>>"Kim" <hiddensounds@hotmail.com> wrote:

>>

>>>

>>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That

>>

>>may

>>

>>>be an issue for you.

>>>

>>>If you like, and you need dual core support, I can load up the latest BIOS  
>>>and have a look see. I haven't tried F9 or F10 yet...  
>>>  
>>>Cheers,  
>>>Kim.  
>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>  
>>>>  
>>>>The biggest pitfall I found with the K8NS was that while the manual states  
>>>>you have pretty good interrupt control, they actually removed it from  
>  
> the  
>  
>>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>>  
>>they've  
>>  
>>>>added it back - haven't checked for months) is version F6, which I use.  
>>>  
>>>It's  
>>>  
>>>>quite old but I haven't had any issues. The thing never crashes. It's  
>  
> maybe  
>  
>>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>>  
>>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>>but that seems unlikely...)  
>>>>  
>>>>Apart from that though it's great. I run only a two card system though,  
>>>  
>>>and  
>>>  
>>>>only dual head video (A Nvidia card currently) but have had no issues  
>  
> apart  
>  
>>>>from the BIOS losing hdd's on startup which appears to be a MB fault (should  
>>>  
>>>>take it back before my warranty runs out...).>>>>  
>>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>>  
>>>>Cheers,

>>>>Kim.  
>>>>  
>>>>"Kim W." <no@way.com> wrote:  
>>>>  
>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>This has worked well with my old ASUS p4 system.  
>>>>>Cheers.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>>Hi, all.  
>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>>>>>at some stage.  
>>>>>>It appears the time is nigh!!  
>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>is one of the fave mobos.  
>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>Are there any shortcuts that you guys could throw my way as far as which  
>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>  
> attempt  
>  
>>>>>>to preserve what's left of my hair??  
>>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Neil](#) on Wed, 31 May 2006 12:59:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

>>Or..... should I stick with 98 or ME???  
>>>>>>I remember Kim having teething problems with this combo.  
>>>>>>Did it pan out for you??  
>>>>>>Thanks,  
>>>>>>Kim #2.  
>>>>>>  
>>>>>>  
>>>>>>  
>>>>>>  
>Acronis drive image kicks the ghosts butt. :-)

Kim wrote:  
> Pick away. Happy to be of help where I can. Good luck.  
>  
> And GHOST GHOST GHOST!!  
>

> Cheers,  
> Kim.  
>  
>  
> "Kim W." <no@way.com.> wrote:  
>  
>>Cool!  
>>Hope you don't mind if I need to pick your brains a bit over the next few  
>>days if I need to.  
>>I need to be up and running by wednesday.  
>>Thanks again for your advice.  
>>Kim  
>>  
>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>  
>>>  
>>>Running DirextX 9.0c...  
>>>  
>>>Cheers  
>>>Kim.  
>>>  
>>>"Kim W" <no@way.com> wrote:  
>>>  
>>>>Thanks, Kim.  
>>>>No Dual core.  
>>>>Just a 3500+ which is cheap right now in OZ.  
>>>>I don't really want a "screamer". Just sometyhing that will do the biz.  
>>>>What version of Direct X are you using?  
>>>>Is SP2 a no-go?  
>

---

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [excelav](#) on Wed, 31 May 2006 14:07:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>>>Did you have to disable anything in the bios?  
>>>>These are the sort of issues I'm concernned about.  
>>>>So far I have a barebones XP service pack 1 install, which I am about  
>  
> to  
>  
>>>>image.  
>>>>I'll look up the f6 bios.  
>>>>  
>>>>Cheers,  
>>>>  
>>>>Kim

>>>>  
>>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>  
>>>>>  
>>>>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That  
>>>>  
>>>>may  
>>>>  
>>>>>be an issue for you.  
>>>>>  
>>>>>If you like, and you need dual core support, I can load up the latest  
>>  
>>BIOS  
>>  
>>>>>and have a look see. I haven't tried F9 or F10 yet...  
>>>>>  
>>>>>Cheers,  
>>>>>Kim.  
>>>>>  
>>>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>>  
>>>>>>  
>>>>>>The biggest pitfall I found with the K8NS was that while the manual  
>  
> states  
>  
>>>>>>you have pretty good interrupt control, they actually removed it from  
>>>  
>>>the  
>>>  
>>>>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>>>>  
>>>>>they've  
>>>>>  
>>>>>>added it back - haven't checked for months) is version F6, which I use.  
>>>>>  
>>>>>>It's  
>>>>>>  
>>>>>>>quite old but I haven't had any issues. The thing never crashes. It's  
>>>  
>>>maybe  
>>>  
>>>>>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>>>>>  
>>>>>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>>>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>>>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>>>>>but that seems unlikely...)

>>>>>  
>>>>>Apart from that though it's great. I run only a two card system though,  
>>>>>  
>>>>>and  
>>>>>  
>>>>>only dual head video (A Nvidia card currently) but have had no issues  
>>>  
>>>apart  
>>>  
>>>>>from the BIOS losing hdd's on startup which appears to be a MB fault  
>>  
>>(should  
>>  
>>>>>take it back before my warranty runs out...).

>>>>>  
>>>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>>>  
>>>>>Cheers,  
>>>>>Kim.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>>This has worked well with my old ASUS p4 system.  
>>>>>>Cheers.  
>>>>>>  
>>>>>>"Kim W." <no@way.com> wrote:  
>>>>>>  
>>>>>>>Hi, all.  
>>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
>>  
>>upgrade  
>>  
>>>>>>>at some stage.  
>>>>>>>It appears the time is nigh!!  
>>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>>is one of the fave mobos.  
>>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>>Are there any shortcuts that you guys could throw my way as far as  
>>  
>>which  
>>  
>>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>>>  
>>>attempt  
>>>

>>>>>>>to preserve what's left of my hair??  
>>>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>>>Or..... should I stick with 98 or ME???  
>>>>>>>I remember Kim having teething problems with this combo.  
>>>>>>>Did it pan out for you??  
>>>>>>>Thanks,  
>>>>>>>Kim #2.  
>>>>>>>  
>>>>>>>  
>>>>>>>  
>John <no@no.com> wrote:  
>where do the hdds go?

You have to go back into the BIOS and set them up again. Actually from memory they lose the boot order and try and boot from the wrong one...

>  
>Kim wrote:  
>> Good news. The F10 BIOS update seems to have the full IRQ control back on  
>> board again. I'm running that now, and the machine boots. Can't tell you  
>> much more.  
>>  
>> I've updated BIOS as well as IDE drivers on board here in the hope that  
>> it  
>> fixes my issue with losing HDD's. We'll see. I might be lucky...  
>>  
>> Cheers,  
>> Kim.  
>>  
>> "Kim W" <no@way.com> wrote:  
>>  
>>>Thanks, Kim.  
>>>No Dual core.  
>>>Just a 3500+ which is cheap right now in OZ.  
>>>I don't really want a "screamer". Just sometyhing that will do the biz.  
>>>What version of Direct X are you using?  
>>>Is SP2 a no-go?  
>>>Did you have to disable anything in the bios?  
>>>These are the sort of issues I'm concernred about.  
>>>So far I have a barebones XP service pack 1 install, which I am about  
>>>to  
>>>image.  
>>>I'll look up the f6 bios.  
>>>  
>>>Cheers,  
>>>

>>>Kim  
>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>  
>>>>  
>>>>Oh, and I forgot to mention, BIOD F6 has no dual core CPU support. That  
>>>  
>>>may  
>>>  
>>>>be an issue for you.  
>>>>  
>>>>If you like, and you need dual core support, I can load up the latest  
BIOS  
>>>>and have a look see. I haven't tried F9 or F10 yet...  
>>>>  
>>>>Cheers,  
>>>>Kim.  
>>>>  
>>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>  
>>>>>  
>>>>>The biggest pitfall I found with the K8NS was that while the manual  
states  
>>>>>you have pretty good interrupt control, they actually removed it from  
>>  
>> the  
>>  
>>>>>bios. The latest BIOS which gives you proper interrupt control (unless  
>>>  
>>>>they've  
>>>  
>>>>>added it back - haven't checked for months) is version F6, which I use.  
>>>>  
>>>>>It's  
>>>>  
>>>>>quite old but I haven't had any issues. The thing never crashes. It's  
>>  
>> maybe  
>>  
>>>>>crashed once or twice since I've had it, which is about 12 months now.  
>>>>>  
>>>>>My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>>>on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>>>HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>>>but that seems unlikely...)  
>>>>>  
>>>>>Apart from that though it's great. I run only a two card system though,  
>>>>>

>>>>and  
>>>>  
>>>>>only dual head video (A Nvidia card currently) but have had no issues  
>>  
>> apart  
>>  
>>>>>from the BIOS losing hdd's on startup which appears to be a MB fault  
(should  
>>>>  
>>>>>take it back before my warranty runs out...)  
>>>>>  
>>>>>It's quick though, and very stable. I'm happy with it. :o)  
>>>>>  
>>>>>Cheers,  
>>>>>Kim.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>>This has worked well with my old ASUS p4 system.  
>>>>>>Cheers.  
>>>>>>  
>>>>>>"Kim W." <no@way.com> wrote:  
>>>>>>  
>>>>>>>Hi, all.  
>>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
upgrade  
>>>>>>>at some stage.  
>>>>>>>It appears the time is nigh!!  
>>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>>is one of the fave mobos.  
>>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>>Are there any shortcuts that you guys could throw my way as far as  
which  
>>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>>  
>> attempt  
>>  
>>>>>>>to preserve what's left of my hair??  
>>>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>>>Or..... should I stick with 98 or ME???  
>>>>>>>I remember Kim having teething problems with this combo.  
>>>>>>>Did it pan out for you??  
>>>>>>>Thanks,  
>>>>>>>Kim #2.  
>>>>>>>

>>>>>>

>>>>>>

>> Mine doesn't show that it's sharing with AGP, though 1 does share with 5.

It has a BIOS window you can go to which allows you to set manually which interrupt each slot uses, and tells you what will be sharing with it if you use that one. I have some things sharing, but everything is working fine so I'm not concerned. Firewire shares with an EDS for example, but I never use Paris and firewire together so that's not really a problem.

It doesn't say on mine that the AGP card is sharing with 1/5, unless that's just assumed...? I know often 1 shares with AGP.

Cheers,  
Kim.

John <no@no.com> wrote:

>lack of interrupt control is a deal breaker for me

>

>Kim wrote:

>> The biggest pitfall I found with the K8NS was that while the manual states

>> you have pretty good interrupt control, they actually removed it from the

>> bios. The latest BIOS which gives you proper interrupt control (unless they've

>> added it back - haven't checked for months) is version F6, which I use.

It's

>> quite old but I haven't had any issues. The thing never crashes. It's maybe

>> crashed once or twice since I've had it, which is about 12 months now.

>>

>> My motherboard seems to have a quirk in the BIOS and I'm currently running

>> on the backup BIOS on the board, but she runs fine like that. It forgets

>> HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,

>> but that seems unlikely...)

>>

>> Apart from that though it's great. I run only a two card system though, and

>> only dual head video (A Nvidia card currently) but have had no issues apart

>> from the BIOS losing hdd's on startup which appears to be a MB fault (should

>> take it back before my warranty runs out...).

>>

>> It's quick though, and very stable. I'm happy with it. :o)

>>

>> Cheers,

>> Kim.

>>

>> "Kim W." <no@way.com> wrote:

>>

>>>Forgot to mention I am running four 19" monitors,

>>>using AGP/PCI Nvidia Quadro cards.

>>>This has worked well with my old ASUS p4 system.

>>>Cheers.

>>>

>>>"Kim W." <no@way.com> wrote:

>>>

>>>>Hi, all.

>>>>My Paris (win98) rig refused to boot the other day.

>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade

>>>>at some stage.

>>>>It appears the time is nigh!!

>>>>I know many of you have successfully migrated to XP, and the K8NS

>>>>is one of the fave mobos.

>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)

>>>>Are there any shortcuts that you guys could throw my way as far as which

>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt

>>>>to preserve what's left of my hair??

>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.

>>>>Or..... should I stick with 98 or ME???

>>>>I remember Kim having teething problems with this combo.

>>>>Did it pan out for you??

>>>>Thanks,

>>>>Kim #2.

>>>>

>>>>

>>>

>>Hi, Kim.

If I understand it correctly, you are using bios f10??

Kim W.

"Kim" <hiddenounds@hotmail.com> wrote:

>

>

>Mine doesn't show that it's sharing with AGP, though 1 does share with 5.

>

>It has a BIOS window you can go to which allows you to set manually which

>interrupt each slot uses, and tells you what will be sharing with it if

you

>use that one. I have some things sharing, but everything is working fine

>so I'm not concerned. Firewire shares with an EDS for example, but I never

>use Paris and firewire together so that's not really a problem.

>

>It doesn't say on mine that the AGP card is sharing with 1/5, unless that's

>just assumed...? I know often 1 shares with AGP.  
>  
>Cheers,  
>Kim.  
>  
>  
>  
>John <no@no.com> wrote:  
>>lack of interrupt control is a deal breaker for me  
>>  
>>Kim wrote:  
>>> The biggest pitfall I found with the K8NS was that while the manual states  
>>> you have pretty good interrupt control, they actually removed it from  
>the  
>>> bios. The latest BIOS which gives you proper interrupt control (unless  
>they've  
>>> added it back - haven't checked for months) is version F6, which I use.  
>It's  
>>> quite old but I haven't had any issues. The thing never crashes. It's  
>maybe  
>>> crashed once or twice since I've had it, which is about 12 months now.  
>>>  
>>> My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>> on the backup BIOS on the board, but she runs fine like that. It forgets  
>>> HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>> but that seems unlikely...)  
>>>  
>>> Apart from that though it's great. I run only a two card system though,  
>and  
>>> only dual head video (A Nvidia card currently) but have had no issues  
>apart  
>>> from the BIOS losing hdd's on startup which appears to be a MB fault  
(should  
>>> take it back before my warranty runs out...)  
>>>  
>>> It's quick though, and very stable. I'm happy with it. :o)  
>>>  
>>> Cheers,  
>>> Kim.  
>>>  
>>> "Kim W." <no@way.com> wrote:  
>>>  
>>>>Forgot to mention I am running four 19" monitors,  
>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>This has worked well with my old ASUS p4 system.  
>>>>Cheers.  
>>>>  
>>>>"Kim W." <no@way.com> wrote:

>>>>  
>>>>>Hi, all.  
>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to upgrade  
>>>>>at some stage.  
>>>>>It appears the time is nigh!!  
>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>is one of the fave mobos.  
>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>Are there any shortcuts that you guys could throw my way as far as which  
>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
attempt  
>>>>>to preserve what's left of my hair??  
>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>Or..... should I stick with 98 or ME???  
>>>>>I remember Kim having teething problems with this combo.  
>>>>>Did it pan out for you??  
>>>>>Thanks,  
>>>>>Kim #2.  
>>>>>  
>>>>>  
>>>>>  
>>>>>  
>>>>>  
>Scrap my last post, I just re-read one of yours.  
I'm gonna flash my board to f10, and see how the paris install pans out.  
Hmmm, if I could just get someone to do a beer run....  
>  
>Hi, Kim.  
>If I understand it correctly, you are using bios f10??  
>Kim W.  
>  
>"Kim" <hiddensounds@hotmail.com> wrote:  
>>  
>>  
>>Mine doesn't show that it's sharing with AGP, though 1 does share with  
5.  
>>  
>>It has a BIOS window you can go to which allows you to set manually which  
>>interrupt each slot uses, and tells you what will be sharing with it if  
>you  
>>use that one. I have some things sharing, but everything is working fine  
>>so I'm not concerned. Firewire shares with an EDS for example, but I never  
>>use Paris and firewire together so that's not really a problem.  
>>  
>>It doesn't say on mine that the AGP card is sharing with 1/5, unless that's  
>>just assumed...? I know often 1 shares with AGP.  
>>  
>>Cheers,

>>Kim.  
>>  
>>  
>>  
>>John <no@no.com> wrote:  
>>>lack of interrupt control is a deal breaker for me  
>>>  
>>>Kim wrote:  
>>>> The biggest pitfall I found with the K8NS was that while the manual states  
>>>> you have pretty good interrupt control, they actually removed it from  
>>>the  
>>>> bios. The latest BIOS which gives you proper interrupt control (unless  
>>>they've  
>>>> added it back - haven't checked for months) is version F6, which I use.  
>>>It's  
>>>> quite old but I haven't had any issues. The thing never crashes. It's  
>>>maybe  
>>>> crashed once or twice since I've had it, which is about 12 months now.  
>>>>  
>>>> My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>> on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>> HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>> but that seems unlikely...)  
>>>>  
>>>> Apart from that though it's great. I run only a two card system though,  
>>and  
>>>> only dual head video (A Nvidia card currently) but have had no issues  
>>apart  
>>>> from the BIOS losing hdd's on startup which appears to be a MB fault  
>(should  
>>>> take it back before my warranty runs out...)  
>>>>  
>>>> It's quick though, and very stable. I'm happy with it. :o)  
>>>>  
>>>> Cheers,  
>>>> Kim.  
>>>>  
>>>> "Kim W." <no@way.com> wrote:  
>>>>  
>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>This has worked well with my old ASUS p4 system.  
>>>>>Cheers.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>>Hi, all.

>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
upgrade  
>>>>>at some stage.  
>>>>>It appears the time is nigh!!  
>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>is one of the fave mobos.  
>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>Are there any shortcuts that you guys could throw my way as far as  
which  
>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>attempt  
>>>>>to preserve what's left of my hair??  
>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>Or..... should I stick with 98 or ME???  
>>>>>I remember Kim having teething problems with this combo.  
>>>>>Did it pan out for you??  
>>>>>Thanks,  
>>>>>Kim #2.  
>>>>>  
>>>>>  
>>>>>  
>>>>  
>>>>  
>>  
>>  
>"Kim W." <no@way.com> wrote:  
>  
>Hi, Kim.  
>If I understand it correctly, you are using bios f10??  
>Kim W.

I am now, though I had a mixup for a minute there and was using F6. I did  
an update and somehow accidentally copied the old BIOS on top of the new.  
But I'm pretty sure now that BOTH BIOS's are F10, and I still have interrupt  
control, and in my hour of using it I've been stable... not much of a test  
of course...

Cheers,  
Kim.

>  
>"Kim" <hiddensounds@hotmail.com> wrote:  
>>  
>>  
>>Mine doesn't show that it's sharing with AGP, though 1 does share with  
5.  
>>  
>>It has a BIOS window you can go to which allows you to set manually which  
>>interrupt each slot uses, and tells you what will be sharing with it if

>you  
>>use that one. I have some things sharing, but everything is working fine  
>>so I'm not concerned. Firewire shares with an EDS for example, but I never  
>>use Paris and firewire together so that's not really a problem.  
>>  
>>It doesn't say on mine that the AGP card is sharing with 1/5, unless that's  
>>just assumed...? I know often 1 shares with AGP.  
>>  
>>Cheers,  
>>Kim.  
>>  
>>  
>>  
>>John <no@no.com> wrote:  
>>>lack of interrupt control is a deal breaker for me  
>>>  
>>>Kim wrote:  
>>>> The biggest pitfall I found with the K8NS was that while the manual  
>>>> states  
>>>> you have pretty good interrupt control, they actually removed it from  
>>>> the  
>>>> bios. The latest BIOS which gives you proper interrupt control (unless  
>>>> they've  
>>>> added it back - haven't checked for months) is version F6, which I use.  
>>>> It's  
>>>> quite old but I haven't had any issues. The thing never crashes. It's  
>>>> maybe  
>>>> crashed once or twice since I've had it, which is about 12 months now.  
>>>>  
>>>> My motherboard seems to have a quirk in the BIOS and I'm currently running  
>>>> on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>> HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>> but that seems unlikely...)  
>>>>  
>>>> Apart from that though it's great. I run only a two card system though,  
>>>> and  
>>>> only dual head video (A Nvidia card currently) but have had no issues  
>>>> apart  
>>>> from the BIOS losing hdd's on startup which appears to be a MB fault  
>>>> (should  
>>>> take it back before my warranty runs out...)  
>>>>  
>>>> It's quick though, and very stable. I'm happy with it. :o)  
>>>>  
>>>> Cheers,  
>>>> Kim.  
>>>>  
>>>> "Kim W." <no@way.com> wrote:

>>>>  
>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>This has worked well with my old ASUS p4 system.  
>>>>>Cheers.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>>Hi, all.  
>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
upgrade  
>>>>>>at some stage.  
>>>>>>It appears the time is nigh!!  
>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>is one of the fave mobos.  
>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>Are there any shortcuts that you guys could throw my way as far as  
which  
>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>attempt  
>>>>>>to preserve what's left of my hair??  
>>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>>Or..... should I stick with 98 or ME???  
>>>>>>I remember Kim having teething problems with this combo.  
>>>>>>Did it pan out for you??  
>>>>>>Thanks,  
>>>>>>Kim #2.  
>>>>>>  
>>>>>>  
>>>>>>  
>>>>>  
>>>>>  
>>  
>"Kim W." <no@way.com> wrote:  
>Hmmm, if I could just get someone to do a beer run....

I would, but it's an eight hour drive... ;o)

Cheers,  
Kim.

>>  
>>Hi, Kim.  
>>If I understand it correctly, you are using bios f10??  
>>Kim W.  
>>  
>>"Kim" <hiddensounds@hotmail.com> wrote:

>>>  
>>>  
>>> Mine doesn't show that it's sharing with AGP, though 1 does share with  
>5.  
>>>  
>>> It has a BIOS window you can go to which allows you to set manually which  
>>> interrupt each slot uses, and tells you what will be sharing with it if  
>>you  
>>> use that one. I have some things sharing, but everything is working fine  
>>> so I'm not concerned. Firewire shares with an EDS for example, but I never  
>>> use Paris and firewire together so that's not really a problem.  
>>>  
>>> It doesn't say on mine that the AGP card is sharing with 1/5, unless that's  
>>> just assumed...? I know often 1 shares with AGP.  
>>>  
>>> Cheers,  
>>> Kim.  
>>>  
>>>  
>>>  
>>> John <no@no.com> wrote:  
>>>> lack of interrupt control is a deal breaker for me  
>>>>  
>>>> Kim wrote:  
>>>>> The biggest pitfall I found with the K8NS was that while the manual  
>states  
>>>>> you have pretty good interrupt control, they actually removed it from  
>>>>the  
>>>>> bios. The latest BIOS which gives you proper interrupt control (unless  
>>>>they've  
>>>>> added it back - haven't checked for months) is version F6, which I  
use.  
>>>It's  
>>>>> quite old but I haven't had any issues. The thing never crashes. It's  
>>>maybe  
>>>>> crashed once or twice since I've had it, which is about 12 months now.  
>>>>>  
>>>>> My motherboard seems to have a quirk in the BIOS and I'm currently  
running  
>>>>> on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>>> HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>>> but that seems unlikely...)  
>>>>>  
>>>>> Apart from that though it's great. I run only a two card system though,  
>>>and  
>>>>> only dual head video (A Nvidia card currently) but have had no issues  
>>>apart  
>>>>> from the BIOS losing hdd's on startup which appears to be a MB fault

>>(should  
>>>> take it back before my warranty runs out...)  
>>>>  
>>>> It's quick though, and very stable. I'm happy with it. :o)  
>>>>  
>>>> Cheers,  
>>>> Kim.  
>>>>  
>>>> "Kim W." <no@way.com> wrote:  
>>>>  
>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>This has worked well with my old ASUS p4 system.  
>>>>>Cheers.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>>Hi, all.  
>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
>upgrade  
>>>>>>at some stage.  
>>>>>>It appears the time is nigh!!  
>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>is one of the fave mobos.  
>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>Are there any shortcuts that you guys could throw my way as far as  
>which  
>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>>attempt  
>>>>>>to preserve what's left of my hair??  
>>>>>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>>>>Or..... should I stick with 98 or ME???  
>>>>>>I remember Kim having teething problems with this combo.  
>>>>>>Did it pan out for you??  
>>>>>>Thanks,  
>>>>>>Kim #2.  
>>>>>>  
>>>>>>  
>>>>>>  
>>>>>  
>>>>  
>>>>  
>>>>  
>>  
>>  
>Are you in Melbourne??  
I'm in lil' ol' Drabelaide!!  
I'll be over in melbourne in a few weeks to visit friends that  
had the foresight to leave here some years ago!!  
I'd love to buy you a drink (or three) for the effort you've put

into this forum.

Now... If I could just work out how to flash the K9NS without having to install a damn floppy drive!!!!

"Kim" <hiddensounds@hotmail.com> wrote:

>  
>"Kim W." <no@way.com> wrote:  
>>Hmmm, if I could just get someone to do a beer run....

>  
>I would, but it's an eight hour drive... ;o)

>  
>Cheers,  
>Kim.

>  
>  
>>>  
>>>Hi, Kim.

>>>If I understand it correctly, you are using bios f10??

>>>Kim W.

>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote:

>>>>

>>>>

>>>>Mine doesn't show that it's sharing with AGP, though 1 does share with  
>>>5.

>>>>

>>>>It has a BIOS window you can go to which allows you to set manually which  
>>>>interrupt each slot uses, and tells you what will be sharing with it  
if

>>>>you

>>>>use that one. I have some things sharing, but everything is working fine

>>>>so I'm not concerned. Firewire shares with an EDS for example, but I  
never

>>>>use Paris and firewire together so that's not really a problem.

>>>>

>>>>It doesn't say on mine that the AGP card is sharing with 1/5, unless  
that's

>>>>just assumed...? I know often 1 shares with AGP.

>>>>

>>>>Cheers,

>>>>Kim.

>>>>

>>>>

>>>>

>>>>John <no@no.com> wrote:

>>>>>lack of interrupt control is a deal breaker for me

>>>>>

>>>>>Kim wrote:

>>>>> The biggest pitfall I found with the K8NS was that while the manual  
>>states  
>>>>> you have pretty good interrupt control, they actually removed it from  
>>>>the  
>>>>> bios. The latest BIOS which gives you proper interrupt control (unless  
>>>>they've  
>>>>> added it back - haven't checked for months) is version F6, which I  
>use.  
>>>>It's  
>>>>> quite old but I haven't had any issues. The thing never crashes. It's  
>>>>maybe  
>>>>> crashed once or twice since I've had it, which is about 12 months  
now.  
>>>>>  
>>>>> My motherboard seems to have a quirk in the BIOS and I'm currently  
>running  
>>>>> on the backup BIOS on the board, but she runs fine like that. It forgets  
>>>>> HDD's on startup. Not sure why... (unless it's a quirk of the F6 firmware,  
>>>>> but that seems unlikely...)  
>>>>>  
>>>>> Apart from that though it's great. I run only a two card system though,  
>>>>and  
>>>>> only dual head video (A Nvidia card currently) but have had no issues  
>>>>apart  
>>>>> from the BIOS losing hdd's on startup which appears to be a MB fault  
>>>(should  
>>>>> take it back before my warranty runs out...).>>>>>  
>>>>> It's quick though, and very stable. I'm happy with it. :o)  
>>>>>  
>>>>> Cheers,  
>>>>> Kim.  
>>>>>  
>>>>> "Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>>This has worked well with my old ASUS p4 system.  
>>>>>>Cheers.  
>>>>>>  
>>>>>>"Kim W." <no@way.com> wrote:  
>>>>>>  
>>>>>>>Hi, all.  
>>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
>>upgrade  
>>>>>>>at some stage.  
>>>>>>>It appears the time is nigh!!



>into this forum.  
>Now... If I could just work out how to flash the K9NS without having to  
install  
>a damn floppy drive!!!!  
>  
>"Kim" <hiddensounds@hotmail.com> wrote:  
>>  
>>"Kim W." <no@way.com> wrote:  
>>>Hmmm, if I could just get someone to do a beer run....  
>>  
>>I would, but it's an eight hour drive... ;o)  
>>  
>>Cheers,  
>>Kim.  
>>  
>>  
>>>>  
>>>>Hi, Kim.  
>>>>If I understand it correctly, you are using bios f10??  
>>>>Kim W.  
>>>>  
>>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>>  
>>>>>  
>>>>>Mine doesn't show that it's sharing with AGP, though 1 does share with  
>>>>5.  
>>>>>  
>>>>>It has a BIOS window you can go to which allows you to set manually  
which  
>>>>>interrupt each slot uses, and tells you what will be sharing with it  
>if  
>>>>>you  
>>>>>use that one. I have some things sharing, but everything is working  
fine  
>>>>>so I'm not concerned. Firewire shares with an EDS for example, but I  
>never  
>>>>>use Paris and firewire together so that's not really a problem.  
>>>>>  
>>>>>It doesn't say on mine that the AGP card is sharing with 1/5, unless  
>that's  
>>>>>just assumed...? I know often 1 shares with AGP.  
>>>>>  
>>>>>Cheers,  
>>>>>Kim.  
>>>>>  
>>>>>  
>>>>>  
>>>>>John <no@no.com> wrote:

>>>>>lack of interrupt control is a deal breaker for me  
>>>>>  
>>>>>Kim wrote:  
>>>>>> The biggest pitfall I found with the K8NS was that while the manual  
>>>states  
>>>>>> you have pretty good interrupt control, they actually removed it  
from  
>>>>>the  
>>>>>> bios. The latest BIOS which gives you proper interrupt control (unless  
>>>>>they've  
>>>>>> added it back - haven't checked for months) is version F6, which  
I  
>>use.  
>>>>>It's  
>>>>>> quite old but I haven't had any issues. The thing never crashes.  
It's  
>>>>>maybe  
>>>>>> crashed once or twice since I've had it, which is about 12 months  
>now.  
>>>>>>>  
>>>>>>> My motherboard seems to have a quirk in the BIOS and I'm currently  
>>running  
>>>>>>> on the backup BIOS on the board, but she runs fine like that. It  
forgets  
>>>>>>> HDD's on startup. Not sure why... (unless it's a quirk of the F6  
firmware,  
>>>>>>> but that seems unlikely...)  
>>>>>>>  
>>>>>>> Apart from that though it's great. I run only a two card system though,  
>>>>>>>and  
>>>>>>> only dual head video (A Nvidia card currently) but have had no issues  
>>>>>>>apart  
>>>>>>> from the BIOS losing hdd's on startup which appears to be a MB fault  
>>>>>>>(should  
>>>>>>> take it back before my warranty runs out...).>>>>>>>  
>>>>>>> It's quick though, and very stable. I'm happy with it. :o)  
>>>>>>>  
>>>>>>> Cheers,  
>>>>>>> Kim.  
>>>>>>>  
>>>>>>> "Kim W." <no@way.com> wrote:  
>>>>>>>  
>>>>>>>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>>>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>>>>>>>This has worked well with my old ASUS p4 system.  
>>>>>>>>>>>Cheers.  
>>>>>>>>>>>

>>>>>>>"Kim W." <no@way.com> wrote:  
>>>>>>>  
>>>>>>>Hi, all.  
>>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view  
to  
>>>upgrade  
>>>>>>>at some stage.  
>>>>>>>It appears the time is nigh!!  
>>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>>is one of the fave mobos.  
>>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>>Are there any shortcuts that you guys could throw my way as far  
as  
>>>which  
>>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in  
>an  
>>>>attempt  
>>>>>>>to preserve what's left of my hair??  
>>>>>>>I have four EDS cards, two MECs, (only one adat card), and four  
C-16's.  
>>>>>>>Or..... should I stick with 98 or ME???  
>>>>>>>I remember Kim having teething problems with this combo.  
>>>>>>>Did it pan out for you??  
>>>>>>>Thanks,  
>>>>>>>Kim #2.  
>>>>>>>  
>>>>>>>  
>>>>>>>  
>>>>>>>  
>>>>>  
>>>>  
>>>>  
>>>  
>>  
>That's the same mobo that I have sitting here with the AMD 64 4200 x 2 CPU  
sitting in it.....and there's an AMD patch out there now that \*might\*  
allow Paris to operate with a dual core CPU.

Hmmmm.....

"Kim" <hiddensounds@hotmail.com> wrote in message news:44af8c47\$1@linux...  
>  
>  
> Nope, this one... five slots:  
>  
>  
[http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?Product](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?Product)

ID=1839

>

> If you stick with BIOS rev F6 it has interrupt control in the BIOS for each

> slot. It's close to as good as I've seen with interrupt control. It's not  
> perfect... I think slot 1 shares with 5 or something, but you can  
seperate

> as much as you're likely to be able to on anything else.

>

> ...and it's really stable and really quick. :o)

>

> Cheers,

> Kim.

>

> "John" <no@no.com> wrote:

> >

> >Is this the board?

[http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1868](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1868)

> >

> >I'm looking for a board that has more slots. And I need the slots to not  
> >be shared with other resources. Right now I have 3 slots on an Asus  
mx800

> >and 1 shares irq with sound and another with agp card. When will IRQ  
hell

> >end !!! Probably when I get rid of Paris! hehe In the meantime I need  
> >a better motherboard.

> >

> >"Kim W." <no@way.com> wrote:

> >>

> >>Forgot to mention I am running four 19" monitors,

> >>using AGP/PCI Nvidia Quadro cards.

> >>This has worked well with my old ASUS p4 system.

> >>Cheers.

> >>

> >>"Kim W." <no@way.com> wrote:

> >>>

> >>>Hi, all.

> >>>My Paris (win98) rig refused to boot the other day.

> >>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
upgrade

> >>>at some stage.

> >>>It appears the time is nigh!!

> >>>I know many of you have successfully migrated to XP, and the K8NS

> >>>is one of the fave mobos.

> >>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)

> >>>Are there any shortcuts that you guys could throw my way as far as  
which

> >>>drivers, service packs, XP tweaks, I should or shouldn't use, in an attempt  
> >>>to preserve what's left of my hair??  
> >>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
> >>>Or..... should I stick with 98 or ME???  
> >>>I remember Kim having teething problems with this combo.  
> >>>Did it pan out for you??  
> >>>Thanks,  
> >>>Kim #2.  
> >>>  
> >>>  
> >>  
> >  
> >  
>AMD patch...

....rrrrrrEALLY?!?

....sounds like you're just the man to do some testing. ;o)

Cheers,  
Kim.

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>That's the same mobo that I have sitting here with the AMD 64 4200 x 2 CPU  
>sitting in it.....and there's an AMD patch out there now that \*might\*  
>allow Paris to operate with a dual core CPU.  
>  
>Hmmm.....  
>  
>  
>"Kim" <hiddensounds@hotmail.com> wrote in message news:44af8c47\$1@linux...  
>>  
>>  
>> Nope, this one... five slots:  
>>  
>>  
> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)  
>>  
>> If you stick with BIOS rev F6 it has interrupt control in the BIOS for  
>each  
>> slot. It's close to as good as I've seen with interrupt control. It's  
>not  
>> perfect... I think slot 1 shares with 5 or something, but you can  
>seperate  
>> as much as you're likely to be able to on anything else.  
>>  
>> ...and it's really stable and really quick. :o)

>>  
>> Cheers,  
>> Kim.  
>>  
>> "John" <no@no.com> wrote:  
>> >  
>> >Is this the board?  
> [http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1868](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1868)  
>> >  
>> >I'm looking for a board that has more slots. And I need the slots to not  
not  
>> >be shared with other resources. Right now I have 3 slots on an Asus  
>mx800  
>> >and 1 shares irq with sound and another with agp card. When will IRQ  
>hell  
>> >end !!! Probably when I get rid of Paris! hehe In the meantime I need  
>> >a better motherboard.  
>> >  
>> >"Kim W." <no@way.com> wrote:  
>> >>  
>> >>Forgot to mention I am running four 19" monitors,  
>> >>using AGP/PCI Nvidia Quadro cards.  
>> >>This has worked well with my old ASUS p4 system.  
>> >>Cheers.  
>> >>  
>> >>"Kim W." <no@way.com> wrote:  
>> >>>  
>> >>>Hi, all.  
>> >>>My Paris (win98) rig refused to boot the other day.  
>> >>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
>upgrade  
>> >>>at some stage.  
>> >>>It appears the time is nigh!!  
>> >>>I know many of you have successfully migrated to XP, and the K8NS  
>> >>>is one of the fave mobos.  
>> >>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>> >>>Are there any shortcuts that you guys could throw my way as far as  
>which  
>> >>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>attempt  
>> >>>to preserve what's left of my hair??  
>> >>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>> >>>Or..... should I stick with 98 or ME???  
>> >>>I remember Kim having teething problems with this combo.  
>> >>>Did it pan out for you??  
>> >>>Thanks,  
>> >>>Kim #2.

>> >>>  
>> >>>  
>> >>  
>> >  
>>  
>

>You talking about this one?

-----  
AMD Dual-Core Optimizer - The AMD Dual-Core Optimizer can help improve some PC gaming video performance by compensating for those applications that bypass the Windows API for timing by directly using the RDTSC (Read Time Stamp Counter) instruction. Applications that rely on RDTSC do not benefit from the logic in the operating system to properly account for the affect of power management mechanisms on the rate at which a processor core's Time Stamp Counter (TSC) is incremented. The AMD Dual-Core Optimizer helps to correct the resulting video performance effects or other incorrect timing effects that these applications may experience on dual-core or multiple processor systems.

[http://www.amd.com/us-en/Processors/TechnicalResources/0,,30\\_182\\_871\\_13118,00.html](http://www.amd.com/us-en/Processors/TechnicalResources/0,,30_182_871_13118,00.html)

Cheers,  
Kim.

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>That's the same mobo that I have sitting here with the AMD 64 4200 x 2 CPU  
>sitting in it.....and there's an AMD patch out there now that \*might\*  
>allow Paris to operate with a dual core CPU.

>  
>Hmmm.....

>  
>  
>"Kim" <hiddensounds@hotmail.com> wrote in message news:44af8c47\$1@linux...

>>  
>>  
>> Nope, this one... five slots:

>>  
>>  
> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)

>>  
>> If you stick with BIOS rev F6 it has interrupt control in the BIOS for  
>each  
>> slot. It's close to as good as I've seen with interrupt control. It's  
>not  
>> perfect... I think slot 1 shares with 5 or something, but you can  
>seperate  
>> as much as you're likely to be able to on anything else.

>>  
>> ...and it's really stable and really quick. :o)  
>>  
>> Cheers,  
>> Kim.  
>>  
>> "John" <no@no.com> wrote:  
>> >  
>> >Is this the board?  
> http://www.giga-byte.com/Products/Motherboard/Products\_Spec.aspx?ProductID=1  
>868  
>> >  
>> >I'm looking for a board that has more slots. And I need the slots to  
not  
>> >be shared with other resources. Right now I have 3 slots on an Asus  
>mx800  
>> >and 1 shares irq with sound and another with agp card. When will IRQ  
>hell  
>> >end !!! Probably when I get rid of Paris! hehe In the meantime I need  
>> >a better motherboard.  
>> >  
>> >"Kim W." <no@way.com> wrote:  
>> >>  
>> >>Forgot to mention I am running four 19" monitors,  
>> >>using AGP/PCI Nvidia Quadro cards.  
>> >>This has worked well with my old ASUS p4 system.  
>> >>Cheers.  
>> >>  
>> >>"Kim W." <no@way.com> wrote:  
>> >>>  
>> >>>Hi, all.  
>> >>>My Paris (win98) rig refused to boot the other day.  
>> >>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
>upgrade  
>> >>>at some stage.  
>> >>>It appears the time is nigh!!  
>> >>>I know many of you have successfully migrated to XP, and the K8NS  
>> >>>is one of the fave mobos.  
>> >>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>> >>>Are there any shortcuts that you guys could throw my way as far as  
>which  
>> >>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>attempt  
>> >>>to preserve what's left of my hair??  
>> >>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>> >>>Or..... should I stick with 98 or ME???  
>> >>>I remember Kim having teething problems with this combo.  
>> >>>Did it pan out for you??

>> >>>Thanks,  
>> >>>Kim #2.  
>> >>>  
>> >>>  
>> >>  
>> >  
>>  
>

>The Butchery begins!!  
I gotta get all four EDS cards in here!!  
So far I've had to bend the firewire header pins south, and  
remove the perforated chipset fan cover.  
This is getting REALLY interesting.  
I'm glad I have a thick skin at this point...courtesy of Coopers!!

"Kim" <hiddensounds@hotmail.com> wrote:

>  
>  
>AMD patch...  
>  
>...rrrrrrEALLY?!?  
>  
>...sounds like you're just the man to do some testing. ;o)  
>  
>Cheers,  
>Kim.

>  
>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>That's the same mobo that I have sitting here with the AMD 64 4200 x 2  
CPU  
>>sitting in it.....and there's an AMD patch out there now that \*might\*  
>>allow Paris to operate with a dual core CPU.  
>>  
>>Hmmm.....  
>>  
>>  
>>"Kim" <hiddensounds@hotmail.com> wrote in message news:44af8c47\$1@linux...  
>>>  
>>>  
>>> Nope, this one... five slots:  
>>>  
>>>  
>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)  
>>>  
>>> If you stick with BIOS rev F6 it has interrupt control in the BIOS for  
>>>each  
>>> slot. It's close to as good as I've seen with interrupt control. It's

>not  
>>> perfect... I think slot 1 shares with 5 or something, but you can  
>>seperate  
>>> as much as you're likely to be able to on anything else.  
>>>  
>>> ...and it's really stable and really quick. :o)  
>>>  
>>> Cheers,  
>>> Kim.  
>>>  
>>> "John" <no@no.com> wrote:  
>>> >  
>>> >Is this the board?  
>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1868](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1868)  
>>> >  
>>> >I'm looking for a board that has more slots. And I need the slots to  
>not  
>>> >be shared with other resources. Right now I have 3 slots on an Asus  
>>mx800  
>>> >and 1 shares irq with sound and another with agp card. When will IRQ  
>>hell  
>>> >end !!! Probably when I get rid of Paris! hehe In the meantime I  
need  
>>> >a better motherboard.  
>>> >  
>>> >"Kim W." <no@way.com> wrote:  
>>> >>  
>>> >>Forgot to mention I am running four 19" monitors,  
>>> >>using AGP/PCI Nvidia Quadro cards.  
>>> >>This has worked well with my old ASUS p4 system.  
>>> >>Cheers.  
>>> >>  
>>> >>"Kim W." <no@way.com> wrote:  
>>> >>>  
>>> >>>Hi, all.  
>>> >>>My Paris (win98) rig refused to boot the other day.  
>>> >>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
>>>upgrade  
>>> >>>at some stage.  
>>> >>>It appears the time is nigh!!  
>>> >>>I know many of you have successfully migrated to XP, and the K8NS  
>>> >>>is one of the fave mobos.  
>>> >>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>> >>>Are there any shortcuts that you guys could throw my way as far as  
>>>which  
>>> >>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>>>attempt

>>> >>>to preserve what's left of my hair??  
>>> >>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>> >>>Or..... should I stick with 98 or ME???  
>>> >>>I remember Kim having teething problems with this combo.  
>>> >>>Did it pan out for you??  
>>> >>>Thanks,  
>>> >>>Kim #2.  
>>> >>>  
>>> >>>  
>>> >>  
>>> >  
>>>  
>>  
>>  
>>>.....well..... I'm gonna spread this around a little  
bit.....

<http://www.ksut.org/underwriters.cfm>

<http://www.kdur.org/>

<http://www.997thepoint.com/>

It's a small town here with a local liberal arts college with lots of kids from all over the place.....very active music scene.

I don't know how successful I'll be, but I have met the program directors for these stations and they all have had various \*opportunity hours\* for local indy projects to get airplay. You guys aren't local, but I am and I record some of the artists who these guys know, so I'll try to sneak something in under the radar.

..o)

"macle" <Mates9999@cs.com> wrote in message news:44af3cd6\$1@linux...

>  
> Yes you did! Three of 'em! Yeeee-haw, we is rich!  
>  
> We don't need no stinkin' label!! :)  
>  
> Thanks very much DJ, we really appreciate the support.  
>  
> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >I think that what I'm hearing was well mixed. I have ordered the CD and  
> am  
> >looking forward to hearing the remastered version.  
> >



Cheers,  
Kim.

"Kim W." <no@way.com> wrote:

>  
>The Butchery begins!!  
>I gotta get all four EDS cards in here!!  
>So far I've had to bend the firewire header pins south, and  
>remove the perforated chipset fan cover.  
>This is getting REALLY interesting.  
>I'm glad I have a thick skin at this point...courtesy of Coopers!!

>  
>"Kim" <hiddensounds@hotmail.com> wrote:

>>  
>>  
>>AMD patch...  
>>  
>>...rrrrrrEALLY?!?  
>>  
>>...sounds like you're just the man to do some testing. ;o)  
>>  
>>Cheers,  
>>Kim.

>>  
>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>>>That's the same mobo that I have sitting here with the AMD 64 4200 x 2  
>>CPU

>>>sitting in it.....and there's an AMD patch out there now that \*might\*  
>>>allow Paris to operate with a dual core CPU.

>>>  
>>>Hmmm.....

>>>  
>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote in message news:44af8c47\$1@linux...

>>>>  
>>>>  
>>>> Nope, this one... five slots:

>>>>  
>>>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)

>>>>  
>>>> If you stick with BIOS rev F6 it has interrupt control in the BIOS for  
>>>>each  
>>>> slot. It's close to as good as I've seen with interrupt control. It's  
>>not  
>>>> perfect... I think slot 1 shares with 5 or something, but you can  
>>>>seperate

>>>> as much as you're likely to be able to on anything else.  
>>>>  
>>>> ...and it's really stable and really quick. :o)  
>>>>  
>>>> Cheers,  
>>>> Kim.  
>>>>  
>>>> "John" <no@no.com> wrote:  
>>>> >  
>>>> >Is this the board?  
>>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1)  
>>>868  
>>>> >  
>>>> >I'm looking for a board that has more slots. And I need the slots  
to  
>>not  
>>>> >be shared with other resources. Right now I have 3 slots on an Asus  
>>>mx800  
>>>> >and 1 shares irq with sound and another with agp card. When will IRQ  
>>>hell  
>>>> >end !!! Probably when I get rid of Paris! hehe In the meantime I  
>need  
>>>> >a better motherboard.  
>>>> >  
>>>> >"Kim W." <no@way.com> wrote:  
>>>> >>  
>>>> >>Forgot to mention I am running four 19" monitors,  
>>>> >>using AGP/PCI Nvidia Quadro cards.  
>>>> >>This has worked well with my old ASUS p4 system.  
>>>> >>Cheers.  
>>>> >>  
>>>> >>"Kim W." <no@way.com> wrote:  
>>>> >>>  
>>>> >>>Hi, all.  
>>>> >>>My Paris (win98) rig refused to boot the other day.  
>>>> >>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
>>>upgrade  
>>>> >>>at some stage.  
>>>> >>>It appears the time is nigh!!  
>>>> >>>I know many of you have successfully migrated to XP, and the K8NS  
>>>> >>>is one of the fave mobos.  
>>>> >>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>> >>>Are there any shortcuts that you guys could throw my way as far as  
>>>which  
>>>> >>>drivers, service packs, XP tweaks, I should or shouldn't use, in  
an  
>>>attempt  
>>>> >>>to preserve what's left of my hair??

>>>> >>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
>>>> >>>Or..... should I stick with 98 or ME???  
>>>> >>>I remember Kim having teething problems with this combo.  
>>>> >>>Did it pan out for you??  
>>>> >>>Thanks,  
>>>> >>>Kim #2.  
>>>> >>>  
>>>> >>>  
>>>> >>  
>>>> >  
>>>>  
>>>  
>>>  
>>  
>>  
>>  
>>  
>>  
>>  
>And stuff an Emu 0404 sound card in there too for me. Then I'll start the begging to buy the motherboard!!!

Kim W. wrote:

> The Butchery begins!!  
> I gotta get all four EDS cards in here!!  
> So far I've had to bend the firewire header pins south, and  
> remove the perforated chipset fan cover.  
> This is getting REALLY interesting.  
> I'm glad I have a thick skin at this point...courtesy of Coopers!!  
>  
> "Kim" <hiddensounds@hotmail.com> wrote:  
>  
>>  
>>AMD patch...  
>>  
>>...rrrrrrEALLY?!?  
>>  
>>...sounds like you're just the man to do some testing. ;o)  
>>  
>>Cheers,  
>>Kim.  
>>  
>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>  
>>>That's the same mobo that I have sitting here with the AMD 64 4200 x 2  
>  
> CPU  
>  
>>>sitting in it.....and there's an AMD patch out there now that \*might\*  
>>>allow Paris to operate with a dual core CPU.  
>>>  
>>>Hmmmm.....  
>>>

>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote in message news:44af8c47\$1@linux...  
>>>  
>>>>  
>>>>Nope, this one... five slots:  
>>>>  
>>>>  
>>>>  
>>>>  
>>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)  
>>>  
>>>>If you stick with BIOS rev F6 it has interrupt control in the BIOS for  
>>>  
>>>each  
>>>  
>>>>slot. It's close to as good as I've seen with interrupt control. It's  
>>  
>>not  
>>  
>>>>perfect... I think slot 1 shares with 5 or something, but you can  
>>>  
>>>seperate  
>>>  
>>>>as much as you're likely to be able to on anything else.  
>>>>  
>>>>...and it's really stable and really quick. :o)  
>>>>  
>>>>Cheers,  
>>>>Kim.  
>>>>  
>>>>"John" <no@no.com> wrote:  
>>>>  
>>>>>Is this the board?  
>>>>  
>>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1868](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1868)  
>>>>868  
>>>>  
>>>>>I'm looking for a board that has more slots. And I need the slots to  
>>  
>>not  
>>  
>>>>>be shared with other resources. Right now I have 3 slots on an Asus  
>>>>  
>>>>mx800  
>>>>  
>>>>>and 1 shares irq with sound and another with agp card. When will IRQ  
>>>>  
>>>>hell

>>>  
>>>>end !!! Probably when I get rid of Paris! hehe In the meantime I  
>  
> need  
>  
>>>>a better motherboard.  
>>>>  
>>>>"Kim W." <no@way.com> wrote:  
>>>>  
>>>>>Forgot to mention I am running four 19" monitors,  
>>>>>using AGP/PCI Nvidia Quadro cards.  
>>>>>This has worked well with my old ASUS p4 system.  
>>>>>Cheers.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>>Hi, all.  
>>>>>>My Paris (win98) rig refused to boot the other day.  
>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view to  
>>>  
>>>upgrade  
>>>  
>>>>>>at some stage.  
>>>>>>It appears the time is nigh!!  
>>>>>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>>is one of the fave mobos.  
>>>>>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>>Are there any shortcuts that you guys could throw my way as far as  
>>>  
>>>which  
>>>  
>>>>>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
>>>  
>>>attempt  
>>>  
>>>>>

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Rich\[3\]](#) on Wed, 31 May 2006 15:56:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

e fave mobos.  
> >> >>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
> >> >>>Are there any shortcuts that you guys could throw my way as far as  
> >which  
> >> >>>drivers, service packs, XP tweaks, I should or shouldn't use, in an  
> >attempt

> >> >>>to preserve what's left of my hair??  
> >> >>>I have four EDS cards, two MECs, (only one adat card), and four C-16's.  
> >> >>>Or..... should I stick with 98 or ME???  
> >> >>>I remember Kim having teething problems with this combo.  
> >> >>>Did it pan out for you??  
> >> >>>Thanks,  
> >> >>>Kim #2.  
> >> >>>  
> >> >>>  
> >> >>  
> >> >  
> >>  
> >  
> >  
> >  
>It lives, It breathes.  
Now I gotta get it off the kitchen table and into the studio.  
(after installing both Quadro cards and drivers).  
Lookin' good so far! Time to Ghost.  
Pale Ale Powered, Kim.  
BTW. Check your e-mail.

"Kim" <hiddensounds@hotmail.com> wrote:

>  
>  
>Ah, yes, sorry, I'd forgotten to consider physical limitations of four massive  
>cards. I only have two cards, which fitted fine, though I do recall some  
>of the MB connectors were in annoying positions...  
>  
>..

..NOW I remember... fat use I am!! ;o)

>  
>Coopers Green or Red? Did somebody do a beer run...?  
>  
>...I think I have some coopers green in the fridge still...  
>  
>Cheers,  
>Kim.

>  
>"Kim W." <no@way.com> wrote:

>>  
>>The Butchery begins!!  
>>I gotta get all four EDS cards in here!!  
>>So far I've had to bend the firewire header pins south, and  
>>remove the perforated chipset fan cover.  
>>This is getting REALLY interesting.

>>I'm glad I have a thick skin at this point...courtesy of Coopers!!  
>>  
>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>  
>>>  
>>>AMD patch...  
>>>  
>>>...rrrrrrEALLY?!?  
>>>  
>>>...sounds like you're just the man to do some testing. ;o)  
>>>  
>>>Cheers,  
>>>Kim.  
>>>  
>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>That's the same mobo that I have sitting here with the AMD 64 4200 x  
2  
>>CPU  
>>>>sitting in it.....and there's an AMD patch out there now that \*might\*  
>>>>allow Paris to operate with a dual core CPU.  
>>>>  
>>>>Hmmm.....  
>>>>  
>>>>  
>>>>"Kim" <hiddensounds@hotmail.com> wrote in message news:44af8c47\$1@linux...  
>>>>>  
>>>>>  
>>>>> Nope, this one... five slots:  
>>>>>  
>>>>>  
>>>>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)  
>>>>>  
>>>>> If you stick with BIOS rev F6 it has interrupt control in the BIOS  
for  
>>>>>each  
>>>>> slot. It's close to as good as I've seen with interrupt control. It's  
>>>>>not  
>>>>> perfect... I think slot 1 shares with 5 or something, but you can  
>>>>>seperate  
>>>>> as much as you're likely to be able to on anything else.  
>>>>>  
>>>>> ...and it's really stable and really quick. :o)  
>>>>>  
>>>>> Cheers,  
>>>>> Kim.  
>>>>>  
>>>>> "John" <no@no.com> wrote:

>>>> >  
>>>> >Is this the board?  
>>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1)  
>>>>868  
>>>> >  
>>>> >I'm looking for a board that has more slots. And I need the slots  
>to  
>>>not  
>>>> >be shared with other resources. Right now I have 3 slots on an Asus  
>>>>mx800  
>>>> >and 1 shares irq with sound and another with agp card. When will  
IRQ  
>>>>hell  
>>>> >end !!! Probably when I get rid of Paris! hehe In the meantime  
I  
>>need  
>>>> >a better motherboard.  
>>>> >  
>>>> >"Kim W." <no@way.com> wrote:  
>>>> >>  
>>>> >>Forgot to mention I am running four 19" monitors,  
>>>> >>using AGP/PCI Nvidia Quadro cards.  
>>>> >>This has worked well with my old ASUS p4 system.  
>>>> >>Cheers.  
>>>> >>  
>>>> >>"Kim W." <no@way.com> wrote:  
>>>> >>>  
>>>> >>>Hi, all.  
>>>> >>>My Paris (win98) rig refused to boot the other day.  
>>>> >>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view  
to  
>>>>upgrade  
>>>> >>>at some stage.  
>>>> >>>It appears the time is nigh!!  
>>>> >>>I know many of you have successfully migrated to XP, and the K8NS  
>>>> >>>is one of the fave mobos.  
>>>> >>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>> >>>Are there any shortcuts that you guys could throw my way as far  
as  
>>>>which  
>>>> >>>drivers, service packs, XP tweaks, I should or shouldn't use, in  
>an  
>>>>attempt  
>>>> >>>to preserve what's left of my hair??  
>>>> >>>I have four EDS cards, two MECs, (only one adat card), and four  
C-16's.  
>>>> >>>Or..... should I stick with 98 or ME???  
>>>> >>>I remember Kim having teething problems with this combo.

>>>>> >>>Did it pan out for you??

>>>>> >>>Thanks,

>>>>> >>>Kim #2.

>>>>> >>>

>>>>> >>>

>>>>> >>

>>>>> >

>>>>>

>>>>

>>>>

>>>

>>

>Ah, Pale Ale. My mate Trev texted me the other day claiming that Pale Ale was "the best beer EVER!!", though I don't quite agree. I'd go a Little Creatures myself, though Coopers is a very nice drop...

Glad you got them all in. Any room left in there for John's Emu card? ;o)

Not with two Quardo cards I guess...

Which slots did you use for what? Normally you'd use AGP and Slot 1 for graphics, but given 1 shares with 5 and may not share with AGP perhaps it would be better to have the EDS cards in 1 & 5 and the Quadro in another slot in between...?

Let us know how you go anyhow. I'm interested to know what she can take.

Might buy me another EDS card some day. :o)

Cheers,

Kim.

"Kim W." <no@way.com> wrote:

>

>It lives, It breathes.

>Now I gotta get it off the kitchen table and into the studio.

>(after installing both Quadro cards and drivers).

>Lookin' good so far! Time to Ghost.

>Pale Ale Powered, Kim.

>BTW. Check your e-mail.

>

>

>"Kim" <hiddensounds@hotmail.com> wrote:

>>

>>

>>Ah, yes, sorry, I'd forgotten to consider physical limitations of four massive

>>cards. I only have two cards, which fitted fine, though I do recall some

>>of the MB connectors were in annoying positions...

>>  
>>..  
>  
>.NOW I remember... fat use I am!! ;o)  
>>  
>>Coopers Green or Red? Did somebody do a beer run...?  
>>  
>>...I think I have some coopers green in the fridge still...  
>>  
>>Cheers,  
>>Kim.  
>>  
>>"Kim W." <no@way.com> wrote:  
>>>  
>>>The Butchery begins!!  
>>>I gotta get all four EDS cards in here!!  
>>>So far I've had to bend the firewire header pins south, and  
>>>remove the perforated chipset fan cover.  
>>>This is getting REALLY interesting.  
>>>I'm glad I have a thick skin at this point...courtesy of Coopers!!  
>>>  
>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>  
>>>>  
>>>>AMD patch...  
>>>>  
>>>>...rrrrrEALLY?!?  
>>>>  
>>>>...sounds like you're just the man to do some testing. ;o)  
>>>>  
>>>>Cheers,  
>>>>Kim.  
>>>>  
>>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>>That's the same mobo that I have sitting here with the AMD 64 4200 x  
>2  
>>>>CPU  
>>>>>sitting in it.....and there's an AMD patch out there now that \*might\*  
>>>>>allow Paris to operate with a dual core CPU.  
>>>>>  
>>>>>Hmmmm.....  
>>>>>  
>>>>>  
>>>>>"Kim" <hiddensounds@hotmail.com> wrote in message news:44af8c47\$1@linux...  
>>>>>>  
>>>>>>  
>>>>>> Nope, this one... five slots:  
>>>>>>

>>>>>  
>>>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)  
>>>>>  
>>>>> If you stick with BIOS rev F6 it has interrupt control in the BIOS  
>for  
>>>>>each  
>>>>> slot. It's close to as good as I've seen with interrupt control. It's  
>>>>not  
>>>>> perfect... I think slot 1 shares with 5 or something, but you can  
>>>>>seperate  
>>>>> as much as you're likely to be able to on anything else.  
>>>>>  
>>>>> ...and it's really stable and really quick. :o)  
>>>>>  
>>>>> Cheers,  
>>>>> Kim.  
>>>>>  
>>>>> "John" <no@no.com> wrote:  
>>>>> >  
>>>>> >Is this the board?  
>>>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Spec.aspx?ProductID=1868](http://www.giga-byte.com/Products/Motherboard/Products_Spec.aspx?ProductID=1868)  
>>>>>868  
>>>>> >  
>>>>> >I'm looking for a board that has more slots. And I need the slots  
>>to  
>>>>not  
>>>>> >be shared with other resources. Right now I have 3 slots on an Asus  
>>>>>mx800  
>>>>> >and 1 shares irq with sound and another with agp card. When will  
>IRQ  
>>>>>hell  
>>>>> >end !!! Probably when I get rid of Paris! hehe In the meantime  
>I  
>>>need  
>>>>> >a better motherboard.  
>>>>> >  
>>>>> >"Kim W." <no@way.com> wrote:  
>>>>> >>  
>>>>> >>Forgot to mention I am running four 19" monitors,  
>>>>> >>using AGP/PCI Nvidia Quadro cards.  
>>>>> >>This has worked well with my old ASUS p4 system.  
>>>>> >>Cheers.  
>>>>> >>  
>>>>> >>"Kim W." <no@way.com> wrote:  
>>>>> >>>  
>>>>> >>>Hi, all.  
>>>>> >>>My Paris (win98) rig refused to boot the other day.



>Which slots did you use for what? Normally you'd use AGP and Slot 1 for graphics,  
>but given 1 shares with 5 and may not share with AGP perhaps it would be  
>better to have the EDS cards in 1 & 5 and the Quadro in another slot in  
between...?

>

>Let us know how you go anyhow. I'm interested to know what she can take.

>Might buy me another EDS card some day. :o)

>

>Cheers,

>Kim.

>

>

>

>"Kim W." <no@way.com> wrote:

>>

>>It lives, It breathes.

>>Now I gotta get it off the kitchen table and into the studio.

>>(after installing both Quadro cards and drivers).

>>Lookin' good so far! Time to Ghost.

>>Pale Ale Powered, Kim.

>>BTW. Check your e-mail.

>>

>>

>>"Kim" <hiddensounds@hotmail.com> wrote:

>>>

>>>

>>>Ah, yes, sorry, I'd forgotten to consider physical limitations of four

>massive

>>>cards. I only have two cards, which fitted fine, though I do recall some

>>>of the MB connectors were in annoying positions...

>>>

>>>..

>>>

>>.NOW I remember... fat use I am!! ;o)

>>>

>>>Coopers Green or Red? Did somebody do a beer run...?

>>>

>>>...I think I have some coopers green in the fridge still...

>>>

>>>Cheers,

>>>Kim.

>>>

>>>"Kim W." <no@way.com> wrote:

>>>>

>>>>The Butchery begins!!

>>>>I gotta get all four EDS cards in here!!

>>>>So far I've had to bend the firewire header pins south, and

>>>>remove the perforated chipset fan cover.  
>>>>This is getting REALLY interesting.  
>>>>I'm glad I have a thick skin at this point...courtesy of Coopers!!  
>>>>  
>>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>>  
>>>>>  
>>>>>AMD patch...  
>>>>>  
>>>>>...rrrrrrEALLY?!?  
>>>>>  
>>>>>...sounds like you're just the man to do some testing. ;o)  
>>>>>  
>>>>>Cheers,  
>>>>>Kim.  
>>>>>  
>>>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>>>That's the same mobo that I have sitting here with the AMD 64 4200  
x  
>>2  
>>>>CPU  
>>>>>>sitting in it.....and there's an AMD patch out there now that  
\*might\*  
>>>>>>allow Paris to operate with a dual core CPU.  
>>>>>>  
>>>>>>Hmmm.....  
>>>>>>  
>>>>>>  
>>>>>>"Kim" <hiddensounds@hotmail.com> wrote in message news:44af8c47\$1@linux...  
>>>>>>>  
>>>>>>>  
>>>>>>> Nope, this one... five slots:  
>>>>>>>  
>>>>>>>  
>>>>>>> [http://www.giga-byte.com/Products/Motherboard/Products\\_Overview.aspx?ProductID=1839](http://www.giga-byte.com/Products/Motherboard/Products_Overview.aspx?ProductID=1839)  
>>>>>>>  
>>>>>>> If you stick with BIOS rev F6 it has interrupt control in the BIOS  
>>for  
>>>>>>>each  
>>>>>>> slot. It's close to as good as I've seen with interrupt control.  
It's  
>>>>>>>not  
>>>>>>> perfect... I think slot 1 shares with 5 or something, but you can  
>>>>>>>seperate  
>>>>>>> as much as you're likely to be able to on anything else.  
>>>>>>>  
>>>>>>> ...and it's really stable and really quick. :o)

>>>>>>  
>>>>>> Cheers,  
>>>>>> Kim.  
>>>>>>  
>>>>>> "John" <no@no.com> wrote:  
>>>>>> >  
>>>>>> >Is this the board?  
>>>>>> http://www.giga-byte.com/Products/Motherboard/Products\_Spec.aspx?ProductID=1  
>>>>>>868  
>>>>>> >  
>>>>>> >I'm looking for a board that has more slots. And I need the slots  
>>>>to  
>>>>>not  
>>>>>> >be shared with other resources. Right now I have 3 slots on an  
Asus  
>>>>>>mx800  
>>>>>> >and 1 shares irq with sound and another with agp card. When will  
>>>>IRQ  
>>>>>>hell  
>>>>>> >end !!! Probably when I get rid of Paris! hehe In the meantime  
>>>>I  
>>>>>need  
>>>>>> >a better motherboard.  
>>>>>> >  
>>>>>> >"Kim W." <no@way.com> wrote:  
>>>>>> >>  
>>>>>> >>Forgot to mention I am running four 19" monitors,  
>>>>>> >>using AGP/PCI Nvidia Quadro cards.  
>>>>>> >>This has worked well with my old ASUS p4 system.  
>>>>>> >>Cheers.  
>>>>>> >>  
>>>>>> >>"Kim W." <no@way.com> wrote:  
>>>>>> >>>  
>>>>>> >>>Hi, all.  
>>>>>> >>>My Paris (win98) rig refused to boot the other day.  
>>>>>> >>>I bought a Gigabyte K8NS ultra 939 some months ago, with a view  
>>>>to  
>>>>>>upgrade  
>>>>>> >>>at some stage.  
>>>>>> >>>It appears the time is nigh!!  
>>>>>> >>>I know many of you have successfully migrated to XP, and the K8NS  
>>>>>> >>>is one of the fave mobos.  
>>>>>> >>>(I also have an Epox 9NDA3, in case I get grief with the Gigabyte.)  
>>>>>> >>>Are there any shortcuts that you guys could throw my way as far  
>>>>as  
>>>>>>which  
>>>>>> >>>drivers, service packs, XP tweaks, I should or shouldn't use,  
in

>>>an  
>>>>>attempt  
>>>>>> >>>to preserve what's left of my hair??  
>>>>>> >>>I have four EDS cards, two MECs, (only one adat card), and four  
>>>C-16's.  
>>>>>> >>>Or..... should I stick with 98 or ME???  
>>>>>> >>>I remember Kim having teething problems with this combo.  
>>>>>> >>>Did it pan out for you??  
>>>>>> >>>Thanks,  
>>>>>> >>>Kim #2.  
>>>>>> >>>  
>>>>>> >>>  
>>>>>> >>  
>>>>>> >  
>>>>>>  
>>>>>>  
>>>>>>  
>>>>>  
>>>>>  
>>>>  
>>>  
>>  
>>  
>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>.o)

What are you a Pirate now? ;o)

>  
>  
>"macle" <Mates9999@cs.com> wrote in message news:44af3cd6\$1@linux...  
>>  
>> Yes you did! Three of 'em! Yeeee-haw, we is rich!  
>>  
>> We don't need no stinkin' label!! :)  
>>  
>> Thanks very much DJ, we really appreciate the support.  
>>  
>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>> >I think that what I'm hearing was well mixed. I have ordered the CD and  
>> am  
>> >looking forward to hearing the remastered version.  
>> >  
>> >DJ  
>> >  
>> >"macle" <Mates9999@cs.com> wrote in message news:44aed727\$1@linux...  
>> >>  
>> >> Btw, some people are commenting on the sound (thanks!). Must be  
>> >> listening to the clip I have on the website. Those snippets  
>> >> are before the re-mastering, so (hopefully) the CD will sound

>> >> better than that.  
>> >>  
>> >> Okay, thanks, sorry to be bogarting the board with this :).  
>> >>  
>> >> "macle" <Mates9999@cs.com> wrote:  
>> >> >  
>> >> >Hey Paris People, how are you!?  
>> >> >  
>> >> >Well, I don't really know who's still here after all this time, but  
I  
>> >just  
>> >> >wanted to let those who may be interested, or were interested at one  
>> >time,  
>> >> >or used to be interesed and still just might be interested, that we  
>> >finally  
>> >> >have a CD for sale of the  
>> >> >songs I posted oh so long ago (all recorded on Paris in my  
>> >> >little home studio).  
>> >> >  
>> >> >Please check out our website:  
>> >> >  
>> >> ><http://www.themateswebsite.com/>  
>> >> >  
>> >> >Thanks a lot!!!  
>> >> >  
>> >> >  
>> >> >  
>> >> >  
>> >> >  
>> >>  
>> >  
>> >  
>>  
>  
>Arrrrrggghhhhh matey!!!!

;o)

"Kim" <hiddensounds@hotmail.com> wrote in message news:44afdf8e\$1@linux...

>  
> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

> >.o)

>  
> What are you a Pirate now? ;o)

>  
> >  
> >

> >"macle" <Mates9999@cs.com> wrote in message news:44af3cd6\$1@linux...

> >>  
> >> Yes you did! Three of 'em! Yeeee-haw, we is rich!  
> >>  
> >> We don't need no stinkin' label!! :)  
> >>  
> >> Thanks very much DJ, we really appreciate the support.  
> >>  
> >> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >> >I think that what I'm hearing was well mixed. I have ordered the CD  
and  
> >> am  
> >> >looking forward to hearing the remastered version.  
> >> >  
> >> >DJ  
> >> >  
> >> >"macle" <Mates9999@cs.com> wrote in message news:44aed727\$1@linux...  
> >> >>  
> >> >> Btw, some people are commenting on the sound (thanks!). Must be  
> >> >> listening to the clip I have on the website. Those snippets  
> >> >> are before the re-mastering, so (hopefully) the CD will sound  
> >> >> better than that.  
> >> >>  
> >> >> Okay, thanks, sorry to be bogarting the board with this :).  
> >> >>  
> >> >> "macle" <Mates9999@cs.com> wrote:  
> >> >> >  
> >> >> >Hey Paris People, how are you!?  
> >> >> >  
> >> >> >Well, I don't really know who's still here after all this time, but  
> >> >> > I  
> >> >> >just  
> >> >> >wanted to let those who may be interested, or were interested at  
one  
> >> >> >time,  
> >> >> >or used to be interesed and still just might be interested, that we  
> >> >> >finally  
> >> >> >have a CD for sale of the  
> >> >> >songs I posted oh so long ago (all recorded on Paris in my  
> >> >> >little home studio).  
> >> >> >  
> >> >> >Please check out our website:  
> >> >> >  
> >> >> ><http://www.themateswebsite.com/>  
> >> >> >  
> >> >> >Thanks a lot!!!  
> >> >> >  
> >> >> >  
> >> >> >

> >> >> >  
> >> >> >  
> >> >>  
> >> >  
> >> >  
> >>  
> >  
> >

>Hope this isn't TOO much of a case of egregious name dropping, but I had the pleasure of playing a bunch of Little Feat tunes for 2 nights on stage with Paul Barrere last year. I'm a piano player, so you can guess my level of glee being up there doing Dixie Chicken and Willin' (among others) with Paul.

Will definitely scope that site out!!

"Kim W." <no@way.com> wrote:

>  
>Hi, all.  
>Back in the 70's I owned and loaned a couple of LF bootlegs, which I never  
>got back!. I was reminiscing the other night, and decided to google the  
title  
>"Beak Positive" in the hope of locating a hard copy of this fab LP. (the  
>opener was a ROCKIN'  
>version of "Skin It Back".  
>I found a legit site which hosts open source "artist approved" live recordings  
>and I am now re-living my wayward youth to the tune of "Eldorado Slim",  
recorded  
>at the Santa Monica Civic Centre in 1973.  
>This site has all you could eat, feat-wise.  
>  
><http://www.archive.org/search.php?query=little%20feat>  
>  
>Sorry if it's old news, it's the beer talkin'....> It doesn't say on mine that the AGP card is sharing  
with 1/5, unless  
that's  
> just assumed...? I know often 1 shares with AGP.

Kim.....if PCI 1 and 5 "do not" share with the AGP, this is potentially a HUGE deal and this would be the most flexible (semi current) mobo in existence today for 939 CPU's. I cannot find any reference to this in the Gigabyte manual. When/if it is possible, could you insert a PCI card in slot 1 or 5 (or both), then load the drivers for whatever that device is, then go to your system info, look under system resources, navigate to hardware resources>IRQ and let us know if the device(s) in PCI slots 1 or 5 is/are sharing an IRQ with the AGP? If not, I'm gonna be thinking hard about switching mobo's on my Paris rig and trying to get that duallie CPU happening with my Paris rig. Theis could conceivably allow 5 x EDS cards to

operate on a dual core Athlon. I would do this here, but I don't have all the componentry that I need yet and the ergonomics of moving all of my EDS cards to a Magma chassis (which is already being used by another DAW) is something that would take my entire studio down for a couple of days, and I'm pretty busy right now.

Deej

"Kim" <hiddensounds@hotmail.com> wrote in message news:44afb30d\$1@linux...

>

>

> Mine doesn't show that it's sharing with AGP, though 1 does share with 5.

>

> It has a BIOS window you can go to which allows you to set manually which interrupt each slot uses, and tells you what will be sharing with it if

you

> use that one. I have some things sharing, but everything is working fine

> so I'm not concerned. Firewire shares with an EDS for example, but I never

> use Paris and firewire together so that's not really a problem.

>

> It do

---

Subject: Re: Multi Band Mastering in Paris

Posted by [Kim](#) on Wed, 31 May 2006 21:39:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

h a OEM version with the secure zones and recovery CD/DVD s included. Its been the most reliable and cost effective recover software we've ever used. It;s the only program that I've sen that can make a reliable OS image while Booted into the OS. Its works flawlessly over networks too which is great for us.

Chris

Miguel Vigil wrote:

> I have to agree with the Acronis \*True Image\* recommendation.

> It is very easy to use and averages about seven minutes for a 5GB partition.

> It can verify images in minute. The comments field lets one write plenty of

> info. It has a pleasant GUI which is sizeable and there is an exceptional

> amount

> of sub menu choices which do not freak out like the Ghost always did.

>  
> Worst for me was Ghost started requesting 2nd, and 3rd target disks and  
> failed to make safe images. What I mean above is Ghost stated the target  
> disk is full,  
> while I had nearly 80GB of clean storage space available. Probably  
> something to do  
> with DOS limits or such. Many of my earliest ghost backups from many years  
> are  
> corrupt when read by ghost. In addition, Symantec changed our lovely Ghost  
> and  
> the newest version must be done while windows is running. I have not been  
> able to  
> create a startup disk version from the program (that feature has been  
> eliminated).

>  
> If you try the Acronis proggy \*True Image\* or \*Disk Suite\* approach with  
> caution  
>  
> Do a Ghost or Drive Image (now swallowed by Symantec and morphed into Ghost)  
> because Disk Suite writes to the MBR of the system drive. This is to set up  
> the  
> OS selector menus and must be defeated with a DOS ute to write the MBR to  
> zero.

>  
> I love Disk Suite my go to proggy for reformatting,  
> partitioning, erasing HDD, Multiple OS partitions etc.,  
> but it should not be used lightly on a trial basis. It beats  
> Norton Utilities hands down for my needs.

>  
>  
> Every pig has it's kissy face...

>  
> Regards,  
>  
> El Miguel

>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>

>  
> "John" <no@no.com> wrote in message news:44b04df7\$1@linux...  
>  
>>The interface is much nicer, it finds nics easily and finds my server  
>>network share effortlessly to put the image on.  
>>  
>>Aaron Allen wrote:  
>>  
>>>Define?  
>>>  
>>>AA  
>>>  
>>>  
>>>"John" <no@no.com> wrote in message news:44afac71\$1@linux...  
>>>  
>>>  
>>>>Acronis drive image kicks the ghosts butt. :-)  
>>>  
>>>  
>>>  
>>>  
>>>I choose Polesoft Lockspam to fight spam, and you?  
>>><http://www.polesoft.com/refer.html>  
>>>  
>>>  
>  
>  
>

--  
Chris Ludwig  
ADK  
chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>  
www.adkproaudio.com <<http://www.adkproaudio.com/>>  
(859) 635-5762This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0042\_01C6A3A7.F87DFCB0  
Content-Type: text/plain;  
 charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

Kim,  
I had no luck with Matrox 550 sharing with EDS. They must be using different IRQs or the system is useless. I also couldn't get an ati card to work at all in XP with Paris but that was two years ago on an ASUS P4 mobo.  
Tom

"Kim" <hiddensounds@hotmail.com> wrote in message =  
news:44b1a758\$1@linux...

I understand the Matrox cards did have an issue with this. Brian =  
Tankersley  
and DeeJ, among others I think, have confirmed this. I am running an =  
NVidia  
dual head and it seems fine sharing with an EDS, and Kim W's system so =  
far  
seems happy with it also.

It looks as if DeeJ is planning to, as the brave soldier he is, also =  
delve  
into experimenting on this MB with NVidia graphics cards and see what =  
comes  
of it. It's looking like, at least on this MB with NVidia chipset and =  
graphics  
cards, you can fairly much do as you please.

I'm suspicious that it's just the Matrox cards which had the issue. =  
Also  
I had a bad time with an ATI card there for a while. NVidia cards are =  
shaping  
up as the new way to go I think.

Cheers,  
Kim.

"Mike Audet" <mike@mikeF-SPAMaudet.com> wrote:  
>  
>Hi Guys,  
>  
>I just thought I'd throw my 2 cents in on this.  
>  
>I've never had a problem with an EDS card sharing with my AGP device =  
or  
anything  
>else.  
>  
>Maybe I've been lucky. I don't know.  
>  
>Also, this is very theoretical, but my understanding is that PCI =  
cards don't  
>even use IRQs the way ISA cards used them. The BIOS assignment is =  
just for

>legacy use. I suspect that Windows XP ignores them completely and =  
directly  
>uses the 4 interrupts (A, B, C, and D) that PCI cards can "really" =  
use.

>The PCI spec requires interrupt sharing at the hardware level. An =  
IRQ number  
>assigned in the bios is just a pointer to one of these "real" =  
interrupts  
>in case old software goes looking for an ISA device.

>  
>Or, I could be completely wrong, :)

>  
>All the best,

>  
>Mike

>  
>John <no@no.com> wrote:

>>Well, It appears that agp is sharing with 2 and 1 and 5 are NOT =  
sharing

>  
>>IRQs. My mx800 asus mb manual is wrong. I wonder if this one is =  
wrong

>  
>>too. Pretty weird.

>>  
>>You should be able to assign irq's to the pci slots in the bios. The =

>>lower number the higher priority is my understanding. That's why I =  
put

>  
>>eds cards on 3. I also disable parallel port, serial, usb and =  
anything

>  
>>else I'm not using. Sharing eds with anything seems a bad idea. My =  
2

>>eds are both on irq 3. Can you put 4 eds cards on the same irq or =  
is it

>  
>>better for each to have it's own.

>>  
>>Man, is there a motherboard with independent irq's on each slot =  
without

>>this sharing shit !  
>>  
>>Horseshit I tell you.

>>  
>>Kim W. wrote:  
>>> Hi, John.  
>>> I can't see the PCI slot numbers on the mobo, (or in the manual),  
>>> but here is what I have in the slots starting from the one next  
>>> to the AGP slot, and the IRQ assignments in the black boot-up=20  
>>> screen:  
>>>=20  
>>> 1: Nvidia Quadro PCI irq 11  
>>> 2: EDS irq 9  
>>> 3: EDS irq 7  
>>> 4: EDS irq 5  
>>> 5: EDS irq 10  
>>>=20  
>>> Onboard audio uses irq 12, Firewire controller uses irq 10,  
>>> ACPI controller uses irq 9.  
>>>=20  
>>> Is this enough info?  
>>>=20  
>>> Cheers,  
>>> Kim.  
>>>=20  
>>> BTW why would my brand new 250 gb ata drive only have been =  
formatted  
for  
>>> 130gb during XP install? Only just noticed it.  
>>>=20  
>>>=20  
>>> John <no@no.com> wrote:  
>>>=20  
>>>>What slots are each card in. Also, their manual didn't mention =  
what  
agp  
>>>=20  
>>>=20  
>>>>uses for irq and whether it shares or not. Can't you tell on boot =  
up  
>  
>>>>when that black resource screen shows what's on what?  
>>>>  
>>>>It would be good to know if you have 4 or 5 independent IRQs  
>>>>2,3,4,1/5,agp  
>>>>  
>>>>I run my 2 eds cards on the same IRQ 3 on my box.  
>>>>  
>>>>John  
>>>>  
>>>>Kim W. wrote:

>>>>  
>>>>>Just returned from "The Dungeon", and am happy to report that  
>>>>>all appears to be working.  
>>>>>(4 EDS's, 2 Nvidia Qudras).=20  
>>>>>Thus far I have no DX/VST plugins installed.  
>>>>>(In the past this is where my installs have come unstuck.)  
>>>>>After initial disappointment with the dreaded Crash-on-  
>>>>>exit, I remembered about the "minimum install" effects subsystem =  
fix,  
>>>=20  
>>> with  
>>>=20  
>>>>>wires.  
>>>>>Applying this seems to have cured the COE.=20  
>>>>>I'm pretty stoked at the moment, and have ghosted.  
>>>>>All slots are full, and there appears to be some sharing going =  
on,(I  
>attached  
>>>>>a screen grab)  
>>>>>but time will tell if it causes any problems. I just bunged all  
>>>>>four EDS's in, and let the system allocate resources as it=20  
>>>>>seemed fit.  
>>>>>I did, however, disable the SATA, and the parallel port in the =  
bios.  
>>>>>Time for bed, as it's been 12 hours since I deemed it "Beer =  
O'clock".  
>>>>>  
>>>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>>  
>>>>>  
>>>>>>>It doesn't say on mine that the AGP card is sharing with 1/5, =  
unless  
>>>>>>>  
>>>>>>>that's  
>>>>>>>  
>>>>>>>  
>>>>>>>>just assumed...? I know often 1 shares with AGP.  
>>>>>>>  
>>>>>>>>Kim.....if PCI 1 and 5 "do not" share with the AGP, this =  
is  
>>>>>>>>>potentially a HUGE deal and this would be the most flexible =  
(semi current)  
>>>>>>>>>mobo in existence today for 939 CPU's. I cannot find any =  
reference  
to  
>>>=20  
>>> this  
>>>=20

>>>>>in the Gigabyte manual. When/if it is possible, could you insert =  
a  
PCI  
>>>=20  
>>> card  
>>>=20  
>>>>>in slot 1 or 5 (or both), then load the drivers for whatever =  
that device  
>>>>>  
>>>>>is,  
>>>>>  
>>>>>  
>>>>>then go to your system info, look under system resources, =  
navigate  
to  
>>>>>hardware resources>IRQ and let us know if the device(s) in PCI =  
slots  
>1  
>>>=20  
>>> or  
>>>=20  
>>>>>5  
>>>>>  
>>>>>  
>>>>>is/are sharing an IRQ with the AGP? If not, I'm gonna be =  
thinking hard  
>>>=20  
>>> about  
>>>=20  
>>>>>switching mobo's on my Paris rig and trying to get that duallie =  
CPU  
>>>>>happening with my Paris rig. This could conceivably allow 5 x =  
EDS  
cards  
>>>>>  
>>>>>to  
>>>>>  
>>>>>  
>>>>>operate on a dual core Athlon. I would do this here, but I don't =  
have  
>>>=20  
>>> all  
>>>=20  
>>>>>the componentry that I need yet and the ergonomics of moving all =  
of  
>my  
>>>=20  
>>> EDS

>>>=20  
>>>>>cards to a Magma chassis (which is already being used by another =  
DAW)  
>>>=20  
>>> is  
>>>=20  
>>>>>something that would take my entire studio down for a couple of =  
days,  
>>>=20  
>>> and  
>>>=20  
>>>>>I'm pretty busy right now.  
>>>>>  
>>>>>Deej  
>>>>>  
>>>>>  
>>>>>  
>>>>>  
>>>>>"Kim" <hiddensounds@hotmail.com> wrote in message =  
news:44afb30d\$1@linux...  
>>>>>  
>>>>>  
>>>>>>Mine doesn't show that it's sharing with AGP, though 1 does =  
share  
with  
>>>>>  
>>>>>5.  
>>>>>  
>>>>>  
>>>>>>It has a BIOS window you can go to which allows you to set =  
manually  
>which  
>>>>>>interrupt each slot uses, and tells you what will be sharing =  
with  
it  
>>>=20  
>>> if  
>>>=20  
>>>>>you  
>>>>>  
>>>>>  
>>>>>>use that one. I have some things sharing, but everything is =  
working  
>fine  
>>>>>>so I'm not concerned. Firewire shares with an EDS for example, =  
but  
>I  
>>>=20

>>> never  
>>>=20  
>>>>>use Paris and firewire together so that's not really a problem.  
>>>>>  
>>>>>>It doesn't say on mine that the AGP card is sharing with 1/5, =  
unless  
>>>>>  
>>>>>>that's  
>>>>>  
>>>>>  
>>>>>>just assumed...? I know often 1 shares with AGP.  
>>>>>>  
>>>>>>Cheers,  
>>>>>>Kim.  
>>>>>>  
>>>>>>  
>>>>>>>John <no@no.com> wrote:  
>>>>>>>  
>>>>>>>  
>>>>>>>>lack of interrupt control is a deal breaker for me  
>>>>>>>>  
>>>>>>>>Kim wrote:  
>>>>>>>>  
>>>>>>>>  
>>>>>>>>>The biggest pitfall I found with the K8NS was that while the =  
manual  
>>>>>>>>  
>>>>>>>>>states  
>>>>>>>>>  
>>>>>>>>>  
>>>>>>>>>>>you have pretty good interrupt control, they actually removed =  
it  
>from  
>>>>>>>>  
>>>>>>>>>the  
>>>>>>>>>>  
>>>>>>>>>>  
>>>>>>>>>>>>bios. The latest BIOS which gives you proper interrupt =  
control (unless  
>>>>>>>>>>  
>>>>>>>>>>>>they've  
>>>>>>>>>>>>  
>>>>>>>>>>>>  
>>>>>>>>>>>>>>added it back - haven't checked for months) is version F6, =  
which  
>I  
>>>>>>>>>>>>>>

>>>>>use.  
>>>>>  
>>>>>  
>>>>>>It's  
>>>>>>  
>>>>>>  
>>>>>>>quite old but I haven't had any issues. The thing never =  
crashes.  
>It's  
>>>>>>  
>>>>>>>maybe  
>>>>>>>  
>>>>>>>  
>>>>>>>>crashed once or twice since I've had it, which is about 12 =  
months  
>now.  
>>>>>>>>  
>>>>>>>>>My motherboard seems to have a quirk in the BIOS and I'm =  
currently  
>>>>>>  
>>>>>>running  
>>>>>>  
>>>>>>  
>>>>>>>>on the backup BIOS on the board, but she runs fine like that. =  
It  
>>>>>>  
>>>>>>>forgets  
>>>>>>>  
>>>>>>>  
>>>>>>>>>HDD's on startup. Not sure why... (unless it's a quirk of the =  
F6  
>>>>>>>  
>>>>>>>>firmware,  
>>>>>>>>  
>>>>>>>>  
>>>>>>>>>>but that seems unlikely...)  
>>>>>>>>>>  
>>>>>>>>>>>>Apart from that though it's great. I run only a two card =  
system  
though,  
>>>>>>>>  
>>>>>>>>>>and  
>>>>>>>>>>  
>>>>>>>>>>>>  
>>>>>>>>>>>>>>only dual head video (A Nvidia card currently) but have had =  
no issues  
>>>>>>>>  
>>>>>>>>>>>>apart

```

>>>>>>
>>>>>>
>>>>>>>>from the BIOS losing hdd's on startup which appears to be a =
MB fault
>>>>>>
>>>>>>>(should
>>>>>>>
>>>>>>>
>>>>>>>>take it back before my warranty runs out...).
>>>>>>>>
>>>>>>>>It's quick though, and very stable. I'm happy with it. :o)
>>>>>>>>
>>>>>>>>Cheers,
>>>>>>>>Kim.
>>>>>>>>
>>>>>>>>"Kim W." <no@way.com> wrote:
>>>>>>>>
>>>>>>>>
>>>>>>>>
>>>>>>>>>Forgot to mention I am running four 19" monitors,
>>>>>>>>>using AGP/PCI Nvidia Quadro cards.
>>>>>>>>>This has worked well with my old ASUS p4 system.
>>>>>>>>>Cheers.
>>>>>>>>>
>>>>>>>>>"Kim W." <no@way.com> wrote:
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>
>>>>>>>>>>Hi, all.
>>>>>>>>>>My Paris (win98) rig refused to boot the other day.
>>>>>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a =
view
>to
>>>>>>
>>>>>>>upgrade
>>>>>>>
>>>>>>>>
>>>>>>>>>>at some stage.
>>>>>>>>>>It appears the time is nigh!!
>>>>>>>>>>I know many of you have successfully migrated to XP, and =
the K8NS
>>>>>>>>>>is one of the fave mobos.
>>>>>>>>>>(I also have an Epox 9NDA3, in case I get grief with the =
Gigabyte.)
>>>>>>>>>>Are there any shortcuts that you guys could throw my way as =
far
>as
>>>>>>>

```

>>>>>which  
>>>>>  
>>>>>  
>>>>>>>>>drivers, service packs, XP tweaks, I should or shouldn't =  
use,  
in  
>>>=20  
>>> an  
>>>=20  
>>>>>attempt  
>>>>>  
>>>>>  
>>>>>>>>>to preserve what's left of my hair??  
>>>>>>>>>I have four EDS cards, two MECs, (only one adat card), and =  
four  
>>>>>  
>>>>>>C-16's.  
>>>>>  
>>>>>  
>>>>>>>>>Or..... should I stick with 98 or ME???  
>>>>>>>>>I remember Kim having teething problems with this combo.  
>>>>>>>>>Did it pan out for you??  
>>>>>>>>>Thanks,  
>>>>>>>>>Kim #2.  
>>>>>>>>>  
>>>>>>>>>  
>>>>>>>>>  
>>>>>  
=  
>>>>>> -----=  
-----  
>>>>>  
>>>=20  
>>>=20  
>

I choose Polesoft Lockspam to fight spam, and you?  
<http://www.polesoft.com/refer.html>  
-----=\_NextPart\_000\_0042\_01C6A3A7.F87DFCB0  
Content-Type: text/html;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">  
<HTML><HEAD>  
<META http-equiv=3DContent-Type content=3D"text/html; =

```
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Kim,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>I had no luck with Matrox 550 sharing =
with=20
EDS.&nbsp; They must be</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>using different IRQs or the system is=20
useless.&nbsp; I also couldn't</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>get an ati card to work at all in XP =
with Paris but=20
that was two years</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>ago on an ASUS P4 mobo.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Kim" &lt;<A=20
  =
href=3D"mailto:hiddensounds@hotmail.com">hiddensounds@hotmail.com</A>&gt;=
wrote=20
  in message <A=20
  =
href=3D"news:44b1a758$1 @linux">news:44b1a758$1 @linux</A>...</DIV><BR><BR>=
l=20
  understand the Matrox cards did have an issue with this. Brian=20
  Tankersley<BR>and Deej, among others I think, have confimed this. I am =
running=20
  an NVidia<BR>dual head and it seems fine sharing with an EDS, and Kim =
W's=20
  system so far<BR>seems happy with it also.<BR><BR>It looks as if Deej =
is=20
  planning to, as the brave soldier he is, also delve<BR>into =
experimenting on=20
  this MB with NVidia graphics cards and see what comes<BR>of it. It's =
looking=20
  like, at least on this MB with NVidia chipset and graphics<BR>cards, =
you can=20
  fairly much do as you please.<BR><BR>I'm suspicious that it's just the =
Matrox=20
  cards which had the issue. Also<BR>I had a bad time with an ATI card =
there for=20
  a while. NVidia cards are shaping<BR>up as the new way to go l=20
  think.<BR><BR>Cheers,<BR>Kim.<BR><BR><BR>"Mike Audet" &lt;<A=20
```

=  
[mike@mikeF-SPAMaudet.com](mailto:mike@mikeF-SPAMaudet.com)>mike@mikeF-SPAMaudet.com</A>&gt;=  
=20  
wrote:<BR>&gt;<BR>&gt;Hi Guys,<BR>&gt;<BR>&gt;I just thought I'd throw =  
my 2=20  
cents in on this.<BR>&gt;<BR>&gt;I've never had a problem with an EDS =  
card=20  
sharing with my AGP device =  
or<BR>anything<BR>&gt;else.<BR>&gt;<BR>&gt;Maybe=20  
I've been lucky.&nbsp; I don't know.<BR>&gt;<BR>&gt;Also, this is very =  
  
theoretical, but my understanding is that PCI cards don't<BR>&gt;even =  
use IRQs=20  
the way ISA cards used them. The BIOS assignment is just =  
for<BR>&gt;legacy=20  
use.&nbsp; I suspect that Windows XP ignores them completely and=20  
directly<BR>&gt;uses the 4 interrupts (A, B, C, and D) that PCI cards =  
can=20  
"really" use.<BR><BR>&gt;The PCI spec requires interrupt sharing at =  
the=20  
hardware level.&nbsp; An IRQ number<BR>&gt;assigned in the bios is =  
just a=20  
pointer to one of these "real" interrupts<BR>&gt;in case old software =  
goes=20  
looking for an ISA device.<BR>&gt;<BR>&gt;Or, I could be completely =  
wrong,=20  
)<BR>&gt;<BR>&gt;All the =  
best,<BR>&gt;<BR>&gt;Mike<BR>&gt;<BR>&gt;John &lt;<A=20  
[no@no.com](mailto:no@no.com)>no@no.com</A>&gt; wrote:<BR>&gt;&gt;Well, It =  
appears=20  
that agp is sharing with 2 and 1 and 5 are NOT=20  
sharing<BR>&gt;<BR>&gt;&gt;IRQs.&nbsp; My mx800 asus mb manual is =  
wrong.&nbsp;=20  
I wonder if this one is wrong<BR>&gt;<BR>&gt;&gt;too.&nbsp; Pretty=20  
weird.<BR>&gt;&gt;<BR>&gt;&gt;You should be able to assign irqs to the =  
pci=20  
slots in the bios.&nbsp; The <BR>&gt;&gt;lower number the higher =  
priority is=20  
my understanding.&nbsp; That's why I put<BR>&gt;<BR>&gt;&gt;eds cards =  
on=20  
3.&nbsp; I also disable parallel port, serial, usb and=20  
anything<BR>&gt;<BR>&gt;&gt;else I'm not using.&nbsp; Sharing eds with =  
  
anything seems a bad idea.&nbsp; My 2<BR><BR>&gt;&gt;eds are both on =  
irq=20  
3.&nbsp; Can you put 4 eds cards on the same irq or is=20  
it<BR>&gt;<BR>&gt;&gt;better for each to have it's=20  
own.<BR>&gt;&gt;<BR>&gt;&gt;Man, is there a motherboard with =

independent irqs=20  
on each slot without<BR><BR>&gt;&gt;this sharing shit=20  
!<BR>&gt;&gt;<BR>&gt;&gt;Horseshit I tell =  
you.<BR>&gt;&gt;<BR>&gt;&gt;Kim W.=20  
wrote:<BR>&gt;&gt;&gt;Hi, John.<BR>&gt;&gt;&gt; I can't see the PCI =  
slot=20  
numbers on the mobo, (or in the manual),<BR>&gt;&gt;&gt; but here is =  
what I=20  
have in the slots starting from the one next<BR>&gt;&gt;&gt; to the =  
AGP slot,=20  
and the IRQ assignments in the black boot-up <BR>&gt;&gt;&gt;=20  
screen:<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt; 1: Nvidia Quadro PCI irq=20  
11<BR>&gt;&gt;&gt; 2: EDS irq 9<BR>&gt;&gt;&gt; 3: EDS irq =  
7<BR>&gt;&gt;&gt;=20  
4: EDS irq 5<BR>&gt;&gt;&gt; 5: EDS irq 10<BR>&gt;&gt;&gt; =  
<BR>&gt;&gt;&gt;=20  
Onboard audio uses irq 12, Firewire controller uses irq =  
10,<BR>&gt;&gt;&gt;=20  
ACPI controller uses irq 9.<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt; Is this =  
enough=20  
info?<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt; Cheers,<BR>&gt;&gt;&gt;=20  
Kim.<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt; BTW why would my brand new 250 =  
gb ata=20  
drive only have been formatted<BR>for<BR>&gt;&gt;&gt; 130gb during XP =  
install?=20  
Only just noticed it.<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt; =  
<BR>&gt;&gt;&gt; John=20  
&lt;<A href=3D"mailto:no@no.com">no@no.com</A>&gt; =  
wrote:<BR>&gt;&gt;&gt;=20  
<BR>&gt;&gt;&gt;&gt;What slots are each card in.&nbsp;&nbsp;&nbsp;Also, their =  
manual=20  
didn't mention what<BR>agp<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt;=20  
<BR>&gt;&gt;&gt;&gt;uses for irq and whether it shares or not.&nbsp;&nbsp;&nbsp;=  
Can't you=20  
tell on boot up<BR>&gt;<BR>&gt;&gt;&gt;&gt;when that black resource =  
screen=20  
shows what's on what?<BR>&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;It would =  
be good=20  
to know if you have 4 or 5 independent=20  
=  
IRQs<BR>&gt;&gt;&gt;&gt;2,3,4, 1/5, agp<BR>&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;=  
&gt;&gt;|=20  
run my 2 eds cards on the same IRQ 3 on my=20  
=  
box.<BR>&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt;John <BR>&gt;&gt;&gt;&gt;&gt;<BR>&gt;=&  
&gt;&gt;&gt;&gt;&gt;Kim=20  
W. wrote:<BR>&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt;&gt;Just returned =  
from "The=20

Dungeon", and am happy to report that  
appears to be working.  
(4 EDS's, 2 Nvidia Qudras).  
Thus far I have no DX/VST plugins installed.  
(In the past this is where my installs have come unstuck.)  
After initial disappointment with the dreaded Crash-on-exit, I remembered about the "minimum install" effects subsystem fix,  
with wires.  
Applying this seems to have cured the COE. I'm pretty stoked at the moment, and have ghosted.  
All slots are full, and there appears to be some sharing going on, (I attached a screen grab) but time will tell if it causes any problems. I just bunged all four EDS's in, and let the system allocate resources as it seemed fit.  
I did, however, disable the SATA, and the port in the bios.  
Time for bed, as it's been 12 hours since I deemed it "Beer O'clock".  
<A href="mailto:animix\_spam-this-ahole\_@animas.net">animix\_spam-this-ahole\_@animas.net</A>  
wrote:  
<BR> doesn't say on mine that the AGP card is sharing with 1/5, unless<BR> that's<BR> <BR> t;<BR> assumed...?&nbsp; I know often 1 shares with AGP.<BR> <BR> Kim..... .if PCI 1 and 5 "do not" share with the AGP, this is potentially a HUGE deal and this would =

be the=20  
 most flexible (semi current)<BR>&gt;&gt;&gt;&gt;&gt;mobo in =  
 existence=20  
 today for 939 CPU's. I cannot find any reference<BR>to<BR>&gt;&gt;&gt; =  
  
 <BR>&gt;&gt;&gt; this<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;in =  
 the=20  
 Gigabyte manual. When/if it is possible, could you insert=20  
 a<BR>PCI<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt; card<BR>&gt;&gt;&gt;=20  
 <BR>&gt;&gt;&gt;&gt;&gt;&gt;in slot 1 or 5 (or both), then load the =  
 drivers=20  
 for whatever that=20  
 =  
 device<BR>&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt;is, <BR>&gt;&gt;&gt;=  
 &gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;then=20  
 go to your system info, look under system resources,=20  
 navigate<BR>to<BR>&gt;&gt;&gt;&gt;&gt;hardware resources&gt;IRQ =  
 and let us=20  
 know if the device(s) in PCI slots<BR>&gt;1<BR>&gt;&gt;&gt; =  
 <BR>&gt;&gt;&gt;=20  
 or<BR>&gt;&gt;&gt;=20  
 =  
 <BR>&gt;&gt;&gt;&gt;&gt;5<BR>&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;=  
 <BR>&gt;&gt;&gt;&gt;&gt;&gt;is/are=20  
 sharing an IRQ with the AGP? If not, I'm gonna be thinking=20  
 hard<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt; about<BR>&gt;&gt;&gt;=20  
 <BR>&gt;&gt;&gt;&gt;&gt;&gt;switching mobo's on my Paris rig and =  
 trying to get=20  
 that duallie CPU<BR>&gt;&gt;&gt;&gt;&gt;&gt;happening with my Paris =  
 rig. This=20  
 could conceivably allow 5 x=20  
 =  
 EDS<BR>cards<BR>&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;to<BR>&gt;&gt;&gt;=  
 ;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;operate =  
  
 on a dual core Athlon. I would do this here, but I don't =  
 have<BR>&gt;&gt;&gt;=20  
 <BR>&gt;&gt;&gt;&gt;&gt; all<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;the=20  
 componentry that I need yet and the ergonomics of moving all=20  
 of<BR>&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt; EDS<BR>&gt;&gt;&gt;=20  
 <BR>&gt;&gt;&gt;&gt;&gt;&gt;cards to a Magma chassis (which is already =  
 being=20  
 used by another DAW)<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt; =  
 is<BR>&gt;&gt;&gt;=20  
 <BR>&gt;&gt;&gt;&gt;&gt;&gt;something that would take my entire studio =  
 down=20  
 for a couple of days,<BR>&gt;&gt;&gt; <BR>&gt;&gt;&gt; =  
 and<BR>&gt;&gt;&gt;=20





motherboard seems to have a quirk in the BIOS and I'm  
=  
currently<BR>&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;running <=  
BR>&gt;&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&g  
t;&gt;&gt;&gt;&gt;&gt;&gt;on=20  
the backup BIOS on the board, but she runs fine like that.=20  
=  
It<BR>&gt;&gt;&gt;&gt;&gt;&gt;<BR >&gt;&gt;&gt;&gt;&gt;&gt;forgets<BR >&gt;=  
&gt;&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&g  
t;&gt;&gt;&gt;&gt;&gt;&gt;HDD's=20  
on startup. Not sure why... (unless it's a quirk of the=20  
=  
F6<BR>&gt;&gt;&gt;&gt;&gt;&gt;<BR >&gt;&gt;&gt;&gt;&gt;&gt;firmware,<BR >&g=  
t;&gt;&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&g  
;&gt;&gt;&gt;&gt;&gt;&gt;but=20  
that seems=20  
=  
unlikely...)<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&g  
t;&gt;&gt;&gt;&gt;&gt;&gt;&gt;Apart=20  
from that though it's great. I run only a two card=20  
=  
system<BR>though,<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;=  
&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&g  
t;<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt;only=20  
dual head video (A Nvidia card currently) but have had no=20  
=  
issues<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt; <BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;apa  
rt<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&g  
;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt;from=20  
the BIOS losing hdd's on startup which appears to be a MB=20  
=  
fault<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;<BR >&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;(should<BR >&g=  
t;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& <BR>&gt;&gt;&gt;&gt;&g  
t;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&take=20  
it back before my warranty runs=20  
=  
out...)<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&g  
t;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&It's=20  
quick though, and very stable. I'm happy with it.=20  
=  
:o)<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&g  
t;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt;&gt;&gt;&gt;& <BR>&gt;&gt;&gt;&g  
&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&<BR > &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt; "Kim =  
W." &lt;&A href=3D"mailto:no@way.com">no@way.com</A>&gt;=20  
=  
wrote:<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&g  
;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& &gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&g

&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;Forgot=20  
to mention I am running four 19"=20  
monitors,<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;using AGP/PCI =  
Nvidia=20  
Quadro cards.<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;This has =  
worked well=20  
with my old ASUS p4=20  
=  
system.<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;Cheers. <BR>&gt;&gt;&gt;=  
&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;<BR > &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;=  
"Kim=20  
W." &lt;<A href=3D"mailto:no@way.com">no@way.com</A>&gt;=20  
=  
wrote:<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;=  
&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt; <BR>&gt;&gt;=  
&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;Hi,=20  
all.<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;My Paris (win98) =  
rig=20  
refused to boot the other=20  
day.<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;I bought a =  
Gigabyte K8NS=20  
ultra 939 some months ago, with a=20  
=  
view<BR>&gt;&gt;to<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;upg=  
rade<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;<BR >&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;&=&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;& amp;gt;at=20  
some stage.<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;&gt;It appears =  
the time=20  
is nigh!!<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;&gt;I know many =  
of you=20  
have successfully migrated to XP, and the=20  
K8NS<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;&gt;is one of the fave =  
  
mobos.<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;&gt;(I also have an =  
EpoX=20  
9NDA3, in case I get grief with the=20  
Gigabyte.)<BR> &gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;&gt;&gt;&gt;&gt;Are there =  
any=20  
shortcuts that you guys could throw my way as=20  
=  
far<BR>&gt;&gt;as<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;whic=  
h<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt; <BR>&gt;&gt;&gt;&gt;=  
&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&amp; ;gt;drivers,=20  
service packs, XP tweaks, I should or shouldn't =  
use,<BR>in<BR>&gt;&gt;&gt;&gt;=20  
<BR>&gt;&gt;&gt;&gt; an<BR>&gt;&gt;&gt;&gt;=20  
=  
<BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;attempt <BR>&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;&gt;<BR>&gt;&gt;=



>>  
>>  
>>  
>>

>> I choose Polesoft Lockspam to fight spam, and you?

>> <http://www.polesoft.com/refer.html>Make sure to flip both the analog in and out. Obviously digital I/O flip

will be incorrect. Also, I'd more recommend adaptors that change polarity (I used to have to do this as Peavey and Crest I think it was were both on the + pin 3 thing and I got to use both in varying live rigs back when I was doing that gig) rather than splicing up your cables. Mark them as such, I used something like POL RVRS iirc.... whatever works for you. I still have a few XLR types around I use to mic the bottom of drums.

AA

"DJ" <[animix\\_spam-this-ahole\\_@animas.net](mailto:animix_spam-this-ahole_@animas.net)> wrote in message news:44b01cba@linux...

> I need to build balanced I/O cables for the analog outputs of my Roland  
> R880. The pinout calls for pin 1-ground, pin 2-cold, pin 3-hot. That's not  
> the normal state of affairs around here. Everything I'm using is pin 2-hot  
> and is routed to 1/4" TRS patchbays.

> These cables need to be XLR to TRS in order to interface with said  
> balanced

> patchbay. From there they would be patched to other gear (with trs-trs  
> patch

> cables) that is pin 2-hot. I'm guessing I'm going to have to make up a  
> couple of special trs-trs patch cables to get this all strack. It's making  
> my head hurt. Could someone give me a clue as to what I need to do to  
> patch

> a pin 3-hot device through a balanced PB in order to interface properly  
> with

> the rest of my (pin 2 hot) studio?

>

> Thanks,

>

> DeeJ (the obscure)

>

>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>I remember with my ATI card that XP (pre SP-1) wouldn't even load. There

was a trick I used to get around it which I don't now recall, but if you just loaded the OS it wouldn't work even without EDS cards in the system.

Cheers,  
Kim.

"Tom Bruhl" <arpeggio@comcast.net> wrote:

>

>

>Kim,

>I had no luck with Matrox 550 sharing with EDS. They must be

>using different IRQs or the system is useless. I also couldn't

>get an ati card to work at all in XP with Paris but that was two years

>ago on an ASUS P4 mobo.

>Tom

>

>

> "Kim" <hiddensounds@hotmail.com> wrote in message =

>news:44b1a758\$1@linux...

>

>

> I understand the Matrox cards did have an issue with this. Brian =

>Tankersley

> and DeeJ, among others I think, have confirmed this. I am running an =

>NVidia

> dual head and it seems fine sharing with an EDS, and Kim W's system so

=

>far

> seems happy with it also.

>

> It looks as if DeeJ is planning to, as the brave soldier he is, also =

>delve

> into experimenting on this MB with NVidia graphics cards and see what

=

>comes

> of it. It's looking like, at least on this MB with NVidia chipset and

=

>graphics

> cards, you can fairly much do as you please.

>

> I'm suspicious that it's just the Matrox cards which had the issue. =

>Also

> I had a bad time with an ATI card there for a while. NVidia cards are

=

>shaping

> up as the new way to go I think.

>

> Cheers,

> Kim.

>

>

> "Mike Audet" <mike@mikeF-SPAMaudet.com> wrote:  
> >  
> >Hi Guys,  
> >  
> >I just thought I'd throw my 2 cents in on this.  
> >  
> >I've never had a problem with an EDS card sharing with my AGP device  
> =  
> >or  
> > anything  
> > else.  
> >  
> > Maybe I've been lucky. I don't know.  
> >  
> > Also, this is very theoretical, but my understanding is that PCI =  
> > cards don't  
> > even use IRQs the way ISA cards used them. The BIOS assignment is =  
> > just for  
> > legacy use. I suspect that Windows XP ignores them completely and =  
> > directly  
> > uses the 4 interrupts (A, B, C, and D) that PCI cards can "really" =  
> > use.  
> >  
> > The PCI spec requires interrupt sharing at the hardware level. An =  
> > IRQ number  
> > assigned in the bios is just a pointer to one of these "real" =  
> > interrupts  
> > in case old software goes looking for an ISA device.  
> >  
> > Or, I could be completely wrong, :)  
> >  
> > All the best,  
> >  
> > Mike  
> >  
> > John <no@no.com> wrote:  
> > > Well, It appears that agp is sharing with 2 and 1 and 5 are NOT =  
> > > sharing  
> > >  
> > > IRQs. My mx800 asus mb manual is wrong. I wonder if this one is =  
> > > wrong  
> > >  
> > > too. Pretty weird.  
> > >  
> > > You should be able to assign irqs to the pci slots in the bios. The  
> > > =  
> > >  
> > > lower number the higher priority is my understanding. That's why I

=  
>put  
> >  
> >>eds cards on 3. I also disable parallel port, serial, usb and =  
>anything  
> >  
> >>else I'm not using. Sharing eds with anything seems a bad idea. My  
=  
>2  
>  
> >>eds are both on irq 3. Can you put 4 eds cards on the same irq or =  
>is it  
> >  
> >>better for each to have it's own.  
> >>  
> >>Man, is there a motherboard with independent irqs on each slot =  
>without  
>  
> >>this sharing shit !  
> >>  
> >>Horseshit I tell you.  
> >>  
> >>Kim W. wrote:  
> >>> Hi, John.  
> >>> I can't see the PCI slot numbers on the mobo, (or in the manual),  
> >>> but here is what I have in the slots starting from the one next  
> >>> to the AGP slot, and the IRQ assignments in the black boot-up=20  
> >>> screen:  
> >>>=20  
> >>> 1: Nvidia Quadro PCI irq 11  
> >>> 2: EDS irq 9  
> >>> 3: EDS irq 7  
> >>> 4: EDS irq 5  
> >>> 5: EDS irq 10  
> >>>=20  
> >>> Onboard audio uses irq 12, Firewire controller uses irq 10,  
> >>> ACPI controller uses irq 9.  
> >>>=20  
> >>> Is this enough info?  
> >>>=20  
> >>> Cheers,  
> >>> Kim.  
> >>>=20  
> >>> BTW why would my brand new 250 gb ata drive only have been =  
>formatted  
> for  
> >>> 130gb during XP install? Only just noticed it.  
> >>>=20

> >>>=20  
 > >>> John <no@no.com> wrote:  
 > >>>=20  
 > >>>>What slots are each card in. Also, their manual didn't mention =  
 >what  
 > agp  
 > >>>=20  
 > >>>=20  
 > >>>>uses for irq and whether it shares or not. Can't you tell on boot  
 =  
 >up  
 > >  
 > >>>>when that black resource screen shows what's on what?  
 > >>>>  
 > >>>>It would be good to know if you have 4 or 5 independent IRQs  
 > >>>>2,3,4,1/5,agp  
 > >>>>  
 > >>>>I run my 2 eds cards on the same IRQ 3 on my box.  
 > >>>>  
 > >>>>John  
 > >>>>  
 > >>>>Kim W. wrote:  
 > >>>>  
 > >>>>>Just returned from "The Dungeon", and am happy to report that  
 > >>>>>all appears to be working.  
 > >>>>>(4 EDS's, 2 Nvidia Qudras).=20  
 > >>>>>Thus far I have no DX/VST plugins installed.  
 > >>>>>(In the past this is where my installs have come unstuck.)  
 > >>>>>After initial disappointment with the dreaded Crash-on-  
 > >>>>>exit, I remembered about the "minimum install" effects subsystem  
 =  
 >fix,  
 > >>>>=20  
 > >>> with  
 > >>>=20  
 > >>>>>wires.  
 > >>>>>Applying this seems to have cured the COE.=20  
 > >>>>>I'm pretty stoked at the moment, and have ghosted.  
 > >>>>>All slots are full, and there appears to be some sharing going =  
 >on,(I  
 > >attached  
 > >>>>>a screen grab)  
 > >>>>>but time will tell if it causes any problems. I just bunged all  
 > >>>>>four EDS's in, and let the system allocate resources as it=20  
 > >>>>>seemed fit.  
 > >>>>>I did, however, disable the SATA, and the parallel port in the =  
 >bios.  
 > >>>>>Time for bed, as it's been 12 hours since I deemed it "Beer =

>O'clock".  
> >>>>  
> >>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >>>>  
> >>>>  
> >>>>>>It doesn't say on mine that the AGP card is sharing with 1/5, =  
>unless  
> >>>>>>  
> >>>>>>that's  
> >>>>>>  
> >>>>>>  
> >>>>>>just assumed...? I know often 1 shares with AGP.  
> >>>>>>  
> >>>>>>Kim.....if PCI 1 and 5 "do not" share with the AGP, this =  
>is  
> >>>>>>potentially a HUGE deal and this would be the most flexible =  
>(semi current)  
> >>>>>>mobo in existence today for 939 CPU's. I cannot find any =  
>reference  
> to  
> >>>=20  
> >>> this  
> >>>=20  
> >>>>>>in the Gigabyte manual. When/if it is possible, could you insert  
=  
>a  
> PCI  
> >>>=20  
> >>> card  
> >>>=20  
> >>>>>>in slot 1 or 5 (or both), then load the drivers for whatever =  
>that device  
> >>>>>>  
> >>>>>>is,  
> >>>>>>  
> >>>>>>  
> >>>>>>  
> >>>>>>then go to your system info, look under system resources, =  
>navigate  
> to  
> >>>>>>hardware resources>IRQ and let us know if the device(s) in PCI =  
>slots  
> >1  
> >>>=20  
> >>> or  
> >>>=20  
> >>>>>>5  
> >>>>>>  
> >>>>>>

> >>>>>is/are sharing an IRQ with the AGP? If not, I'm gonna be =  
>thinking hard  
> >>>=20  
> >>> about  
> >>>=20  
> >>>>>switching mobo's on my Paris rig and trying to get that duallie  
=  
>CPU  
> >>>>>happening with my Paris rig. This could conceivably allow 5 x =  
>EDS  
> cards  
> >>>>>  
> >>>>>to  
> >>>>>  
> >>>>>  
> >>>>>>operate on a dual core Athlon. I would do this here, but I don't  
=  
>have  
> >>>=20  
> >>> all  
> >>>=20  
> >>>>>>the componentry that I need yet and the ergonomics of moving all  
=  
>of  
> >my  
> >>>=20  
> >>> EDS  
> >>>=20  
> >>>>>>cards to a Magma chassis (which is already being used by another  
=  
>DAW)  
> >>>=20  
> >>> is  
> >>>=20  
> >>>>>>something that would take my entire studio down for a couple of  
=  
>days,  
> >>>=20  
> >>> and  
> >>>=20  
> >>>>>>I'm pretty busy right now.  
> >>>>>>  
> >>>>>>Deej  
> >>>>>>  
> >>>>>>  
> >>>>>>  
> >>>>>>  
> >>>>>>  
> >>>>>>"Kim" <hiddensounds@hotmail.com> wrote in message =

>news:44afb30d\$1@linux...  
> >>>>>  
> >>>>>  
> >>>>>>Mine doesn't show that it's sharing with AGP, though 1 does =  
>share  
> with  
> >>>>>  
> >>>>>5.  
> >>>>>  
> >>>>>  
> >>>>>>It has a BIOS window you can go to which allows you to set =  
>manually  
> >which  
> >>>>>>interrupt each slot uses, and tells you what will be sharing =  
>with  
> it  
> >>>=20  
> >>> if  
> >>>=20  
> >>>>>you  
> >>>>>>  
> >>>>>>  
> >>>>>>use that one. I have some things sharing, but everything is =  
>working  
> >fine  
> >>>>>>so I'm not concerned. Firewire shares with an EDS for example,  
=  
>but  
> >I  
> >>>=20  
> >>> never  
> >>>=20  
> >>>>>>use Paris and firewire together so that's not really a problem.  
> >>>>>>  
> >>>>>>It doesn't say on mine that the AGP card is sharing with 1/5, =  
>unless  
> >>>>>>  
> >>>>>>that's  
> >>>>>>  
> >>>>>>  
> >>>>>>just assumed...? I know often 1 shares with AGP.  
> >>>>>>  
> >>>>>>Cheers,  
> >>>>>>Kim.  
> >>>>>>  
> >>>>>>  
> >>>>>>  
> >>>>>>John <no@no.com> wrote:

> >>>>>>  
> >>>>>>  
> >>>>>>>lack of interrupt control is a deal breaker for me  
> >>>>>>>  
> >>>>>>>Kim wrote:  
> >>>>>>>  
> >>>>>>>  
> >>>>>>>>The biggest pitfall I found with the K8NS was that while the  
=  
>manual  
> >>>>>>>  
> >>>>>>>states  
> >>>>>>>  
> >>>>>>>  
> >>>>>>>>>you have pretty good interrupt control, they actually removed  
=  
>it  
> >from  
> >>>>>>>  
> >>>>>>>the  
> >>>>>>>  
> >>>>>>>  
> >>>>>>>>>bios. The latest BIOS which gives you proper interrupt =  
>control (unless  
> >>>>>>>  
> >>>>>>>they've  
> >>>>>>>  
> >>>>>>>  
> >>>>>>>>>added it back - haven't checked for months) is version F6, =  
>which  
> >I  
> >>>>>  
> >>>>>>>use.  
> >>>>>  
> >>>>>  
> >>>>>>>>It's  
> >>>>>>>>  
> >>>>>>>>  
> >>>>>>>>>>quite old but I haven't had any issues. The thing never =  
>crashes.  
> >It's  
> >>>>>>>>  
> >>>>>>>>>>maybe  
> >>>>>>>>  
> >>>>>>>>  
> >>>>>>>>>>>crashed once or twice since I've had it, which is about 12 =  
>months  
> >now.

> >>>>>>>>  
> >>>>>>>>My motherboard seems to have a quirk in the BIOS and I'm =  
>currently  
> >>>>>>  
> >>>>>>running  
> >>>>>>  
> >>>>>>  
> >>>>>>>>on the backup BIOS on the board, but she runs fine like that.  
=  
>It  
> >>>>>>  
> >>>>>>>forgets  
> >>>>>>  
> >>>>>>  
> >>>>>>>>HDD's on startup. Not sure why... (unless it's a quirk of the  
=  
>F6  
> >>>>>>  
> >>>>>>>firmware,  
> >>>>>>  
> >>>>>>  
> >>>>>>>>but that seems unlikely...)  
> >>>>>>>>  
> >>>>>>>>Apart from that though it's great. I run only a two card =  
>system  
> though,  
> >>>>>>>>  
> >>>>>>>>and  
> >>>>>>>>  
> >>>>>>>>  
> >>>>>>>>>only dual head video (A Nvidia card currently) but have had =  
>no issues  
> >>>>>>>>  
> >>>>>>>>apart  
> >>>>>>>>  
> >>>>>>>>  
> >>>>>>>>>from the BIOS losing hdd's on startup which appears to be a =  
>MB fault  
> >>>>>>>>  
> >>>>>>>>(should  
> >>>>>>>>  
> >>>>>>>>  
> >>>>>>>>>take it back before my warranty runs out...).  
> >>>>>>>>>  
> >>>>>>>>>It's quick though, and very stable. I'm happy with it. :o)  
> >>>>>>>>>  
> >>>>>>>>>Cheers,  
> >>>>>>>>>Kim.

> >>>>>>>>  
> >>>>>>>>"Kim W." <no@way.com> wrote:  
> >>>>>>>>  
> >>>>>>>>  
> >>>>>>>>  
> >>>>>>>>>Forgot to mention I am running four 19" monitors,  
> >>>>>>>>>using AGP/PCI Nvidia Quadro cards.  
> >>>>>>>>>This has worked well with my old ASUS p4 system.  
> >>>>>>>>>Cheers.  
> >>>>>>>>>  
> >>>>>>>>>"Kim W." <no@way.com> wrote:  
> >>>>>>>>>  
> >>>>>>>>>  
> >>>>>>>>>  
> >>>>>>>>>>Hi, all.  
> >>>>>>>>>>My Paris (win98) rig refused to boot the other day.  
> >>>>>>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a  
=  
>view  
> >to  
> >>>>>>  
> >>>>>>>upgrade  
> >>>>>>>  
> >>>>>>>  
> >>>>>>>>>>at some stage.  
> >>>>>>>>>>>It appears the time is nigh!!  
> >>>>>>>>>>>>I know many of you have successfully migrated to XP, and =  
>the K8NS  
> >>>>>>>>>>>>is one of the fave mobos.  
> >>>>>>>>>>>>>(I also have an Epox 9NDA3, in case I get grief with the =  
>Gigabyte.)  
> >>>>>>>>>>>>>Are there any shortcuts that you guys could throw my way as  
=  
>far  
> >as  
> >>>>>>>  
> >>>>>>>>>which  
> >>>>>>>>>>>  
> >>>>>>>>>>>>>drivers, service packs, XP tweaks, I should or shouldn't =  
>use,  
> in  
> >>>=20  
> >>> an  
> >>>=20  
> >>>>>>>>>>>>>attempt  
> >>>>>>>>>>>>>  
> >>>>>>>>>>>>>

```

> >>>>>>>>>to preserve what's left of my hair??
> >>>>>>>>>I have four EDS cards, two MECs, (only one adat card), and
=
>four
> >>>>>
> >>>>>>C-16's.
> >>>>>
> >>>>>
> >>>>>>>>>Or..... should I stick with 98 or ME???
> >>>>>>>>>I remember Kim having teething problems with this combo.
> >>>>>>>>>Did it pan out for you??
> >>>>>>>>>Thanks,
> >>>>>>>>>Kim #2.
> >>>>>>>>>
> >>>>>>>>>
> >>>>>>>>>
> >>>>>
> =
>>>>>>> -----=
>-----
> >>>>>
> >>>=20
> >>>=20
> >
>
>
>
>I choose Polesoft Lockspam to fight spam, and you?
>http://www.polesoft.com/refer.html
>
><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
><HTML><HEAD>
><META http-equiv=3DContent-Type content=3D"text/html; =
>charset=3Diso-8859-1">
><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
><STYLE></STYLE>
></HEAD>
><BODY bgColor=3D#ffffff>
><DIV><FONT face=3DArial size=3D2>Kim,</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>I had no luck with Matrox 550 sharing =
>with=20
>EDS. They must be</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>using different IRQs or the system is=20
>useless. I also couldn't</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>get an ati card to work at all in XP =
>with Paris but=20
>that was two years</FONT></DIV>
><DIV><FONT face=3DArial size=3D2>ago on an ASUS P4 mobo.</FONT></DIV>

```

><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
><DIV><FONT face=3DArial size=3D2></FONT> </DIV>  
><DIV> </DIV>  
><BLOCKQUOTE=20  
>style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
>BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
> <DIV>"Kim" <<A=20  
> =  
>href=3D"mailto:hiddeNSounds@hotmail.com">hiddeNSounds@hotmail.com</A>>=  
> wrote=20  
> in message <A=20  
> =  
>href=3D"news:44b1a758\$1@linux">news:44b1a758\$1@linux</A>...</DIV><BR><BR>=  
>I=20  
> understand the Matrox cards did have an issue with this. Brian=20  
> Tankersley<BR>and DeeJ, among others I think, have confimed this. I am  
=  
>running=20  
> an NVidia<BR>dual head and it seems fine sharing with an EDS, and Kim  
=  
>W's=20  
> system so far<BR>seems happy with it also.<BR><BR>It looks as if DeeJ  
=  
>is=20  
> planning to, as the brave soldier he is, also delve<BR>into =  
>experimenting on=20  
> this MB with NVidia graphics cards and see what comes<BR>of it. It's =  
>looking=20  
> like, at least on this MB with NVidia chipset and graphics<BR>cards, =  
>you can=20  
> fairly much do as you please.<BR><BR>I'm suspicious that it's just the  
=  
>Matrox=20  
> cards which had the issue. Also<BR>I had a bad time with an ATI card =  
>there for=20  
> a while. NVidia cards are shaping<BR>up as the new way to go I=20  
> think.<BR><BR>Cheers,<BR>Kim.<BR><BR><BR>"Mike Audet" <<A=20  
> =  
>href=3D"mailto:mike@mikeF-SPAMaudet.com">mike@mikeF-SPAMaudet.com</A>>=  
>=20  
> wrote:<BR>><BR>>Hi Guys,<BR>><BR>>I just thought I'd throw =  
>my 2=20  
> cents in on this.<BR>><BR>>I've never had a problem with an EDS =  
>card=20  
> sharing with my AGP device =  
>or<BR>anything<BR>>else.<BR>><BR>>Maybe=20  
> I've been lucky. I don't know.<BR>><BR>>Also, this is very =  
>

> theoretical, but my understanding is that PCI cards don't even use IRQs=20  
 > the way ISA cards used them. The BIOS assignment is just for legacy=20  
 > use. I suspect that Windows XP ignores them completely and directly uses the 4 interrupts (A, B, C, and D) that PCI cards can "really" use.<br><br>The PCI spec requires interrupt sharing at the hardware level. An IRQ number assigned in the bios is just a pointer to one of these "real" interrupts in case old software is looking for an ISA device.<br><br>Or, I could be completely wrong, :)<br><br>All the best,<br><br>Mike<br><br>John <<A href="mailto:no@no.com">no@no.com</A>> wrote:<br>>Well, It appears that agp is sharing with 2 and 1 and 5 are NOT sharing<br><br>IRQs. My mx800 asus mb manual is wrong. I wonder if this one is wrong<br><br>too. Pretty weird.<br><br>You should be able to assign irqs to the slots in the bios. The lower number the higher priority is my understanding. That's why I put eds cards on 3. I also disable parallel port, serial, usb and anything<br><br>else I'm not using. Sharing eds with anything seems a bad idea. My 2 eds are both on 3. Can you put 4 eds cards on the same irq or is it better for each to have its own.<br><br>Man, is there a motherboard with independent irqs on each slot without this sharing shit!<br><br>Horseshit I tell you.<br><br>Kim W. wrote:<br>>> Hi, John.<br>>> I can't see the PCI slot numbers on the mobo, (or in the manual),<br>>> but here is what I have in the slots starting from the one next to the AGP slot, and the IRQ assignments in the black boot-up <br>>>=20

> screen:<BR>>>> <BR>>>> 1: Nvidia Quadro PCI irq=20  
> 11<BR>>>> 2: EDS irq 9<BR>>>> 3: EDS irq =  
>7<BR>>>>=20  
> 4: EDS irq 5<BR>>>> 5: EDS irq 10<BR>>>> =  
><BR>>>>=20  
> Onboard audio uses irq 12, Firewire controller uses irq =  
>10,<BR>>>>=20  
> ACPI controller uses irq 9.<BR>>>> <BR>>>> Is this =  
>enough=20  
> info?<BR>>>> <BR>>>> Cheers,<BR>>>>=20  
> Kim.<BR>>>> <BR>>>> BTW why would my brand new 250 =  
>gb ata=20  
> drive only have been formatted<BR>for<BR>>>> 130gb during XP =  
>install?=20  
> Only just noticed it.<BR>>>> <BR>>>> =  
><BR>>>> John=20  
> <<A href=3D"mailto:no@no.com">no@no.com</A>> =  
>wrote:<BR>>>>=20  
> <BR>>>>>What slots are each card in. Also, their =  
>manual=20  
> didn't mention what<BR>agp<BR>>>> <BR>>>>=20  
> <BR>>>>>uses for irq and whether it shares or not. =  
>Can't you=20  
> tell on boot up<BR>><BR>>>>>when that black resource =  
>screen=20  
> shows what's on what?<BR>>>>><BR>>>>>It would =  
>be good=20  
> to know if you have 4 or 5 independent=20  
> =  
>IRQs<BR>>>>>2,3,4,1/5,agp<BR>>>>><BR>>>>=  
>>I=20  
> run my 2 eds cards on the same IRQ 3 on my=20  
> =  
>box.<BR>>>>><BR>>>>>John<BR>>>>><BR>&=  
>gt;>>>Kim=20  
> W. wrote:<BR>>>>><BR>>>>>>Just returned =  
>from "The=20  
> Dungeon", and am happy to report that<BR>>>>>>>all =  
>appears to be=20  
> working.<BR>>>>>>>(4 EDS's, 2 Nvidia Qudras).=20  
> <BR>>>>>>>Thus far I have no DX/VST plugins=20  
> installed.<BR>>>>>>>(In the past this is where my =  
>installs have=20  
> come unstuck.)<BR>>>>>>>After initial disappointment =  
>with the=20  
> dreaded Crash-on-<BR>>>>>>>exit, I remembered about the =  
>"minimum=20  
> install" effects subsystem fix,<BR>>>> <BR>>>>=20

> with<BR>>>>=20  
> <BR>>>>>wires.<BR>>>>>Applying this =  
>seems to=20  
> have cured the COE. <BR>>>>>>I'm pretty stoked at the =  
>moment,=20  
> and have ghosted.<BR>>>>>>All slots are full, and there =  
>appears=20  
> to be some sharing going =  
>on,(I<BR>>attached<BR>>>>>>a screen=20  
> grab)<BR>>>>>>but time will tell if it causes any =  
>problems. I=20  
> just bunged all<BR>>>>>>four EDS's in, and let the =  
>system=20  
> allocate resources as it <BR>>>>>>seemed=20  
> fit.<BR>>>>>>I did, however, disable the SATA, and the =  
>parallel=20  
> port in the bios.<BR>>>>>>Time for bed, as it's been 12 =  
>hours=20  
> since I deemed it "Beer=20  
> O'clock".<BR>>>>>><BR>>>>>>"DJ" <<A=20  
> =  
>href=3D"mailto:animix\_spam-this-ahole\_@animas.net">animix\_spam-this-ahole=  
>\_@animas.net</A>=20  
> =  
>wrote:<BR>>>>>><BR>>>>>><BR>>>>>>=  
>;>>>It=20  
> doesn't say on mine that the AGP card is sharing with 1/5,=20  
> =  
>unless<BR>>>>>>><BR>>>>>>>that's<BR>&=  
>gt;>>>>><BR>>>>>>><BR>>>>>>>&g=  
>t;>>just=20  
> assumed...? I know often 1

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Kim](#) on Wed, 31 May 2006 22:33:06 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

shares with=20  
> =  
>AGP.<BR>>>>>>><BR>>>>>>>Kim.....=20  
>.if=20  
> PCI 1 and 5 "do not" share with the AGP, this=20  
> is<BR>>>>>>>potentially a HUGE deal and this would =  
>be the=20  
> most flexible (semi current)<BR>>>>>>>mobo in =  
>existence=20  
> today for 939 CPU's. I cannot find any reference<BR>to<BR>>>> =

>  
> <BR>>>> this<BR>>>> <BR>>>>>>in =  
>the=20  
> Gigabyte manual. When/if it is possible, could you insert=20  
> a<BR>PCI<BR>>>> <BR>>>> card<BR>>>>=20  
> <BR>>>>>>in slot 1 or 5 (or both), then load the =  
>drivers=20  
> for whatever that=20  
> =  
>device<BR>&gt;

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Kim](#) on Wed, 31 May 2006 22:34:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

t;<BR>>>>>>=  
><BR>>>>>>>is/are=20  
> sharing an IRQ with the AGP? If not, I'm gonna be thinking=20  
> hard<BR>>>>> <BR>>>>> about<BR>>>>>=20  
> <BR>>>>>>>switching mobo's on my Paris rig and =  
>trying to get=20  
> that duallie CPU<BR>>>>>>>happening with my Paris =  
>rig. Theis=20  
> could conceivably allow 5 x=20  
> =  
>EDS<BR>cards<BR>>>>>>><BR>>>>>>>to<BR>>>>=  
>;>>><BR>>>>>>><BR>>>>>>>>operate =  
>  
> on a dual core Athlon. I would do this here, but I don't =  
>have<BR>>>>>=20  
> <BR>>>>> all<BR>>>>> <BR>>>>>>>the=20  
> componentry that I need yet and the ergonomics of moving all=20  
> of<BR>>my<BR>>>> <BR>>>>> EDS<BR>>>>>=20  
> <BR>>>>>>>cards to a Magma chassis (which is already =  
>being=20  
> used by another DAW)<BR>>>>> <BR>>>>> =  
>is<BR>>>>>=20  
> <BR>>>>>>>something that would take my entire studio =  
>down=20  
> for a couple of days,<BR>>>>> <BR>>>>> =  
>and<BR>>>>>=20  
> <BR>>>>>>>>I'm pretty busy right=20  
> =  
>now.<BR>>>>>>>><BR>>>>>>>>Deej<BR>>>>&=  
>gt;>>><BR>>>>>>>><BR>>>>>>>>&g=  
>t;<BR>>>>>>>><BR>>>>>>>>"Kim"=20  
> <<A =

>[href=3D"mailto:hiddehsounds@hotmail.com"](mailto:hiddehsounds@hotmail.com)>hiddehsounds@hotmail.com</A>=>=20  
> wrote in message <A=20  
> =  
>[href=3D"news:44afb30d\\$1@linux"](news:44afb30d$1@linux)>news:44afb30d\$1@linux</A>...<BR>>>&g=>t;>>><BR>>>>>>><BR>>>>>>>=>;Mine=20  
> doesn't show that it's sharing with AGP, though 1 does=20  
> =  
>share<BR>with<BR>>>>>><BR>>>>>>>5.<BR>>&g=>t;>>><BR>>>>>><BR>>>>>>>>It =  
>  
> has a BIOS window you can go to which allows you to set=20  
> manually<BR>>which<BR>>>>>>>>interrupt each =>slot uses,=20  
> and tells you what will be sharing with<BR>it<BR>>>> =><BR>>>>=20  
> if<BR>>>>=20  
> =  
><BR>>>>>>>you<BR>>>>>>><BR>>>>>&g=>t;>>><BR>>>>>>>>use=20  
> that one. I have some things sharing, but everything is=20  
> working<BR>>fine<BR>>>>>>>>>so I'm not =>concerned.=20  
> Firewire shares with an EDS for example, but<BR>>>I<BR>>>>=20  
> <BR>>>> never<BR>>>>> =><BR>>>>>>>>>use=20  
> Paris and firewire together so that's not really a=20  
> =  
>problem.<BR>>>>>>>>><BR>>>>>>>>>I=>t=20  
> doesn't say on mine that the AGP card is sharing with 1/5,=20  
> =  
>unless<BR>>>>>>>><BR>>>>>>>>>that's<BR>>&=>gt;>>>>>><BR>>>>>>>><BR>>>>>>>>&g=>t;>>>just=20  
> assumed...? I know often 1 shares with=20  
> =  
>AGP.<BR>>>>>>>>><BR>>>>>>>>>>Cheer=>s,<BR>>>>>>>>>Kim.<BR>>>>>>>>><BR>=>>>>>>>>><BR>>>>>>>>><BR>>>>=>>>>>>>>John=20  
> <<A href=3D"mailto:no@no.com">no@no.com</A>>=20  
> =  
>wrote:<BR>>>>>>>>>>>>>>>>>>><BR>=>>>>>>>>>>>>>>>>>>>lack=20  
> of interrupt control is a deal breaker for=20  
> =

```

>me<BR>>>>>>>><BR>>>>>>>>=
>;Kim=20
> =
>wrote:<BR>>>>>>>><BR>>>>>>>>=
>;><BR>>>>>>>>>The=20
> biggest pitfall I found with the K8NS was that while the=20
> =
>manual<BR>>>>>>>><BR>>>>>>>>states<BR>&=
>gt;>>>>>><BR>>>>>>>><BR>>>>>>>>&g=
>t;>>>>>you=20
> have pretty good interrupt control, they actually removed=20
> =
>it<BR>>>>>>>><BR>>>>>>>><BR>>>>>>>>=
>;>the<BR>>>>>>>><BR>>>>>>>><BR>>>>>>>><=
>BR>>>>>>>>>bios.=20
> The latest BIOS which gives you proper interrupt control=20
> =
>(unless<BR>>>>>>>><BR>>>>>>>>>th=
>ey've<BR>>>>>>>><BR>>>>>>>><BR>>>>>>>><BR>=
>>>>>>>>>added=20
> it back - haven't checked for months) is version F6,=20
> =
>which<BR>>>>>>>><BR>>>>>>>><BR>>>>>>>>use.<BR>>>>>>>>=
>;>>>>><BR>>>>>>>><BR>>>>>>>>>=
>It's<BR>>>>>>>><BR>>>>>>>><BR>>>>>>>><BR>&=
>gt;>>>>>>>>quite=20
> old but I haven't had any issues. The thing never=20
> =
>crashes.<BR>>>>>>>><BR>>>>>>>><BR>>>>>>>>&=
>gt;>>>>maybe<BR>>>>>>>><BR>>>>>>>>&=
>gt;>>><BR>>>>>>>>>>crashed=20
> once or twice since I've had it, which is about 12=20
> =
>months<BR>>>>>>>><BR>>>>>>>>>>>><BR>>>>>>>>=
>;>>>>>>>My=20
> motherboard seems to have a quirk in the BIOS and I'm=20
> =
>currently<BR>>>>>>>><BR>>>>>>>>>>>>running<=
>BR>>>>>>>><BR>>>>>>>>><BR>>>>>>>>&g=
>t;>>>>>>>on=20
> the backup BIOS on the board, but she runs fine like that.=20
> =
>It<BR>>>>>>>><BR>>>>>>>>>>>>forgets<BR>>>>>>>>=
>>>>>>>><BR>>>>>>>><BR>>>>>>>>&=
>gt;>>>>>>HDD's=20
> on startup. Not sure why... (unless it's a quirk of the=20
> =
>F6<BR>>>>>>>><BR>>>>>>>>>>>>firmware,<BR>&g=

```

>t;>>><BR>>>>><BR>>>>>=  
>;>>>but=20  
> that seems=20  
> =  
>unlikely...)<BR>>>>>>>><BR>>>>>>&=  
>gt;>>>Apart=20  
> from that though it's great. I run only a two card=20  
> =  
>system<BR>though,<BR>>>>>>><BR>>>>>>=  
>>>and<BR>>>>>>><BR>>>>>>>&g=  
>t;<BR>>>>>>>>>only=20  
> dual head video (A Nvidia card currently) but have had no=20  
> =  
>issues<BR>>>>>>><BR>>>>>>>>apa=  
>rt<BR>>>>>>>><BR>>>>>>>><BR>>=  
>;>>>>>>>from=20  
> the BIOS losing hdd's on startup which appears to be a MB=20  
> =  
>fault<BR>>>>>>><BR>>>>>>>>(should<BR>>&=  
>gt;>>>><BR>>>>>>><BR>>>>>>>&g=  
>t;>>>>take=20  
> it back before my warranty runs=20  
> =  
>out...).<BR>>>>>>>>><BR>>>>>>>>&=  
>gt;>>>>It's=20  
> quick though, and very stable. I'm happy with it.=20  
> =  
>:o)<BR>>>>>>>>><BR>>>>>>>>&g=  
>t;>>>Cheers,<BR>>>>>>>>>>Kim.<BR>>>>=  
>>>>>>><BR>>>>>>>>>>"Kim =  
>  
> W." <<A href=3D"mailto:no@way.com">no@way.com</A>>=20  
> =  
>wrote:<BR>>>>>>>>>><BR>>>>>>>>>=  
>;>>><BR>>>>>>>>>><BR>>>>>>>=  
>>>>>>>Forgot=20  
> to mention I am running four 19"=20  
> monitors,<BR>>>>>>>>>>>>using AGP/PCI =  
>Nvidia=20  
> Quadro cards.<BR>>>>>>>>>>>>This has =  
>worked well=20  
> with my old ASUS p4=20  
> =  
>system.<BR>>>>>>>>>>>>Cheers.<BR>>>>>=  
>;>>>>>>><BR>>>>>>>>>>>>=  
>"Kim=20  
> W." <<A href=3D"mailto:no@way.com">no@way.com</A>>=20  
> =





2-hot

> > and is routed to 1/4" TRS patchbays.  
> > These cables need to be XLR to TRS in order to interface with said  
> > balanced  
> > patchbay. From there they would be patched to other gear (with trs-trs  
> > patch  
> > cables) that is pin 2-hot. I'm guessing I'm going to have to make up a  
> > couple of special trs-trs patch cables to get this all strack. It's  
making  
> > my head hurt. Could someone give me a clue as to what I need to do to  
> > patch  
> > a pin 3-hot device through a balanced PB in order to interface properly  
> > with  
> > the rest of my (pin 2 hot) studio?

> >

> > Thanks,

> >

> > DeeJ (the obscure)

> >

> >

>

>

> I choose Polesoft Lockspam to fight spam, and you?

> <http://www.polesoft.com/refer.html>

>

> That's really a bummer. There's a Colorgraphics Xentera (4 x displays) on  
EBay, but it uses the ATI chipset. I've scoped Brian T's posts about his  
super computers on the Menudo forum and he's not using the Xentera either.  
It's a shame such a cool graphics card turned out to be such a bust for  
audio.

Deej

"Kim" <hiddensounds@hotmail.com> wrote in message news:44b1c135\$1@linux...

>

>

> I remember with my ATI card that XP (pre SP-1) wouldn't even load. There  
> was a trick I used to get around it which I don't now recall, but if you  
> just loaded the OS it wouldn't work even without EDS cards in the system.

>

> Cheers,

> Kim.

>

> "Tom Bruhl" <arpeggio@comcast.net> wrote:

> >

> >

> > Kim,

> > I had no luck with Matrox 550 sharing with EDS. They must be

> >using different IRQs or the system is useless. I also couldn't  
> >get an ati card to work at all in XP with Paris but that was two years  
> >ago on an ASUS P4 mobo.  
> >Tom  
> >  
> >  
> > "Kim" <hiddensounds@hotmail.com> wrote in message =  
> >news:44b1a758\$1@linux...  
> >  
> >  
> > I understand the Matrox cards did have an issue with this. Brian =  
> >Tankersley  
> > and DeeJ, among others I think, have confimed this. I am running an =  
> >NVidia  
> > dual head and it seems fine sharing with an EDS, and Kim W's system so  
> =  
> >far  
> > seems happy with it also.  
> >  
> > It looks as if DeeJ is planning to, as the brave soldier he is, also =  
> >delve  
> > into experimenting on this MB with NVidia graphics cards and see what  
> =  
> >comes  
> > of it. It's looking like, at least on this MB with NVidia chipset and  
> =  
> >graphics  
> > cards, you can fairly much do as you please.  
> >  
> > I'm suspicious that it's just the Matrox cards which had the issue. =  
> >Also  
> > I had a bad time with an ATI card there for a while. NVidia cards are  
> =  
> >shaping  
> > up as the new way to go I think.  
> >  
> > Cheers,  
> > Kim.  
> >  
> >  
> > "Mike Audet" <mike@mikeF-SPAMaudet.com> wrote:  
> > >  
> > >Hi Guys,  
> > >  
> > >I just thought I'd throw my 2 cents in on this.  
> > >  
> > >I've never had a problem with an EDS card sharing with my AGP device  
> =

> >or  
> > anything  
> > >else.  
> > >  
> > >Maybe I've been lucky. I don't know.  
> > >  
> > >Also, this is very theoretical, but my understanding is that PCI =  
> > >cards don't  
> > >even use IRQs the way ISA cards used them. The BIOS assignment is =  
> > >just for  
> > >legacy use. I suspect that Windows XP ignores them completely and =  
> > >directly  
> > >uses the 4 interrupts (A, B, C, and D) that PCI cards can "really" =  
> > >use.  
> > >  
> > >The PCI spec requires interrupt sharing at the hardware level. An =  
> > >IRQ number  
> > >assigned in the bios is just a pointer to one of these "real" =  
> > >interrupts  
> > >in case old software goes looking for an ISA device.  
> > >  
> > >Or, I could be completely wrong, :)  
> > >  
> > >All the best,  
> > >  
> > >Mike  
> > >  
> > >John <no@no.com> wrote:  
> > >>Well, It appears that agp is sharing with 2 and 1 and 5 are NOT =  
> > >>sharing  
> > >  
> > >>IRQs. My mx800 asus mb manual is wrong. I wonder if this one is =  
> > >>wrong  
> > >  
> > >>too. Pretty weird.  
> > >>  
> > >>You should be able to assign irq's to the pci slots in the bios. The  
> > >=  
> > >  
> > >>lower number the higher priority is my understanding. That's why I  
> > >=  
> > >put  
> > >  
> > >>eds cards on 3. I also disable parallel port, serial, usb and =  
> > >>anything  
> > >  
> > >>else I'm not using. Sharing eds with anything seems a bad idea. My  
> > >=

> >2  
> >  
> > >>eds are both on irq 3. Can you put 4 eds cards on the same irq or =  
> >is it  
> > >  
> > >>better for each to have it's own.  
> > >>  
> > >>Man, is there a motherboard with independent irqs on each slot =  
> >without  
> >  
> > >>this sharing shit !  
> > >>  
> > >>Horseshit I tell you.  
> > >>  
> > >>Kim W. wrote:  
> > >>> Hi, John.  
> > >>> I can't see the PCI slot numbers on the mobo, (or in the manual),  
> > >>> but here is what I have in the slots starting from the one next  
> > >>> to the AGP slot, and the IRQ assignments in the black boot-up=20  
> > >>> screen:  
> > >>>=20  
> > >>> 1: Nvidia Quadro PCI irq 11  
> > >>> 2: EDS irq 9  
> > >>> 3: EDS irq 7  
> > >>> 4: EDS irq 5  
> > >>> 5: EDS irq 10  
> > >>>=20  
> > >>> Onboard audio uses irq 12, Firewire controller uses irq 10,  
> > >>> ACPI controller uses irq 9.  
> > >>>=20  
> > >>> Is this enough info?  
> > >>>=20  
> > >>> Cheers,  
> > >>> Kim.  
> > >>>=20  
> > >>> BTW why would my brand new 250 gb ata drive only have been =  
> >formatted  
> > for  
> > >>> 130gb during XP install? Only just noticed it.  
> > >>>=20  
> > >>>=20  
> > >>> John <no@no.com> wrote:  
> > >>>=20  
> > >>>>What slots are each card in. Also, their manual didn't mention =  
> >what  
> > agp  
> > >>>=20  
> > >>>=20

> > >>>>uses for irq and whether it shares or not. Can't you tell on boot  
> =  
> >up  
> > >  
> > >>>>when that black resource screen shows what's on what?  
> > >>>>  
> > >>>>It would be good to know if you have 4 or 5 independent IRQs  
> > >>>>2,3,4,1/5,agp  
> > >>>>  
> > >>>>I run my 2 eds cards on the same IRQ 3 on my box.  
> > >>>>  
> > >>>>John  
> > >>>>  
> > >>>>Kim W. wrote:  
> > >>>>  
> > >>>>>Just returned from "The Dungeon", and am happy to report that  
> > >>>>>all appears to be working.  
> > >>>>>(4 EDS's, 2 Nvidia Qudras).=20  
> > >>>>>Thus far I have no DX/VST plugins installed.  
> > >>>>>(In the past this is where my installs have come unstuck.)  
> > >>>>>After initial disappointment with the dreaded Crash-on-  
> > >>>>>exit, I remembered about the "minimum install" effects subsystem  
> =  
> >fix,  
> > >>>=20  
> > >>> with  
> > >>>=20  
> > >>>>>wires.  
> > >>>>>Applying this seems to have cured the COE.=20  
> > >>>>>I'm pretty stoked at the moment, and have ghosted.  
> > >>>>>All slots are full, and there appears to be some sharing going =  
> >on,(I  
> > >attached  
> > >>>>>a screen grab)  
> > >>>>>but time will tell if it causes any problems. I just bunged all  
> > >>>>>four EDS's in, and let the system allocate resources as it=20  
> > >>>>>seemed fit.  
> > >>>>>I did, however, disable the SATA, and the parallel port in the =  
> >bios.  
> > >>>>>Time for bed, as it's been 12 hours since I deemed it "Beer =  
> >O'clock".  
> > >>>>>  
> > >>>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> > >>>>>  
> > >>>>>  
> > >>>>>>It doesn't say on mine that the AGP card is sharing with 1/5, =  
> >unless  
> > >>>>>>

> > >>>>>that's  
> > >>>>>  
> > >>>>>  
> > >>>>>>just assumed...? I know often 1 shares with AGP.  
> > >>>>>  
> > >>>>>>Kim.....if PCI 1 and 5 "do not" share with the AGP, this =  
> >is  
> > >>>>>>potentially a HUGE deal and this would be the most flexible =  
> >(semi current)  
> > >>>>>>mobo in existence today for 939 CPU's. I cannot find any =  
> >reference  
> > to  
> > >>>=20  
> > >>> this  
> > >>>=20  
> > >>>>>>in the Gigabyte manual. When/if it is possible, could you insert  
> =  
> >a  
> > PCI  
> > >>>=20  
> > >>> card  
> > >>>=20  
> > >>>>>>in slot 1 or 5 (or both), then load the drivers for whatever =  
> >that device  
> > >>>>>  
> > >>>>>is,  
> > >>>>>  
> > >>>>>  
> > >>>>>>then go to your system info, look under system resources, =  
> >navigate  
> > to  
> > >>>>>>hardware resources>IRQ and let us know if the device(s) in PCI =  
> >slots  
> > >1  
> > >>>=20  
> > >>> or  
> > >>>=20  
> > >>>>>5  
> > >>>>>  
> > >>>>>  
> > >>>>>>is/are sharing an IRQ with the AGP? If not, I'm gonna be =  
> >thinking hard  
> > >>>=20  
> > >>> about  
> > >>>=20  
> > >>>>>>switching mobo's on my Paris rig and trying to get that duallie  
> =  
> >CPU

> > >>>>>happening with my Paris rig. This could conceivably allow 5 x =  
> >EDS  
> > cards  
> > >>>>>  
> > >>>>>to  
> > >>>>>  
> > >>>>>  
> > >>>>>operate on a dual core Athlon. I would do this here, but I don't  
> =  
> >have  
> > >>>=20  
> > >>> all  
> > >>>=20  
> > >>>>>the componentry that I need yet and the ergonomics of moving all  
> =  
> >of  
> > >my  
> > >>>=20  
> > >>> EDS  
> > >>>=20  
> > >>>>>cards to a Magma chassis (which is already being used by another  
> =  
> >DAW)  
> > >>>=20  
> > >>> is  
> > >>>=20  
> > >>>>>something that would take my entire studio down for a couple of  
> =  
> >days,  
> > >>>=20  
> > >>> and  
> > >>>=20  
> > >>>>>I'm pretty busy right now.  
> > >>>>>  
> > >>>>>Deej  
> > >>>>>  
> > >>>>>  
> > >>>>>  
> > >>>>>  
> > >>>>>"Kim" <hiddensounds@hotmail.com> wrote in message =  
> >news:44afb30d\$1@linux...  
> > >>>>>  
> > >>>>>  
> > >>>>>>Mine doesn't show that it's sharing with AGP, though 1 does =  
> >share  
> > with  
> > >>>>>  
> > >>>>>5.

> > >>>>  
> > >>>>  
> > >>>>>>It has a BIOS window you can go to which allows you to set =  
> >manually  
> > >which  
> > >>>>>>interrupt each slot uses, and tells you what will be sharing =  
> >with  
> > it  
> > >>>=20  
> > >>> if  
> > >>>=20  
> > >>>>>>you  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>use that one. I have some things sharing, but everything is =  
> >working  
> > >fine  
> > >>>>>>so I'm not concerned. Firewire shares with an EDS for example,  
> =  
> >but  
> > >I  
> > >>>=20  
> > >>> never  
> > >>>=20  
> > >>>>>>use Paris and firewire together so that's not really a problem.  
> > >>>>>>  
> > >>>>>>It doesn't say on mine that the AGP card is sharing with 1/5, =  
> >unless  
> > >>>>>>  
> > >>>>>>that's  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>just assumed...? I know often 1 shares with AGP.  
> > >>>>>>  
> > >>>>>>Cheers,  
> > >>>>>>Kim.  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>John <no@no.com> wrote:  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>>lack of interrupt control is a deal breaker for me  
> > >>>>>>>  
> > >>>>>>>Kim wrote:  
> > >>>>>>>  
> > >>>>>>>  
> > >>>>>>>>The biggest pitfall I found with the K8NS was that while the

> =  
> >manual  
> > >>>>>>  
> > >>>>>>states  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>>>you have pretty good interrupt control, they actually removed  
> =  
> >it  
> > >from  
> > >>>>>>  
> > >>>>>>>the  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>>>bios. The latest BIOS which gives you proper interrupt =  
> >control (unless  
> > >>>>>>  
> > >>>>>>>they've  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>>>added it back - haven't checked for months) is version F6, =  
> >which  
> > >I  
> > >>>>>  
> > >>>>>>use.  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>>>It's  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>>>quite old but I haven't had any issues. The thing never =  
> >crashes.  
> > >It's  
> > >>>>>>  
> > >>>>>>>>maybe  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>>>crashed once or twice since I've had it, which is about 12 =  
> >months  
> > >now.  
> > >>>>>>>>  
> > >>>>>>>>>My motherboard seems to have a quirk in the BIOS and I'm =  
> >currently  
> > >>>>>>  
> > >>>>>>>>running  
> > >>>>>>  
> > >>>>>>  
> > >>>>>>>>>on the backup BIOS on the board, but she runs fine like that.

> =  
> >It  
> > >>>>>  
> > >>>>>forgets  
> > >>>>>  
> > >>>>>  
> > >>>>>>>HDD's on startup. Not sure why... (unless it's a quirk of the  
> =  
> >F6  
> > >>>>>  
> > >>>>>firmware,  
> > >>>>>  
> > >>>>>  
> > >>>>>>>but that seems unlikely...)  
> > >>>>>>>  
> > >>>>>>>Apart from that though it's great. I run only a two card =  
> >system  
> > though,  
> > >>>>>>>  
> > >>>>>>>and  
> > >>>>>>>  
> > >>>>>>>  
> > >>>>>>>>only dual head video (A Nvidia card currently) but have had =  
> >no issues  
> > >>>>>>>  
> > >>>>>>>apart  
> > >>>>>>>  
> > >>>>>>>  
> > >>>>>>>>>from the BIOS losing hdd's on startup which appears to be a =  
> >MB fault  
> > >>>>>>>  
> > >>>>>>>(should  
> > >>>>>>>  
> > >>>>>>>  
> > >>>>>>>>>take it back before my warranty runs out...).  
> > >>>>>>>>>  
> > >>>>>>>>>It's quick though, and very stable. I'm happy with it. :o)  
> > >>>>>>>>>  
> > >>>>>>>>>Cheers,  
> > >>>>>>>>>Kim.  
> > >>>>>>>>>  
> > >>>>>>>>>"Kim W." <no@way.com> wrote:  
> > >>>>>>>>>  
> > >>>>>>>>>  
> > >>>>>>>>>  
> > >>>>>>>>>>Forgot to mention I am running four 19" monitors,  
> > >>>>>>>>>>using AGP/PCI Nvidia Quadro cards.  
> > >>>>>>>>>>This has worked well with my old ASUS p4 system.

> > >>>>>>>>>Cheers.  
> > >>>>>>>>>  
> > >>>>>>>>>"Kim W." <no@way.com> wrote:  
> > >>>>>>>>>  
> > >>>>>>>>>  
> > >>>>>>>>>  
> > >>>>>>>>>Hi, all.  
> > >>>>>>>>>My Paris (win98) rig refused to boot the other day.  
> > >>>>>>>>>I bought a Gigabyte K8NS ultra 939 some months ago, with a  
> =  
> >view  
> > >to  
> > >>>>>  
> > >>>>>upgrade  
> > >>>>>  
> > >>>>>  
> > >>>>>>>>>at some stage.  
> > >>>>>>>>>It appears the time is nigh!!  
> > >>>>>>>>>I know many of you have successfully migrated to XP, and =  
> >the K8NS  
> > >>>>>>>>>is one of the fave mobos.  
> > >>>>>>>>>(I also have an Epox 9NDA3, in case I get grief with the =  
> >Gigabyte.)  
> > >>>>>>>>>Are there any shortcuts that you guys could throw my way as  
> =  
> >far  
> > >as  
> > >>>>>  
> > >>>>>which  
> > >>>>>  
> > >>>>>  
> > >>>>>>>>>drivers, service packs, XP tweaks, I should or shouldn't =  
> >use,  
> > in  
> > >>>=20  
> > >>> an  
> > >>>=20  
> > >>>>>attempt  
> > >>>>>  
> > >>>>>  
> > >>>>>>>>>to preserve what's left of my hair??  
> > >>>>>>>>>I have four EDS cards, two MECs, (only one adat card), and  
> =  
> >four  
> > >>>>>  
> > >>>>>C-16's.  
> > >>>>>  
> > >>>>>

> > >>>>>>>>Or..... should I stick with 98 or ME???

> > >>>>>>>>I remember Kim having teething problems with this combo.

> > >>>>>>>>Did it pan out for you??

> > >>>>>>>>Thanks,

> > >>>>>>>>Kim #2.

> > >>>>>>>>

> > >>>>>>>>

> > >>>>>>>>

> > >>>>>

> > =

>

>>>>>>> -----=

> >-----

> > >>>>>

> > >>>=20

> > >>>=20

> > >

> >

> >

> >

> >I choose Polesoft Lockspam to fight spam, and you?

> ><http://www.polesoft.com/refer.html>

> >

> ><!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

> ><HTML><HEAD>

> ><META http-equiv=3DContent-Type content=3D"text/html; =

> > charset=3Diso-8859-1">

> ><META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

> ><STYLE></STYLE>

> ></HEAD>

> ><BODY bgColor=3D#ffffff>

> ><DIV><FONT face=3DArial size=3D2>Kim,</FONT></DIV>

> ><DIV><FONT face=3DArial size=3D2>I had no luck with Matrox 550 sharing =

> >with=20

> >EDS. They must be</FONT></DIV>

> ><DIV><FONT face=3DArial size=3D2>using different IRQs or the system is=20

> >useless. I also couldn't</FONT></DIV>

> ><DIV><FONT face=3DArial size=3D2>get an ati card to work at all in XP =

> >with Paris but=20

> >that was two years</FONT></DIV>

> ><DIV><FONT face=3DArial size=3D2>ago on an ASUS P4 mobo.</FONT></DIV>

> ><DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>

> ><DIV><FONT face=3DArial size=3D2></FONT> </DIV>

> ><DIV> </DIV>

> ><BLOCKQUOTE=20

> >style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

> >BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

> > <DIV>"Kim" <<A=20

> > =  
> > [hidde@sounds@hotmail.com](mailto:hidde@sounds@hotmail.com)</A>>=  
> > wrote=  
> > in message <A=  
> > =  
>  
> [news:44b1a758\\$1@linux](news:44b1a758$1@linux)</A>...</DIV><BR><BR>=  
> > I=  
> > understand the Matrox cards did have an issue with this. Brian=  
> > Tankersley<BR>and Deej, among others I think, have confirmed this. I am  
> =  
> > running=  
> > an NVidia<BR>dual head and it seems fine sharing with an EDS, and Kim  
> =  
> > W's=  
> > system so far<BR>seems happy with it also.<BR><BR>It looks as if Deej  
> =  
> > is=  
> > planning to, as the brave soldier he is, also delve<BR>into =  
> > experimenting on=  
> > this MB with NVidia graphics cards and see what comes<BR>of it. It's =  
> > looking=  
> > like, at least on this MB with NVidia chipset and graphics<BR>cards, =  
> > you can=  
> > fairly much do as you please.<BR><BR>I'm suspicious that it's just the  
> =  
> > Matrox=  
> > cards which had the issue. Also<BR>I had a bad time with an ATI card =  
> > there for=  
> > a while. NVidia cards are shaping<BR>up as the new way to go I=  
> > think.<BR><BR>Cheers,<BR>Kim.<BR><BR><BR>"Mike Audet" <<A=  
> > =  
> > [mike@mikeF-SPAMaudet.com](mailto:mike@mikeF-SPAMaudet.com)</A>>=  
> > =  
> > wrote:<BR>><BR>>Hi Guys,<BR>><BR>>I just thought I'd throw =  
> > my 2=  
> > cents in on this.<BR>><BR>>I've never had a problem with an EDS =  
> > card=  
> > sharing with my AGP device =  
> > or<BR>anything<BR>>else.<BR>><BR>>Maybe=  
> > I've been lucky. I don't know.<BR>><BR>>Also, this is very =  
> >  
> > theoretical, but my understanding is that PCI cards don't<BR>>even =  
> > use IRQs=  
> > the way ISA cards used them. The BIOS assignment is just =  
> > for<BR>>legacy=  
> > use. I suspect that Windows XP ignores them completely and=  
> > directly<BR>>uses the 4 interrupts (A, B, C, and D) that PCI cards =

> >can=20  
> > "really" use.<BR><BR>>The PCI spec requires interrupt sharing at =  
> >the=20  
> > hardware level. An IRQ number<BR>><BR>>assigned in the bios is =  
> >just a=20  
> > pointer to one of these "real" interrupts<BR>><BR>>in case old software =  
> >goes=20  
> > looking for an ISA device.<BR>><BR>>Or, I could be completely =  
> >wrong,=20  
> > :)<BR>><BR>>All the =  
> >best,<BR>><BR>>Mike<BR>><BR>>John <<A=20  
> > href=3D"mailto:no@no.com">no@no.com</A>> wrote:<BR>>>Well, It =  
> >appears=20  
> > that agp is sharing with 2 and 1 and 5 are NOT=20  
> > sharing<BR>><BR>>>IRQs. My mx800 asus mb manual is =  
> >wrong. =20  
> > I wonder if this one is wrong<BR>><BR>>>too. Pretty=20  
> > weird.<BR>>><BR>>>You should be able to assign irq's to the =  
> >pci=20  
> > slots in the bios. The <BR>>>lower number the higher =  
> >priority is=20  
> > my understanding. That's why I put<BR>><BR>>>eds cards =  
> >on=20  
> > 3. I also disable parallel port, serial, usb and=20  
> > anything<BR>><BR>>>else I'm not using. Sharing eds with =  
> >  
> > anything seems a bad idea. My 2<BR><BR>>>eds are both on =  
> >irq=20  
> > 3. Can you put 4 eds cards on the same irq or is=20  
> > it<BR>><BR>>>better for each to have it's=20  
> > own.<BR>>><BR>>>Man, is there a motherboard with =  
> >independent irq's=20  
> > on each slot without<BR><BR>>>this sharing shit=20  
> > !<BR>>><BR>>>Horseshit I tell =  
> >you.<BR>>><BR>>>Kim W.=20  
> > wrote:<BR>>>> Hi, John.<BR>>>> I can't see the PCI =  
> >slot=20  
> > numbers on the mobo, (or in the manual),<BR>>>> but here is =  
> >what I=20  
> > have in the slots starting from the one next<BR>>>> to the =  
> >AGP slot,=20  
> > and the IRQ assignments in the black boot-up <BR>>>>=20  
> > screen:<BR>>>> <BR>>>> 1: Nvidia Quadro PCI irq=20  
> > 11<BR>>>> 2: EDS irq 9<BR>>>> 3: EDS irq =  
> >7<BR>>>>=20  
> > 4: EDS irq 5<BR>>>> 5: EDS irq 10<BR>>>> =  
> ><BR>>>>=20  
> > Onboard audio uses irq 12, Firewire controller uses irq =

> >10,<BR>>>>=20  
> > ACPI controller uses irq 9.<BR>>>> <BR>>>> Is this =  
> >enough=20  
> > info?<BR>>>> <BR>>>> Cheers,<BR>>>>=20  
> > Kim.<BR>>>> <BR>>>> BTW why would my brand new 250 =  
> >gb ata=20  
> > drive only have been formatted<BR>for<BR>>>> 130gb during XP =  
> >install?=20  
> > Only just noticed it.<BR>>>> <BR>>>> =  
> ><BR>>>> John=20  
> > <<A href=3D"mailto:no@no.com">no@no.com</A>> =  
> >wrote:<BR>>>>=20  
> > <BR>>>>>What slots are each card in. Also, their =  
> >manual=20  
> > didn't mention what<BR>agp<BR>>>> <BR>>>>=20  
> > <BR>>>>>uses for irq and whether it shares or not. =  
> >Can't you=20  
> > tell on boot up<BR>><BR>>>>>when that black resource =  
> >screen=20  
> > shows what's on what?<BR>>>>><BR>>>>>It would =  
> >be good=20  
> > to know if

---

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Aaron Allen](#) on Wed, 31 May 2006 22:42:16 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

you have 4 or 5 independent=20  
> > =  
> >IRQs<BR>>>>>2,3,4,1/5,agp<BR>>>>><BR>>>>=20  
> >>I=20  
> > run my 2 eds cards on the same IRQ 3 on my=20  
> > =  
> >box.<BR>>>>><BR>>>>>John<BR>>>>><BR>&=  
> >gt;>>Kim=20  
> > W. wrote:<BR>>>>><BR>>>>>>Just returned =  
> >from "The=20  
> > Dungeon", and am happy to report that<BR>>>>>>>all =  
> >appears to be=20  
> > working.<BR>>>>>>>(4 EDS's, 2 Nvidia Qudras).=20  
> > <BR>>>>>>>Thus far I have no DX/VST plugins=20  
> > installed.<BR>>>>>>>(In the past this is where my =  
> >installs have=20  
> > come unstuck.)<BR>>>>>>>After initial disappointment =  
> >with the=20  
> > dreaded Crash-on-<BR>>>>>>>exit, I remembered about the =  
> >"minimum=20

> > install" effects subsystem fix,<BR>>>> <BR>>>>=20  
> > with<BR>>>>=20  
> > <BR>>>>>>wires.<BR>>>>>>Applying this =  
> >seems to=20  
> > have cured the COE. <BR>>>>>>I'm pretty stoked at the =  
> >moment,=20  
> > and have ghosted.<BR>>>>>>All slots are full, and there =  
> >appears=20  
> > to be some sharing going =  
> >on,(l<BR>>attached<BR>>>>>>a screen=20  
> > grab)<BR>>>>>>but time will tell if it causes any =  
> >problems. l=20  
> > just bunged all<BR>>>>>>four EDS's in, and let the =  
> >system=20  
> > allocate resources as it <BR>>>>>>seemed=20  
> > fit.<BR>>>>>>I did, however, disable the SATA, and the =  
> >parallel=20  
> > port in the bios.<BR>>>>>>Time for bed, as it's been 12 =  
> >hours=20  
> > since I deemed it "Beer=20  
> > O'clock".<BR>>>>>><BR>>>>>>"DJ" <<A=20  
> > =  
>  
> >href=3D"mailto:animix\_spam-this-ahole\_@animas.net">animix\_spam-this-ahole=  
> >\_@animas.net</A>>=20  
> > =  
> >wrote:<BR>>>>>><BR>>>>>><BR>>>>>>=  
> >,>>>>lt=20  
> > doesn't say on mine that the AGP card is sharing with 1/5,=20  
> > =  
> >unless<BR>>>>>>><BR>>>>>>>>that's<BR>>>>&=  
> >gt;>>>>><BR>>>>>>>><BR>>>>>>>>&g=  
> >t;>>>just=20  
> > assumed...? I know often 1 shares with=20  
> > =  
> >AGP.<BR>>>>>>><BR>>>>>>>>Kim.....=20  
> >.if=20  
> > PCI 1 and 5 "do not" share with the AGP, this=20  
> > is<BR>>>>>>>>potentially a HUGE deal and this would =  
> >be the=20  
> > most flexible (semi current)<BR>>>>>>>>mobo in =  
> >existence=20  
> > today for 939 CPU's. I cannot find any reference<BR>>to<BR>>>>>> =  
> >  
> > <BR>>>>> this<BR>>>>>> <BR>>>>>>>>in =  
> >the=20  
> > Gigabyte manual. When/if it is possible, could you insert=20  
> > a<BR>>PCI<BR>>>>>> <BR>>>>>>>> card<BR>>>>>>=20



> > =  
> > href=3D"news:44afb30d\$1@linux">news:44afb30d\$1@linux</A>...<BR>>>&g=  
> >t;>>><BR>>>>>>><BR>>>>>>>>=  
> >;Mine=20  
> > doesn't show that it's sharing with AGP, though 1 does=20  
> > =  
> > share<BR>with<BR>>>>>><BR>>>>>>>5.<BR>>>&g=  
> >t;>>><BR>>>>>><BR>>>>>>>>It =  
> >  
> > has a BIOS window you can go to which allows you to set=20  
> > manually<BR>>which<BR>>>>>>>>>interrupt each =  
> > slot uses,=20  
> > and tells you what will be sharing with<BR>it<BR>>>> =  
> ><BR>>>>=20  
> > if<BR>>>>=20  
> > =  
> ><BR>>>>>>>you<BR>>>>>>>><BR>>>>&g=  
> >t;>>><BR>>>>>>>>use=20  
> > that one. I have some things sharing, but everything is=20  
> > working<BR>>fine<BR>>>>>>>>>>so I'm not =  
> > concerned.=20  
> > Firewire shares with an EDS for example, but<BR>>I<BR>>>>>=20  
> > <BR>>>> never<BR>>>> =  
> ><BR>>>>>>>>use=20  
> > Paris and firewire together so that's not really a=20  
> > =  
> > problem.<BR>>>>>>>><BR>>>>>>>>>I=  
> >t=20  
> > doesn't say on mine that the AGP card is sharing with 1/5,=20  
> > =  
> > unless<BR>>>>>>>><BR>>>>>>>>>that's<BR>>&=  
> >t;>>>>>>><BR>>>>>>>><BR>>>>>>>>&g=  
> >t;>>>just=20  
> > assumed...? I know often 1 shares with=20  
> > =  
> > AGP.<BR>>>>>>>>><BR>>>>>>>>>>Cheer=  
> >s,<BR>>>>>>>>>Kim.<BR>>>>>>>>><BR>=  
> >>>>>>>>><BR>>>>>>>>><BR>>>>=  
> >>>>>>>>John=20  
> > <<A href=3D"mailto:no@no.com">no@no.com</A>>=20  
> > =  
> > wrote:<BR>>>>>>>>><BR>>>>>>>>>>>><BR>=  
> >>>>>>>>>>>>lack=20  
> > of interrupt control is a deal breaker for=20  
> > =  
> > me<BR>>>>>>>>>>>><BR>>>>>>>>>>>>=  
> >;Kim=20  
> > =









He is selling some of it thru the above website. He is also making available "Vault Radio" where you can click on the link and listen (free) to some of those recordings in a rotation that includes dozens of those recordings.

Just click on "vault radio" Priceless....

DCSide note dude.... if you're using blackface adats they suffer from similar problems. The digital I/O is phase correct, HOWEVER, alesi saw fit to put the signal to tape out of phase and then re-invert on the return trip. Makes things real interesting if you have a different adat type and start additional dubs or punch ins to an unfinished product from another studio on the same tape :P

AA

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>Hi Aaron.....Thanks. I ordered the Hosa adapters yesterday. Seemed like

a

>much better way to go about this. The thought of jacking around with a bunch

>of modified patch cables didn't really appeal to me. I found them for \$8.99

>each so it wasn't too painful. Now I've gotta go desolder the reversed cable

>ends on 4 x patch cables and resolder them to standard.. (sigh)

>

>;o)

>

>

>"Aaron Allen" <nospam@not\_here.dude> wrote in message news:44b1bdd2@linux...

>> Make sure to flip both the analog in and out. Obviously digital I/O flip

>> will be incorrect. Also, I'd more recommend adaptors that change polarity

>(I

>> used to have to do this as Peavey and Crest I think it was were both on

>the

>> + pin 3 thing and I got to use both in varying live rigs back when I was

>> doing that gig) rather than splicing up your cables. Mark them as such,

I

>> used something like POL RVERS iirc.... whatever works for you. I still

have

>a

>> few XLR types around I use to mic the bottom of drums.

>>

>> AA

>>

>>

>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message

>> news:44b01cba@linux...

>> >I need to build balanced I/O cables for the analog outputs of my Roland

>> > R880. The pinout calls for pin 1-ground, pin 2-cold, pin 3-hot. That's  
>not  
>> > the normal state of affairs around here. Everything I'm using is pin  
>2-hot  
>> > and is routed to 1/4" TRS patchbays.  
>> > These cables need to be XLR to TRS in order to interface with said  
>> > balanced  
>> > patchbay. From there they would be patched to other gear (with trs-trs  
>> > patch  
>> > cables) that is pin 2-hot. I'm guessing I'm going to have to make up  
a  
>> > couple of special trs-trs patch cables to get this all strack. It's  
>making  
>> > my head hurt. Could someone give me a clue as to what I need to do to  
>> > patch  
>> > a pin 3-hot device through a balanced PB in order to interface properly  
>> > with  
>> > the rest of my (pin 2 hot) studio?  
>> >  
>> > Thanks,  
>> >  
>> > DeeJ (the obscure)  
>> >  
>> >  
>> >  
>> >  
>> I choose Polesoft Lockspam to fight spam, and you?  
>> <http://www.polesoft.com/refer.html>  
>> >  
>> >  
>  
>What would a decent USB interface be?

The wavelab I have allows effects on the master.

Chris Ludwig <[chrisl@adkproaudio.com](mailto:chrisl@adkproaudio.com)> wrote:

>Hi Cujo and John,  
>Your low mid bump is a result of horrible converter quality of all on  
>board sound cards. I wouldn't trust any use of EQ with the on board  
>sound cards. There are some very inexpensive audio PCI , USB and  
>Firewire cards available that will make a big difference.  
>Also Steinberg is putting out a mid-priced version of Wavelab that is a

>stereo only very and no DVD support which will go for 299.00 and a  
>competitive upgrade version for 199.00. It will probably be out in end  
>of August.  
>

>In the full version you be able to place a effects on th master  
>sections, individual tracks and on individual clips all with send volume  
  
>control. Oh and you can also us external effect nay were in the effect  
>chain just like you can in Cubase/Nuendo. This way you can use outboard

>gear or even Paris effects directly inside of Wavelab.

>

>

>Chris

>

>

>Cujo wrote:

>> John, I have WL Essentials which is somehting like 99.00 bucks and it  
is

>> way cool. The montage thing is a cd sequencer, you can lay out each "track"  
>> in a linear fasion, and slide songs back and forth to make the time inbetween  
>> just as you want them, you can also aply fades, adjust volume, add UAD  
plugs

>> to the mix (presision limite) really it is a mastering suite. Now, I would  
>> bot master a dang thing, but I got it so I could sequence a CD EXACTLY  
how

>> i want it before I send it to the mastering house. Say if you uses Roxio  
>> for rough cd;s you only can do 2 second intervals or whatever, and you  
can

>> not nudge..

>>

>> Ok, so right now I am mastering something, an R&B record I worked on that  
>> has NO budget., it is sort of liek a hip hop mix tape. When using WL the  
>> output goes via my Comps on board sound card in there is some strange  
EQ

>> thing going on there, (low mid bump) so I can;t use any EQ on the mix  
in

>> WL!

>>

>> John <no@no.com> wrote:

>>

>>>Cujo, What kind of multiple song things can you do in wavelab, what's

>>

>>

>>>this montage thing?

>>>

>>>cujo wrote:

>>>

>>>>For years I have used CEP and it is a snap, but with WL you can do all

>>

>> the

>>

>>>>songs on a cd in one go, and it offers a bit more in noise shaping so  
>>  
>> I wondered  
>>  
>>>>if it was the more "pro" option.  
>>>>  
>>>>John <no@no.com> wrote:  
>>>>  
>>>>  
>>>>>I was using the free dither app written for paris.  
>>>>>  
>>>>>cujo wrote:  
>>>>>  
>>>>>  
>>>>>>Which do you prefer for dithering: CEP or Wavelab with the plug you  
place  
>>>>>>on the master bus on the montage mode?  
>>>>>>  
>>>>>>>Also does the render button on the effects group in Montage mode permanently  
>>>>>>>change the individual files or does it save the new CD as a seperate  
>>  
>> bunch  
>>  
>>>>>>>of files?  
>>>>>>>I don't know if I am making sense here.  
>  
>--  
>Chris Ludwig  
>ADK  
>chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>  
>www.adkproaudio.com <http://www.adkproaudio.com/>  
>(859) 635-5762I'm surprised your 880 has a fan in it....mine does not.

Analog I/O on this thing sounds very good IMO...better than you might expect considering the age of it.

Another solution is to make (6) (R880 has 2 ins and 4 outs IIRC) 1 foot lengths of XLR-XLR cables with the polarity swapped. Connect these to your 880, and then, connect your snake to them. This would make your 880 appear to be pin 2 hot to your patch bay.

Cheers

Kris

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>.....or, I could keep the Mogami snake \*as is\* and just make two TRS  
>Patch cables (for patching this particular dievice) wired tip to ring and  
>ring to tip. That might be a better solution for my particular situation

>actually. I may not end up using the analog I/O of the R880 all that much  
>and it's very possible that I might want to run this long snake to a certain  
>device that I've got my eye on. It's got a fan in the chassis so I will  
need  
>to keep it in the machine room. I think it's wired with standard US  
>polarity.  
>  
>;o)  
>  
>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
>news:44b04210\$1@linux...  
>> It is a 20' cable run from the rack that is housing the R880 mainframe  
to  
>> the standard balanced patch bay. Seems a shame to use 80' of mic cable  
to  
>> make 4 x 20' patch cables when I've got a 20' 4 x pair standard polarity  
>> Mogami XLR-TRS snake sitting here doing nothing.....soooooo..... I could  
>> modify the standard mogami cable by taking the lead from the ring  
>(currently  
>> tied to XLR pin 3 and swapping it to XLR pin 2, then take the lead from  
>the  
>> tip (currently tied to XLR pin 2) and swap it to XLR pin 3.. That oughta'  
>> get me there, right?  
>>  
>> Thanks for your help.  
>>  
>> Deej  
>>  
>>  
>>  
>>  
>>  
>>  
>> "gene lennon" <glennon@NOSPmyrealbox.com> wrote in message  
>> news:44b037d8\$1@linux...  
>> >  
>> > "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>> > >I need to build balanced I/O cables for the analog outputs of my  
>> >Roland  
>> > >R880. The pinout calls for pin 1-ground, pin 2-cold, pin 3-hot. That's  
>> > not  
>> > >the normal state of affairs around here. Everything I'm using is pin  
>> > 2-hot  
>> > >and is routed to 1/4" TRS patchbays.  
>> > >These cables need to be XLR to TRS in order to interface with said  
>> > balanced  
>> > >patchbay. From there they would be patched to other gear (with trs-trs  
>> > patch  
>> > >cables) that is pin 2-hot. I'm guessing I'm going to have to make up

a  
>> > couple of special trs-trs patch cables to get this all strack. It's  
>> making  
>> > my head hurt. Could someone give me a clue as to what I need to do  
to  
>> patch  
>> > a pin 3-hot device through a balanced PB in order to interface properly  
>> > with  
>> > the rest of my (pin 2 hot) studio?  
>> > >  
>> > > Thanks,  
>> > >  
>> > > DeeJ (the obscure)  
>> > >  
>> > >  
>> >  
>> > In this case you can reverse either end. I keep some colored shrink  
> tubing  
>> > around to mark non-normal cables. Personally I reverse at the XLR,  
> because  
>> > it's easier to reverse.  
>> > Gene  
>> >  
>>  
>>  
>  
> "Cujo" <chris@nospamapplemanstudio.com> wrote in message  
news:44b265f3\$1@linux...  
>  
>  
> What would a decent USB interface be?  
>  
> The wavelab I have allows effects on the master.  
>

external FX???.....if so, then you are using the most recent version.

> Chris Ludwig <chrisl@adkproaudio.com> wrote:  
> > Hi Cujo and John,  
> > Your low mid bump is a result of horrible converter quality of all on  
> > board sound cards. I wouldn't trust any use of EQ with the on board  
> > sound cards. There are some very inexpensive audio PCI , USB and  
> > Firewire cards available that will make a big difference.  
> > Also Steinberg is putting out a mid-priced version of Wavelab that is a  
>  
> > stereo only very and no DVD support which will go for 299.00 and a  
> > competitive upgrade version for 199.00. It will probably be out in end  
> > of August.

> >  
> >In the full version you be able to place a effects on th master  
> >sections, individual tracks and on individual clips all with send volume  
>  
> >control. Oh and you can also us external effect nay were in the effect  
> >chain just like you can in Cubase/Nuendo. This way you can use outboard  
>  
> >gear or even Paris effects directly inside of Wavelab.  
> >  
> >  
> >Chris  
> >  
> >  
> >Cujo wrote:  
> >> John, I have WL Essentials which is somehting like 99.00 bucks and it  
> is  
> >> way cool. The montage thing is a cd sequencer, you can lay out each  
"track"  
> >> in a linear fasion, and slide songs back and forth to make the time  
inbetween  
> >> just as you want them, you can also aply fades, adjust volume, add UAD  
> plugs  
> >> to the mix (presision limite) really it is a mastering suite. Now, I  
would  
> >> bot master a dang thing, but I got it so I could sequence a CD EXACTLY  
> how  
> >> i want it before I send it to the mastering house. Say if you uses  
Roxio  
> >> for rough cd;s you only can do 2 second intervals or whatever, and you  
> can  
> >> not nudge..  
> >>  
> >> Ok, so right now I am mastering something, an R&B record I worked on  
that  
> >> has NO budget., it is sort of liek a hip hop mix tape. When using WL  
the  
> >> output goes via my Comps on board sound card in there is some strange  
> EQ  
> >> thing going on there, (low mid bump) so I can;t use any EQ on the mix  
> in  
> >> WL!  
> >>  
> >> John <no@no.com> wrote:  
> >>  
> >>>Cujo, What kind of multiple song things can you do in wavelab, what's  
> >>  
> >>  
> >>>this montage thing?

> >>>  
> >>>cujo wrote:  
> >>>  
> >>>>For years I have used CEP and it is a snap, but with WL you can do all  
> >>  
> >> the  
> >>  
> >>>>songs on a cd in one go, and it offers a bit more in noise shaping so  
> >>  
> >> I wondered  
> >>  
> >>>>if it was the more "pro" option.  
> >>>>  
> >>>>John <no@no.com> wrote:  
> >>>>  
> >>>>  
> >>>>>I was using the free dither app written for paris.  
> >>>>>  
> >>>>>cujo wrote:  
> >>>>>  
> >>>>>  
> >>>>>>Which do you prefer for dithering: CEP or Wavelab with the plug you  
> place  
> >>>>>>on the master bus on the montage mode?  
> >>>>>>  
> >>>>>>Also does the render button on the effects group in Montage mode  
permanently  
> >>>>>>change the individual files or does it save the new CD as a separate  
> >>  
> >> bunch  
> >>  
> >>>>>>of files?  
> >>>>>>I don't know if I am making sense here.  
> >  
> >--  
> >Chris Ludwig  
> >ADK  
> >chris@adkproaudio.com <mailto:chrisl@adkproaudio.com>  
> >www.adkproaudio.com <http://www.adkproaudio.com/>  
> >(859) 635-5762Oh, and BTW, you only need to worry about polarity if you're going to interface  
to unbalanced gear. Otherwise, its no problem...

Cheers,

Kris

"Kris" . wrote:

>

>I'm surprised your 880 has a fan in it....mine does not.  
>  
>Analog I/O on this thing sounds very good IMO...better than you might expect  
>considering the age of it.  
>  
>Another solution is to make (6) (R880 has 2 ins and 4 outs IIRC) 1 foot  
lengths  
>of XLR-XLR cables with the polarity swapped. Connect these to your 880,  
and  
>then, connect your snake to them. This would make your 880 appear to be  
pin  
>2 hot to your patch bay.  
>  
>Cheers  
>  
>Kris  
>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>.....or, I could keep the Mogami snake \*as is\* and just make two TRS  
>>Patch cables (for patching this particular device) wired tip to ring and  
>>ring to tip. That might be a better solution for my particular situation  
>>actually. I may not end up using the analog I/O of the R880 all that much  
>>and it's very possible that I might want to run this long snake to a certain  
>>device that I've got my eye on. It's got a fan in the chassis so I will  
>need  
>>to keep it in the machine room. I think it's wired with standard US  
>>polarity.  
>>  
>>;o)  
>>  
>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
>>news:44b04210\$1@linux...  
>>> It is a 20' cable run from the rack that is housing the R880 mainframe  
>to  
>>> the standard balanced patch bay. Seems a shame to use 80' of mic cable  
>to  
>>> make 4 x 20' patch cables when I've got a 20' 4 x pair standard polarity  
>>> Mogami XLR-TRS snake sitting here doing nothing.....soooooo..... I  
could  
>>> modify the standard mogami cable by taking the lead from the ring  
>

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Aaron Allen](#) on Wed, 31 May 2006 22:43:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>(currently  
>>> tied to XLR pin 3 and swapping it to XLR pin 2, then take the lead from

>>the  
>>> tip (currently tied to XLR pin 2) and swap it to XLR pin 3.. That oughta'  
>>> get me there, right?  
>>>  
>>> Thanks for your help.  
>>>  
>>> Deej  
>>>  
>>>  
>>>  
>>>  
>>> "gene lennon" <glennon@NOSPmyrealbox.com> wrote in message  
>>> news:44b037d8\$1@linux...  
>>> >  
>>> > "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>> > >I need to build balanced I/O cables for the analog outputs of my  
>>> >>Roland  
>>> > >R880. The pinout calls for pin 1-ground, pin 2-cold, pin 3-hot. That's  
>>> >>not  
>>> > >the normal state of affairs around here. Everything I'm using is pin  
>>> >>2-hot  
>>> > >and is routed to 1/4" TRS patchbays.  
>>> > >These cables need to be XLR to TRS in order to interface with said  
>>> >>balanced  
>>> > >patchbay. From there they would be patched to other gear (with trs-trs  
>>> >>patch  
>>> > >cables) that is pin 2-hot. I'm guessing I'm going to have to make  
>>> >>up  
>>> >>a  
>>> > >couple of special trs-trs patch cables to get this all strack. It's  
>>> >>making  
>>> > >my head hurt. Could someone give me a clue as to what I need to do  
>>> >>to  
>>> >>patch  
>>> > >a pin 3-hot device through a balanced PB in order to interface properly  
>>> >>with  
>>> > >the rest of my (pin 2 hot) studio?  
>>> >>>  
>>> > >Thanks,  
>>> >>>  
>>> > >Deej (the obscure)  
>>> >>>  
>>> >>>  
>>> >>>  
>>> > >In this case you can reverse either end. I keep some colored shrink  
>>> >>tubing  
>>> > >around to mark non-normal cables. Personally I reverse at the XLR,

>>because  
>>> > it's easier to reverse.  
>>> > Gene  
>>> >  
>>>  
>>>  
>>  
>>  
>TheR880 doesn't have a fan, but I've had my eye on a 480L and it has a fan.

DJ

<Kris .> wrote in message news:44b26c77\$1@linux...  
>  
> I'm surprised your 880 has a fan in it....mine does not.  
>  
> Analog I/O on this thing sounds very good IMO...better than you might expect  
> considering the age of it.  
>  
> Another solution is to make (6) (R880 has 2 ins and 4 outs IIRC) 1 foot lengths  
> of XLR-XLR cables with the polarity swapped. Connect these to your 880, and  
> then, connect your snake to them. This would make your 880 appear to be pin  
> 2 hot to your patch bay.  
>  
> Cheers  
>  
> Kris  
> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >.....or, I could keep the Mogami snake \*as is\* and just make two TRS  
> >Patch cables (for patching this particular dievice) wired tip to ring and  
> >ring to tip. That might be a better solution for my particular situation  
> >actually. I may not end up using the analog I/O of the R880 all that much  
> >and it's very possible that I might want to run this long snake to a certain  
> >device that I've got my eye on. It's got a fan in the chassis so I will  
> >need  
> >to keep it in the machine room. I think it's wired with standard US  
> >polarity.  
> >  
> >>0)  
> >  
> >"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
> >news:44b04210\$1@linux...  
> >> It is a 20' cable run from the rack that is housing the R880 mainframe

> to  
> >> the standard balanced patch bay. Seems a shame to use 80' of mic cable  
> to  
> >> make 4 x 20' patch cables when I've got a 20' 4 x pair standard  
polarity  
> >> Mogami XLR-TRS snake sitting here doing nothing.....sooooo..... I  
could  
> >> modify the standard mogami cable by taking the lead from the ring  
> >(currently  
> >> tied to XLR pin 3 and swapping it to XLR pin 2, then take the lead from  
> >the  
> >> tip (currently tied to XLR pin 2) and swap it to XLR pin 3.. That  
oughta'  
> >> get me there, right?  
> >>  
> >> Thanks for your help.  
> >>  
> >> Deej  
> >>  
> >>  
> >>  
> >>  
> >>  
> >> "gene lennon" <glennon@NOSPmyrealbox.com> wrote in message  
> >> news:44b037d8\$1@linux...  
> >> >  
> >> > "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >> > >I need to build balanced I/O cables for the analog outputs of my  
> >>Roland  
> >> > >R880. The pinout calls for pin 1-ground, pin 2-cold, pin 3-hot.  
That's  
> >> not  
> >> > >the normal state of affairs around here. Everything I'm using is pin  
> >> 2-hot  
> >> > >and is routed to 1/4" TRS patchbays.  
> >> > >These cables need to be XLR to TRS in order to interface with said  
> >> balanced  
> >> > >patchbay. From there they would be patched to other gear (with  
trs-trs  
> >> patch  
> >> > >cables) that is pin 2-hot. I'm guessing I'm going to have to make up  
> > a  
> >> > >couple of special trs-trs patch cables to get this all strack. It's  
> >> making  
> >> > >my head hurt. Could someone give me a clue as to what I need to do  
> to  
> >> patch  
> >> > >a pin 3-hot device through a balanced PB in order to interface

properly

> > > with

> > > >the rest of my (pin 2 hot) studio?

> > > >

> > > >Thanks,

> > > >

> > > >Deej (the obscure)

> > > >

> > > >

> > > >

> > > In this case you can reverse either end. I keep some colored shrink

> > tubing

> > > around to mark non-normal cables. Personally I reverse at the XLR,

> > because

> > > it's easier to reverse.

> > > Gene

> > > >

> > >

> > >

> >

> >

> >

>There are come cool Armadillo World Headquarters posters/memorabilia there too. One of the Armadillo artists was a runnin' buddy of mine for many years and after Lowell George died, we used to channel him on a regular basis with the aid of old tapes and certain esoteric substances.

;o)

"DC" <dc@spammersonmars.org> wrote in message news:44b1ea33\$1@linux...

>

> <http://www.wolfgangsvault.com>

>

> Wolfgang Grajonca, aka Bill Graham, was a notorious obsessive. But

> he loved what he did, and we are now all his beneficiaries because

> one of his obsessions was that he kept everything from all his

> shows. Everything.

>

> It was all stashed in a warehouse; nobody even knew what was

> there, and after Graham died in a helicopter crash in 1991 nobody

> knew what to do with it, or didn't want to invest the time to find out

> what was there. After passing thru several owners, businessman &

> music fan Bill Sagan bought the whole 'mess' for about \$1.5 million.

> It was piled over 25 feet high in that warehouse. It took

> TWENTY-FIVE tractor trailer rigs to carry it all to its new home

> where Sagan began digging thru and cataloging what he'd bought.

>

> He found:

>

>  
> Original Contracts signed by the artists  
> Mint condition super-rare posters; some worth \$15k each today  
> Handbills  
> Unused tickets  
> Over a million slides, negatives and photographs.  
>  
> Then one day while poking thru it Sagan found what he'd never even  
> dreamed of: Bill Graham had even saved the concerts themselves.  
> He'd made video & high res audio recordings of thousands of shows!  
> Sagan is not even sure, but it might be over 7,000 recordings in  
> number.  
>  
> He is selling some of it thru the above website. He is also making  
> available "Vault Radio" where you can click on the link and listen  
> (free) to some of those recordings in a rotation that includes dozens  
> of those recordings.  
>  
> Just click on "vault radio" Priceless....  
>  
> DC  
>Oh, no not that, that would be nice, I meant UAD stuff and the like.

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>  
>"Cujo" <chris@nospamapplemanstudio.com> wrote in message  
>news:44b265f3\$1@linux...  
>>  
>>  
>> What would a decent USB interface be?  
>>  
>> The wavelab I have allows effects on the master.  
>>  
>  
>external FX???.....if so, then you are using the most recent version.  
>  
>> Chris Ludwig <chris@adkproaudio.com> wrote:  
>> >Hi Cujo and John,  
>> >Your low mid bump is a result of horrible converter quality of all on  
>> >board sound cards. I wouldn't trust any use of EQ with the on board  
>> >sound cards. There are some very inexpensive audio PCI , USB and  
>> >Firewire cards available that will make a big difference.  
>> >Also Steinberg is putting out a mid-priced version of Wavelab that is  
>> a  
>>  
>> >stereo only very and no DVD support which will go for 299.00 and a  
>> >competitive upgrade version for 199.00. It will probably be out in end

>> >of August.  
>> >  
>> >In the full version you be able to place a effects on th master  
>> >sections, individual tracks and on individual clips all with send volume  
>>  
>> >control. Oh and you can also us external effect nay were in the effect  
>> >chain just like you can in Cubase/Nuendo. This way you can use outboard  
>>  
>> >gear or even Paris effects directly inside of Wavelab.  
>> >  
>> >  
>> >Chris  
>> >  
>> >  
>> >Cujo wrote:  
>> >> John, I have WL Essentials which is somehting like 99.00 bucks and  
it  
>> is  
>> >> way cool. The montage thing is a cd sequencer, you can lay out each  
>"track"  
>> >> in a linear fasion, and slide songs back and forth to make the time  
>inbetween  
>> >> just as you want them, you can also aply fades, adjust volume, add  
UAD  
>> plugs  
>> >> to the mix (presision limite) really it is a mastering suite. Now,  
I  
>would  
>> >> bot master a dang thing, but I got it so I could sequence a CD EXACTLY  
>> how  
>> >> i want it before I send it to the mastering house. Say if you uses  
>Roxio  
>> >> for rough cd;s you only can do 2 second intervals or whatever, and  
you  
>> can  
>> >> not nudge..  
>> >>  
>> >> Ok, so right now I am mastering something, an R&B record I worked on  
>that  
>> >> has NO budget., it is sort of liek a hip hop mix tape. When using WL  
>the  
>> >> output goes via my Comps on board sound card in there is some strange  
>> EQ  
>> >> thing going on there, (low mid bump) so I can;t use any EQ on the mix  
>> in  
>> >> WL!  
>> >>  
>> >> John <no@no.com> wrote:

>> >>  
>> >>>Cujo, What kind of multiple song things can you do in wavelab, what's  
>> >>  
>> >>  
>> >>>this montage thing?  
>> >>>  
>> >>>cujo wrote:  
>> >>>  
>> >>>>For years I have used CEP and it is a snap, but with WL you can do  
all  
>> >>  
>> >> the  
>> >>  
>> >>>>songs on a cd in one go, and it offers a bit more in noise shaping  
so  
>> >>  
>> >> I wondered  
>> >>  
>> >>>>if it was the more "pro" option.  
>> >>>>  
>> >>>>John <no@no.com> wrote:  
>> >>>>  
>> >>>>  
>> >>>>>I was using the free dither app written for paris.  
>> >>>>>  
>> >>>>>cujo wrote:  
>> >>>>>  
>> >>>>>  
>> >>>>>>Which do you prefer for dithering: CEP or Wavelab with the plug  
you  
>> place  
>> >>>>>>on the master bus on the montage mode?  
>> >>>>>>  
>> >>>>>>>Also does the render button on the effects group in Montage mode  
>permanently  
>> >>>>>>>change the individual files or does it save the new CD as a separate  
>> >>  
>> >> bunch  
>> >>  
>> >>>>>>>of files?  
>> >>>>>>>I don't know if I am making sense here.  
>> >  
>> >--  
>> >Chris Ludwig  
>> >ADK  
>> >chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>  
>> >www.adkproaudio.com <http://www.adkproaudio.com/>  
>> >(859) 635-5762

>  
>I can't imagine anybody on this group hijacking any thread

:)

El Miguel

"macle" <Mates9999@cs.com> wrote in message news:44b1996b\$1@linux...

>  
> El Miguel, hola amigo to you!! Thanks man, and thanks for  
> signing the guestbook.  
>  
> P.S. everyone, feel free to sign The Mates guestbook even if  
> you didn't buy the CD: <http://www.themateswebsite.com/page24.html>

>  
> Oh, and if anyone is on MySpace, hit us up, The Mates need  
> mates!

>  
> <http://www.myspace.com/themates>

>  
> Sorry Miguel, for turning this into a spammish thing, man this  
> promo stuff is addicting...almost as addicting as The Mates  
> new CD, in record stores everywhere!!

>  
> "Miguel Vigil" <nospam@nospam.com> wrote:  
> >Hello PayPal...

> >  
> >Regards,  
> >  
> >El Miguel

> >  
> >  
> >  
> >"macle" <Mates9999@cs.com> wrote in message news:44acca76\$1@linux...

> >>  
> >> Hey Paris People, how are you!?  
> >>  
> >> Well, I don't really know who's still here after all this time, but I  
> > just  
> >> wanted to let those who may be interested, or were interested at one  
time,  
> >> or used to be interesed and still just might be interested, that we  
> > finally  
> >> have a CD for sale of the  
> >> songs I posted oh so long ago (all recorded on Paris in my  
> >> little home studio).

> >>  
> >> Please check out our website:  
> >>  
> >> <http://www.themateswebsite.com/>

> >> Thanks a lot!!!

> >>  
> >>  
> >>  
> >>  
> >>  
> >>  
> >  
> >

>Right. I've considered upgrading to the newer version so I can insert a hardware reverbs before the limiter in a mastering scenario.

"Cujo" <[chris@nospamapplemanstudio.com](mailto:chris@nospamapplemanstudio.com)> wrote in message  
news:44b27732\$1@linux...

>  
>

> Oh, no not that, that would be nice, I meant UAD stuff and the like.

>  
>

> "DJ" <[animix\\_spam-this-ahole\\_@animas.net](mailto:animix_spam-this-ahole_@animas.net)> wrote:

> >

> >"Cujo" <[chris@nospamapplemanstudio.com](mailto:chris@nospamapplemanstudio.com)> wrote in message  
> >news:44b265f3\$1@linux...

> >>  
> >>

> >> What would a decent USB interface be?

> >>

> >> The wavelab I have allows effects on the master.

> >>

> >

> >external FX???.....if so, then you are using the most recent version.

> >

> >> Chris Ludwig <[chrisl@adkproaudio.com](mailto:chrisl@adkproaudio.com)> wrote:

> >> >Hi Cujo and John,

> >> >Your low mid bump is a result of horrible converter quality of all on  
> >> >board sound cards. I wouldn't trust any use of EQ with the on board  
> >> >sound cards. There are some very inexpensive audio PCI , USB and  
> >> >Firewire cards available that will make a big difference.

> >> >Also Steinberg is putting out a mid-priced version of Wavelab that is

> > a

> >>

> >> >stereo only very and no DVD support which will go for 299.00 and a  
> >> >competitive upgrade version for 199.00. It will probably be out in end  
> >> >of August.

> >> >  
> >> >In the full version you be able to place a effects on th master  
> >> >sections, individual tracks and on individual clips all with send  
volume  
> >>  
> >> >control. Oh and you can also us external effect nay were in the effect  
> >> >chain just like you can in Cubase/Nuendo. This way you can use  
outboard  
> >>  
> >> >gear or even Paris effects directly inside of Wavelab.  
> >> >  
> >> >  
> >> >Chris  
> >> >  
> >> >  
> >> >Cujo wrote:  
> >> >> John, I have WL Essentials which is somehting like 99.00 bucks and  
> > it  
> >> is  
> >> >> way cool. The montage thing is a cd sequencer, you can lay out each  
> >"track"  
> >> >> in a linear fasion, and slide songs back and forth to make the time  
> >inbetween  
> >> >> just as you want them, you can also aply fades, adjust volume, add  
> UAD  
> >> plugs  
> >> >> to the mix (presision limite) really it is a mastering suite. Now,  
> I  
> >would  
> >> >> bot master a dang thing, but I got it so I could sequence a CD  
EXACTLY  
> >> how  
> >> >> i want it before I send it to the mastering house. Say if you uses  
> >Roxio  
> >> >> for rough cd;s you only can do 2 second intervals or whatever, and  
> you  
> >> can  
> >> >> not nudge..  
> >> >>  
> >> >> Ok, so right now I am mastering something, an R&B record I worked on  
> >that  
> >> >> has NO budget., it is sort of liek a hip hop mix tape. When using WL  
> >the  
> >> >> output goes via my Comps on board sound card in there is some  
strange  
> >> EQ  
> >> >> thing going on there, (low mid bump) so I can;t use any EQ on the  
mix

> >> in  
> >> >> WL!  
> >> >>  
> >> >> John <no@no.com> wrote:  
> >> >>  
> >> >>>Cujo, What kind of multiple song things can you do in wavelab,  
what's  
> >> >>  
> >> >>  
> >> >>>this montage thing?  
> >> >>>  
> >> >>>cujo wrote:  
> >> >>>  
> >> >>>>For years I have used CEP and it is a snap, but with WL you can do  
> all  
> >> >>  
> >> >> the  
> >> >>  
> >> >>>>songs on a cd in one go, and it offers a bit more in noise shaping  
> so  
> >> >>  
> >> >> I wondered  
> >> >>  
> >> >>>>if it was the more "pro" option.  
> >> >>>>  
> >> >>>>John <no@no.com> wrote:  
> >> >>>>  
> >> >>>>  
> >> >>>>>I was using the free dither app written for paris.  
> >> >>>>>  
> >> >>>>>cujo wrote:  
> >> >>>>>  
> >> >>>>>  
> >> >>>>>>Which do you prefer for dithering: CEP or Wavelab with the plug  
> you  
> >> place  
> >> >>>>>>on the master bus on the montage mode?  
> >> >>>>>>  
> >> >>>>>>>Also does the render button on the effects group in Montage mode  
> >permanently  
> >> >>>>>>>change the individual files or does it save the new CD as a  
seperate  
> >> >>  
> >> >> bunch  
> >> >>  
> >> >>>>>>>of files?  
> >> >>>>>>>I don't know if I am making sense here.  
> >> >

> >> >--  
> >> >Chris Ludwig  
> >> >ADK  
> >> >chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>  
> >> >www.adkproaudio.com <http://www.adkproaudio.com/>  
> >> >(859) 635-5762  
> >  
> >I just wish that Colorgraphics or \*somebody\* would make a 6 head AGP  
graphics card with a gig of VRAM based on an NVidia chipset so it would  
share IRQ's nicely with other devices on the PCI bus.

"Miguel Vigil" <nospam@nospam.com> wrote in message news:44b278ac@linux...

> I can't imagine anybody on this group hijacking any thread

>  
> :)

>  
> El Miguel

>  
>  
>  
>  
> "macle" <Mates9999@cs.com> wrote in message news:44b1996b\$1@linux...

> >  
> > El Miguel, hola amigo to you!! Thanks man, and thanks for  
> > signing the guestbook.

> >  
> > P.S. everyone, feel free to sign The Mates guestbook even if  
> > you didn't buy the CD: <http://www.themateswebsite.com/page24.html>

> >  
> > Oh, and if anyone is on MySpace, hit us up, The Mates need  
> > mates!

> >  
> > <http://www.myspace.com/themates>

> >  
> > Sorry Miguel, for turning this into a spammish thing, man this  
> > promo stuff is addicting...almost as addicting as The Mates  
> > new CD, in record stores everywhere!!

> >  
> > "Miguel Vigil" <nospam@nospam.com> wrote:  
> > >Hello PayPal...

> > >  
> > >Regards,

> > >  
> > >El Miguel

> > >  
> > >  
> > >

> > >"macle" <Mates9999@cs.com> wrote in message news:44acca76\$1@linux...

> > >>  
> > >> Hey Paris People, how are you!?  
> > >>  
> > >> Well, I don't really know who's still here after all this time, but I  
> > just  
> > >> wanted to let those who may be interested, or were interested at one  
> time,  
> > >> or used to be interesed and still just might be interested, that we  
> > >finally  
> > >> have a CD for sale of the  
> > >> songs I posted oh so long ago (all recorded on Paris in my  
> > >> little home studio).  
> > >>  
> > >> Please check out our website:  
> > >>  
> > >> <http://www.themateswebsite.com/>  
> > >>  
> > >> Thanks a lot!!!  
> > >>  
> > >>  
> > >>  
> > >>  
> > >>  
> > >>  
> > >  
> > >  
> >  
>

>How do you guys and gals handle it when you get a client who is insistant on very little or no compression? How do you handle it when they want to know everything about the signal chain?(hence your mixing secrets)

BHey Brandon- hope everything is cool! I still listen to that "21" song every now and then!

I would just give them what they want, in both cases.

My band just played at a Denver club, and recorded the gig. The sound guy had good equipment, but nothing real high-end. He proceded to do an absolutely AWESOME and artistic job of utilizing that gear, and the sound, both live and on disk, is just amazing. Even the sound board mix is fabulous.

My point is that any amount of info you share on gear, settings, etc, will not help the client become a pro. They might go away for a while, thinking that they can do it themselves, but they will return when they realize that if it sounds good, and you can make it sound good, then it's worth it to hire you.

Peace,

Chris

"brandon" <a@a.com> wrote:

>  
>How do you guys and gals handle it when you get a client who is insistant  
>on very little or no compression? How do you handle it when they want to  
>know everything about the signal chain?(hence your mixing secrets)  
>  
>BThis is a multi-part message in MIME format.

-----=\_NextPart\_000\_0045\_01C6A41C.D6EF14B0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Brandon,

Tell them just enough to get into murky water and charge them for the extra time it takes to tell them everything in gory detail.

I had a client like that once. I've never heard anything good from his home studio yet but he always likes it. =20

I must have done okay.

Honestly, I like telling those that are interested some of my ideas but sometimes there are people who don't deserve to know on a=20 personal level.

Tom

"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

How do you guys and gals handle it when you get a client who is = insistant  
on very little or no compression? How do you handle it when they want = to  
know everything about the signal chain?(hence your mixing secrets)

B

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0045\_01C6A41C.D6EF14B0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>Brandon,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tell them just enough to get into murky =
water and=20
charge them for</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>the extra time it takes to tell them =
everything in=20
gory detail.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I had a client like that once.&nbsp;< =
I've never=20
heard anything good from his</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>home studio yet but he always likes =
it.&nbsp;<=20
</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>I must have done okay.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Honestly, I like telling those that are =
interested=20
some of my ideas</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>but sometimes there are people who =
don't deserve to=20
know on a </FONT></DIV>
<DIV><FONT face=3DArial size=3D2>personal level.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<BLOCKQUOTE=20
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"brandon" &lt;<A href=3D"mailto:a@a.com">a@a.com</A>&gt; wrote in =
message=20
  <A =
href=3D"news:44b27b39$1@linux">news:44b27b39$1@linux</A>...</DIV><BR>How =
do=20
  you guys and gals handle it when you get a client who is =
insistant<BR>on very=20
  little or no compression? How do you handle it when they want =
to<BR>know=20
```

everything about the signal chain?(hence your mixing=20  
secrets)<BR><BR>B</BLOCKQUOTE>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
and=20  
you?<BR><A=20  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp; &nbsp; &nbsp; &nbsp; </FONT></DIV></BODY ></HTML>

-----=\_NextPart\_000\_0045\_01C6A41C.D6EF14B0--This is a multi-part message in MIME format.

-----=\_NextPart\_000\_0056\_01C6A41D.BD7D2520  
Content-Type: text/plain;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

DJ,  
6 monitors for everyone!!!

What about that Matrox thingy that splits one VGA into two with no =  
software?

Get a three headed monster and three Matrox thingies.  
<http://www.matrox.com/graphics/offhome/dh2go/home.cfm>

Or stick with the dual head and get two of these:  
<http://www.matrox.com/graphics/offhome/th2go/home.cfm>

Tom

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message =  
news:44b279a9\$1@linux...

I just wish that Colorgraphics or \*somebody\* would make a 6 head AGP  
graphics card with a gig of VRAM based on an NVidia chipset so it =  
would  
share IRQ's nicely with other devices on the PCI bus.

"Miguel Vigil" <nospam@nospam.com> wrote in message =  
news:44b278ac@linux...

> I can't imagine anybody on this group hijacking any thread

>  
> :)

>  
> El Miguel

>  
>  
>

> "macle" <Mates9999@cs.com> wrote in message news:44b1996b\$1@linux...

>>

>> El Miguel, hola amigo to you!! Thanks man, and thanks for

> > signing the guestbook.  
> >  
> > P.S. everyone, feel free to sign The Mates guestbook even if  
> > you didn't buy the CD: <http://www.themateswebsite.com/page24.html>  
> >  
> > Oh, and if anyone is on MySpace, hit us up, The Mates need  
> > mates!  
> >  
> > <http://www.myspace.com/themates>  
> >  
> > Sorry Miguel, for turning this into a spammish thing, man this  
> > promo stuff is addicting...almost as addicting as The Mates  
> > new CD, in record stores everywhere!!  
> >  
> > "Miguel Vigil" <nospam@nospam.com> wrote:  
> > >Hello PayPal...  
> > >  
> > >Regards,  
> > >  
> > >El Miguel  
> > >  
> > >  
> > >  
> > >  
> > >"macle" <Mates9999@cs.com> wrote in m

---

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Aaron Allen](#) on Wed, 31 May 2006 22:48:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

essage =  
news:44acca76\$1@linux...  
> > >  
> > > Hey Paris People, how are you!?  
> > >  
> > > Well, I don't really know who's still here after all this time, =  
but I  
> > just  
> > > wanted to let those who may be interested, or were interested =  
at one  
> time,  
> > > or used to be interesed and still just might be interested, =  
that we  
> > >finally  
> > > have a CD for sale of the  
> > > songs I posted oh so long ago (all recorded on Paris in my  
> > > little home studio).  
> > >

> > >> Please check out our website:  
> > >>  
> > >> <http://www.themateswebsite.com/>  
> > >>  
> > >> Thanks a lot!!!  
> > >>  
> > >>  
> > >>  
> > >>  
> > >>  
> > >>  
> > >  
> > >  
> >  
>  
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0056\_01C6A41D.BD7D2520

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=3DContent-Type content=3D"text/html; =
charset=3Diso-8859-1">
<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=3D#ffffff>
<DIV><FONT face=3DArial size=3D2>DJ,</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>6 monitors for everyone!!!</FONT></DIV>
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>What about that Matrox thingy that =
splits one VGA=20
into two with <U>no software</U>?</FONT></DIV>
<DIV><FONT face=3DArial size=3D2>Get a three headed monster and three =
Matrox=20
thingies.</FONT></DIV>
<DIV><FONT face=3DArial size=3D2><A=20
href=3D"http://www.matrox.com/graphics/offhome/dh2go/home.cfm">http://www=
..matrox.com/graphics/offhome/dh2go/home.cfm</A></FONT></DIV >
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>
<DIV><FONT face=3DArial size=3D2>Or stick with the dual head and get two =
```

of=20  
these:</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2><A=20  
href=3D"http://www.matrox.com/graphics/offhome/th2go/home.cfm">http://www=  
..matrox.com/graphics/offhome/th2go/home.cfm</A></FONT></DIV >  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
 <DIV>"DJ" &lt;<A=20  
 =  
href=3D"mailto:animix\_spam-this-ahole\_@animas.net">animix\_spam-this-ahole=  
\_@animas.net</A>&gt;=20  
 wrote in message <A=20  
 href=3D"news:44b279a9\$1@linux">news:44b279a9\$1@linux</A>...</DIV>I =  
just wish=20  
 that Colorgraphics or \*somebody\* would make a 6 head AGP<BR>graphics =  
card with=20  
 a gig of VRAM based on an NVidia chipset so it would<BR>share IRQ's =  
nicely=20  
 with other devices on the PCI bus.<BR><BR><BR>"Miguel Vigil" &lt;<A=20  
 href=3D"mailto:nospam@nospam.com">nospam@nospam.com</A>&gt; wrote in =  
message <A=20  
 href=3D"news:44b278ac@linux">news:44b278ac@linux</A>...<BR>&gt; I =  
can't imagine=20  
 anybody on this group hijacking any thread<BR>&gt;<BR>&gt; =  
:)<BR>&gt;<BR>&gt;=20  
 El Miguel<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt; "macle" &lt;<A=20  
 href=3D"mailto:Mates9999@cs.com">Mates9999@cs.com</A>&gt; wrote in =  
message <A=20  
 href=3D"news:44b1996b\$1@linux">news:44b1996b\$1@linux</A>...<BR>&gt; =  
&gt;<BR>&gt;=20  
&gt; El Miguel, hola amigo to you!! Thanks man, and thanks for<BR>&gt; =  
&gt;<BR>&gt;=20  
 signing the guestbook.<BR>&gt; &gt;<BR>&gt; &gt; P.S. everyone, feel =  
free to=20  
 sign The Mates guestbook even if<BR>&gt; &gt; you didn't buy the CD: =  
<A=20  
 =  
href=3D"http://www.themateswebsite.com/page24.html">http://www.themateswe=  
bsite.com/page24.html</A><BR>&gt;=20  
 &gt;<BR>&gt; &gt; Oh, and if anyone is on MySpace, hit us up, The =  
Mates=20  
 need<BR>&gt; &gt; mates!<BR>&gt; &gt;<BR>&gt; &gt; <A=20  
 =  
href=3D"http://www.myspace.com/themates">http://www.myspace.com/themates<=  
/A><BR>&gt;=20

&gt;<BR>&gt; &gt; Sorry Miguel, for turning this into a spammish =  
thing, man=20  
this<BR>&gt; &gt; promo stuff is addicting...almost as addicting as =  
The=20  
Mates<BR>&gt; &gt; new CD, in record stores everywhere!!<BR>&gt; =  
&gt;<BR>&gt;=20  
&gt; "Miguel Vigil" &lt;<A=20  
href=3D"mailto:nospam@nospam.com">nospam@nospam.com</A>&gt; =  
wrote:<BR>&gt; &gt;=20  
&gt;Hello PayPal...<BR>&gt; &gt; &gt;<BR>&gt; &gt; =  
&gt;Regards,<BR>&gt; &gt;=20  
&gt;<BR>&gt; &gt; &gt;El Miguel<BR>&gt; &gt; &gt;<BR>&gt; &gt; =  
&gt;<BR>&gt;=20  
&gt; &gt;<BR>&gt; &gt; &gt;"macle" &lt;<A=20  
href=3D"mailto:Mates9999@cs.com">Mates9999@cs.com</A>&gt; wrote in =  
message <A=20  
href=3D"news:44acca76\$1@linux">news:44acca76\$1@linux</A>...<BR>&gt; =  
&gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt; Hey Paris People, how are you!?!<BR>&gt; =  
&gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt; Well, I don't really know who's still =  
here=20  
after all this time, but I<BR>&gt; &gt; just<BR>&gt; &gt; &gt;&gt; =  
wanted to=20  
let those who may be interested, or were interested at one<BR>&gt;=20  
time,<BR>&gt; &gt; &gt;&gt; or used to be interesed and still just =  
might be=20  
interested, that we<BR>&gt; &gt; &gt;finally<BR>&gt; &gt; &gt;&gt; =  
have a CD=20  
for sale of the<BR>&gt; &gt; &gt;&gt; songs I posted oh so long ago =  
(all=20  
recorded on Paris in my<BR>&gt; &gt; &gt;&gt; little home =  
studio).<BR>&gt;=20  
&gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt; Please check out our =  
website:<BR>&gt; &gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt; <A=20  
=  
href=3D"http://www.themateswebsite.com/">http://www.themateswebsite.com/<=  
/A><BR>&gt;=20  
&gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt; Thanks a lot!!!<BR>&gt; &gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt; &gt;<BR>&gt; &gt; =  
&gt;<BR>&gt;=20  
&gt;<BR>&gt;<BR>&gt;<BR><BR></BLOCKQUOTE>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
and=20  
you?<BR><A=20  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

..html</A>&nbsp;&nbsp;&nbsp;&nbsp;</FONT></DIV></BODY ></HTML>

-----=\_NextPart\_000\_0056\_01C6A41D.BD7D2520--I am using just the essentials it is about a 6 months old, would the essentails allow this? My next gear goal (goooooooooaaaaaaal!) is possibly a Merc 1968 for the stereo buss.

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>Right. I've considered upgrading to the newer version so I can insert a >hardware reverbs before the limiter in a mastering scenario.

>

> "Cujo" <chris@nospamapplemanstudio.com> wrote in message

>news:44b27732\$1@linux...

>>

>>

>> Oh, no not that, that would be nice, I meant UAD stuff and the like.

>>

>>

>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>> >

>> >"Cujo" <chris@nospamapplemanstudio.com> wrote in message

>> >news:44b265f3\$1@linux...

>> >>

>> >>

>> >> What would a decent USB interface be?

>> >>

>> >> The wavelab I have allows effects on the master.

>> >>

>> >

>> >external FX???.....if so, then you are using the most recent version.

>> >

>> >> Chris Ludwig <chrisl@adkproaudio.com> wrote:

>> >> >Hi Cujo and John,

>> >> >Your low mid bump is a result of horrible converter quality of all on

>> >> >board sound cards. I wouldn't trust any use of EQ with the on board

>> >> >sound cards. There are some very inexpensive audio PCI , USB and

>> >> >Firewire cards available that will make a big difference.

>> >> >Also Steinberg is putting out a mid=priced version of Wavelab that is

>> a

>> >>

>> >> >stereo only very and no DVD support which will go for 299.00 and a

>> >> >competitive upgrade version for 199.00. It will probably be out in

end

>> >> >of August.

>> >> >

>> >> >In the full version you be able to place a effects on th master  
>> >> >sections, individual tracks and on individual clips all with send  
>volume  
>> >>  
>> >> >control. Oh and you can also us external effect nay were in the effect  
>> >> >chain just like you can in Cubase/Nuendo. This way you can use  
>outboard  
>> >>  
>> >> >gear or even Paris effects directly inside of Wavelab.  
>> >> >  
>> >> >  
>> >> >Chris  
>> >> >  
>> >> >  
>> >> >Cujo wrote:  
>> >> >> John, I have WL Essentials which is somehting like 99.00 bucks and  
>> it  
>> >> is  
>> >> >> way cool. The montage thing is a cd sequencer, you can lay out each  
>> >"track"  
>> >> >> in a linear fasion, and slide songs back and forth to make the time  
>> >inbetween  
>> >> >> just as you want them, you can also aply fades, adjust volume, add  
>> UAD  
>> >> plugs  
>> >> >> to the mix (presision limite) really it is a mastering suite. Now,  
>> I  
>> >would  
>> >> >> bot master a dang thing, but I got it so I could sequence a CD  
>EXACTLY  
>> >> how  
>> >> >> i want it before I send it to the mastering house. Say if you uses  
>> >Roxio  
>> >> >> for rough cd;s you only can do 2 second intervals or whatever, and  
>> you  
>> >> can  
>> >> >> not nudge..  
>> >> >>  
>> >> >> Ok, so right now I am mastering something, an R&B record I worked  
on  
>> >that  
>> >> >> has NO budget., it is sort of liek a hip hop mix tape. When using  
WL  
>> >the  
>> >> >> output goes via my Comps on board sound card in there is some  
>strange  
>> >> EQ  
>> >> >> thing going on there, (low mid bump) so I can;t use any EQ on the

>mix  
>> >> in  
>> >> >> WL!  
>> >> >>  
>> >> >> John <no@no.com> wrote:  
>> >> >>  
>> >> >>>Cujo, What kind of multiple song things can you do in wavelab,  
>what's  
>> >> >>  
>> >> >>  
>> >> >>>this montage thing?  
>> >> >>>  
>> >> >>>cujo wrote:  
>> >> >>>  
>> >> >>>>For years I have used CEP and it is a snap, but with WL you can  
do  
>> all  
>> >> >>  
>> >> >> the  
>> >> >>  
>> >> >>>>songs on a cd in one go, and it offers a bit more in noise shaping  
>> so  
>> >> >>  
>> >> >> I wondered  
>> >> >>  
>> >> >>>>if it was the more "pro" option.  
>> >> >>>>  
>> >> >>>>John <no@no.com> wrote:  
>> >> >>>>  
>> >> >>>>  
>> >> >>>>>I was using the free dither app written for paris.  
>> >> >>>>>  
>> >> >>>>>cujo wrote:  
>> >> >>>>>  
>> >> >>>>>  
>> >> >>>>>>>Which do you prefer for dithering: CEP or Wavelab with the plug  
>> you  
>> >> place  
>> >> >>>>>>>on the master bus on the montage mode?  
>> >> >>>>>>>  
>> >> >>>>>>>>Also does the render button on the effects group in Montage mode  
>> >permanently  
>> >> >>>>>>>>change the individual files or does it save the new CD as a  
>seperate  
>> >> >>  
>> >> >> bunch  
>> >> >>  
>> >> >>>>>>>>of files?

>> >> >>>>>I don't know if I am making sense here.  
>> >> >  
>> >> >--  
>> >> >Chris Ludwig  
>> >> >ADK  
>> >> >chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>  
>> >> >www.adkproaudio.com <http://www.adkproaudio.com/>  
>> >> >(859) 635-5762  
>> >  
>> >  
>  
>This is a multi-part message in MIME format.

-----=\_NextPart\_000\_00C4\_01C6A410.EFDB5A80  
Content-Type: text/plain;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable

[http://www.compusabusiness.com/products/product\\_info.asp?pfp=3DSEARCH&product\\_code=3D51810990&Pn=3DDualHead2Go\\_External\\_Multi\\_Display\\_Upgrade](http://www.compusabusiness.com/products/product_info.asp?pfp=3DSEARCH&product_code=3D51810990&Pn=3DDualHead2Go_External_Multi_Display_Upgrade)

Not a bad price actually.....but this concerns me:

>DualHead2Go takes the existing single monitor display output (i.e. = external VGA output) from your system and expands it into >dual display = outputs, allowing you to run your Windows desktop at up to 2560 x 1024 = resolution stretched across two displays.=20

WTF happens if your monitors don't support 2560 x 1024?

:OP

"Tom Bruhl" <arpeggio@comcast.net> wrote in message = news:44b2813d@linux...

DJ,  
6 monitors for everyone!!!

What about that Matrox thingy that splits one VGA into two with no = software?

Get a three headed monster and three Matrox thingies.  
<http://www.matrox.com/graphics/offhome/dh2go/home.cfm>

Or stick with the dual head and get two of these:  
<http://www.matrox.com/graphics/offhome/th2go/home.cfm>

Tom

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message = news:44b279a9\$1@linux...

I just wish that Colorgraphics or \*somebody\* would make a 6 head AGP graphics card with a gig of VRAM based on an NVidia chipset so it = would share IRQ's nicely with other devices on the PCI bus.

"Miguel Vigil" <nospam@nospam.com> wrote in message = news:44b278ac@linux...

> I can't imagine anybody on this group hijacking any thread

>

> :)

>

> El Miguel

>

>

>

> "macle" <Mates9999@cs.com> wrote in message = news:44b1996b\$1@linux...

>>

>> El Miguel, hola amigo to you!! Thanks man, and thanks for >> signing the guestbook.

>>

>> P.S. everyone, feel free to sign The Mates guestbook even if >> you didn't buy the CD: =

<http://www.themateswebsite.com/page24.html>

>>

>> Oh, and if anyone is on MySpace, hit us up, The Mates need >> mates!

>>

>> <http://www.myspace.com/themates>

>>

>> Sorry Miguel, for turning this into a spammish thing, man this >> promo stuff is addicting...almost as addicting as The Mates >> new CD, in record stores everywhere!!

>>

>> "Miguel Vigil" <nospam@nospam.com> wrote:

>>>Hello PayPal...

>>>

>>>Regards,

>>>

>>>El Miguel

>>>

>>>

>>>

>>>"macle" <Mates9999@cs.com> wrote in message = news:44acca76\$1@linux...

>>>>

>>>> Hey Paris People, how are you!?



<DIV><FONT face=3DArial size=3D2><A=20  
href=3D" http://www.compusabusiness.com/products/product\_info.asp?pfp =3DSE=  
ARCH&amp;product\_code=3D51810990&amp;Pn=3DDualHead2Go\_External\_Multi\_Displ=  
ay\_Upgrade"> http://www.compusabusiness.com/products/product\_info.asp?pfp =  
=3DSEARCH&amp;product\_code=3D51810990&amp;Pn=3DDualHead2Go\_External\_Multi=  
\_Display\_Upgrade</A></FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Not a bad price actually.<FONT=20  
face=3D"Times New Roman" size=3D3>.....but this concerns =  
me:</FONT></FONT></DIV>  
<DIV>&nbsp;</DIV>  
<DIV>&gt;DualHead2Go takes the existing single monitor display output =  
(i.e.=20  
external VGA output) from your system and expands it into &gt;dual =  
display=20  
outputs, allowing you to run your Windows desktop at up to 2560 x 1024=20  
resolution stretched across two displays. </DIV>  
<DIV>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>WTF happens if your monitors don't =  
support 2560 x=20  
1024?</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>:OP</FONT></DIV>  
<DIV>&nbsp;</DIV>  
<DIV>"Tom Bruhl" &lt;<A=20  
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; wrote in =  
message=20  
<A href=3D"news:44b2813d@linux">news:44b2813d@linux</A>...</DIV>  
<BLOCKQUOTE dir=3Dltr=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV><FONT face=3DArial size=3D2>DJ,</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>6 monitors for =  
everyone!!!</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>What about that Matrox thingy that =  
splits one VGA=20  
into two with <U>no software</U>?</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Get a three headed monster and three =  
Matrox=20  
thingies.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2><A=20  
=  
href=3D"http://www.matrox.com/graphics/offhome/dh2go/home.cfm">http://www=  
..matrox.com/graphics/offhome/dh2go/home.cfm</A></FONT></DIV >  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Or stick with the dual head and get =  
two of=20

these:</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2><A=20  
=  
href=3D"http://www.matrox.com/graphics/offhome/th2go/home.cfm">http://www=  
..matrox.com/graphics/offhome/th2go/home.cfm</A></FONT></DIV >  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV>"DJ" &lt;<A=20  
=  
href=3D"mailto:animix\_spam-this-ahole\_@animas.net">animix\_spam-this-ahole=  
\_@animas.net</A>&gt;=20  
wrote in message <A=20  
href=3D"news:44b279a9\$1 @linux">news:44b279a9\$1 @linux</A>...</DIV>I =  
just wish=20  
that Colorgraphics or \*somebody\* would make a 6 head AGP<BR>graphics =  
card=20  
with a gig of VRAM based on an NVidia chipset so it would<BR>share =  
IRQ's=20  
nicely with other devices on the PCI bus.<BR><BR><BR>"Miguel Vigil" =  
&lt;<A=20  
href=3D"mailto:nospam@nospam.com">nospam@nospam.com</A>&gt; wrote in =  
message=20  
<A href=3D"news:44b278ac@linux">news:44b278ac@linux</A>...<BR>&gt; I =  
can't=20  
imagine anybody on this group hijacking any thread<BR>&gt;<BR>&gt;=20  
)<BR>&gt;<BR>&gt; El Miguel<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt; "macle" =  
&lt;<A=20  
href=3D"mailto:Mates9999@cs.com">Mates9999@cs.com</A>&gt; wrote in =  
message <A=20  
href=3D"news:44b1996b\$1 @linux">news:44b1996b\$1 @linux</A>...<BR>&gt;=20  
&gt;<BR>&gt; &gt; El Miguel, hola amigo to you!! Thanks man, and =  
thanks=20  
for<BR>&gt; &gt; signing the guestbook.<BR>&gt; &gt;<BR>&gt; &gt; =  
P.S.=20  
everyone, feel free to sign The Mates guestbook even if<BR>&gt; &gt; =  
you=20  
didn't buy the CD: <A=20  
=  
href=3D"http://www.themateswebsite.com/page24.html">http://www.themateswe=  
bsite.com/page24.html</A><BR>&gt;=20  
&gt;<BR>&gt; &gt; Oh, and if anyone is on MySpace, hit us up, The =  
Mates=20  
need<BR>&gt; &gt; mates!<BR>&gt; &gt;<BR>&gt; &gt; <A=20  
=  
href=3D"http://www.myspace.com/themates">http://www.myspace.com/themates<=

/A><BR>&gt;=20  
&gt;<BR>&gt; &gt; Sorry Miguel, for turning this into a spammish =  
thing, man=20  
this<BR>&gt; &gt; promo stuff is addicting...almost as addicting as =  
The=20  
Mates<BR>&gt; &gt; new CD, in record stores everywhere!!<BR>&gt;=20  
&gt;<BR>&gt; &gt; "Miguel Vigil" &lt;<A=20  
href=3D"mailto:nospam@nospam.com">nospam@nospam.com</A>&gt; =  
wrote:<BR>&gt;=20  
&gt; &gt;Hello PayPal...<BR>&gt; &gt; &gt;<BR>&gt; &gt; =  
&gt;Regards,<BR>&gt;=20  
&gt; &gt;<BR>&gt; &gt; &gt;El Miguel<BR>&gt; &gt; &gt;<BR>&gt; &gt;=20  
&gt;<BR>&gt; &gt; &gt;<BR>&gt; &gt; &gt;"macle" &lt;<A=20  
href=3D"mailto:Mates9999@cs.com">Mates9999@cs.com</A>&gt; wrote in =  
message <A=20  
href=3D"news:44acca76\$1 @linux">news:44acca76\$1 @linux</A>...<BR>&gt; =  
&gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt; Hey Paris People, how are =  
you!?!<BR>&gt; &gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt; Well, I don't really know who's still =  
here=20  
after all this time, but I<BR>&gt; &gt; just<BR>&gt; &gt; &gt;&gt; =  
wanted to=20  
let those who may be interested, or were interested at one<BR>&gt;=20  
time,<BR>&gt; &gt; &gt;&gt; or used to be interesed and still just =  
might be=20  
interested, that we<BR>&gt; &gt; &gt;finally<BR>&gt; &gt; &gt;&gt; =  
have a CD=20  
for sale of the<BR>&gt; &gt; &gt;&gt; songs I posted oh so long ago =  
(all=20  
recorded on Paris in my<BR>&gt; &gt; &gt;&gt; little home =  
studio).<BR>&gt;=20  
&gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt; Please check out our =  
website:<BR>&gt;=20  
&gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt; <A=20  
=  
href=3D"http://www.themateswebsite.com/">http://www.themateswebsite.com/<=  
/A><BR>&gt;=20  
&gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt; Thanks a lot!!!<BR>&gt; &gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt; &gt;<BR>&gt; &gt; =  
&gt;<BR>&gt;=20  
&gt;<BR>&gt;<BR>&gt;<BR><BR></BLOCKQUOTE>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight spam, =  
and=20  
you?<BR><A=20  
=  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=

..html</A>&nbsp;&nbsp;&nbsp;&nbsp;</FONT></DIV></BLOCKQUOTE ></BODY></HTML>

-----=\_NextPart\_000\_00C4\_01C6A410.EFDB5A80--Re: compression....if you can try and understand your client's motivation for not wanting compression and you may be better off. Perhaps they are misinformed, or have had some problems with over compression in the past. Maybe compression for dynamic range control is okay by them, but compression as a sound shaping tool is not...that's fine with me, as long as the client is making an informed decision.

Re: signal chain...there are no secrets as far as I'm concerned. The \*real secret\* is knowing when to use a certain mix trick, and more importantly, when NOT to. And that's a skill that has to be learned by experience....

Cheers,

Kris

"brandon" <a@a.com> wrote:

>

>How do you guys and gals handle it when you get a client who is insistant  
>on very little or no compression? How do you handle it when they want to  
>know everything about the signal chain?(hence your mixing secrets)

>

>BThis is a multi-part message in MIME format.

-----=\_NextPart\_000\_0082\_01C6A423.10BC3BE0

Content-Type: text/plain;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

That's a problem. Buy 6 new monitors.

You know you want to.

T

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message =  
news:44b289a3@linux...

=

[http://www.compusabusiness.com/products/product\\_info.asp?pfp=3DSEARCH&product\\_code=3D51810990&Pn=3DDualHead2Go\\_External\\_Multi\\_Display\\_Upgrade](http://www.compusabusiness.com/products/product_info.asp?pfp=3DSEARCH&product_code=3D51810990&Pn=3DDualHead2Go_External_Multi_Display_Upgrade)

Not a bad price actually.....but this concerns me:

>DualHead2Go takes the existing single monitor display output (i.e. =  
external VGA output) from your system and expands it into >dual display =  
outputs, allowing you to run your Windows desktop at up to 2560 x 1024 =  
resolution stretched across two displays.=20

WTF happens if your monitors don't support 2560 x 1024?

:OP

"Tom Bruhl" <arpeggio@comcast.net> wrote in message =  
news:44b2813d@linux...

DJ,  
6 monitors for everyone!!!

What about that Matrox thingy that splits one VGA into two with no =  
software?

Get a three headed monster and three Matrox thingies.  
<http://www.matrox.com/graphics/offhome/dh2go/home.cfm>

Or stick with the dual head and get two of these:  
<http://www.matrox.com/graphics/offhome/th2go/home.cfm>

Tom

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message =  
news:44b279a9\$1@linux...

I just wish that Colorgraphics or \*somebody\* would make a 6 head =  
AGP

graphics card with a gig of VRAM based on an NVidia chipset so it =  
would

share IRQ's nicely with other devices on the PCI bus.

"Miguel Vigil" <nospam@nospam.com> wrote in message =  
news:44b278ac@linux...

> I can't imagine anybody on this group hijacking any thread

>

> :)

>

> El Miguel

>

>

>

> "macle" <Mates9999@cs.com> wrote in message =  
news:44b1996b\$1@linux...

> >

> > El Miguel, hola amigo to you!! Thanks man, and thanks for  
> > signing the guestbook.

> >

> > P.S. everyone, feel free to sign The Mates guestbook even if  
> > you didn't buy the CD: =

<http://www.themateswebsite.com/page24.html>

> >

> > Oh, and if anyone is on MySpace, hit us up, The Mates need  
> > mates!

> >

> > http://www.myspace.com/themates  
> >  
> > Sorry Miguel, for turning this into a spammish thing, man this  
> > promo stuff is addicting...almost as addicting as The Mates  
> > new CD, in record stores everywhere!!  
> >  
> > "Miguel Vigil" <nospam@nospam.com> wrote:  
> > >Hello PayPal...  
> > >  
> > >Regards,  
> > >  
> > >El Miguel  
> > >  
> > >  
> > >  
> > >"macle" <Mates9999@cs.com> wrote in message =  
news:44acca76\$1@linux...  
> > >>  
> > >> Hey Paris People, how are you!?  
> > >>  
> > >> Well, I don't really know who's still here after all this =  
time, but I  
> > just  
> > >> wanted to let those who may be interested, or were =  
interested at one  
> time,  
> > >> or used to be interesed and still just might be interested, =  
that we  
> > >finally  
> > >> have a CD for sale of the  
> > >> songs I posted oh so long ago (all recorded on Paris in my  
> > >> little home studio).  
> > >>  
> > >> Please check out our website:  
> > >>  
> > >> http://www.themateswebsite.com/  
> > >>  
> > >> Thanks a lot!!!  
> > >>  
> > >>

---

Subject: Re: Mastering in Paris  
Posted by [John \[1\]](#) on Wed, 31 May 2006 22:53:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

> >

> >  
>  
>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>

-----=\_NextPart\_000\_0082\_01C6A423.10BC3BE0

Content-Type: text/html;

charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML><HEAD>

<META http-equiv=3DContent-Type content=3D"text/html; =

charset=3Diso-8859-1">

<META content=3D"MSHTML 6.00.2800.1400" name=3DGENERATOR>

<STYLE></STYLE>

</HEAD>

<BODY bgColor=3D#ffffff>

<DIV><FONT face=3DArial size=3D2>That's a problem.&nbsp; Buy 6 new=20

monitors.</FONT>&

---

Subject: Re: Multi Band Mastering in Paris

Posted by [John \[1\]](#) on Wed, 31 May 2006 22:59:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

lt;/DIV>

<DIV><FONT face=3DArial size=3D2>You know you want to.</FONT></DIV>

<DIV><FONT face=3DArial size=3D2>T</FONT></DIV>

<BLOCKQUOTE dir=3Dltr=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =

BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<DIV>"DJ" &lt;<A=20

=

href=3D"mailto:animix\_spam-this-ahole\_@animas.net">animix\_spam-this-ahole=

\_@animas.net</A>&gt;=20

wrote in message <A=20

href=3D"news:44b289a3@linux">news:44b289a3@linux</A>...</DIV>

<DIV><FONT face=3DArial size=3D2><A=20

=

href=3D" http://www.compusabusiness.com/products/product\_info.asp?pfp =3DSE=

ARCH&amp;product\_code=3D51810990&amp;Pn=3DDualHead2G o\_External\_Multi\_Dis=

lay\_Upgrade"> http://www.compusabusiness.com/products/product\_info.asp?pfp =

=3DSEARCH&amp;product\_code=3D51810990&amp;Pn=3DDualH ead2Go\_External\_Multi=

\_Display\_Upgrade</A></FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Not a bad price actually.<FONT=20  
face=3D"Times New Roman" size=3D3>.....but this concerns =  
me:</FONT></FONT></DIV>  
<DIV>&nbsp;</DIV>  
<DIV>&gt;DualHead2Go takes the existing single monitor display output =  
(i.e.=20  
external VGA output) from your system and expands it into &gt;dual =  
display=20  
outputs, allowing you to run your Windows desktop at up to 2560 x 1024 =  
  
resolution stretched across two displays. </DIV>  
<DIV>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>WTF happens if your monitors don't =  
support 2560 x=20  
1024?</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>:OP</FONT></DIV>  
<DIV>&nbsp;</DIV>  
<DIV>"Tom Bruhl" &lt;<A=20  
href=3D"mailto:arpegio@comcast.net">arpegio@comcast.net</A>&gt; wrote =  
in message=20  
<A href=3D"news:44b2813d@linux">news:44b2813d@linux</A>...</DIV>  
<BLOCKQUOTE dir=3Dltr=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV><FONT face=3DArial size=3D2>DJ,</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>6 monitors for =  
everyone!!!</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>What about that Matrox thingy that =  
splits one=20  
VGA into two with <U>no software</U>?</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2>Get a three headed monster and =  
three Matrox=20  
thingies.</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2><A=20  
=  
href=3D"http://www.matrox.com/graphics/offhome/dh2go/home.cfm">http://www=  
..matrox.com/graphics/offhome/dh2go/home.cfm</A></FONT></DIV >  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Or stick with the dual head and get =  
two of=20  
these:</FONT></DIV>  
<DIV><FONT face=3DArial size=3D2><A=20  
=  
href=3D"http://www.matrox.com/graphics/offhome/th2go/home.cfm">http://www=

..matrox.com/graphics/offhome/th2go/home.cfm</A></FONT></DIV >  
<DIV><FONT face=3DArial size=3D2></FONT>&nbsp;</DIV>  
<DIV><FONT face=3DArial size=3D2>Tom</FONT></DIV>  
<BLOCKQUOTE=20  
style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =  
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">  
<DIV>"DJ" &lt;<A=20  
=  
href=3D"mailto:animix\_spam-this-ahole\_@animas.net">animix\_spam-this-ahole=  
\_@animas.net</A>&gt;=20  
wrote in message <A=20  
href=3D"news:44b279a9\$1 @linux">news:44b279a9\$1 @linux</A>...</DIV>I =  
just wish=20  
that Colorgraphics or \*somebody\* would make a 6 head =  
AGP<BR>graphics card=20  
with a gig of VRAM based on an NVidia chipset so it would<BR>share =  
IRQ's=20  
nicely with other devices on the PCI bus.<BR><BR><BR>"Miguel =  
Vigil" &lt;<A=20  
href=3D"mailto:nospam@nospam.com">nospam@nospam.com</A>&gt; wrote =  
in message=20  
<A href=3D"news:44b278ac@linux">news:44b278ac@linux</A>...<BR>&gt; =  
I can't=20  
imagine anybody on this group hijacking any thread<BR>&gt;<BR>&gt; =  
=<BR>&gt;<BR>&gt; El Miguel<BR>&gt;<BR>&gt;<BR>&gt;<BR>&gt; =  
"macle"=20  
&lt;<A href=3D"mailto:Mates9999@cs.com">Mates9999@cs.com</A>&gt; =  
wrote in=20  
message <A=20  
=  
href=3D"news:44b1996b\$1 @linux">news:44b1996b\$1 @linux</A>...<BR>&gt;=20  
&gt;<BR>&gt; &gt;&gt; El Miguel, hola amigo to you!! Thanks man, and =  
thanks=20  
for<BR>&gt; &gt;&gt; signing the guestbook.<BR>&gt; &gt;<BR>&gt; &gt; =  
P.S.=20  
everyone, feel free to sign The Mates guestbook even if<BR>&gt; =  
&gt;&gt; you=20  
didn't buy the CD: <A=20  
=  
href=3D"http://www.themateswebsite.com/page24.html">http://www.themateswe=  
bsite.com/page24.html</A><BR>&gt;=20  
&gt;<BR>&gt; &gt;&gt; Oh, and if anyone is on MySpace, hit us up, The =  
Mates=20  
need<BR>&gt; &gt;&gt; mates!<BR>&gt; &gt;<BR>&gt; &gt; <A=20  
=  
href=3D"http://www.myspace.com/themates">http://www.myspace.com/themates<=  
/A><BR>&gt;=20

&gt;<BR>&gt; &gt; Sorry Miguel, for turning this into a spammish =  
thing,=20  
man this<BR>&gt; &gt; promo stuff is addicting...almost as =  
addicting as=20  
The Mates<BR>&gt; &gt; new CD, in record stores =  
everywhere!!<BR>&gt;=20  
&gt;<BR>&gt; &gt; "Miguel Vigil" &lt;<A=20  
href=3D"mailto:nospam@nospam.com">nospam@nospam.com</A>&gt; =  
wrote:<BR>&gt;=20  
&gt; &gt;Hello PayPal...<BR>&gt; &gt; &gt;<BR>&gt; &gt;=20  
&gt;Regards,<BR>&gt; &gt; &gt;<BR>&gt; &gt; &gt;El Miguel<BR>&gt; =  
&gt;=20  
&gt;<BR>&gt; &gt; &gt;<BR>&gt; &gt; &gt;<BR>&gt; &gt; &gt;"macle" =  
&lt;<A=20  
href=3D"mailto:Mates9999@cs.com">Mates9999@cs.com</A>&gt; wrote in =  
message=20  
<A =  
href=3D"news:44acca76\$1@linux">news:44acca76\$1@linux</A>...<BR>&gt; &gt; =

&gt;&gt;<BR>&gt; &gt; &gt;&gt; Hey Paris People, how are =  
you!<BR>&gt;=20  
&gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt; Well, I don't really know =  
who's still=20  
here after all this time, but I<BR>&gt; &gt; just<BR>&gt; &gt; =  
&gt;&gt;=20  
wanted to let those who may be interested, or were interested at=20  
one<BR>&gt; time,<BR>&gt; &gt; &gt;&gt; or used to be interested =  
and still=20  
just might be interested, that we<BR>&gt; &gt; &gt;finally<BR>&gt; =  
&gt;=20  
&gt;&gt; have a CD for sale of the<BR>&gt; &gt; &gt;&gt; songs I =  
posted oh=20  
so long ago (all recorded on Paris in my<BR>&gt; &gt; &gt;&gt; =  
little home=20  
studio).<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt; Please check =  
out our=20  
website:<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt; <A=20  
=  
href=3D"http://www.themateswebsite.com/">http://www.themateswebsite.com/<=  
/A><BR>&gt;=20  
&gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt; Thanks a lot!!!<BR>&gt; &gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt;=20  
&gt;&gt;<BR>&gt; &gt; &gt;&gt;<BR>&gt; &gt; &gt;<BR>&gt; &gt; =  
&gt;<BR>&gt;=20  
&gt;<BR>&gt;<BR>&gt;<BR><BR></BLOCKQUOTE>  
<DIV><FONT size=3D2><BR><BR>I choose Polesoft Lockspam to fight =  
spam, and=20  
you?<BR><A=20

=  
href=3D"http://www.polesoft.com/refer.html">http://www.polesoft.com/refer=  
..html</A>&nbsp;&nbsp;&nbsp;</FONT></DIV></BLOCKQUOTE ></BLOCKQUOTE></BODY>=  
</HTML>

-----=\_NextPart\_000\_0082\_01C6A423.10BC3BE0--On 10 Jul 2006 09:40:35 +1000, "macle"  
<Mates9999@cs.com> wrote:

>>But the instant I have disposable income again, I'm ordering me one of  
>>those! The original mp3's have been living on myPod ever since you  
>>posted them, and are some of my favorite tracks!

>>  
>>pab

>  
>Hey Paul, yes, it's quite a miracle we finally got it out. Nearly  
>as miraculous as a Paris 4 update! Really glad you are still  
>digging this stuff. Best of luck with the job search, that sucks!

Yep, it does. And it seems that every Human Resources director in the  
two-state region is on vacation right now...

I'm hoping for an A/V technician gig at the Shedd Aquarium in Chicago.  
Fish, whales, dolphins, and sound/video toys. Ahhhhhh.....

I'll pass the website link along to Peterik, since as you remember he  
went nuts over the demos.

pab"brandon" <a@a.com> wrote:

>  
>How do you guys and gals handle it when you get a client who is insistant  
>on very little or no compression? How do you handle it when they want to  
>know everything about the signal chain?(hence your mixing secrets)

>  
>B

Brandon,  
Let me flip this around on you. Even though I have a fairly nice project  
studio, I still like to rent out large commercial studios for important mixes

owner is not willing to share setup information details or any other information

GeneOur '880 also does not have a fan... but the whine from the  
controller display drives me crazy!! ;-)

David.

"Kris" . wrote:

> I'm surprised your 880 has a fan in it....mine does not.

>

> Analog I/O on this thing sounds very good IMO...better than you might expect  
> considering the age of it.

>

> Another solution is to make (6) (R880 has 2 ins and 4 outs IIRC) 1 foot lengths  
> of XLR-XLR cables with the polarity swapped. Connect these to your 880, and  
> then, connect your snake to them. This would make your 880 appear to be pin  
> 2 hot to your patch bay.

>

> Cheers

>

> Kris

> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>

>>.....or, I could keep the Mogami snake \*as is\* and just make two TRS  
>>Patch cables (for patching this particular dievice) wired tip to ring and  
>>ring to tip. That might be a better solution for my particular situation  
>>actually. I may not end up using the analog I/O of the R880 all that much  
>>and it's very possible that I might want to run this long snake to a certain  
>>device that I've got my eye on. It's got a fan in the chassis so I will

>

> need

>

>>to keep it in the machine room. I think it's wired with standard US  
>>polarity.

>>

>>;o)

>>

>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
>>news:44b04210\$1@linux...

>>

>>>It is a 20' cable run from the rack that is housing the R880 mainframe

>

> to

>

>>>the standard balanced patch bay. Seems a shame to use 80' of mic cable

>

> to

>

>>>make 4 x 20' patch cables when I've got a 20' 4 x pair standard polarity  
>>>Mogami XLR-TRS snake sitting here doing nothing.....soooooo..... I could  
>>>modify the standard mogami cable by taking the lead from the ring

>>

>>(currently  
>>  
>>>tied to XLR pin 3 and swapping it to XLR pin 2, then take the lead from  
>>  
>>the  
>>  
>>>tip (currently tied to XLR pin 2) and swap it to XLR pin 3.. That oughta'  
>>>get me there, right?  
>>>  
>>>Thanks for your help.  
>>>  
>>>Deej  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>"gene lennon" <glennon@NOSPmyrealbox.com> wrote in message  
>>>news:44b037d8\$1@linux...  
>>>  
>>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>  
>>>>>I need to build balanced I/O cables for the analog outputs of my  
>>  
>>Roland  
>>  
>>>>>R880. The pinout calls for pin 1-ground, pin 2-cold, pin 3-hot. That's  
>>>  
>>>not  
>>>  
>>>>>the normal state of affairs around here. Everything I'm using is pin  
>>>  
>>>>2-hot  
>>>  
>>>>>and is routed to 1/4" TRS patchbays.  
>>>>>These cables need to be XLR to TRS in order to interface with said  
>>>  
>>>balanced  
>>>  
>>>>>patchbay. From there they would be patched to other gear (with trs-trs  
>>>  
>>>patch  
>>>  
>>>>>cables) that is pin 2-hot. I'm guessing I'm going to have to make up  
>  
> a  
>  
>>>>>couple of special trs-trs patch cables to get this all strack. It's

>>>  
>>>making  
>>>  
>>>>my head hurt. Could someone give me a clue as to what I need to do  
>  
> to  
>  
>>>patch  
>>>  
>>>>a pin 3-hot device through a balanced PB in order to interface properly  
>>>>  
>>>>with  
>>>>  
>>>>>the rest of my (pin 2 hot) studio?  
>>>>>  
>>>>>Thanks,  
>>>>>  
>>>>>Deej (the obscure)  
>>>>>  
>>>>>  
>>>>>  
>>>>>In this case you can reverse either end. I keep some colored shrink  
>>  
>>tubing  
>>  
>>>>around to mark non-normal cables. Personally I reverse at the XLR,  
>>  
>>because  
>>  
>>>>it's easier to reverse.  
>>>>Gene  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>>Yeah...that's the inverter that drives the backlight. A competent tech should  
be able to install a switch on it, so you can turn the back light (and whine)  
off when the controller is not in use.

Cheers,

Kris

"Dave(EK Sound)" <audioguy\_editout\_@shaw.ca> wrote:  
>Our '880 also does not have a fan... but the whine from the  
>controller display drives me crazy!! ;-)  
>  
>David.

>  
>"Kris" . wrote:  
>> I'm surprised your 880 has a fan in it....mine does not.  
>>  
>> Analog I/O on this thing sounds very good IMO...better than you might expect  
>> considering the age of it.  
>>  
>> Another solution is to make (6) (R880 has 2 ins and 4 outs IIRC) 1 foot lengths  
>> of XLR-XLR cables with the polarity swapped. Connect these to your 880, and  
>> then, connect your snake to them. This would make your 880 appear to be pin  
>> 2 hot to your patch bay.  
>>  
>> Cheers  
>>  
>> Kris  
>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>  
>>>.....or, I could keep the Mogami snake \*as is\* and just make two TRS  
>>>Patch cables (for patching this particular dievice) wired tip to ring  
>>>and  
>>>ring to tip. That might be a better solution for my particular situation  
>>>actually. I may not end up using the analog I/O of the R880 all that much  
>>>and it's very possible that I might want to run this long snake to a certain  
>>>device that I've got my eye on. It's got a fan in the chassis so I will  
>>  
>> need  
>>  
>>>to keep it in the machine room. I think it's wired with standard US  
>>>polarity.  
>>>  
>>>;o)  
>>>  
>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
>>>news:44b04210\$1@linux...  
>>>  
>>>>It is a 20' cable run from the rack that is housing the R880 mainframe  
>>  
>> to  
>>  
>>>>the standard balanced patch bay. Seems a shame to use 80' of mic cable  
>>  
>> to  
>>  
>>>>make 4 x 20' patch cables when I've got a 20' 4 x pair standard polarity

>>>>Mogami XLR-TRS snake sitting here doing nothing.....sooooo..... I  
could  
>>>>modify the standard mogami cable by taking the lead from the ring  
>>>  
>>>(currently  
>>>  
>>>>tied to XLR pin 3 and swapping it to XLR pin 2, then take the lead from  
>>>  
>>>the  
>>>  
>>>>tip (currently tied to XLR pin 2) and swap it to XLR pin 3.. That oughta'  
>>>>get me there, right?  
>>>>  
>>>>Thanks for your help.  
>>>>  
>>>>Deej  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>"gene lennon" <glennon@NOSPmyrealbox.com> wrote in message  
>>>>news:44b037d8\$1@linux...  
>>>>  
>>>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>>  
>>>>>>I need to build balanced I/O cables for the analog outputs of my  
>>>>>  
>>>>Roland  
>>>>  
>>>>>>R880. The pinout calls for pin 1-ground, pin 2-cold, pin 3-hot. That's  
>>>>>  
>>>>>not  
>>>>>  
>>>>>>the normal state of affairs around here. Everything I'm using is pin  
>>>>>  
>>>>>2-hot  
>>>>>  
>>>>>>and is routed to 1/4" TRS patchbays.  
>>>>>>These cables need to be XLR to TRS in order to interface with said  
>>>>>  
>>>>>balanced  
>>>>>  
>>>>>>patchbay. From there they would be patched to other gear (with trs-trs  
>>>>>  
>>>>>patch  
>>>>>  
>>>>>>cables) that is pin 2-hot. I'm guessing I'm going to have to make up

>>  
>> a  
>>  
>>>>>couple of special trs-trs patch cables to get this all strack. It's  
>>>>  
>>>>making  
>>>>  
>>>>>my head hurt. Could someone give me a clue as to what I need to do  
>>  
>> to  
>>  
>>>>patch  
>>>>  
>>>>>a pin 3-hot device through a balanced PB in order to interface properly  
>>>>>  
>>>>>with  
>>>>>  
>>>>>>the rest of my (pin 2 hot) studio?  
>>>>>>  
>>>>>>Thanks,  
>>>>>>  
>>>>>>Deej (the obscure)  
>>>>>>  
>>>>>>  
>>>>>>  
>>>>>>In this case you can reverse either end. I keep some colored shrink  
>>>  
>>>tubing  
>>>  
>>>>>around to mark non-normal cables. Personally I reverse at the XLR,  
>>>  
>>>because  
>>>  
>>>>>it's easier to reverse.  
>>>>>Gene  
>>>>>  
>>>>  
>>>>  
>>>>  
>>>  
>>Go a long with it. I would tell him that it took years and thousand of dollars to gain your knowledge, and that you would have to charge him \$100.00 with a two hour minimum paid up front. Tell him that it will be worth more than the money he will pay. Make sure you get paid! I've had people get a free education out of me only to never see them again, or even go in to competition with me.

After your done telling him what he wants to know, you should tell him that you can't buy years of experience, and that he should consider letting you

do your job and that he do his, make music. Tell him that his money would be well spent paying you to do the audio engineering.

Good Luck!

James

"brandon" <a@a.com> wrote:

>  
>How do you guys and gals handle it when you get a client who is insistant  
>on very little or no compression? How do you handle it when they want to  
>know everything about the signal chain?(hence your mixing secrets)  
>  
>BI may do this. I've got a LEXI MRC that is doing the same thing. I haven't  
been able to test it yet because the 110>220 step up converter hasn't  
arrived. I found another GC8 on EBay and bought it cheap as a backup. Maybe  
one of them won't whine....or maybe both of them will.

<Kris .> wrote in message news:44b29258\$1 @linux...

>  
> Yeah...that's the inverter that drives the backlight. A competant tech  
should  
> be able to install a switch on it, so you can turn the back light (and  
whine)  
> off when the controller is not in use.  
>  
> Cheers,  
>  
> Kris  
>  
> "Dave(EK Sound)" <audioguy\_editout\_@shaw.ca> wrote:  
> >Our '880 also does not have a fan... but the whine from the  
> >controller display drives me crazy!! ;-)  
> >  
> >David.  
> >  
> >"Kris" . wrote:  
> >> I'm surprised your 880 has a fan in it....mine does not.  
> >>  
> >> Analog I/O on this thing sounds very good IMO...better than you might  
> expect  
> >> considering the age of it.  
> >>  
> >> Another solution is to make (6) (R880 has 2 ins and 4 outs IIRC) 1 foot  
> lengths  
> >> of XLR-XLR cables with the polarity swapped. Connect these to your 880,

> and  
> >> then, connect your snake to them. This would make your 880 appear to be  
> pin  
> >> 2 hot to your patch bay.  
> >>  
> >> Cheers  
> >>  
> >> Kris  
> >> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >>  
> >>>.....or, I could keep the Mogami snake \*as is\* and just make two TRS  
> >>>Patch cables (for patching this particular dievice) wired tip to ring  
> and  
> >>>ring to tip. That might be a better solution for my particular  
situation  
> >>>actually. I may not end up using the analog I/O of the R880 all that  
much  
> >>>and it's very possible that I might want to run this long snake to a  
certain  
> >>>device that I've got my eye on. It's got a fan in the chassis so I will  
> >>  
> >> need  
> >>  
> >>>to keep it in the machine room. I think it's wired with standard US  
> >>>polarity.  
> >>>  
> >>>;o)  
> >>>  
> >>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
> >>>news:44b04210\$1@linux...  
> >>>  
> >>>>It is a 20' cable run from the rack that is housing the R880 mainframe  
> >>  
> >> to  
> >>  
> >>>>the standard balanced patch bay. Seems a shame to use 80' of mic cable  
> >>  
> >> to  
> >>  
> >>>>make 4 x 20' patch cables when I've got a 20' 4 x pair standard  
polarity  
> >>>>Mogami XLR-TRS snake sitting here doing nothing.....soooooo..... I  
> could  
> >>>>modify the standard mogami cable by taking the lead from the ring  
> >>>  
> >>>(currently  
> >>>  
> >>>>tied to XLR pin 3 and swapping it to XLR pin 2, then take the lead

from  
> >>>  
> >>>the  
> >>>  
> >>>>tip (currently tied to XLR pin 2) and swap it to XLR pin 3.. That  
oughta'  
> >>>>get me there, right?  
> >>>>  
> >>>>Thanks for your help.  
> >>>>  
> >>>>Deej  
> >>>>  
> >>>>  
> >>>>  
> >>>>  
> >>>>  
> >>>>  
> >>>>"gene lennon" <glennon@NOSPmyrealbox.com> wrote in message  
> >>>>news:44b037d8\$1@linux...  
> >>>>  
> >>>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >>>>>  
> >>>>>>I need to build balanced I/O cables for the analog outputs of my  
> >>>>  
> >>>>Roland  
> >>>>  
> >>>>>>R880. The pinout calls for pin 1-ground, pin 2-cold, pin 3-hot.  
That's  
> >>>>  
> >>>>not  
> >>>>  
> >>>>>>the normal state of affairs around here. Everything I'm using is pin  
> >>>>  
> >>>>>2-hot  
> >>>>  
> >>>>>>and is routed to 1/4" TRS patchbays.  
> >>>>>>These cables need to be XLR to TRS in order to interface with said  
> >>>>  
> >>>>balanced  
> >>>>  
> >>>>>>patchbay. From there they would be patched to other gear (with  
trs-trs  
> >>>>  
> >>>>patch  
> >>>>  
> >>>>>>cables) that is pin 2-hot. I'm guessing I'm going to have to make up  
> >>  
> >> a  
> >>



> know everything about the signal chain?(hence your mixing secrets)  
>  
> BJust wanted to get an idea of what the general population thoughts were. I wouldn't really have a problem explaining what I am doing and why I am doing it as long they understand it is on their dime and aren't fighting me every step of the way. But even if they were fighting me...as long as they were paying I would indulge them.  
Hey Chris..Hope things are going good with you!  
I still listen to it from time to time as well.  
I haven't been doing much songwriting lately..just been focusing on rebuilding my studio/mixing enviroment.  
Getting close to completion.  
Started using Cubase in conjunction with PARIS.  
Lots of stuff to figure out.

Take care all.

"Chris Lang" <yo@yo.yo> wrote:

>  
>Hey Brandon- hope everything is cool! I still listen to that  
>"21" song every now and then!  
>  
>I would just give them what they want, in both cases.  
>  
>My band just played at a Denver club, and recorded the gig.  
>The sound guy had good equipment, but nothing real high-end.  
>He proceded to do an absolutely AWESOME and artistic job of  
>utilizing that gear, and the sound, both live and on disk, is  
>just amazing. Even the sound board mix is fabulous.  
>  
>My point is that any amount of info you share on gear, settings,  
>etc, will not help the client become a pro. They might go away  
>for a while, thinking that they can do it themselves, but they  
>will return when they realize that if it sounds good, and you  
>can make it sound good, then it's worth it to hire you.  
>  
>Peace,  
>  
>Chris  
>  
>

>"brandon" <a@a.com> wrote:

>>

>>How do you guys and gals handle it when you get a client who is insistant

>>on very little or no compression? How do you handle it when they want to

>>know everything about the signal chain?(hence your mixing secrets)

>>

>>B

>I

> wouldn't really have a problem explaining what I am doing and why I am doing

> it as long they understand it is on their dime and aren't fighting me every

> step of the way. But even if they were fighting me...as long as they were

> paying I would indulge them.

What I hate about these situations is that if this guy is a rank amateur and is clueless, he's going to insist on trying to run the show and the mix will leave your studio sounding fine to him, but then he will compare it to mixes that have been properly done with compression and his/your mix will sound wimpy by comparison and then he will run around all over town telling everyone that it is your fault.

"Brandon" <a@a.com> wrote in message news:44b2a77d@linux...

>

> Just wanted to get an idea of what the general population thoughts were. I

> wouldn't really have a problem explaining what I am doing and why I am doing

> it as long they understand it is on their dime and aren't fighting me every

> step of the way. But even if they were fighting me...as long as they were

> paying I would indulge them.

> Hey Chris..Hope things are going good with you!

> I still listen to it from time to time as well.

> I haven't been doing much songwriting lately..just

> been focusing on rebuilding my studio/mixing enviroment.

> Getting close to completion.

> Started using Cubase in conjunction with PARIS.

> Lots of stuff to figure out.

>

> Take care all.

>

>

>

>

>

>

>

>

>  
> "Chris Lang" <yo@yo.yo> wrote:  
> >  
> >Hey Brandon- hope everything is cool! I still listen to that  
> >"21" song every now and then!  
> >  
> >I would just give them what they want, in both cases.  
> >  
> >My band just played at a Denver club, and recorded the gig.  
> >The sound guy had good equipment, but nothing real high-end.  
> >He proceded to do an absolutely AWESOME and artistic job of  
> >utilizing that gear, and the sound, both live and on disk, is  
> >just amazing. Even the sound board mix is fabulous.  
> >  
> >My point is that any amount of info you share on gear, settings,  
> >etc, will not help the client become a pro. They might go away  
> >for a while, thinking that they can do it themselves, but they  
> >will return when they realize that if it sounds good, and you  
> >can make it sound good, then it's worth it to hire you.  
> >  
> >Peace,  
> >  
> >Chris  
> >  
> >  
> >"brandon" <a@a.com> wrote:  
> >>  
> >>How do you guys and gals handle it when you get a client who is  
insistant  
> >>on very little or no compression? How do you handle it when they want to  
> >>know everything about the signal chain?(hence your mixing secrets)  
> >>  
> >>B  
> >  
> >How do you set the patch bay so you can record analog and digital inputs at  
the same time? Can it be done?...You're welcome Kim. Man, I almost forgot I even wrote that.  
That was a  
long time ago in a far away place!!!!

I don't use Paris for Midi though, and after all that trouble to get it working!  
I use Performer, slaved to Paris for all my work. Works great for what  
I need to do.

Lou

www.enchantedvibrations.com  
What hardware are you using with Cubase - I've been looking at  
the Mackie  
Oynox mixer with a firewire card added to it... as an addition to Paris

"Brandon" <a@a.com> wrote:

>

>Just wanted to get an idea of what the general population thoughts were.

|

>wouldn't really have a problem explaining what I am doing and why I am doing

>it as long they understand it is on their dime and aren't fighting me every

>step of the way. But even if they were fighting me...as long as they were

>paying I would indulge them.

>Hey Chris..Hope things are going good with you!

>I still listen to it from time to time as well.

>I haven't been doing much songwriting lately..just

>been focusing on rebuilding my studio/mixing enviroment.

>Getting close to completion.

>Started using Cubase in conjunction with PARIS.

>Lots of stuff to figure out.

>

>Take care all.

>

>

>

>

>

>

>

>

>

>"Chris Lang" <yo@yo.yo> wrote:

>>

>>Hey Brandon- hope everything is cool! I still listen to that

>>"21" song every now and then!

>>

>>I would just give them what they want, in both cases.

>>

>>My band just played at a Denver club, and recorded the gig.

>>The sound guy had good equipment, but nothing real high-end.

>>He proceded to do an absolutely AWESOME and artistic job of

>>utilizing that gear, and the sound, both live and on disk, is

>>just amazing. Even the sound board mix is fabulous.

>>

>>My point is that any amount of info you share on gear, settings,

>>etc, will not help the client become a pro. They might go away

>>for a while, thinking that they can do it themselves, but they

>>will return when they realize that if it sounds good, and you

>>can make it sound good, then it's worth it to hire you.

>>

>>Peace,

>>

>>Chris

>>  
>>  
>>"brandon" <a@a.com> wrote:  
>>>  
>>>How do you guys and gals handle it when you get a client who is insistant  
>>>on very little or no compression? How do you handle it when they want  
to  
>>>know everything about the signal chain?(hence your mixing secrets)  
>>>  
>>>B  
>>  
>HI Cujo,  
Only the Full version of Wavelab offers the external effects option.  
POssibly the upcoming Wavelab Studio version will also but haven't seen  
a concrete list of features yet on that version to know for sure.

Chris

Cujo wrote:

> I am using just the essentials it is about a 6 months old, would the essentails  
> allow this? My next gear goal (goooooooooaaaaaaal!) is possibly a Merc 1968  
> for the stereo buss.  
>  
>  
> "DJ" <

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [John \[1\]](#) on Wed, 31 May 2006 23:01:16 GMT  
[View Forum Message](#) <> [Reply to Message](#)

this-ahole\_@animas.net" target="\_blank">animix\_spam-this-ahole\_@animas.net> wrote:  
>> Right. I've considered upgrading to the newer version so I can insert a  
>> hardware reverbs before the limiter in a mastering scenario.  
>>  
>> "Cujo" <chris@nospamapplemanstudio.com> wrote in message  
>> news:44b27732\$1@linux...  
>>>  
>>> Oh, no not that, that would be nice, I meant UAD stuff and the like.  
>>>  
>>>  
>>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>> "Cujo" <chris@nospamapplemanstudio.com> wrote in message  
>>>> news:44b265f3\$1@linux...  
>>>>>  
>>>>> What would a decent USB interface be?

>>>>  
>>>> The wavelab I have allows effects on the master.  
>>>>  
>>>> external FX???.....if so, then you are using the most recent version.  
>>>>  
>>>>> Chris Ludwig <chrisl@adkproaudio.com> wrote:  
>>>>>> Hi Cujo and John,  
>>>>>> Your low mid bump is a result of horrible converter quality of all  
> on  
>>>>>> board sound cards. I wouldn't trust any use of EQ with the on board  
>>>>>> sound cards. There are some very inexpensive audio PCI , USB and  
>>>>>> Firewire cards available that will make a big difference.  
>>>>>> Also Steinberg is putting out a mid=priced version of Wavelab that  
> is  
>>> a  
>>>>>> stereo only very and no DVD support which will go for 299.00 and a  
>>>>>> competitive upgrade version for 199.00. It will probably be out in  
> end  
>>>>>> of August.  
>>>>>>  
>>>>>> In the full version you be able to place a effects on th master  
>>>>>> sections, individual tracks and on individual clips all with send  
>> volume  
>>>>>> control. Oh and you can also us external effect nay were in the effect  
>>>>>> chain just like you can in Cubase/Nuendo. This way you can use  
>> outboard  
>>>>>> gear or even Paris effects directly inside of Wavelab.  
>>>>>>  
>>>>>>  
>>>>>> Chris  
>>>>>>  
>>>>>>  
>>>>>> Cujo wrote:  
>>>>>>> John, I have WL Essentials which is somehting like 99.00 bucks and  
>>> it  
>>>>> is  
>>>>>>> way cool. The montage thing is a cd sequencer, you can lay out each  
>>>> "track"  
>>>>>>> in a linear fasion, and slide songs back and forth to make the time  
>>>> inbetween  
>>>>>>> just as you want them, you can also aply fades, adjust volume, add  
>>> UAD  
>>>>> plugs  
>>>>>>> to the mix (presision limite) really it is a mastering suite. Now,  
>>> I  
>>>> would  
>>>>>>> bot master a dang thing, but I got it so I could sequence a CD  
>> EXACTLY

>>>> how  
>>>>> i want it before I send it to the mastering house. Say if you uses  
>>> Roxio  
>>>>> for rough cd;s you only can do 2 second intervals or whatever, and  
>>> you  
>>>> can  
>>>>> not nudge..  
>>>>>  
>>>>> Ok, so right now I am mastering something, an R&B record I worked  
> on  
>>> that  
>>>>> has NO budget., it is sort of liek a hip hop mix tape. When using  
> WL  
>>> the  
>>>>> output goes via my Comps on board sound card in there is some  
>> strange  
>>>> EQ  
>>>>> thing going on there, (low mid bump) so I can;t use any EQ on the  
>> mix  
>>>> in  
>>>>> WL!  
>>>>>  
>>>>> John <no@no.com> wrote:  
>>>>>  
>>>>>> Cujo, What kind of multiple song things can you do in wavelab,  
>> what's  
>>>>>  
>>>>>> this montage thing?  
>>>>>>  
>>>>>> cujo wrote:  
>>>>>>  
>>>>>>> For years I have used CEP and it is a snap, but with WL you can  
> do  
>>> all  
>>>>> the  
>>>>>  
>>>>>>> songs on a cd in one go, and it offers a bit more in noise shaping  
>>> so  
>>>>>> I wondered  
>>>>>>  
>>>>>>> if it was the more "pro" option.  
>>>>>>>  
>>>>>>> John <no@no.com> wrote:  
>>>>>>>  
>>>>>>>  
>>>>>>>> I was using the free dither app written for paris.  
>>>>>>>>  
>>>>>>>>> cujo wrote:

>>>>>>>>>  
>>>>>>>>>  
>>>>>>>>> Which do you prefer for dithering: CEP or Wavelab with the plug  
>>> you  
>>>>> place  
>>>>>>>>> on the master bus on the montage mode?  
>>>>>>>>>  
>>>>>>>>> Also does the render button on the effects group in Montage mode  
>>>> permanently  
>>>>>>>>> change the individual files or does it save the new CD as a  
>> seperate  
>>>>>> bunch  
>>>>>>>  
>>>>>>>>> of files?  
>>>>>>>>> I don't know if I am making sense here.  
>>>>>> --  
>>>>>> Chris Ludwig  
>>>>>> ADK  
>>>>>> chrisl@adkproaudio.com <mailto:chrisl@adkproaudio.com>  
>>>>>> www.adkproaudio.com <http://www.adkproaudio.com/>  
>>>>>> (859) 635-5762  
>>>>>  
>>

--  
Chris Ludwig

ADK Pro Audio  
(859) 635-5762  
www.adkproaudio.com

chrisl@adkproaudio.com On 7/10/06 1:22 PM, in article 44b2a970\$1 @linux, "DJ"  
<animix\_spam-this-ahole\_@animas.net> wrote:

>  
> What I hate about these situations is that if this guy is a rank amateur and  
> is clueless, he's going to insist on trying to run the show and the mix will  
> leave your studio sounding fine to him, but then he will compare it to mixes  
> that have been properly done with compression and his/your mix will sound  
> wimpy by comparison and then he will run around all over town telling  
> everyone that it is your fault.  
>

I know an engineer that says he's gotten more work by turning down work.  
It's both reverse psychology and good time management. It's a concept I'm  
adopting for the very reason you stated DJ. Amateur clients usually want  
miracles for peanuts, and are the most difficult to deal with - not worth my  
time, or theirs.

It's hard to know what a client will be like up front though, and takes a bit of diplomacy to steer them in the right direction without offending or turning them away, so sometimes you just have to let a few go.

If you are stuck in a situation you couldn't avoid, my advice would be to do what the client asks, and move on.

Regards,  
Dedric

>  
> "Brandon" <a@a.com> wrote in message news:44b2a77d@linux...  
>>  
>> Just wanted to get an idea of what the general population thoughts were. I  
>> wouldn't really have a problem explaining what I am doing and why I am  
> doing  
>> it as long they understand it is on their dime and aren't fighting me  
> every  
>> step of the way. But even if they were fighting me...as long as they were  
>> paying I would indulge them.  
>> Hey Chris..Hope things are going good with you!  
>> I still listen to it from time to time as well.  
>> I haven't been doing much songwriting lately..just  
>> been focusing on rebuilding my studio/mixing enviroment.  
>> Getting close to completion.  
>> Started using Cubase in conjunction with PARIS.  
>> Lots of stuff to figure out.  
>>  
>> Take care all.  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>> "Chris Lang" <yo@yo.yo> wrote:  
>>>  
>>> Hey Brandon- hope everything is cool! I still listen to that  
>>> "21" song every now and then!  
>>>  
>>> I would just give them what they want, in both cases.  
>>>  
>>> My band just played at a Denver club, and recorded the gig.  
>>> The sound guy had good equipment, but nothing real high-end.  
>>> He proceded to do an absolutely AWESOME and artistic job of  
>>> utilizing that gear, and the sound, both live and on disk, is

>>> just amazing. Even the sound board mix is fabulous.

>>>

>>> My point is that any amount of info you share on gear, settings,

>>> etc, will not help the client become a pro. They might go away

>>> for a while, thinking that they can do it themselves, but they

>>> will return when they realize that if it sounds good, and you

>>> can make it sound good, then it's worth it to hire you.

>>>

>>> Peace,

>>>

>>> Chris

>>>

>>>

>>> "brandon" <a@a.com> wrote:

>>>>

>>>> How do you guys and gals handle it when you get a client who is

> insistant

>>>> on very little or no compression? How do you handle it when they want to

>>>> know everything about the signal chain?(hence your mixing secrets)

>>>>

>>>> B

>>>

>>

>

>Well.....exactly are you wanting to do? Unless you are recording into Paris digitally, from another digital device, you will need an A/D converter before the Paris digital input. Just patch the digital input to a Paris channel just like you would an analog input and set it to record.

"tonehouse" <zmcleod@comcast.net> wrote in message news:44b2aea2@linux...

> How do you set the patch bay so you can record analog and digital inputs at

> the same time? Can it be done?...

>

>"brandon" <a@a.com> wrote:

>

>How do you guys and gals handle it when you get a client who is insistant

>on very little or no compression?

Go ahead & do it, just give him an "option" mix the way you think it ought to be, even if you do it on your own time... that way:

a.) You're giving him a choice that you're not charging him extra for... unless he's a total asshole, he'll appreciate this.

b.) You've got your ass covered if someone comes in to check out your studio, but says: "Yeah, but I heard that stuff you did

for Dilbert Dillwinkle, and I didn't think it sounded all that great." then you say: "Oh yeah, well listen to THIS version of it." Monitors up, Scotty!

c.) Dilbert may come around after listening to your version a few times.

>How do you handle it when they want to know everything about  
>the signal chain?(hence your mixing secrets)

Tell 'em the stuff they can see, but not the stuff they can't... such as:

"Hey, so what is it again that you're doing to get my vocal sound?"

"Well, you remember we used that old mic over there into this Preamp here, with just a little bit of compression on the way in."

"I see.. and the rest? Like what kind of stuff did you put on it during the mix? What were those 'plug-in' thingies?"

"Secret Weapon... can't tell ya."

Or, really, if you're confident enough in your abilities, you can just go ahead & spill every detail, because you KNOW he's not gonna get the same results anywhere else, because YOU RAWK! Something like this:

"Hey, so what is it again that you're doing to get my vocal sound?"

"Well, you remember we used that Neumann M-47, into this Muescrite Red-15, and I made sure to max out the gain as far as I could go before distorting the loud parts - that way we got more breathiness in your softer parts, which you said you liked when we were trying out mics earlier; then I slapped on a little bit of this Distressor with the Brit Mod before we hit the convertors, just in case things got too hot... you know, I didn't want to lose a good take. Then I used this plugin called a Voxengo Voxformer for some transparent compression & also de-essing... see what happens when I pull it out? Sounds much better with it in, huh? I also cut a very shallow swath out at 750 hz to get rid of that nasal thing you said you didn't like about your voice, then I used this linear-phase EQ to boost 1.5db at a 2.7 "Q" setting at each 10k, 16k & 22k just to enhance the airiness of the track, but I automated that - it

only comes in on the chorus parts. Check it... with... without... with... without... you like? For reverb I used a Lexicon Pantheon on a small-ish room setting, but with no high-end cutoff, and on the chorus parts a delay comes in that's sync'ed to the quarter-beat, but then backed-off one millisecond so it lags just a tiny bit so the vocals seem a little bit more relaxed, and it's set to 27% feedback so you only clearly hear two repeats at this tempo, and the third repeat gets mostly covered up by the start of your next line, but it's just barely audible so it all flows smoothly."

That's me... I pretty much tell 'em everything. I figure no one's going to remember it anyway, and unless I'm someone famous, no one's going to think my secrets are worth stealing anyhow.

NeilHi Zan,

I do more or less the same thing all the time - I use the analog inputs for tracking and the S/PDIF inputs to bring the signal from my PCM-91 back to submix 1's FX returns. All you need to do is patch the digital inputs (MEC Master dL and dR at bottom of the icon) to whichever mixer inputs you want to use.

Gantt

"tonehouse" <zmcleod@comcast.net> wrote:

>How do you set the patch bay so you can record analog and digital inputs at

>the same time? Can it be done?...

>

>"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

>

> How do you guys and gals handle it when you get a client who is insistant  
> on very little or no compression? How do you handle it when they want to  
> know everything about the signal chain?(hence your mixing secrets)

>

> BOops . . . what I meant to say was . . . first I agree with them, "Oh, I know . . . compression is way overused . . . takes the life right out of the mix." Then I go ahead and compress the shit out of everything anyway. :)

SJB

"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

>

> How do you guys and gals handle it when you get a client who is insistant  
> on very little or no compression? How do you handle it when they want to

> know everything about the signal chain?(hence your mixing secrets)

>

> B"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>Maybe one of them won't whine....or maybe both of them will.

If that's the case, then just make sure that you flip polarity on the 2nd whine & aim it directly at the first... that way they cancel each other out & you'll have a whine-free studio...

....until the next time you try to "upgrade" something; then we expect the whining to resume! lol

:D :DLOL!!!!....exactly what I'd do.

;o)

"Sarah" <sarahjane@sarahtonin.com> wrote in message news:44b30653@linux...

> Oops . . . what I meant to say was . . . first I agree with them, "Oh, I know . . . compression is way overused . . . takes the life right out of the

> mix." Then I go ahead and compress the shit out of everything anyway. :)

>

> SJB

>

>

> "brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

>>

>> How do you guys and gals handle it when you get a client who is insistant

>> on very little or no compression? How do you handle it when they want to

>> know everything about the signal chain?(hence your mixing secrets)

>>

>> B

>

>When I (rarely) get into a situation where I am] pressed to do something I would not want to do, I just tell the client that I will be glad to do it, but there can be no mention of my name in the credits on the project. Usually takes less than 5 minutes to come around.... :)

Dedric Terry <dterry@keyofd.net> wrote:

>On 7/10/06 1:22 PM, in article 44b2a970\$1@linux, "DJ"

><animix\_spam-this-ahole\_@animas.net> wrote:

>

>>  
>> What I hate about these situations is that if this guy is a rank amateur  
and  
>> is clueless, he's going to insist on trying to run the show and the mix  
will  
>> leave your studio sounding fine to him, but then he will compare it to  
mixes  
>> that have been properly done with compression and his/your mix will sound  
>> wimpy by comparison and then he will run around all over town telling  
>> everyone that it is your fault.  
>>  
>  
>I know an engineer that says he's gotten more work by turning down work.  
>It's both reverse psychology and good time management. It's a concept I'm  
>adopting for the very reason you stated DJ. Amateur clients usually want  
>miracles for peanuts, and are the most difficult to deal with - not worth  
my  
>time, or theirs.  
>  
>It's hard to know what a client will be like up front though, and takes  
a  
>bit of diplomacy to steer them in the right direction without offending  
or  
>turning them away, so sometimes you just have to let a few go.  
>  
>If you are stuck in a situation you couldn't avoid, my advice would be to  
do  
>what the client asks, and move on.  
>  
>Regards,  
>Dedric  
>  
>>  
>> "Brandon" <a@a.com> wrote in message news:44b2a77d@linux...  
>>>  
>>> Just wanted to get an idea of what the general population thoughts were.  
I  
>>> wouldn't really have a problem explaining what I am doing and why I am  
>> doing  
>>> it as long they understand it is on their dime and aren't fighting me  
>> every  
>>> step of the way. But even if they were fighting me...as long as they  
were  
>>> paying I would indulge them.  
>>> Hey Chris..Hope things are going good with you!  
>>> I still listen to it from time to time as well.  
>>> I haven't been doing much songwriting lately..just  
>>> been focusing on rebuilding my studio/mixing enviroment.

>>> Getting close to completion.  
>>> Started using Cubase in conjunction with PARIS.  
>>> Lots of stuff to figure out.  
>>>  
>>> Take care all.  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>> "Chris Lang" <yo@yo.yo> wrote:  
>>>>  
>>>> Hey Brandon- hope everything is cool! I still listen to that  
>>>> "21" song every now and then!  
>>>>  
>>>> I would just give them what they want, in both cases.  
>>>>  
>>>> My band just played at a Denver club, and recorded the gig.  
>>>> The sound guy had good equipment, but nothing real high-end.  
>>>> He proceeded to do an absolutely AWESOME and artistic job of  
>>>> utilizing that gear, and the sound, both live and on disk, is  
>>>> just amazing. Even the sound board mix is fabulous.  
>>>>  
>>>> My point is that any amount of info you share on gear, settings,  
>>>> etc, will not help the client become a pro. They might go away  
>>>> for a while, thinking that they can do it themselves, but they  
>>>> will return when they realize that if it sounds good, and you  
>>>> can make it sound good, then it's worth it to hire you.  
>>>>  
>>>> Peace,  
>>>>  
>>>> Chris  
>>>>  
>>>>  
>>>> "brandon" <a@a.com> wrote:  
>>>>>  
>>>>> How do you guys and gals handle it when you get a client who is  
>> insistant  
>>>>> on very little or no compression? How do you handle it when they want  
to  
>>>>> know everything about the signal chain?(hence your mixing secrets)  
>>>>>  
>>>>> B  
>>>>>  
>>>>

>>  
>>  
>That type of statement certainly would be an eye opener. Good idea.

"John Macy" <spamlessjohn@johnmacy.com> wrote in message  
news:44b32bf9\$1@linux...

>  
> When I (rarely) get into a situation where I am]  
> pressed to do something I would not want to do,  
> I just tell the client that I will be glad to do  
> it, but there can be no mention of my name in the  
> credits on the project. Usually takes less than 5  
> minutes to come around.... :)

>  
>  
>  
> Dedric Terry <dterry@keyofd.net> wrote:  
> >On 7/10/06 1:22 PM, in article 44b2a970\$1@linux, "DJ"  
> ><animix\_spam-this-ahole\_@animas.net> wrote:

> >  
> >>  
> >> What I hate about these situations is that if this guy is a rank  
amateur  
> and  
> >> is clueless, he's going to insist on trying to run the show and the mix  
> will  
> >> leave your studio sounding fine to him, but then he will compare it to  
> mixes  
> >> that have been properly done with compression and his/your mix will  
sound  
> >> wimpy by comparison and then he will run around all over town telling  
> >> everyone that it is your fault.

> >>  
> >  
> >I know an engineer that says he's gotten more work by turning down work.  
> >It's both reverse psychology and good time management. It's a concept I'm  
> >adopting for the very reason you stated DJ. Amateur clients usually want  
> >miracles for peanuts, and are the most difficult to deal with - not worth  
> my  
> >time, or theirs.

> >  
> >It's hard to know what a client will be like up front though, and takes  
> a  
> >bit of diplomacy to steer them in the right direction without offending  
> or  
> >turning them away, so sometimes you just have to let a few go.

> >  
> >If you are stuck in a situation you couldn't avoid, my advice would be to

> do  
> >what the client asks, and move on.  
> >  
> >Regards,  
> >Dedric  
> >  
> >>  
> >> "Brandon" <a@a.com> wrote in message news:44b2a77d@linux...  
> >>>  
> >>> Just wanted to get an idea of what the general population thoughts  
were.  
> I  
> >>> wouldn't really have a problem explaining what I am doing and why I am  
> >> doing  
> >>> it as long they understand it is on their dime and aren't fighting me  
> >> every  
> >>> step of the way. But even if they were fighting me...as long as they  
> were  
> >>> paying I would indulge them.  
> >>> Hey Chris..Hope things are going good with you!  
> >>> I still listen to it from time to time as well.  
> >>> I haven't been doing much songwriting lately..just  
> >>> been focusing on rebuilding my studio/mixing enviroment.  
> >>> Getting close to completion.  
> >>> Started using Cubase in conjunction with PARIS.  
> >>> Lots of stuff to figure out.  
> >>>  
> >>> Take care all.  
> >>>  
> >>>  
> >>>  
> >>>  
> >>>  
> >>>  
> >>>  
> >>>  
> >>>  
> >>>  
> >>> "Chris Lang" <yo@yo.yo> wrote:  
> >>>>  
> >>>> Hey Brandon- hope everything is cool! I still listen to that  
> >>>> "21" song every now and then!  
> >>>>  
> >>>> I would just give them what they want, in both cases.  
> >>>>  
> >>>> My band just played at a Denver club, and recorded the gig.  
> >>>> The sound guy had good equipment, but nothing real high-end.  
> >>>> He proceded to do an absolutely AWESOME and artistic job of  
> >>>> utilizing that gear, and the sound, both live and on disk, is  
> >>>> just amazing. Even the sound board mix is fabulous.

> >>>>  
> >>>> My point is that any amount of info you share on gear, settings,  
> >>>> etc, will not help the client become a pro. They might go away  
> >>>> for a while, thinking that they can do it themselves, but they  
> >>>> will return when they realize that if it sounds good, and you  
> >>>> can make it sound good, then it's worth it to hire you.  
> >>>>  
> >>>> Peace,  
> >>>>  
> >>>> Chris  
> >>>>  
> >>>>  
> >>>> "brandon" <a@a.com> wrote:  
> >>>>>  
> >>>>> How do you guys and gals handle it when you get a client who is  
> >> insistant  
> >>>>> on very little or no compression? How do you handle it when they  
want  
> to  
> >>>>> know everything about the signal chain?(hence your mixing secrets)  
> >>>>>  
> >>>>> B  
> >>>>  
> >>>  
> >>  
> >>  
> >  
>I'm taking advantage of the employment downtime to catch up on some  
mixing I've had stacked up for a while...

The one I'm working on now is tracked from the board during a concert  
at the theatre. 3 singer/songwriters in the group, seated on 3 stools  
across the stage.

I have the guitars panned 60 left and center (from audience POV) and  
the bass panned 60 right - these approximate their physical locations  
on stage.

Would you pan the vocals to match the guitars, or would you pull them  
closer to center?

I realize this is somewhat a matter of preference and taste. I've  
been listening to my rough, and I'm still not sure if I like it that  
way. I may try it with the vocals tightened up but then they wouldn't  
match the guitars.

What would you guys do?

pabl know you guys will laugh at this ploy but (and perhaps others will employ my ploy) but when I was heavy on the road doing guitar I used to get post-show exams on "how do you get should great tone, sounds, blah blah." Because so few could really grasp that great guitar tone starts in your head and can pretty much happen with most any guitar/amp setup, I developed several more "believable" answers. So I built a small flat black box with a wire coming out of it, wood and metal with rivets here and there and a made up model number on placard. Wire went into my rack and disappeared into a darkened recess. It was just easier to tell guys that the black box was where the sound was really happening. Typical dialogue:

Q: Great tone... really cut it's own space in the show... whadya got going here

A: Well this stuff is really pretty ordinary, Old Roland GP-100, a Rocktron Type IIc for minimizing noise from the dirty patches out of the JMP-1, old Rockman rackmount guitar pre for some of the clean stuff, I keep this old Quadraverb for some patches that really do it for me - the noise doesn't bother me much, and this guy here by DMC is where all my routing takes place, and I output a stereo pair into this Ibanez SDR1000 which goes directly to the 50/50 power amp... and these are just knock-offs of the old Pacific 1x12" cabs. I had a guy copy them and build them from a slightly denser woods... and that's pretty much it.

Q: But where are getting that tone of that tune (XYZ)?

A: That was the Rockman with some verb off the GP-100.

Q: Your cables must all be oxygen free or something, right?

A: Nah... I gotta mix of Canare quad and belden co-ax in there

Q: What kinda tubes in the power amp?

A: Ahhh... GT's, 5 rateds... nothing special there.

Q: What's this thing (black box) doing?

A: Some guy in California built that for me and that I don't really couldn't tell you what it does or how it works but without it, my tone pretty much just isn't there."

Q: Where can I get one?

And they are always so disappointed to learn that the builder is no longer in business.

W.

"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

>  
> How do you guys and gals handle it when you get a client who is insistant  
> on very little or no compression? How do you handle it when they want to  
> know everything about the signal chain?(hence your mixing secrets)  
>  
> Bor his girlfriend/manager will call demanding their money  
back...that's why you get them to sign a waiver on their mix.

On Mon, 10 Jul 2006 13:22:30 -0600, "DJ"  
<animix\_spam-this-ahole\_@animas.net> wrote:

>I  
>> wouldn't really have a problem explaining what I am doing and why I am  
>doing  
>> it as long they understand it is on their dime and aren't fighting me  
>every  
>> step of the way. But even if they were fighting me...as long as they were  
>> paying I would indulge them.

>  
>What I hate about these situations is that if this guy is a rank amateur and  
>is clueless, he's going to insist on trying to run the show and the mix will  
>leave your studio sounding fine to him, but then he will compare it to mixes  
>that have been properly done with compression and his/your mix will sound  
>wimpy by comparison and then he will run around all over town telling  
>everyone that it is your fault.

>  
>  
>"Brandon" <a@a.com> wrote in message news:44b2a77d@linux...

>>  
>> Just wanted to get an idea of what the general population thoughts were. I  
>> wouldn't really have a problem explaining what I am doing and why I am  
>doing  
>> it as long they understand it is on their dime and aren't fighting me  
>every  
>> step of the way. But even if they were fighting me...as long as they were  
>> paying I would indulge them.  
>> Hey Chris..Hope things are going good with you!  
>> I still listen to it from time to time as well.  
>> I haven't been doing much songwriting lately..just  
>> been focusing on rebuilding my studio/mixing enviroment.  
>> Getting close to completion.  
>> Started using Cubase in conjunction with PARIS.  
>> Lots of stuff to figure out.

>>  
>> Take care all.  
>>

>>  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>> "Chris Lang" <yo@yo.yo> wrote:  
>> >  
>> >Hey Brandon- hope everything is cool! I still listen to that  
>> >"21" song every now and then!  
>> >  
>> >I would just give them what they want, in both cases.  
>> >  
>> >My band just played at a Denver club, and recorded the gig.  
>> >The sound guy had good equipment, but nothing real high-end.  
>> >He proceeded to do an absolutely AWESOME and artistic job of  
>> >utilizing that gear, and the sound, both live and on disk, is  
>> >just amazing. Even the sound board mix is fabulous.  
>> >  
>> >My point is that any amount of info you share on gear, settings,  
>> >etc, will not help the client become a pro. They might go away  
>> >for a while, thinking that they can do it themselves, but they  
>> >will return when they realize that if it sounds good, and you  
>> >can make it sound good, then it's worth it to hire you.  
>> >  
>> >Peace,  
>> >  
>> >Chris  
>> >  
>> >  
>> >"brandon" <a@a.com> wrote:  
>> >>  
>> >>How do you guys and gals handle it when you get a client who is  
>> >>insistant  
>> >>on very little or no compression? How do you handle it when they want to  
>> >>know everything about the signal chain?(hence your mixing secrets)  
>> >>  
>> >>B  
>> >>  
>> >  
>>  
>>Definitely closer to the center. If there are some harmonies you can ride  
pan them out also.  
John

Paul Braun <cygnus\_nospam@ctgonline.org> wrote:  
>I'm taking advantage of the employment downtime to catch up on some  
>mixing I've had stacked up for a while...

>  
>The one I'm working on now is tracked from the board during a concert  
>at the theatre. 3 singer/songwriters in the group, seated on 3 stools  
>across the stage.  
>  
>I have the guitars panned 60 left and center (from audience POV) and  
>the bass panned 60 right - these approximate their physical locations  
>on stage.  
>  
>Would you pan the vocals to match the guitars, or would you pull them  
>closer to center?  
>  
>I realize this is somewhat a matter of preference and taste. I've  
>been listening to my rough, and I'm still not sure if I like it that  
>way. I may try it with the vocals tightened up but then they wouldn't  
>match the guitars.  
>  
>What would you guys do?  
>  
>pabl just got a EMU 0404. It was about \$80 with a rebate that I haven't sent  
in yet. The only thing that disappoints me about it is it doesn't send out  
optical ADAT format. DJ posted a conversion box though that costs about \$80.  
Antway the coaxial SPDIF works fine. My current config monitors Cubase thru  
PARIS via SPDIF on the MEC.

b

"rich" <studiodog\_99@yahoo.com> wrote:

>  
>What hardware are you using with Cubase - I've been looking at the Mackie  
>Oynox mixer with a firewire card added to it... as an addition to Paris  
>  
>  
>"Brandon" <a@a.com> wrote:  
>>  
>>Just wanted to get an idea of what the general population thoughts were.  
>|  
>>wouldn't really have a problem explaining what I am doing and why I am  
doing  
>>it as long they understand it is on their dime and aren't fighting me every  
>>step of the way. But even if they were fighting me...as long as they were  
>>paying I would indulge them.  
>>Hey Chris..Hope things are going good with you!

>>I still listen to it from time to time as well.  
>>I haven't been doing much songwriting lately..just  
>>been focusing on rebuilding my studio/mixing enviroment.  
>>Getting close to completion.  
>>Started using Cubase in conjunction with PARIS.  
>>Lots of stuff to figure out.  
>>  
>>Take care all.  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>>  
>>"Chris Lang" <yo@yo.yo> wrote:  
>>>  
>>>Hey Brandon- hope everything is cool! I still listen to that  
>>>"21" song every now and then!  
>>>  
>>>I would just give them what they want, in both cases.  
>>>  
>>>My band just played at a Denver club, and recorded the gig.  
>>>The sound guy had good equipment, but nothing real high-end.  
>>>He proceded to do an absolutely AWESOME and artistic job of  
>>>utilizing that gear, and the sound, both live and on disk, is  
>>>just amazing. Even the sound board mix is fabulous.  
>>>  
>>>My point is that any amount of info you share on gear, settings,  
>>>etc, will not help the client become a pro. They might go away  
>>>for a while, thinking that they can do it themselves, but they  
>>>will return when they realize that if it sounds good, and you  
>>>can make it sound good, then it's worth it to hire you.  
>>>  
>>>Peace,  
>>>  
>>>Chris  
>>>  
>>>  
>>>"brandon" <a@a.com> wrote:  
>>>>  
>>>>How do you guys and gals handle it when you get a client who is insistant  
>>>>on very little or no compression? How do you handle it when they want  
>to  
>>>>know everything about the signal chain?(hence your mixing secrets)  
>>>>  
>>>>B

>>>

>>

>You have all three voices on separate tracks, as well as 2 guitars & a bass on separate tracks? I'd put the bass in the center, just for balance, & then pan the voices out a little bit - not necessarily as much as the guitars.

For a small ensemble like this, I'd actually probably mix it in mono first, to get the balances between the instruments & voices the way I wanted it, then work on the panning using something like the above as a starting point.

Neil

Paul Braun <cygnus\_nospam@ctgonline.org> wrote:

>I'm taking advantage of the employment downtime to catch up on some >mixing I've had stacked up for a while...

>

>The one I'm working on now is tracked from the board during a concert >at the theatre. 3 singer/songwriters in the group, seated on 3 stools >across the stage.

>

>I have the guitars panned 60 left and center (from audience POV) and >the bass panned 60 right - these approximate their physical locations >on stage.

>

>Would you pan the vocals to match the guitars, or would you pull them >closer to center?

>

>I realize this is somewhat a matter of preference and taste. I've >been listening to my rough, and I'm still not sure if I like it that >way. I may try it with the vocals tightened up but then they wouldn't >match the guitars.

>

>What would you guys do?

>

>pabYou may be able to, depending on physical attributes, encase the inverter in epoxy or some kind of non conductive resin to stop the high speed oscillating. Consider heat and dimension before doing so, of course.

AA

<Kris .> wrote in message news:44b29258\$1@linux...

>

> Yeah...that's the inverter that drives the backlight. A competent tech > should

> be able to install a switch on it, so you can turn the back light (and  
> whine)  
> off when the controller is not in use.  
>  
> Cheers,  
>  
> Kris  
>  
> "Dave(EK Sound)" <audioguy\_editout\_@shaw.ca> wrote:  
>>Our '880 also does not have a fan... but the whine from the  
>>controller display drives me crazy!! ;-)  
>>  
>>David.  
>>  
>>"Kris" . wrote:  
>>> I'm surprised your 880 has a fan in it....mine does not.  
>>>  
>>> Analog I/O on this thing sounds very good IMO...better than you might  
> expect  
>>> considering the age of it.  
>>>  
>>> Another solution is to make (6) (R880 has 2 ins and 4 outs IIRC) 1 foot  
> lengths  
>>> of XLR-XLR cables with the polarity swapped. Connect these to your 880,  
> and  
>>> then, connect your snake to them. This would make your 880 appear to be  
> pin  
>>> 2 hot to your patch bay.  
>>>  
>>> Cheers  
>>>  
>>> Kris  
>>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>  
>>>>.....or, I could keep the Mogami snake \*as is\* and just make two TRS  
>>>>Patch cables (for patching this particular dievice) wired tip to ring  
> and  
>>>>ring to tip. That might be a better solution for my particular situation  
>>>>actually. I may not end up using the analog I/O of the R880 all that  
>>>>much  
>>>>and it's very possible that I might want to run this long snake to a  
>>>>ertain  
>>>>device that I've got my eye on. It's got a fan in the chassis so I will  
>>>  
>>> need  
>>>  
>>>>to keep it in the machine room. I think it's wired with standard US  
>>>>polarity.

>>>>  
>>>>;o)  
>>>>  
>>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
>>>>news:44b04210\$1@linux...  
>>>>  
>>>>>It is a 20' cable run from the rack that is housing the R880 mainframe  
>>>>  
>>>> to  
>>>>  
>>>>>the standard balanced patch bay. Seems a shame to use 80' of mic cable  
>>>>  
>>>> to  
>>>>  
>>>>>make 4 x 20' patch cables when I've got a 20' 4 x pair standard  
>>>>>polarity  
>>>>>Mogami XLR-TRS snake sitting here doing nothing.....soooooo..... I  
> could  
>>>>>modify the standard mogami cable by taking the lead from the ring  
>>>>>  
>>>>>(currently  
>>>>>  
>>>>>tied to XLR pin 3 and swapping it to XLR pin 2, then take the lead from  
>>>>>  
>>>>>the  
>>>>>  
>>>>>tip (currently tied to XLR pin 2) and swap it to XLR pin 3.. That  
>>>>>oughta'  
>>>>>get me there, right?  
>>>>>  
>>>>>Thanks for your help.  
>>>>>  
>>>>>Deej  
>>>>>  
>>>>>  
>>>>>  
>>>>>  
>>>>>  
>>>>>  
>>>>>"gene lennon" <glennon@NOSPmyrealbox.com> wrote in message  
>>>>>news:44b037d8\$1@linux...  
>>>>>  
>>>>>>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>>>  
>>>>>>>I need to build balanced I/O cables for the analog outputs of my  
>>>>>>>  
>>>>>>>Roland  
>>>>>>>  
>>>>>>>>R880. The pinout calls for pin 1-ground, pin 2-cold, pin 3-hot.

>>>>>>That's  
>>>>>  
>>>>>not  
>>>>>  
>>>>>>the normal state of affairs around here. Everything I'm using is pin  
>>>>>  
>>>>>2-hot  
>>>>>  
>>>>>>and is routed to 1/4" TRS patchbays.  
>>>>>>These cables need to be XLR to TRS in order to interface with said  
>>>>>  
>>>>>balanced  
>>>>>  
>>>>>>patchbay. From there they would be patched to other gear (with  
>>>>>>trs-trs  
>>>>>  
>>>>>patch  
>>>>>  
>>>>>>cables) that is pin 2-hot. I'm guessing I'm going to have to make up  
>>>  
>>> a  
>>>  
>>>>>>couple of special trs-trs patch cables to get this all strack. It's  
>>>>>  
>>>>>making  
>>>>>  
>>>>>>my head hurt. Could someone give me a clue as to what I need to do  
>>>  
>>> to  
>>>  
>>>>>patch  
>>>>>  
>>>>>>a pin 3-hot device through a balanced PB in order to interface  
>>>>>>properly  
>>>>>  
>>>>>>with  
>>>>>  
>>>>>>the rest of my (pin 2 hot) studio?  
>>>>>>  
>>>>>>Thanks,  
>>>>>>  
>>>>>>Deej (the obscure)  
>>>>>>  
>>>>>>  
>>>>>>  
>>>>>>In this case you can reverse either end. I keep some colored shrink  
>>>>>  
>>>>tubing

>>>>  
>>>>>around to mark non-normal cables. Personally I reverse at the XLR,  
>>>>  
>>>>because  
>>>>  
>>>>>it's easier to reverse.  
>>>>>Gene  
>>>>>>  
>>>>>  
>>>>>  
>>>>>  
>>>>  
>>>  
>

I choose Polesoft Lockspam to fight spam, and you?  
<http://www.polesoft.com/refer.html>On 11 Jul 2006 22:38:45 +1000, "Neil" <IOIU@OIU.com>  
wrote:

>  
>You have all three voices on separate tracks, as well as 2  
>guitars & a bass on separate tracks? I'd put the bass in the  
>center, just for balance, & then pan the voices out a little  
>bit - not necessarily as much as the guitars.  
>  
>For a small ensemble like this, I'd actually probably mix it in  
>mono first, to get the balances between the instruments & voices  
>the way I wanted it, then work on the panning using something  
>like the above as a starting point.  
>  
>Neil  
>

Yes, separate tracks for each muso - one for his vocal, one for his instrument.

Yeah, even though the bass player was sitting house right, it does bug me that the bass isn't coming from center. I will try to remix with him in the center.

The "mix in mono first" idea makes sense. I'm pretty close with balances - after listening on two different sets of speakers, including my car, I definitely want the guitars down some more to emphasize the vocal harmonies.

I'll try it again with gtr at L60 and R60, bass in center, and then maybe spread the vocals at L30 and R30 plus center - just enough to give them some space, but keeping them fairly centered.

I will report back after. And maybe I'll post a piece of one of the songs.

pabl LOVE it! HA. I'm going to build one of those for the studio.

Rod

"Dubya Mark Wilson" <mark.xspam@avidrecording.com> wrote:

>I know you guys will laugh at this ploy but (and perhaps others will employ

>my ploy) but when I was heavy on the road doing guitar I used to get

>post-show exams on "how do you get should great tone, sounds, blah blah."

>Because so few could really grasp that great guitar tone starts in your

head

>and can pretty much happen with most any guitar/amp setup, I developed

>several more "believable" answers. So I built a small flat black box with

a

>wire coming out of it, wood and metal with rivets here and there and a made

>up model number on placard. Wire went into my rack and disappeared into

a

>darkened recess. It was just easier to tell guys that the black box was

>where the sound was really happening. Typical dialogue:

>

>Q: Great tone... really cut it's own space in the show... whadya got going

>here

>

>A: Well this stuff is really pretty ordinary, Old Roland GP-100, a Rocktron

>Type IIc for minimizing noise from the dirty patches out of the JMP-1, old

>Rockman rackmount guitar pre for some of the clean stuff, I keep this old

>Quadraverb for some patches that really do it for me - the noise doesn't

>bother me much, and this guy here by DMC is where all my routing takes

>place, and I output a stereo pair into this Ibanez SDR1000 which goes

>directly to the 50/50 power amp... and these are just knock-offs of the

old

>Pacific 1x12" cabs. I had a guy copy them and build them from a slightly

>denser woods... and that's pretty much it.

>

>Q: But where are getting that tone of that tune (XYZ)?

>

>A: That was the Rockman with some verb off the GP-100.

>  
>Q: Your cables must all be oxygen free or something, right?  
>  
>A: Nah... I gotta mix of Canare quad and belden co-ax in there  
>  
>Q: What kinda tubes in the power amp?  
>  
>A: Ahhh... GT's, 5 rateds... nothing special there.  
>  
>Q: What's this thing (black box) doing?  
>  
>A: Some guy in California built that for me and that I don't really  
>couldn't tell you what it does or how it works but without it, my tone  
>pretty much just isn't there."  
>  
>Q: Where can I get one?  
>  
>And they are always so disappointed to learn that the builder is no longer  
  
>in business.  
>  
>W.  
>  
>"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...  
>>  
>> How do you guys an

---

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [DC](#) on Wed, 31 May 2006 23:16:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

ix." Then I go ahead and compress the shit out of everything anyway. :)  
>>  
>>SJB  
>>  
>>  
>>"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...  
>>  
>>  
>>>How do you guys and gals handle it when you get a client who is  
>>>  
>>>  
>insistant  
>  
>  
>>>on very little or no compression? How do you handle it when they want to  
>>>know everything about the signal chain?(hence your mixing secrets)

```
>>>
>>>B
>>>
>>>
>>
>>
>
>
>
>
```

-----040508090402000102020207  
Content-Type: text/html; charset=ISO-8859-1  
Content-Transfer-Encoding: 7bit

```
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN">
<html>
<head>
  <meta content="text/html; charset=ISO-8859-1" http-equiv="Content-Type">
</head>
<body bgcolor="#ffffff" text="#000000">
ditto on that tactic!<br>
<br>
DJ wrote:
<blockquote cite="mid44b31c52$1@linux" type="cite">
  <pre wrap="">LOL!!!!....exactly what I'd do.
```

;o)

```
"Sarah" <a class="moz-txt-link-rcf2396E"
href="mailto:sarahjane@sarahtonin.com">&lt;sarahjane@sarahtonin.com&gt;</a> wrote in
message <a class="moz-txt-link-freetext"
href="news:44b30653@linux">news:44b30653@linux</a>...
  </pre>
  <blockquote type="cite">
    <pre wrap="">Oops . . . what I meant to say was . . . first I agree with them, "Oh, I
know . . . compression is way overused . . . takes the life right out of
  </pre>
```

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [excelav](#) on Wed, 31 May 2006 23:19:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
br />
</blockquote>
<pre wrap=""><!-->the
</pre>
```

```
<blockquote type="cite">
  <pre wrap="">mix." Then I go ahead and compress the shit out of everything anyway. :)
```

SJB

"brandon" <a class="moz-txt-link-/rfc2396E" href="mailto:a@a.com">&lt;a@a.com&gt;</a> wrote  
in message <a class="moz-txt-link-freetext"  
href="news:44b27b39\$1@linux">news:44b27b39\$1@linux</a>...

```
</pre>
  <blockquote type="cite">
    <pre wrap="">How do you guys and gals handle it when you get a client who is
    </pre>
  </blockquote>
</blockquote>
<pre wrap=""><!-->insistant
</pre>
<blockquote type="cite">
  <blockquote type="cite">
    <pre wrap="">on very little or no compression? How do you handle it when they want to
know everything about the signal chain?(hence your mixing secrets)
```

B

```
</pre>
</blockquote>
<pre wrap="">
</pre>
</blockquote>
<pre wrap=""><!-->
```

```
</pre>
</blockquote>
</body>
</html>
```

-----040508090402000102020207--Hi to all.  
I was experiencing some things working under Xp with external wordclock as  
opposed to with Me.  
I don't know if others share similar oppinipns but DJ posted that he also  
though some mid frequencies differences which could be XP or/and wordclock.  
I am nexperiencing the following...  
I get some sound spikes in random frequencies...  
Sound although clean in the mids frequencies do not stay at the same level  
all the way in a song.  
I have a difficult time in using compressors to solve these things !!  
Maybe the eq is producing this... remeber that I found that the eq behaves  
differently under XP as opposed to under Me.  
Anyone maybe heard similar things ??

I really need to be certain on that because I want to know who and what to blame for that.

Maybe also an external wordclock could introduce such things ??

I do not get any crackles or other anomalies though.

I use Soundscape's wordclock as a master and i distribute crazy after that but very stable afterall.

Sound is punchy in the mids except for the problems I described.

One test you can make and see (in a dense mix) is to dial a 80 hz in Paris eq with 0.1 Q and give a healthy 8-12 dbs.

That gives great analogish kick sound.

In a mix though the level of that 80 hz is not constant giving spikes (in volume increses) very often...

I would like your input here !!!!!

Regards,

DimitriosI just show them Frankencomp. After they get over the shock of seeing Frankencomp I hand them a copy of the session methodology. Then tell them that the reason it the way it does is because if everything id done exactly right, that it is possible to configure two computers in a way that makes the digital information sound like it's not being recorded on a computer at all. They are usually so totally bewildered by that time that they get the thousand yard stare, their eyes become glassy and fixed and they become meek and submissive. I can sometimes even get them to go pick up my laundry and go grocery shopping for me. Sorta' like feeding them a digital dose of Rohypnol.

;o)

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message news:44b3d8eb\$1@linux...

>

> I LOVE it! HA. I'm going to build one of those for the studio.

> Rod

> "Dubya Mark Wilson" <mark.xspam@avidrecording.com> wrote:

> >I know you guys will laugh at this ploy but (and perhaps others will employ

>

> >my ploy) but when I was heavy on the road doing guitar I used to get > >post-show exams on "how do you get should great tone, sounds, blah blah."

>

> >Because so few could really grasp that great guitar tone starts in your

> head

> >and can pretty much happen with most any guitar/amp setup, I developed

> >several more "believable" answers. So I built a small flat black box with

> a

> >wire coming out of it, wood and metal with rivets here and there and a made

>  
> >up model number on placard. Wire went into my rack and disappeared into  
> a  
> >darkened recess. It was just easier to tell guys that the black box was  
>  
> >where the sound was really happening. Typical dialogue:  
> >  
> >Q: Great tone... really cut it's own space in the show... whadya got  
going  
>  
> >here  
> >  
> >A: Well this stuff is really pretty ordinary, Old Roland GP-100, a  
Rocktron  
>  
> >Type IIc for minimizing noise from the dirty patches out of the JMP-1,  
old  
>  
> >Rockman rackmount guitar pre for some of the clean stuff, I keep this old  
>  
> >Quadraverb for some patches that really do it for me - the noise doesn't  
>  
> >bother me much, and this guy here by DMC is where all my routing takes  
> >place, and I output a stereo pair into this Ibanez SDR1000 which goes  
> >directly to the 50/50 power amp... and these are just knock-offs of the  
> old  
> >Pacific 1x12" cabs. I had a guy copy them and build them from a slightly  
>  
> >denser woods... and that's pretty much it.  
> >  
> >Q: But where are getting that tone of that tune (XYZ)?  
> >  
> >A: That was the Rockman with some verb off the GP-100.  
> >  
> >Q: Your cables must all be oxygen free or something, right?  
> >  
> >A: Nah... I gotta mix of Canare quad and belden co-ax in there  
> >  
> >Q: What kinda tubes in the power amp?  
> >  
> >A: Ahhh... GT's, 5 rateds... nothing special there.  
> >  
> >Q: What's this thing (black box) doing?  
> >  
> >A: Some guy in California built that for me and that I don't really  
> >couldn't tell you what it does or how it works but without it, my tone  
> >pretty much just isn't there."  
> >

> >Q: Where can I get one?  
> >  
> >And they are always so disappointed to learn that the builder is no longer  
>  
> >in business.  
> >  
> >W.  
> >  
> >"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...  
> >>  
> >> How do you guys and gals handle it when you get a client who is insistant  
> >> on very little or no compression? How do you handle it when they want  
> to  
> >> know everything about the signal chain?(hence your mixing secrets)  
> >>  
> >> B  
> >  
> >  
>

Yeah...Frankencomp is pretty bewildering. I show people I know pics of Frankencomp. Just the fact I know you gets a reaction.

I wish I had the room for a Frankencomp. In my head as well as my studio.

8Op"" oooops the stage is NOT level.

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:

>I just show them Frankencomp. After they get over the shock of seeing  
>Frankencomp I hand them a copy of the session methodology. Then tell them  
>that the reason it the way it does is because if everything id done exactly  
>right, that it is possible to configure two computers in a way that makes  
>the digital information sound like it's not being recorded on a computer  
at  
>all. They are usually so totally bewildered by that time that they get  
the  
>thousand yard stare, their eyes become glassy and fixed and they become  
meek  
>and submissive. I can sometimes even get them to go pick up my laundry and  
>go grocvery shopping for me. Sorta' like feeding them a digital dose of  
>Rohypnol.

>

>;o)

>

>

>"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message  
>news:44b3d8eb\$1@linux...

>>  
>> I LOVE it! HA. I'm going to build one of those for the studio.  
>> Rod  
>> "Dubya Mark Wilson" <mark.xspam@avidrecording.com> wrote:  
>> >I know you guys will laugh at this ploy but (and perhaps others will  
>employ  
>>  
>> >my ploy) but when I was heavy on the road doing guitar I used to get  
>> >post-show exams on "how do you get should great tone, sounds, blah blah."  
>>  
>> >Because so few could really grasp that great guitar tone starts in your  
>> head  
>> >and can pretty much happen with most any guitar/amp setup, I developed  
>> >several more "believable" answers. So I built a small flat black box  
>with  
>> a  
>> >wire coming out of it, wood and metal with rivets here and there and  
a  
>made  
>>  
>> >up model number on placard. Wire went into my rack and disappeared into  
>> a  
>> >darkened recess. It was just easier to tell guys that the black box  
was  
>>  
>> >where the sound was really happening. Typical dialogue:  
>> >  
>> >Q: Great tone... really cut it's own space in the show... whadya got  
>going  
>>  
>> >here  
>> >  
>> >A: Well this stuff is really pretty ordinary, Old Roland GP-100, a  
>Rocktron  
>>  
>> >Type IIc for minimizing noise from the dirty patches out of the JMP-1,  
>old  
>>  
>> >Rockman rackmount guitar pre for some of the clean stuff, I keep this  
old  
>>  
>> >Quadraverb for some patches that really do it for me - the noise doesn't  
>>  
>> >bother me much, and this guy here by DMC is where all my routing takes  
>> >place, and I output a stereo pair into this Ibanez SDR1000 which goes  
>> >directly to the 50/50 power amp... and these are just knock-offs of the  
>> old  
>> >Pacific 1x12" cabs. I had a guy copy them and build them from a slightly

>>  
>> >denser woods... and that's pretty much it.  
>> >  
>> >Q: But where are getting that tone of that tune (XYZ)?  
>> >  
>> >A: That was the Rockman with some verb off the GP-100.  
>> >  
>> >Q: Your cables must all be oxygen free or something, right?  
>> >  
>> >A: Nah... I gotta mix of Canare quad and belden co-ax in there  
>> >  
>> >Q: What kinda tubes in the power amp?  
>> >  
>> >A: Ahhh... GT's, 5 rateds... nothing special there.  
>> >  
>> >Q: What's this thing (black box) doing?  
>> >  
>> >A: Some guy in California built that for me and that I don't really  
>> >couldn't tell you what it does or how it works but without it, my tone  
>> >pretty much just isn't there."  
>> >  
>> >Q: Where can I get one?  
>> >  
>> >And they are always so disappointed to learn that the builder is no  
>longer  
>>  
>> >in business.  
>> >  
>> >W.  
>> >  
>> >"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...  
>> >>  
>> >> How do you guys and gals handle it when you get a client who is  
>insistant  
>> >> on very little or no compression? How do you handle it when they want  
>> to  
>> >> know everything about the signal chain?(hence your mixing secrets)  
>> >>  
>> >> B  
>> >  
>> >  
>>  
>  
>  
>  
>I've had'm all here; the no-compression guy, a bunch of "make it sound  
organic" guys (whatever the hell that means....lol), the "it's My Vision  
and I'll tell you how to mix it" guys, the chicks that can't even tie

their shoes but are "engineers"....the list goes on..... control freaks and passive-aggressives....

So I've taken Todd Rundgren's advice and just never let anyone into the control room when I'm mixing. Period. I simply tell them that if they want their cd to have that "special" sound that they came here for, then they gotta trust me. Works most times. When it doesn't, I know it's not someone I'd be interested in working with and turn down the job. It takes big cow-bells to say these things to clients but ya gotta do it sometimes or else you'll end up cucking sock all the time....and who likes the taste of socks?.....lol

j

brandon wrote:

>How do you guys and gals handle it when you get a client who is insistant  
>on very little or no compression? How do you handle it when they want to  
>know everything about the signal chain?(hence your mixing secrets)

>

>B

>

>Sounds like a Chicago/Electrical Audio/Albini wannabe. Tell them to go there. I also really dig DJ's and also Sarah's response. !!!

rock on,  
-Carl

"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

>

> How do you guys and gals handle it when you get a client who is insistant  
> on very little or no compression? How do you handle it when they want to  
> know everything about the signal chain?(hence your mixing secrets)

>

> BThis assumes your client can't hear well. More than once I've gotten into pretty heated arguments with people in mixing situations where I caught them doing just this. Once I said something along the lines of, 'If I wanted the drums to sound like an effin' beer commercial I would have told you. Now TURN THAT SHIT OFF!'

To the original poster, you try to explain to them that they spent money on your for a reason and that they might want to take some suggestions. At the same time, they're writing the check, and perhaps giving word of mouth recommendations for/against other people working with you, so that's something consider. I don't know how many 'secrets' there really are these days but I bet you could probably throw people off by giving them incorrect advice ('yes, it's PARIS, it sounds more clinical than Pro Tools which is why I like it, less coloration in the final sonics') if you think you have true

'trade secrets.'

TCB

"Sarah" <sarahjane@sarahtonin.com> wrote:

>Oops . . . what I meant to say was . . . first I agree with them, "Oh,  
I

>know . . . compression is way overused . . . takes the life right out of  
the

>mix." Then I go ahead and compress the shit out of everything anyway.

:)

>

>SJB

>

>

>"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

>>

>> How do you guys and gals handle it when you get a client who is insistant

>> on very little or no compression? How do you handle it when they want  
to

>> know everything about the signal chain?(hence your mixing secrets)

>>

>> B

>

>Paul Braun <cygnus\_nospam@ctgonline.org> wrote:

>I'm hoping for an A/V technician gig at the Shedd Aquarium in Chicago.

>Fish, whales, dolphins, and sound/video toys. Ahhhhhh.....

Sounds cool. You can autotune a singer, but you can't autotuna  
fish...or something like that.

>I'll pass the website link along to Peterik, since as you remember he  
>went nuts over the demos.

>

>pab

Alright, thanks Paul.

And thanks everyone here, especially those who bought the CD,  
it means a lot to us.

-macleany ideas

Don"Don Nafe" <dnafe@magma.ca> wrote:

>any ideas

Batch convert using r8Brain?"Fingerprints" are blasting out of the speakers, even as I type.

-steve

The refrigerator magnet is the very essence of cool

"macle" <Mates9999@cs.com> wrote:

>  
>Paul Braun <cygnus\_nospam@ctgonline.org> wrote:  
>>I'm hoping for an A/V technician gig at the Shedd Aquarium in Chicago.  
>>Fish, whales, dolphins, and sound/video toys. Ahhhhhh.....  
>  
>Sounds cool. You can autotune a singer, but you can't autotuna  
>fish...or something like that.  
>  
>>I'll pass the website link along to Peterik, since as you remember he  
>>went nuts over the demos.  
>>  
>>pab  
>  
>Alright, thanks Paul.  
>  
>And thanks everyone here, especially those who bought the CD,  
>it means a lot to us.  
>  
>-macleOr bounce using 16 bit instead of 24 in PARis..Truncate I think it is called  
yes?

"Neil" <OIUOIU@OI.com> wrote:

>  
>"Don Nafe" <dnafe@magma.ca> wrote:  
>>any ideas  
>  
>Batch convert using r8Brain?  
>Honestly - and I don't mean for this to come across in any  
belittling manner - but I don't see why you guys/gals get upset  
about this sort of thing... what's the big deal?  
Consider that:

a.) At one time you were interested in this stuff too, and at  
some point SOMEONE must've helped you out - told you what was  
what, or clue'd you in just a little bit as to what they were  
doing. This is how I got into being a recordist - and many of  
us here play an instrument or sing or both... I assume that you  
didn't start playing an instrument as a result of going into  
engineeering, but the other way around; so what's wrong with  
giving a little of your expertise or experience? Telling  
someone the details of one or two or three things that they  
happen to ask about is not going to enable them to set up a

studio & start stealing your business. In most cases, this isn't what they're after anyway, they're just interested like you were when you first started asking questions about recording & how certain things are done & certain sounds are achieved.

b.) With regard to too much compression, not enough compression, no compression, nothing but a trackful of compressor noise-with compression applied to it... why not give the client what they want? Or at least what they THINK they want? How many of you are so busy that you couldn't take the time to tell the guy: "OK, i really don't think this is going to come across the way you're imagining it, but i'll do it, then i'll do a slightly different version for you to compare, so you can see what i'm talking about - how's that sound? You can pick whichever one you like better - it's up to you, of course." Who's going to say no to that? It'd take you not much time, off the clock, to do a slightly different version in most cases - then you're a hero if he likes it better, and you're at the very least a cool guy in his mind just for trying it even if he doesn't. You've also given yourself an ass-covering opportunity as i mentioned in a previous post.

3.) What if the band/artist is strapped for cash & they're just paranoid about "getting it right" the first time, so they don't incur extra hours on the clock? Maybe that's why they're being so specific about what they want - maybe they're wrong in the interpretation of what they want & how to actually get there, but then again, maybe they can't identify what's going on to cause the sounds they like in the CD they gave you a copy of & said: "I want to sound like THAT!". Take a little pity... try & work it out & define exactly what it is they're looking for... "Hey JimBob, what you're telling me you want to hear is completely different from that Hank Williams Jr. kinda sound, who's CD you played for me & whom you said was your main influence for writing this song: "Are you ready for some Ping-Pong?", are you sure you want me to break away from that & go with this mix that sounds like it's off the 2nd "Strange Advance" record? Let's just take a moment off the clock here & discuss this, because ultimately what's most important to me is that you leave here with a product that makes you happy."

I dunno - I guess I think that as engineering/producing types we get a little cocky about what's right & what's not. Imagine how you'd feel if you went into record with someone else at the helm & they fought you on something? In that respect, what's the difference between you & the artist you're recording?

None - except YOUR perception of their ability to know what sounds good or not - and don't forget, that perception may be right or it may be wrong. I think if a client has a "vision", you ought to fulfill it. If a client is insisting on a certain sound that you think is below your quality standards, think of how Dave Stewart & Annie Lennox recorded "Sweet Dreams" in an apartment on a 1/4-inch 8-track R2R at the height of the mega-studios with their sync'ed 2" Studers.... that song sold a few copies, as I recall.

Anyway, I should shut up because now this is starting to sound like some kind of pompous lecture. Bottom line here - I'm with Gene... if someone's paying for your time, then they're paying for whatever you impart as a result of that time - you're not going to give the farm by being generous with your revelations of what you did - in fact, you might even get more work out of it - if you did something really cool, chances are greater that someone will try to work the same kind of magic & fail, than those of someone trying to work the same kind of magic & succeed. As for the clients wishes and whether you should give them what they want or not, I refer your imagination to Eugene Levy's salesdude taling to Chevy Chase in the original "Vacation":

"I owe it to myself to tell you that if you're taking the whole tribe cross-country, the Wagon Queen Family Truckster is the way to go. You think you hate it now, but just wait until you drive it!"

Bottom line - Clark Griswold didn't get what he wanted... don't give 'em what they'll think of as the audio equivalent of a "Family Truckster".

Neil  
(bracing for the flames)

"Carl Amburn" <carlamburn@hotmail.com> wrote:  
>Sounds like a Chicago/Electrical Audio/Albini wannabe. Tell them to go  
>there. I also really dig DJ's and also Sarah's response. !!!  
>  
>rock on,  
>-Carl

>  
>  
>"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...  
>>  
>> How do you guys and gals handle it when you get a client who is insistant  
>> on very little or no compression? How do you handle it when they want  
to  
>> know everything about the signal chain?(hence your mixing secrets)  
>>  
>> B  
>  
>Hey Chris, what's your band's name? What club was it, and what engineer?  
Just curious since I'm in Denver.

Cheers,  
-Jamie  
<http://www.JamieKruz.com>

Chris Lang wrote:

> Hey Brandon- hope everything is cool! I still listen to that  
> "21" song every now and then!  
>  
> I would just give them what they want, in both cases.  
>  
> My band just played at a Denver club, and recorded the gig.  
> The sound guy had good equipment, but nothing real high-end.  
> He proceded to do an absolutely AWESOME and artistic job of  
> utilizing that gear, and the sound, both live and on disk, is  
> just amazing. Even the sound board mix is fabulous.  
>  
> My point is that any amount of info you share on gear, settings,  
> etc, will not help the client become a pro. They might go away  
> for a while, thinking that they can do it themselves, but they  
> will return when they realize that if it sounds good, and you  
> can make it sound good, then it's worth it to hire you.  
>  
> Peace,  
>  
> Chris  
>  
>  
> "brandon" <a@a.com> wrote:  
>> How do you guys and gals handle it when you get a client who is insistant  
>> on very little or no compression? How do you handle it when they want to  
>> know everything about the signal chain?(hence your mixing secrets)  
>>  
>> B

>If your running 3.0 set the project window for 16 bit and render. You can go the other way too. I've had projects where I found out the client really wanted 24 bit files, after it was too late. I just render the 16 bits to 24. Yeah, the last 8 bits are empty, but I've NEVER had anyone complain. Actually, they all remark on how good it sounds. One guy even said how glad he was I could do 24 bit....it really made a difference.

Go figure.

Rod

Rod

"Don Nafe" <dnafe@magma.ca> wrote:

>any ideas

>

>Don

>

>Hey Neil,

I totally get where you are coming from, and you make some great points. For the type of bands I mostly work with, this specific "we don't want compression" phrase has become trendy thing to say, and it's derived from the Electrical Audio/Albini/Tape Op scene. It's not a \*bad\* thing, however... I don't know how familiar you are with that style... I have never liked the sound of it too much. Drums are mid-rangy boxes, it isn't punchy, and it's very two-dimensional, IMO. I will say that it does work for a few bands, but I've heard \*more\* done that way that it doesn't do justice for (again, IMO).

It's no different to me than when people think if they buy a finalizer or some magic piece of gear, that they will then have 'quality' recordings. I have had bands tell me, "we want the biggest, loudest recording you've ever done - we want ours to stand out from your other stuff - oh, and we want no compression". Quite silly now, ey?

rock on,

-Carl

"Neil" <OIUOIU@OIU.com> wrote in message news:44b4500f\$1@linux...

>

> Honestly - and I don't mean for this to come across in any  
> belittling manner - but I don't see why you guys/gals get upset  
> about this sort of thing... what's the big deal?

> Consider that:

>

> a.) At one time you were interested in this stuff too, and at  
> some point SOMEONE must've helped you out - told you what was  
> what, or clue'd you in just a little bit as to what they were  
> doing. This is how I got into being a recordist - and many of  
> us here play an instrument or sing or both... I assume that you

> didn't start playing an instrument as a result of going into  
> engineering, but the other way around; so what's wrong with  
> giving a little of your expertise or experience? Telling  
> someone the details of one or two or three things that they  
> happen to ask about is not going to enable them to set up a  
> studio & start stealing your business. In most cases, this  
> isn't what they're after anyway, they're just interested like  
> you were when you first started asking questions about  
> recording & how certain things are done & certain sounds are  
> achieved.

>

> b.) With regard to too much compression, not enough  
> compression, no compression, nothing but a trackful of  
> compressor noise-with compression applied to it... why not  
> give the client what they want? Or at least what they THINK  
> they want? How many of you are so busy that you couldn't take  
> the time to tell the guy: "OK, i really don't think this is  
> going to come across the way you're imagining it, but i'll do  
> it, then i'll do a slightly different version for you to  
> compare, so you can see what i'm talking about - how's that  
> sound? You can pick whichever one you like better - it's up to  
> you, of course." Who's going to say no to that? It'd take you  
> not much time, off the clock, to do a slightly different  
> version in most cases - then you're a hero if he likes it  
> better, and you're at the very least a cool guy in his mind  
> just for trying it even if he doesn't. You've also given  
> yourself an ass-covering opportunity as i mentioned in a  
> previous post.

>

> 3.) What if the band/artist is strapped for cash & they're just  
> paranoid about "getting it right" the first time, so they don't  
> incur extra hours on the clock? Maybe that's why they're being  
> so specific about what they want - maybe they're wrong in the  
> interpretation of what they want & how to actually get there,  
> but then again, maybe they can't identify what's going on to  
> cause the sounds they like in the CD they gave you a copy of &  
> said: "I want to sound like THAT!". Take a little pity... try &  
> work it out & define exactly what it is they're looking for...  
> "Hey JimBob, what you're telling me you want to hear is  
> completely different from that Hank Williams Jr. kinda sound,  
> who's CD you played for me & whom you said was your main  
> influence for writing this song: "Are you ready for some Ping-  
> Pong?", are you sure you want me to break away from that & go  
> with this mix that sounds like it's off the 2nd "Strange  
> Advance" record? Let's just take a moment off the clock here &  
> discuss this, because ultimately what's most important to me is  
> that you leave here with a product that makes you happy."

>

> I dunno - I guess I think that as engineering/producing types  
> we get a little cocky about what's right & what's not. Imagine  
> how you'd feel if you went into record with someone else at the  
> helm & they fought you on something? In that respect, what's  
> the difference between you & the artist you're recording?  
> None - except YOUR perception of their ability to know what  
> sounds good or not - and don't forget, that perception may be  
> right or it may be wrong. I think if a client has a "vision",  
> you ought to fulfill it. If a client is insisting on a certain  
> sound that you think is below your quality standards, think of  
> how Dave Stewart & Annie Lennox recorded "Sweet Dreams" in an  
> apartment on a 1/4-inch 8-track R2R at the height of the mega-  
> studios with their sync'd 2" Studers.... that song sold a few  
> copies, as I recall.

>  
> Anyway, I should shut up because now this is starting to sound  
> like some kind of pompous lecture. Bottom line here - I'm with  
> Gene... if someone's paying for your time, then they're paying  
> for whatever you impart as a result of that time - you're not  
> going to give the farm by being generous with your revelations  
> of what you did - in fact, you might even get more work out of  
> it - if you did something really cool, chances are greater that  
> someone will try to work the same kind of magic & fail, than  
> those of someone trying to work the same kind of magic &  
> succeed. As for the clients wishes and whether you should give  
> them what they want or not, I refer your imagination to Eugene  
> Levy's car salesdude taling to Chevy Chase in the  
> original "Vacation":

>  
> "I owe it to myself to tell you that if you're taking the whole  
> tribe cross-country, the Wagon Queen Family Truckster is the  
> way to go. You think you hate it now, but just wait until you  
> drive it!"

>  
> Bottom line - Clark Griswold didn't get what he wanted... don't  
> give 'em what they'll think of as the audio equivalent of a  
> "Family Truckster".

>  
> Neil  
> (bracing for the flames)

>  
>  
>  
>  
>  
>  
>  
>

> "Carl Amburn" <carlamburn@hotmail.com> wrote:

> > Sounds like a Chicago/Electrical Audio/Albini wannabe. Tell them to go  
> > there. I also really dig DJ's and also Sarah's response. !!!  
> >  
> > rock on,  
> > -Carl  
> >  
> >  
> > "brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...  
> >>  
> >> How do you guys and gals handle it when you get a client who is  
insistant  
> >> on very little or no compression? How do you handle it when they want  
> to  
> >> know everything about the signal chain?(hence your mixing secrets)  
> >>  
> >> B  
> >  
> >  
> Hi Jamie- cool, another Denver-Paris person.

Band name: His Beloved ([www.hisbeloved.net](http://www.hisbeloved.net))

Club: The Walnut Room

Engineer: Ron Gordon ([ron@thewalnutroom.com](mailto:ron@thewalnutroom.com))

Ron designed the layout of the room, and picked all of the gear.

The room and the mix are incredible. I would compare the sound to the old Rainbow Music Hall or the current Fox Theater in Boulder. It's that good; he's that good.

I cannot say enough about Ron. He is a pro's pro, and a wonderful guy. I am trying to find ways to work with him again. He is a perfect example of the answer to all of the ranting in this particular thread: No smug attitude. No patronization of the client. Just great sound.

Nice to meet you, Jamie-

Chris

Jamie K <[Meta@Dimensional.com](mailto:Meta@Dimensional.com)> wrote:

>

> Hey Chris, what's your band's name? What club was it, and what engineer?

>Just curious since I'm in Denver.

>

>Cheers,

> -Jamie

> <http://www.JamieKrutz.com>

>

>

>Chris Lang wrote:

>> Hey Brandon- hope everything is cool! I still listen to that

>> "21" song every now and then!

>>

>> I would just give them what they want, in both cases.

>>

>> My band just played at a Denver club, and recorded the gig.

>> The sound guy had good equipment, but nothing real high-end.

>> He proceeded to do an absolutely AWESOME and artistic job of

>> utilizing that gear, and the sound, both live and on disk, is

>> just amazing. Even the sound board mix is fabulous.

>>

>> My point is that any amount of info you share on gear, settings,

>> etc, will not help the client become a pro. They might go away

>> for a while, thinking that they can do it themselves, but they

>> will return when they realize that if it sounds good, and you

>> can make it sound good, then it's worth it to hire you.

>>

>> Peace,

>>

>> Chris

>>

>>

>> "brandon" <a@a.com> wrote:

>>> How do you guys and gals handle it when you get a client who is insistant

>>> on very little or no compression? How do you handle it when they want  
to

>>> know everything about the signal chain?(hence your mixing secrets)

>>>

>>> B

>>>AMEN BROTHER!!!!!!

For a bunch of cool and helpful people, the arrogance of some of the posts in this thread really surprised me.

Hey, I'm living proof. I've gotten some great advice from a lot of you, but I still can't mix. I can track now, though, so I'm making progress! Look out man, if your business starts shrinking it's because I'm taking over!! MUHAHAHAHA

Peace,

Chris

"Neil" <OIUOIU@OIU.com> wrote:

>

>Honestly - and I don't mean for this to come across in any  
>belittling manner - but I don't see why you guys/gals get upset  
>about this sort of thing... what's the big deal?

>Consider that:

>

>a.) At one time you were interested in this stuff too, and at  
>some point SOMEONE must've helped you out - told you what was  
>what, or clue'd you in just a little bit as to what they were  
>doing. This is how I got into being a recordist - and many of  
>us here play an instrument or sing or both... I assume that you  
>didn't start playing an instrument as a result of going into  
>engineering, but the other way around; so what's wrong with  
>giving a little of your expertise or experience? Telling  
>someone the details of one or two or three things that they  
>happen to ask about is not going to enable them to set up a  
>studio & start stealing your business. In most cases, this  
>isn't what they're after anyway, they're just interested like  
>you were when you first started asking questions about  
>recording & how certain things are done & certain sounds are  
>achieved.

>

>b.) With regard to too much compression, not enough  
>compression, no compression, nothing but a trackful of  
>compressor noise-with compression applied to it... why not  
>give the client what they want? Or at least what they THINK  
>they want? How many of you are so busy that you couldn't take  
>the time to tell the guy: "OK, i really don't think this is  
>going to come across the way you're imagining it, but i'll do  
>it, then i'll do a slightly different version for you to  
>compare, so you can see what i'm talking about - how's that  
>sound? You can pick whichever one you like better - it's up to  
>you, of course." Who's going to say no to that? It'd take you  
>not much time, off the clock, to do a slightly different  
>version in most cases - then you're a hero if he likes it  
>better, and you're at the very least a cool guy in his mind  
>just for trying it even if he doesn't. You've also given  
>yourself an ass-covering opportunity as i mentioned in a  
>previous post.

>

>3.) What if the band/artist is strapped for cash & they're just  
>paranoid about "getting it right" the first time, so they don't

>incur extra hours on the clock? Maybe that's why they're being  
>so specific about what they want - maybe they're wrong in the  
>interpretation of what they want & how to actually get there,  
>but then again, maybe they can't identify what's going on to  
>cause the sounds they like in the CD they gave you a copy of &  
>said: "I want to sound like THAT!". Take a little pity... try &  
>work it out & define exactly what it is they're looking for...  
>"Hey JimBob, what you're telling me you want to hear is  
>completely different from that Hank Williams Jr. kinda sound,  
>who's CD you played for me & whom you said was your main  
>influence for writing this song: "Are you ready for some Ping-  
>Pong?", are you sure you want me to break away from that & go  
>with this mix that sounds like it's off the 2nd "Strange  
>Advance" record? Let's just take a moment off the clock here &  
>discuss this, because ultimately what's most important to me is  
>that you leave here with a product that makes you happy."

>

>I dunno - I guess I think that as engineering/producing types  
>we get a little cocky about what's right & what's not. Imagine  
>how you'd feel if you went into record with someone else at the  
>helm & they fought you on something? In that respect, what's  
>the difference between you & the artist you're recording?  
>None - except YOUR perception of their ability to know what  
>sounds good or not - and don't forget, that perception may be  
>right or it may be wrong. I think if a client has a "vision",  
>you ought to fulfill it. If a client is insisting on a certain  
>sound that you think is below your quality standards, think of  
>how Dave Stewart & Annie Lennox recorded "Sweet Dreams" in an  
>apartment on a 1/4-inch 8-track R2R at the height of the mega-  
>studios with their sync'ed 2" Studers.... that song sold a few  
>copies, as I recall.

>

>Anyway, I should shut up because now this is starting to sound  
>like some kind of pompous lecture. Bottom line here - I'm with  
>Gene... if someone's paying for your time, then they're paying  
>for whatever you impart as a result of that time - you're not  
>going to give the farm by being generous with your revelations  
>of what you did - in fact, you might even get more work out of  
>it - if you did something really cool, chances are greater that  
>someone will try to work the same kind of magic & fail, than  
>those of someone trying to work the same kind of magic &  
>succeed. As for the clients wishes and whether you should give  
>them what they want or not, I refer your imagination to Eugene  
>Levy's car salesdude talking to Chevy Chase in the  
>original "Vacation":

>

>"I owe it to myself to tell you that if you're taking the whole  
>tribe cross-country, the Wagon Queen Family Truckster is the

>way to go. You think you hate it now, but just wait until you  
>drive it!"  
>  
>Bottom line - Clark Griswold didn't get what he wanted... don't  
>give 'em what they'll think of as the audio equivalent of a  
>"Family Truckster".  
>  
>Neil  
>(bracing for the flames)  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>  
>"Carl Amburn" <carlamburn@hotNOSPAMmail.com> wrote:  
>>Sounds like a Chicago/Electrical Audio/Albini wannabe. Tell them to go  
>>there. I also really dig DJ's and also Sarah's response. !!!  
>>  
>>rock on,  
>>-Carl  
>>  
>>  
>>"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...  
>>>  
>>> How do you guys and gals handle it when you get a client who is insistant  
>>> on very little or no compression? How do you handle it when they want  
>to  
>>> know everything about the signal chain?(hence your mixing secrets)  
>>>  
>>> B  
>>  
>>  
>Thanks Rod

That's what I thought but to be sure I took them all into CEP and did them there...I'll try that trick tomorrow.

Don

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message news:44b46619\$1@linux...

>  
> If your running 3.0 set the project window for 16 bit and render. You can  
> go the other way too. I've had projects where I found out the client  
> really

> wanted 24 bit files, after it was too late. I just render the 16 bits to  
> 24. Yeah, the last 8 bits are empty, but I've NEVER had anyone complain.  
> Actually, they all remark on how good it sounds. One guy even said how  
> glad  
> he was I could do 24 bit....it really made a difference.  
> Go figure.  
> Rod  
> Rod  
> "Don Nafe" <dnafe@magma.ca> wrote:  
>>any ideas  
>>  
>>Don  
>>  
>>  
>WOW!!!.....nice box. There's one on EBay right now if anyone is needing a  
serious

---

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Rod Lincoln](#) on Wed, 31 May 2006 23:47:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

outboard reverb. I'm very impressed. I can see why so many studios  
have these in their racks.

;o).....oh yeah.....and the GC8 remote does whine a little bit, but it's  
tolerable.

;o)

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
news:44b4774a\$1@linux...

> WOW!!!.....nice box. There's one on EBay right now if anyone is needing a  
> serious outboard reverb. I'm very impressed. I can see why so many studios  
> have these in their racks.

>

> ;o)

>

>Hi Neil,

In all seriousness, I have to go along with you. You're right (as is Gene)  
IMHO.....and I'm not some legendary mixwizard.....and I've been in  
situations like Brandon described, and like I described in my first answer  
to his post.....and I've spent many many many hours of my own time  
polishing turds until I felt like they were something I could let out of the  
studio. I also learned a lot this way so I'm not sorry I did it, but to be  
honest, Sarah's advice has been the best advice in many situations.....and  
the client has been happiest when his wishes and thoughts were

acknowledged/validated while at the same time, ignored to the betterment of the project.....and even the client admitted this after A/B'ing the mixes.

Regards,

Deej

"Neil" <OIUOIU@OIU.com> wrote in message news:44b4500f\$1@linux...

>

> Honestly - and I don't mean for this to come across in any  
> belittling manner - but I don't see why you guys/gals get upset  
> about this sort of thing... what's the big deal?

> Consider that:

>

> a.) At one time you were interested in this stuff too, and at  
> some point SOMEONE must've helped you out - told you what was  
> what, or clue'd you in just a little bit as to what they were  
> doing. This is how I got into being a recordist - and many of  
> us here play an instrument or sing or both... I assume that you  
> didn't start playing an instrument as a result of going into  
> engineering, but the other way around; so what's wrong with  
> giving a little of your expertise or experience? Telling  
> someone the details of one or two or three things that they  
> happen to ask about is not going to enable them to set up a  
> studio & start stealing your business. In most cases, this  
> isn't what they're after anyway, they're just interested like  
> you were when you first started asking questions about  
> recording & how certain things are done & certain sounds are  
> achieved.

>

> b.) With regard to too much compression, not enough  
> compression, no compression, nothing but a trackful of  
> compressor noise-with compression applied to it... why not  
> give the client what they want? Or at least what they THINK  
> they want? How many of you are so busy that you couldn't take  
> the time to tell the guy: "OK, i really don't think this is  
> going to come across the way you're imagining it, but i'll do  
> it, then i'll do a slightly different version for you to  
> compare, so you can see what i'm talking about - how's that  
> sound? You can pick whichever one you like better - it's up to  
> you, of course." Who's going to say no to that? It'd take you  
> not much time, off the clock, to do a slightly different  
> version in most cases - then you're a hero if he likes it  
> better, and you're at the very least a cool guy in his mind  
> just for trying it even if he doesn't. You've also given  
> yourself an ass-covering opportunity as i mentioned in a  
> previous post.

>

> 3.) What if the band/artist is strapped for cash & they're just  
> paranoid about "getting it right" the first time, so they don't  
> incur extra hours on the clock? Maybe that's why they're being  
> so specific about what they want - maybe they're wrong in the  
> interpretation of what they want & how to actually get there,  
> but then again, maybe they can't identify what's going on to  
> cause the sounds they like in the CD they gave you a copy of &  
> said: "I want to sound like THAT!". Take a little pity... try &  
> work it out & define exactly what it is they're looking for...  
> "Hey JimBob, what you're telling me you want to hear is  
> completely different from that Hank Williams Jr. kinda sound,  
> who's CD you played for me & whom you said was your main  
> influence for writing this song: "Are you ready for some Ping-  
> Pong?", are you sure you want me to break away from that & go  
> with this mix that sounds like it's off the 2nd "Strange  
> Advance" record? Let's just take a moment off the clock here &  
> discuss this, because ultimately what's most important to me is  
> that you leave here with a product that makes you happy."  
>  
> I dunno - I guess I think that as engineering/producing types  
> we get a little cocky about what's right & what's not. Imagine  
> how you'd feel if you went into record with someone else at the  
> helm & they fought you on something? In that respect, what's  
> the difference between you & the artist you're recording?  
> None - except YOUR perception of their ability to know what  
> sounds good or not - and don't forget, that perception may be  
> right or it may be wrong. I think if a client has a "vision",  
> you ought to fulfill it. If a client is insisting on a certain  
> sound that you think is below your quality standards, think of  
> how Dave Stewart & Annie Lennox recorded "Sweet Dreams" in an  
> apartment on a 1/4-inch 8-track R2R at the height of the mega-  
> studios with their sync'ed 2" Studers.... that song sold a few  
> copies, as I recall.  
>  
> Anyway, I should shut up because now this is starting to sound  
> like some kind of pompous lecture. Bottom line here - I'm with  
> Gene... if someone's paying for your time, then they're paying  
> for whatever you impart as a result of that time - you're not  
> going to give the farm by being generous with your revelations  
> of what you did - in fact, you might even get more work out of  
> it - if you did something really cool, chances are greater that  
> someone will try to work the same kind of magic & fail, than  
> those of someone trying to work the same kind of magic &  
> succeed. As for the clients wishes and whether you should give  
> them what they want or not, I refer your imagination to Eugene  
> Levy's car salesdude talking to Chevy Chase in the  
> original "Vacation":  
>

> "I owe it to myself to tell you that if you're taking the whole  
> tribe cross-country, the Wagon Queen Family Truckster is the  
> way to go. You think you hate it now, but just wait until you  
> drive it!"  
>  
> Bottom line - Clark Griswold didn't get what he wanted... don't  
> give 'em what they'll think of as the audio equivalent of a  
> "Family Truckster".  
>  
> Neil  
> (bracing for the flames)  
>  
>  
>  
>  
>  
>  
>  
>  
> "Carl Amburn" <carlamburn@hotmail.com> wrote:  
> > Sounds like a Chicago/Electrical Audio/Albini wannabe. Tell them to go  
> > there. I also really dig DJ's and also Sarah's response. !!!  
> >  
> > rock on,  
> > -Carl  
> >  
> >  
> > "brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...  
> > >  
> > > How do you guys and gals handle it when you get a client who is  
> insistant  
> > > on very little or no compression? How do you handle it when they want  
> > to  
> > > know everything about the signal chain?(hence your mixing secrets)  
> > >  
> > > B  
> >  
> >  
> > And if you get two, you can wire the whines out of phase so  
> that they cancel each other out... don't forget that part.

:)

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> .....oh yeah.....and the GC8 remote does whine a little bit, but it's  
> tolerable.  
>  
> ;o)

>  
>"DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
>news:44b4774a\$1@linux...  
>> WOW!!!.....nice box. There's one on EBay right now if anyone is needing  
a  
>> serious outboard reverb. I'm very impressed. I can see why so many studios  
>> have these in their racks.  
>>  
>> ;o)  
>>  
>>  
>  
>Do you bother to tell them that the CIA has a large file on your system, and  
that NORAD has a killer satellite hovering over your place in case they ever  
have to take it out?

James

"DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>I just show them Frankencomp. After they get over the shock of seeing  
>Frankencomp I hand them a copy of the session methodology. Then tell them  
>that the reason it the way it does is because if everything id done exactly  
>right, that it is possible to configure two computers in a way that makes  
>the digital information sound like it's not being recorded on a computer  
at  
>all. They are usually so totally bewildered by that time that they get  
the  
>thousand yard stare, their eyes become glassy and fixed and they become  
meek  
>and submissive. I can sometimes even get them to go pick up my laundry and  
>go grocery shopping for me. Sorta' like feeding them a digital dose of  
>Rohypnol.  
>  
>;o)  
>  
>  
>"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote in message  
>news:44b3d8eb\$1@linux...  
>>  
>> I LOVE it! HA. I'm going to build one of those for the studio.  
>> Rod  
>> "Dubya Mark Wilson" <mark.xspam@avidrecording.com> wrote:  
>> >I know you guys will laugh at this ploy but (and perhaps others will  
>employ  
>>  
>> >my ploy) but when I was heavy on the road doing guitar I used to get  
>> >post-show exams on "how do you get should great tone, sounds, blah blah."

>>  
>> >Because so few could really grasp that great guitar tone starts in your  
>> head  
>> >and can pretty much happen with most any guitar/amp setup, I developed  
>> >several more "believable" answers. So I built a small flat black box  
>with  
>> a  
>> >wire coming out of it, wood and metal with rivets here and there and  
a  
>made  
>>  
>> >up model number on placard. Wire went into my rack and disappeared into  
>> a  
>> >darkened recess. It was just easier to tell guys that the black box  
was  
>>  
>> >where the sound was really happening. Typical dialogue:  
>> >  
>> >Q: Great tone... really cut it's own space in the show... whadya got  
>going  
>>  
>> >here  
>> >  
>> >A: Well this stuff is really pretty ordinary, Old Roland GP-100, a  
>Rocktron  
>>  
>> >Type IIc for minimizing noise from the dirty patches out of the JMP-1,  
>old  
>>  
>> >Rockman rackmount guitar pre for some of the clean stuff, I keep this  
old  
>>  
>> >Quadraverb for some patches that really do it for me - the noise doesn't  
>>  
>> >bother me much, and this guy here by DMC is where all my routing takes  
>> >place, and I output a stereo pair into this Ibanez SDR1000 which goes  
>> >directly to the 50/50 power amp... and these are just knock-offs of the  
>> old  
>> >Pacific 1x12" cabs. I had a guy copy them and build them from a slightly  
>>  
>> >denser woods... and that's pretty much it.  
>> >  
>> >Q: But where are getting that tone of that tune (XYZ)?  
>> >  
>> >A: That was the Rockman with some verb off the GP-100.  
>> >  
>> >Q: Your cables must all be oxygen free or something, right?  
>> >

>> >A: Nah... I gotta mix of Canare quad and belden co-ax in there  
>> >  
>> >Q: What kinda tubes in the power amp?  
>> >  
>> >A: Ahhh... GT's, 5 rateds... nothing special there.  
>> >  
>> >Q: What's this thing (black box) doing?  
>> >  
>> >A: Some guy in California built that for me and that I don't really  
>> >couldn't tell you what it does or how it works but without it, my tone  
>> >pretty much just isn't there."  
>> >  
>> >Q: Where can I get one?  
>> >  
>> >And they are always so disappointed to learn that the builder is no  
>longer  
>>  
>> >in business.  
>> >  
>> >W.  
>> >  
>> >"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...  
>> >>  
>> >> How do you guys and gals handle it when you get a client who is  
>insistant  
>> >> on very little or no compression? How do you handle it when they want  
>> to  
>> >> know everything about the signal chain?(hence your mixing secrets)  
>> >>  
>> >> B  
>> >  
>> >  
>>  
>  
>  
>  
>Hey Chris,

Nice to meet you, too!

I haven't played the Walnut room but I've heard some bands there and done a shoot there. Good to hear your recommendation about Ron and his system, it's great when someone does it right.

Cheers,  
-Jamie  
<http://www.JamieKruz.com>

Chris Lang wrote:

> Hi Jamie- cool, another Denver-Paris person.

>

> Band name: His Beloved ([www.hisbeloved.net](http://www.hisbeloved.net))

>

> Club: The Walnut Room

>

> Engineer: Ron Gordon ([ron@thewalnutroom.com](mailto:ron@thewalnutroom.com))

>

> Ron designed the layout of the room, and picked all of the gear.

>

> The room and the mix are incredible. I would compare the sound

> to the old Rainbow Music Hall or the current Fox Theater in

> Boulder. It's that good; he's that good.

>

> I cannot say enough about Ron. He is a pro's pro, and a

> wonderful guy. I am trying to find ways to work with him

> again. He is a perfect example of the answer to all of the

> ranting in this particular thread: No smug attitude. No

> patronization of the client. Just great sound.

>

> Nice to meet you, Jamie-

>

> Chris

>

>

>

>

> Jamie K <[Meta@Dimensional.com](mailto:Meta@Dimensional.com)> wrote:

>> Hey Chris, what's your band's name? What club was it, and what engineer?

>

>> Just curious since I'm in Denver.

>>

>> Cheers,

>> -Jamie

>> <http://www.JamieKruz.com>

>>

>>

>> Chris Lang wrote:

>>> Hey Brandon- hope everything is cool! I still listen to that

>>> "21" song every now and then!

>>>

>>> I would just give them what they want, in both cases.

>>>

>>> My band just played at a Denver club, and recorded the gig.

>>> The sound guy had good equipment, but nothing real high-end.

>>> He proceeded to do an absolutely AWESOME and artistic job of

>>> utilizing that gear, and the sound, both live and on disk, is  
>>> just amazing. Even the sound board mix is fabulous.  
>>>  
>>> My point is that any amount of info you share on gear, settings,  
>>> etc, will not help the client become a pro. They might go away  
>>> for a while, thinking that they can do it themselves, but they  
>>> will return when they realize that if it sounds good, and you  
>>> can make it sound good, then it's worth it to hire you.  
>>>  
>>> Peace,  
>>>  
>>> Chris  
>>>  
>>>  
>>> "brandon" <a@a.com> wrote:  
>>>> How do you guys and gals handle it when you get a client who is insistant  
>>>> on very little or no compression? How do you handle it when they want  
> to  
>>>> know everything about the signal chain?(hence your mixing secrets)  
>>>>  
>>>> B  
>Well, it's not a bad choice by any means, I'm just not sure how you're going  
to park it on top of the computer or insert it into the bitstream.  
AA

"Cujo" <chris@nospamapplemanstudio.com> wrote in message  
news:44b28298\$1@linux...

>  
>  
> I am using just the essentials it is about a 6 months old, would the  
> essentails  
> allow this? My next gear goal (gooooooooooooooooo!) is possibly a Merc 1968  
> for the stereo buss.  
>  
>  
> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>Right. I've considered upgrading to the newer version so I can insert a  
>>hardware reverbs before the limiter in a mastering scenario.  
>>

I choose Polesoft Lockspam to fight spam, and you?  
<http://www.polesoft.com/refer.html>

The compression is easy when dealing with a lesser intelligence. Slam the

Paris mix bus and gains. Hey, you didn't insert a compressor, now didja? And they can't really do that at home on their protocols free, can they?

Seriously though.... if it's slammin and groovin at your digs, they'll be back after figuring out it's about the ears, the space and the room/mix equipment and that warez version of DAW-X isn't going to get them there.

Sorry, wierd mood tonight, hope you're getting the humor intended.

AA

"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

>

> How do you guys and gals handle it when you get a client who is insistant  
> on very little or no compression? How do you handle it when they want to  
> know everything about the signal chain?(hence your mixing secrets)

>

> B

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>There's compression and then there's how hot can we get this before clipping

and/or squeezing the living daylight out of it. I think the use of the word "compression" for some ametuers may be interchangeable with mixing and mastering outputs that slam against zero so much that where compression may or may not be employed (and where employed may or may not be over-employed), that it sounds mashed because by some means, it IS. I've seen mixes and masters that leave the output pair looking like twin caterpillars who just walked out of a \$3 flat-top haircut joint and have eaten steaks that had a smoother topography. And I'm not talking about a lot of the zero-dynamic dance stuff necessarily. I wonder if this is what "they" mean Brandon.

W.

"brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

>

> How do you guys and gals handle it when you get a client who is insistant  
> on very little or no compression? How do you handle it when they want to  
> know everything about the signal chain?(hence your mixing secrets)

>

> BAhhh yes, the old Cimmeron Turnpike.

W.

"Miguel Vigil" <nospam@nospam.com> wrote in message news:44b13ee4@linux...

> I've written a few songs in this stretch. I get to Salinas and go south  
> for  
> more  
> driving fun...  
>  
>  
> El Miguel (someday I'll sing one of them)  
>  
>  
>  
> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote in message  
> news:449f057c@linux...  
>> I have made quite a few long drives in my life. I thought that probably  
> the  
>> most gruelling dirive I had ever made was back in 1972 when I drove  
> nonstop  
>> from Austin to Chetumal. Yesterday I drove nonstop from Columbus Ohio to  
> La  
>> Junta Colorado.  
>> I was on I70 and crossing the remainder of Ohio, Indiana and Missouri  
> didn't  
>> really seem to take that long.....then I entered Kansas. I never  
>> thought it would end.....almost like there was some sort of time warp  
>> where I'd drive for 100 miles and the next road sign sould say that the  
> next  
>> stop was 200 miles further away than I thought it was.  
>> Unbelievable!!.....and flat.....I think the definition of flat  
> in  
>> Websters should have a picture of I70 crossing Kansas. I wonder if the  
> early  
>> pioneers who crossed Kansas in their covered wagons though that it was  
> wierd  
>> to see endless miles of prarie occasionally interwspersed with  
> anti-abortion  
>> signs which are strung out on incremental billboards along the highway  
> sort  
>> of like old Burma shave ads, then absolutely nothing for the next 50  
> miles,  
>> then suddenly an adult sex toy/video superstore popping up out of the  
> void,  
>> only to be followed 50 miles later by more burma shave-like anti abortion  
>> ads.....and I wonder if they got sick of hearing 70's music on  
>> every  
>> radio station. By the time I got out of Kansas about 9:00 last night, I  
> felt  
>> like I had driven 20 years backward in time.  
>>  
>> Absolutely surreal, twilight zone kinda' day.

>>  
>> Toto  
>>  
>>  
>  
>Depends man.. didja do it in doubly?  
AA

"rick" <parnell68@hotmail.com> wrote in message  
news:pjq6b2lh1bqk6qa1kfff5o6h8rejui1fe0@4ax.com...

> or his girlfriend/manager will call demanding their money  
> back...that's why you get them to sign a waiver on their mix.

>  
> On Mon, 10 Jul 2006 13:22:30 -0600, "DJ"  
> <animix\_spam-this-ahole\_@animas.net> wrote:

>  
>>I  
>>> wouldn't really have a problem explaining what I am doing and why I am  
>>doing  
>>> it as long they understand it is on their dime and aren't fighting me  
>>every  
>>> step of the way. But even if they were fighting me...as long as they  
>>> were  
>>> paying I would indulge them.

>>  
>>What I hate about these situations is that if this guy is a rank amateur  
>>and  
>>is clueless, he's going to insist on trying to run the show and the mix  
>>will  
>>leave your studio sounding fine to him, but then he will compare it to  
>>mixes  
>>that have been properly done with compression and his/your mix will sound  
>>wimpy by comparison and then he will run around all over town telling  
>>everyone that it is your fault.

>>  
>>  
>>"Brandon" <a@a.com> wrote in message news:44b2a77d@linux...  
>>>  
>>> Just wanted to get an idea of what the general population thoughts were.  
>>> I  
>>> wouldn't really have a problem explaining what I am doing and why I am  
>>doing  
>>> it as long they understand it is on their dime and aren't fighting me  
>>every  
>>> step of the way. But even if they were fighting me...as long as they  
>>> were  
>>> paying I would indulge them.  
>>> Hey Chris..Hope things are going good with you!

>>> I still listen to it from time to time as well.  
>>> I haven't been doing much songwriting lately..just  
>>> been focusing on rebuilding my studio/mixing enviroment.  
>>> Getting close to completion.  
>>> Started using Cubase in conjunction with PARIS.  
>>> Lots of stuff to figure out.  
>>>  
>>> Take care all.  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>>  
>>> "Chris Lang" <yo@yo.yo> wrote:  
>>> >  
>>> >Hey Brandon- hope everything is cool! I still listen to that  
>>> >"21" song every now and then!  
>>> >  
>>> >I would just give them what they want, in both cases.  
>>> >  
>>> >My band just played at a Denver club, and recorded the gig.  
>>> >The sound guy had good equipment, but nothing real high-end.  
>>> >He proceded to do an absolutely AWESOME and artistic job of  
>>> >utilizing that gear, and the sound, both live and on disk, is  
>>> >just amazing. Even the sound board mix is fabulous.  
>>> >  
>>> >My point is that any amount of info you share on gear, settings,  
>>> >etc, will not help the client become a pro. They might go away  
>>> >for a while, thinking that they can do it themselves, but they  
>>> >will return when they realize that if it sounds good, and you  
>>> >can make it sound good, then it's worth it to hire you.  
>>> >  
>>> >Peace,  
>>> >  
>>> >Chris  
>>> >  
>>> >  
>>> >"brandon" <a@a.com> wrote:  
>>> >>  
>>> >>How do you guys and gals handle it when you get a client who is  
>>> >>insistant  
>>> >>on very little or no compression? How do you handle it when they want  
>>> >>to  
>>> >>know everything about the signal chain?(hence your mixing secrets)  
>>> >>

>>> >>B  
>>> >  
>>>  
>>  
>

I choose Polesoft Lockspam to fight spam, and you?  
<http://www.polesoft.com/refer.html>Just because the original project was in 16 bit doesn't mean you only get 16 bits out of it when bouncing at 24 bit.

The mix bus, eq and effects all have more than 16 bit resolution, plus multiple 16 bit tracks added together equals more than 16 bits of resultion.

Bouncing a 16 bit project at 24 bit does increase resolution. If you look at the files you will see the last 8 bits are not empty.

Cheers,  
Kim.

"Rod Lincoln" <rlincoln@nospam.kc.rr.com> wrote:

>  
>If your running 3.0 set the project window for 16 bit and render. You can  
>go the other way too. I've had projects where I found out the client really  
>wanted 24 bit files, after it was too late. I just render the 16 bits to  
>24. Yeah, the last 8 bits are empty, but I've NEVER had anyone complain.  
>Actually, they all remark on how good it sounds. One guy even said how glad  
>he was I could do 24 bit....it really made a difference.  
>Go figure.

>Rod

>Rod

>"Don Nafe" <dnafe@magma.ca> wrote:

>>any ideas

>>

>>Don

>>

>>

>Donuts says this is probably the case. Has been IME mostly.

AA

"Dubya Mark Wilson" <mark.xspam@avidrecording.com> wrote in message  
news:44b49376\$1@linux...

> There's compression and then there's how hot can we get this before  
> clipping and/or squeezing the living daylight's out of it. I think the use  
> of the word "compression" for some ametuers may be interchangeable with  
> mixing and mastering outputs that slam against zero so much that where  
> compression may or may not be employed (and where employed may or may not

> be over-employed), that it sounds mashed because by some means, it IS.  
> I've seen mixes and masters that leave the output pair looking like twin  
> caterpillars who just walked out of a \$3 flat-top haircut joint and have  
> eaten steaks that had a smoother topography. And I'm not talking about a  
> lot of the zero-dynamic dance stuff necessarily. I wonder if this is what  
> "they" mean Brandon.

>

> W.

>

> "brandon" <a@a.com> wrote in message news:44b27b39\$1@linux...

>>

>> How do you guys and gals handle it when you get a client who is insistant

>> on very little or no compression? How do you handle it when they want to

>> know everything about the signal chain?(hence your mixing secrets)

>>

>> B

>

>

I choose Polesoft Lockspam to fight spam, and you?

<http://www.polesoft.com/refer.html>to be more accurate the mix was 99% done when he says "i've got a

friend in florida that will mix it for free" sp his girlfriend/manager

thought they shouldn't have to pay. the time log proved my point and he told her to shut the eff up and drop it.

On Wed, 12 Jul 2006 01:22:50 -0500, "Aaron Allen"

<nospam@not\_here.dude> wrote:

>Depends man.. didja do it in doubly?

>AA

>

>"rick" <parnell68@hotmail.com> wrote in message

>news:pjq6b2lh1bqk6qa1kfff5o6h8rejui1fe0@4ax.com...

>> or his girlfriend/manager will call demanding their money

>> back...that's why you get them to sign a waiver on their mix.

>>

>> On Mon, 10 Jul 2006 13:22:30 -0600, "DJ"

>> <animix\_spam-this-ahole\_@animas.net> wrote:

>>

>>>I

>>>> wouldn't really have a problem explaining what I am doing and why I am

>>>>doing

>>>> it as long they understand it is on their dime and aren't fighting me

>>>>every

>>>> step of the way. But even if they were fighting me...as long as they

>>>> were

>>>> paying I would indulge them.  
>>>  
>>>What I hate about these situations is that if this guy is a rank amateur  
>>>and  
>>>is clueless, he's going to insist on trying to run the show and the mix  
>>>will  
>>>leave your studio sounding fine to him, but then he will compare it to  
>>>mixes  
>>>that have been properly done with compression and his/your mix will sound  
>>>wimpy by comparison and then he will run around all over town telling  
>>>everyone that it is your fault.  
>>>  
>>>  
>>>"Brandon" <a@a.com> wrote in message news:44b2a77d@linux...  
>>>>  
>>>> Just wanted to get an idea of what the general population thoughts were.  
>>>> I  
>>>> wouldn't really have a problem explaining what I am doing and why I am  
>>>>doing  
>>>> it as long they understand it is on their dime and aren't fighting me  
>>>>every  
>>>> step of the way. But even if they were fighting me...as long as they  
>>>> were  
>>>> paying I would indulge them.  
>>>> Hey Chris..Hope things are going good with you!  
>>>> I still listen to it from time to time as well.  
>>>> I haven't been doing much songwriting lately..just  
>>>> been focusing on rebuilding my studio/mixing enviroment.  
>>>> Getting close to completion.  
>>>> Started using Cubase in conjunction with PARIS.  
>>>> Lots of stuff to figure out.  
>>>>  
>>>> Take care all.  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>>  
>>>> "Chris Lang" <yo@yo.yo> wrote:  
>>>> >  
>>>> >Hey Brandon- hope everything is cool! I still listen to that  
>>>> >"21" song every now and then!  
>>>> >  
>>>> >I would just give them what they want, in both cases.  
>>>> >

>>>> >My band just played at a Denver club, and recorded the gig.  
>>>> >The sound guy had good equipment, but nothing real high-end.  
>>>> >He proceeded to do an absolutely AWESOME and artistic job of  
>>>> >utilizing that gear, and the sound, both live and on disk, is  
>>>> >just amazing. Even the sound board mix is fabulous.  
>>>> >  
>>>> >My point is that any amount of info you share on gear, settings,  
>>>> >etc, will not help the client become a pro. They might go away  
>>>> >for a while, thinking that they can do it themselves, but they  
>>>> >will return when they realize that if it sounds good, and you  
>>>> >can make it sound good, then it's worth it to hire you.  
>>>> >  
>>>> >Peace,  
>>>> >  
>>>> >Chris  
>>>> >  
>>>> >  
>>>> >"brandon" <a@a.com> wrote:  
>>>> >>  
>>>> >>How do you guys and gals handle it when you get a client who is  
>>>> >>insistant  
>>>> >>on very little or no compression? How do you handle it when they want  
>>>> >>to  
>>>> >>know everything about the signal chain?(hence your mixing secrets)  
>>>> >>  
>>>> >>B  
>>>> >  
>>>>  
>>>  
>>  
>  
>  
>I choose Polesoft Lockspam to fight spam, and you?  
><http://www.polesoft.com/refer.html>  
>"The refrigerator magnet is the very essence of cool" i'm definitely  
not letting the wife see this comment....cans are already sticking to  
the inside of the door...god knows what will happen if one more goes  
up...

On 12 Jul 2006 10:23:50 +1000, "steve the artguy"  
<artguy@longtimenosee.net> wrote:

>  
>"Fingerprints" are blasting out of the speakers, even as I type.  
>  
>-steve  
>

>The refrigerator magnet is the very essence of cool  
>  
>  
>"macle" <Mates9999@cs.com> wrote:  
>>  
>>Paul Braun <cygnus\_nospam@ctgonline.org> wrote:  
>>>I'm hoping for an A/V technician gig at the Shedd Aquarium in Chicago.  
>>>Fish, whales, dolphins, and sound/video toys. Ahhhhhh.....  
>>  
>>Sounds cool. You can autotune a singer, but you can't autotuna  
>>fish...or something like that.  
>>  
>>>I'll pass the website link along to Peterik, since as you remember he  
>>>went nuts over the demos.  
>>>  
>>>pab  
>>  
>>Alright, thanks Paul.  
>>  
>>And thanks everyone here, especially those who bought the CD,  
>>it means a lot to us.  
>>  
>>-macleWell, after my first tracking session with the new comp, I am  
(extremely) happy to report Paris XP is finally working for me.  
It feels smoother, quicker, and more robust than ever before.  
I did nothing as far as irq assigning, tweaks etc.  
(I did disable the SATA,.. as I still use PATA, and also the parallel port.)  
I'm running in APIC mode, (not standard PC),  
I even bunged all four EDS's in at once, and let windows assign  
resources as it seemed fit.  
It's NEVER been this easy with any other comp. (I've been running  
Paris pretty much since it was released...  
starting with a 686 200 cyrix).  
The IRQ sharing seems to have no negative effects, and both  
dual-head Nvidia Quadras are happy.  
To those thinking of upgrading their Paris boxes, grab one of  
these mobos while/if you can, and XP3500+'s are cheap as chips  
now.  
Rave over :-))))  
Kim W.

"Kim" <hiddensounds@hotmail.com> wrote:

>  
>  
>Good to hear. Keep us updated. :o)  
>

>Cheers,  
>Kim.  
>  
>  
>"Kim W." <no@way.com> wrote:  
>>  
>>  
>>YEEHAH!!  
>>This is ROCKIN!  
>>After upping the cache sizes, I have a 64 track project playing  
>>beautifully.  
>>Everything feels snappy!  
>>I can drag windows anywhere whilst playing without a hiccup!  
>>(Couldn't do that with the '98 box.  
>>I resized the drive using Acronis.  
>>All looking good so far.  
>>Now for the plugins....  
>>Kim  
>>  
>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>  
>>>  
>>>Did you format the drive using WinXP pre-SP1? I beleive that the installer  
>>>for WinXP original version has an upper limit on hdd size... I ran into  
>>>this with my 2 x 250Gigs...  
>>>  
>>>Cheers,  
>>>Kim.  
>>>  
>>>  
>>>"Kim W." <no@way> wrote:  
>>>>  
>>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>>  
>>>>>  
>>>>>From the looks of your System Devices info vs what you posted there,  
>>>>you're  
>>>>Hi again, Kim.  
>>>>Just about to start fiddling again.  
>>>>Gotta get my lost 120gb back. Would rather not reformat.  
>>>>Also I need to arrange the drives so that my removeable (caddy)  
>>>>drive becomes "E" again. Don't really want to reset filepaths  
>>>>for all projects.  
>>>>Will keep you posted.  
>>>>Kim  
>>>>  
>>>>running in the default "ACPI Uniprocessor PC" mode, not standard PC mode.  
>>>>>From my testing and talks with DJ this means that, unfortunately, the

>>PCI  
>>>>configuration stuff in the BIOS doesn't actually function, which is

>>>>  
>>>>why you'll  
>>>>find discrepancies between what you have configured in the BIOS (Which  
>>I  
>>>>assume  
>>>>is what you just listed) vs what you see in Windows.  
>>>>  
>>>>HOWEVER...  
>>>>  
>>>>I suggest you just keep going. It is possible to switch to Standard  
PC  
>>>mode  
>>>>without a reinstall, though I have heard it can cause issues (never  
has  
>>>>for  
>>>>me though). Deej and I are interested to see if you can run your NVidia  
>>>>cards  
>>>>sharing with the EDS cards on IRQs, as I suspect it will actually work  
>>>(it's  
>>>>working for me here fine).  
>>>>  
>>>>Slot 1 is usually next to the AGP. If you go into the system device  
manager  
>>>>IRQ screen and double click an item it tells you what slot things are  
>>in,  
>>>>so this may help you confirm.  
>>>>  
>>>>On my system slot 4 on the MB seems to share with AGP, though that might  
>>>>be because that's how Windows decided to do it, not because they are  
>hardwired...  
>>>> that's still up in the air.  
>>>>  
>>>>How's it going anyhow? Got it running? Is it stable?  
>>>>  
>>>>Cheers,  
>>>>Kim.  
>>>>  
>>>>"Kim W." <no@way.com> wrote:  
>>>>>  
>>>>>Hi, John.  
>>>>>I can't see the PCI slot numbers on the mobo, (or in the manual),  
>>>>>but here is what I have in the slots starting from the one next  
>>>>>to the AGP slot, and the IRQ assignments in the black boot-up  
>>>>>screen:  
>>>>>

>>>>>1: Nvidia Quadro PCI irq 11  
>>>>>2: EDS irq 9  
>>>>>3: EDS irq 7  
>>>>>4: EDS irq 5  
>>>>>5: EDS irq 10  
>>>>>  
>>>>>Onboard audio uses irq 12, Firewire controller uses irq 10,  
>>>>>ACPI controller uses irq 9.  
>>>>>  
>>>>>Is this enough info?  
>>>>>  
>>>>>Cheers,  
>>>>>Kim.  
>>>>>  
>>>>>BTW why would my brand new 250 gb ata drive only have been formatted  
>>for  
>>>>>130gb during XP install? Only just noticed it.  
>>>>>  
>>>>>  
>>>>>John <no@no.com> wrote:  
>>>>>>What slots are each card in. Also, their manual didn't mention what  
>>>agp  
>>>>>  
>>>>>>uses for irq and whether it shares or not. Can't you tell on boot  
>up  
>>>>  
>>>>>>when that black resource screen shows what's on what?  
>>>>>>  
>>>>>>It would be good to know if you have 4 or 5 independent IRQs  
>>>>>>>2,3,4,1/5,agp  
>>>>>>>  
>>>>>>>I run my 2 eds cards on the same IRQ 3 on my box.  
>>>>>>>  
>>>>>>>John  
>>>>>>>  
>>>>>>>Kim W. wrote:  
>>>>>>>> Just returned from "The Dungeon", and am happy to report that  
>>>>>>>> all appears to be working.  
>>>>>>>> (4 EDS's, 2 Nvidia Qudras).  
>>>>>>>> Thus far I have no DX/VST plugins installed.  
>>>>>>>> (In the past this is where my installs have come unstuck.)  
>>>>>>>> After initial disappointment with the dreaded Crash-on-  
>>>>>>>> exit, I remembered about the "minimum install" effects subsystem  
>fix,  
>>>>>>>>with  
>>>>>>>> wires.  
>>>>>>>> Applying this seems to have cured the COE.  
>>>>>>>> I'm pretty stoked at the moment, and have ghosted.

>>>>>>> All slots are full, and there appears to be some sharing going on,(I  
>>>>>attached  
>>>>>>> a screen grab)  
>>>>>>> but time will tell if it causes any problems. I just bunged all  
>>>>>>> four EDS's in, and let the system allocate resources as it  
>>>>>>> seemed fit.  
>>>>>>> I did, however, disable the SATA, and the parallel port in the bios.  
>>>>>>> Time for bed, as it's been 12 hours since I deemed it "Beer O'clock".  
>>>>>>>  
>>>>>>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>>>>  
>>>>>>>>It doesn't say on mine that the AGP card is sharing with 1/5, unless  
>>>>>>>>  
>>>>>>>>that's  
>>>>>>>>  
>>>>>>>>>just assumed...? I know often 1 shares with AGP.  
>>>>>>>>  
>>>>>>>>>Kim.....if PCI 1 and 5 "do not" share with the AGP, this is  
>>>>>>>>>potentially a HUGE deal and this would be the most flexible (semi  
>>current)  
>>>>>>>>>mobo in existence today for 939 CPU's. I cannot find any reference  
>>>to  
>>>>>>>this  
>>>>>>>>in the Gigabyte manual. When/if it is possible, could you insert  
>a  
>>>PCI  
>>>>>>>card  
>>>>>>>>in slot 1 or 5 (or both), then load the drivers for whatever that  
>>device  
>>>>>>>>  
>>>>>>>> is,  
>>>>>>>>  
>>>>>>>>>then go to your system info, look under system resources, navigate  
>>>to  
>>>>>>>>>hardware resources>IRQ and let us know if the device(s) in PCI slots  
>>>>>1  
>>>>>>>>or  
>>>>>>>>  
>>>>>>>> 5  
>>>>>>>>  
>>>>>>>>>is/are sharing an IRQ with the AGP? If not, I'm gonna be thinking  
>>hard  
>>>>>>>>about  
>>>>>>>>>switching mobo's on my Paris rig and trying to get that duallie  
CPU  
>>>>>>>>>happening with my Paris rig. Theis could conceivably allow 5 x EDS  
>>>cards  
>>>>>>>>

>>>>>>> to  
>>>>>>>  
>>>>>>>operate on a dual core Athlon. I would do this here, but I don't  
>have  
>>>>>>>all  
>>>>>>>the componentry that I need yet and the ergonomics of moving all  
>of  
>>>>my  
>>>>>>>EDS  
>>>>>>>>cards to a Magma chassis (which is already being used by another  
>DAW)  
>>>>>>>is  
>>>>>>>>something that would take my entire studio down for a couple of  
days,  
>>>>>>>and  
>>>>>>>>I'm pretty busy right now.  
>>>>>>>>  
>>>>>>>>Deej  
>>>>>>>>  
>>>>>>>>  
>>>>>>>>  
>>>>>>>>"Kim" <hiddensounds@hotmail.com> wrote in message news:44afb30d\$1 @linux...  
>>>>>>>>  
>>>>>>>>  
>>>>>>>>>Mine doesn't show that it's sharing with AGP, though 1 does share  
>>>with  
>>>>>>>>  
>>>>>>>> 5.  
>>>>>>>>  
>>>>>>>>>It has a BIOS window you can go to which allows you to set manually  
>>>>>which  
>>>>>>>>>interrupt each slot uses, and tells you what will be sharing with  
>>>it  
>>>>>>>>if  
>>>>>>>>>  
>>>>>>>>>you  
>>>>>>>>>  
>>>>>>>>>>use that one. I have some things sharing, but everything is working  
>>>>>fine  
>>>>>>>>>>so I'm not concerned. Firewire shares with an EDS for example,  
but  
>>>>>I  
>>>>>>>>>never  
>>>>>>>>>>>use Paris and firewire together so that's not really a problem.  
>>>>>>>>>>  
>>>>>>>>>>>>It doesn't say on mine that the AGP card is sharing with 1/5, unless  
>>>>>>>>>>>>

>>>>>>>that's  
>>>>>>>  
>>>>>>>just assumed...? I know often 1 shares with AGP.  
>>>>>>>  
>>>>>>>Cheers,  
>>>>>>>Kim.  
>>>>>>>  
>>>>>>>  
>>>>>>>  
>>>>>>>John <no@no.com> wrote:  
>>>>>>>  
>>>>>>>>lack of interrupt control is a deal breaker for me  
>>>>>>>>  
>>>>>>>>Kim wrote:  
>>>>>>>>  
>>>>>>>>>The biggest pitfall I found with the K8NS was that while the  
manual  
>>>>>>>>  
>>>>>>>>states  
>>>>>>>>  
>>>>>>>>>you have pretty good interrupt control, they actually removed  
>it  
>>>>from  
>>>>>>>>  
>>>>>>>>the  
>>>>>>>>  
>>>>>>>>>bios. The latest BIOS which gives you proper interrupt control  
>>(unless  
>>>>>>>>  
>>>>>>>>>they've  
>>>>>>>>  
>>>>>>>>>>added it back - haven't checked for months) is version F6, which  
>>>>I  
>>>>>>>>  
>>>>>>>> use.  
>>>>>>>>  
>>>>>>>>>It's  
>>>>>>>>  
>>>>>>>>>>quite old but I haven't had any issues. The thing never crashes.  
>>>>It's  
>>>>>>>>  
>>>>>>>>>maybe  
>>>>>>>>  
>>>>>>>>>>crashed once or twice since I've had it, which is about 12 months  
>>>>>now.  
>>>>>>>>>>  
>>>>>>>>>>>>My motherboard seems to have a quirk in the BIOS and I'm currently  
>>>>>>>>>>>>





"Kim W." <no@way.com> wrote:

>

>Well, after my first tracking session with the new comp, I am

>(extremely) happy to report Paris XP is finally working for me.

>It feels smoother, quicker, and more robust than ever before.

>I did nothing as far as irq assigning, tweaks etc.

>(I did disable the SATA,.. as I still use PATA, and also the parallel port.)

>I'm running in APIC mode, (not standard PC),

>I even bunged all four EDS's in at once, and let windows assign

>resources as it seemed fit.

>It's NEVER been this easy with any other comp. (I've been running

>Paris pretty much since it was released...

>starting with a 686 200 cyrix).

>The IRQ sharing seems to have no negative effects, and both

>dual-head Nvidia Quadras are happy.

>To those thinking of upgrading their Paris boxes, grab one of

>these mobos while/if you can, and XP3500+'s are cheap as chips

>now.

>Rave over :-))))

>Kim W.

>

>

>

>"Kim" <hiddensounds@hotmail.com> wrote:

>>

>>

>>Good to hear. Keep us updated. :o)

>>

>>Cheers,

>>Kim.

>>

>>

>>"Kim W." <no@way.com> wrote:

>>>

>>>

>>>YEEHAH!!

>>>This is ROCKIN!

>>>After upping the cache sizes, I have a 64 track project playing

>>>beautifully.

>>>Everything feels snappy!

>>>I can drag windows anywhere whilst playing without a hiccup!

>>>(Couldn't do that with the '98 box.

>>>I resized the drive using Acronis.

>>>All looking good so far.

>>>Now for the plugins....

>>>Kim

>>>

>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>  
>>>>  
>>>>Did you format the drive using WinXP pre-SP1? I beleive that the installer  
>>>>for WinXP original version has an upper limit on hdd size... I ran  
into  
>>>>this with my 2 x 250Gigs...  
>>>>  
>>>>Cheers,  
>>>>Kim.  
>>>>  
>>>>  
>>>>"Kim W." <no@way> wrote:  
>>>>>  
>>>>>"Kim" <hiddensounds@hotmail.com> wrote:  
>>>>>>  
>>>>>>  
>>>>>>From the looks of your System Devices info vs what you posted there,  
>>you're  
>>>>>Hi again, Kim.  
>>>>>Just about to start fiddling again.  
>>>>>Gotta get my lost 120gb back. Would rather not reformat.  
>>>>>Also I need to arrange the drives so that my removeable (caddy)  
>>>>>drive becomes "E" again. Don't really want to reset filepaths  
>>>>>for all projects.  
>>>>>Will keep you posted.  
>>>>>Kim  
>>>>>  
>>>>>running in the default "ACPI Uniprocessor PC" mode, not standard PC  
mode.  
>>>>>>From my testing and talks with DJ this means that, unfortunately, the  
>>>PCI  
>>>>>>configuration stuff in the BIOS doesn't actually function, which is  
>  
>>>>>  
>>>>>>why you'll  
>>>>>>find discrpenancies between what you have configured in the BIOS (Which  
>>>I  
>>>>>>assume  
>>>>>>is what you just listed) vs what you see in Windows.  
>>>>>>  
>>>>>>HOWEVER...  
>>>>>>  
>>>>>>>I suggest you just keep going. It is possible to switch to Standard  
>PC  
>>>>mode  
>>>>>>>without a reinstall, though I have heard it can cause issues (never  
>has

>>>>for  
>>>>>me though). Deej and I are interested to see if you can run your NVidia  
>>>>cards  
>>>>>sharing with the EDS cards on IRQs, as I suspect it will actually work  
>>>>(it's  
>>>>>working for me here fine).  
>>>>>  
>>>>>Slot 1 is usually next to the AGP. If you go into the system device  
>manager  
>>>>>IRQ screen and double click an item it tells you what slot things are  
>>>in,  
>>>>>so this may help you confirm.  
>>>>>  
>>>>>On my system slot 4 on the MB seems to share with AGP, though that  
might  
>>>>>be because that's how Windows decided to do it, not because they are  
>>hardwired...  
>>>>> that's still up in the air.  
>>>>>  
>>>>>How's it going anyhow? Got it running? Is it stable?  
>>>>>  
>>>>>Cheers,  
>>>>>Kim.  
>>>>>  
>>>>>"Kim W." <no@way.com> wrote:  
>>>>>>  
>>>>>>Hi, John.  
>>>>>>I can't see the PCI slot numbers on the mobo, (or in the manual),  
>>>>>>but here is what I have in the slots starting from the one next  
>>>>>>to the AGP slot, and the IRQ assignments in the black boot-up  
>>>>>>screen:  
>>>>>>>  
>>>>>>>1: Nvidia Quadro PCI irq 11  
>>>>>>>2: EDS irq 9  
>>>>>>>3: EDS irq 7  
>>>>>>>4: EDS irq 5  
>>>>>>>5: EDS irq 10  
>>>>>>>  
>>>>>>>Onboard audio uses irq 12, Firewire controller uses irq 10,  
>>>>>>>ACPI controller uses irq 9.  
>>>>>>>  
>>>>>>>Is this enough info?  
>>>>>>>  
>>>>>>>Cheers,  
>>>>>>>Kim.  
>>>>>>>  
>>>>>>>BTW why would my brand new 250 gb ata drive only have been formatted  
>>>for

>>>>>>130gb during XP install? Only just noticed it.  
>>>>>>  
>>>>>>  
>>>>>>John <no@no.com> wrote:  
>>>>>>>What slots are each card in. Also, their manual didn't mention what  
>>>>agp  
>>>>>>  
>>>>>>>uses for irq and whether it shares or not. Can't you tell on boot  
>>up  
>>>>>>  
>>>>>>>when that black resource screen shows what's on what?  
>>>>>>>  
>>>>>>>It would be good to know if you have 4 or 5 independent IRQs  
>>>>>>>2,3,4,1/5,agp  
>>>>>>>  
>>>>>>>I run my 2 eds cards on the same IRQ 3 on my box.  
>>>>>>>  
>>>>>>>John  
>>>>>>>  
>>>>>>>Kim W. wrote:  
>>>>>>>> Just returned from "The Dungeon", and am happy to report that  
>>>>>>>> all appears to be working.  
>>>>>>>> (4 EDS's, 2 Nvidia Qudras).  
>>>>>>>> Thus far I have no DX/VST plugins installed.  
>>>>>>>> (In the past this is where my installs have come unstuck.)  
>>>>>>>> After initial disappointment with the dreaded Crash-on-  
>>>>>>>> exit, I remembered about the "minimum install" effects subsystem  
>>fix,  
>>>>>>>>with  
>>>>>>>> wires.  
>>>>>>>> Applying this seems to have cured the COE.  
>>>>>>>> I'm pretty stoked at the moment, and have ghosted.  
>>>>>>>> All slots are full, and there appears to be some sharing going  
on,(I  
>>>>>>>>attached  
>>>>>>>> a screen grab)  
>>>>>>>> but time will tell if it causes any problems. I just bunged all  
>>>>>>>> four EDS's in, and let the system allocate resources as it  
>>>>>>>> seemed fit.  
>>>>>>>> I did, however, disable the SATA, and the parallel port in the  
bios.  
>>>>>>>> Time for bed, as it's been 12 hours since I deemed it "Beer O'clock".  
>>>>>>>>  
>>>>>>>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
>>>>>>>>  
>>>>>>>>>It doesn't say on mine that the AGP card is sharing with 1/5,  
unless  
>>>>>>>>>

>>>>>>>>>that's  
>>>>>>>>>  
>>>>>>>>>just assumed...? I know often 1 shares with AGP.  
>>>>>>>>>  
>>>>>>>>>Kim.....if PCI 1 and 5 "do not" share with the AGP, this  
is  
>>>>>>>>>potentially a HUGE deal and this would be the most flexible (semi  
>>>current)  
>>>>>>>>>mobo in existence today for 939 CPU's. I cannot find any reference  
>>>>to  
>>>>>>>>>this  
>>>>>>>>>in the Gigabyte manual. When/if it is possible, could you insert  
>>a  
>>>>PCI  
>>>>>>>>>card  
>>>>>>>>>in slot 1 or 5 (or both), then load the drivers for whatever that  
>>>device  
>>>>>>>>>  
>>>>>>>>> is,  
>>>>>>>>>  
>>>>>>>>>then go to your system info, look under system resources, navigate  
>>>>to  
>>>>>>>>>hardware resources>IRQ and let us know if the device(s) in PCI  
slots  
>>>>>>>>>1  
>>>>>>>>>or  
>>>>>>>>>  
>>>>>>>>> 5  
>>>>>>>>>  
>>>>>>>>>is/are sharing an IRQ with the AGP? If not, I'm gonna be thinking  
>>>hard  
>>>>>>>>>about  
>>>>>>>>>switching mobo's on my Paris rig and trying to get that duallie  
>CPU  
>>>>>>>>>happening with my Paris rig. This could conceivably allow 5 x  
EDS  
>>>>cards  
>>>>>>>>>  
>>>>>>>>> to  
>>>>>>>>>  
>>>>>>>>>operate on a dual core Athlon. I would do this here, but I don't  
>>have  
>>>>>>>>>all  
>>>>>>>>>the componentry that I need yet and the ergonomics of moving all  
>>of  
>>>>>>>>>my  
>>>>>>>>>EDS  
>>>>>>>>>cards to a Magma chassis (which is already being used by another

>>DAW)  
>>>>>>is  
>>>>>>>>something that would take my entire studio down for a couple of  
>days,  
>>>>>>>>and  
>>>>>>>>I'm pretty busy right now.  
>>>>>>>>  
>>>>>>>>Deej  
>>>>>>>>  
>>>>>>>>  
>>>>>>>>  
>>>>>>>>  
>>>>>>>>"Kim" <hiddensounds@hotmail.com> wrote in message news:44afb30d\$1@linux...  
>>>>>>>>  
>>>>>>>>>  
>>>>>>>>>Mine doesn't show that it's sharing with AGP, though 1 does share  
>>>>with  
>>>>>>>>  
>>>>>>>> 5.  
>>>>>>>>  
>>>>>>>>>It has a BIOS window you can go to which allows you to set manually  
>>>>>>>>which  
>>>>>>>>>interrupt each slot uses, and tells you what will be sharing with  
>>>>it  
>>>>>>>>if  
>>>>>>>>>  
>>>>>>>>>you  
>>>>>>>>>  
>>>>>>>>>>use that one. I have some things sharing, but everything is working  
>>>>>>>>fine  
>>>>>>>>>>so I'm not concerned. Firewire shares with an EDS for example,  
>but  
>>>>>>>>I  
>>>>>>>>>never  
>>>>>>>>>>use Paris and firewire together so that's not really a problem.  
>>>>>>>>>>  
>>>>>>>>>>It doesn't say on mine that the AGP card is sharing with 1/5,  
>unless  
>>>>>>>>>>  
>>>>>>>>>>that's  
>>>>>>>>>>  
>>>>>>>>>>>just assumed...? I know often 1 shares with AGP.  
>>>>>>>>>>>  
>>>>>>>>>>>>Cheers,  
>>>>>>>>>>>>Kim.  
>>>>>>>>>>>>  
>>>>>>>>>>>>  
>>>>>>>>>>>>

>>>>>>>>>>John <no@no.com> wrote:  
>>>>>>>>>>  
>>>>>>>>>>>lack of interrupt control is a deal breaker for me  
>>>>>>>>>>>  
>>>>>>>>>>>Kim wrote:  
>>>>>>>>>>>  
>>>>>>>>>>>>The biggest pitfall I found with the K8NS was that while the  
>manual  
>>>>>>>>>>>  
>>>>>>>>>>>states  
>>>>>>>>>>>  
>>>>>>>>>>>>>you have pretty good interrupt control, they actually removed  
>>it  
>>>>>from  
>>>>>>>>>>>  
>>>>>>>>>>>the  
>>>>>>>>>>>  
>>>>>>>>>>>>>bios. The latest BIOS which gives you proper interrupt control  
>>>(unless  
>>>>>>>>>>>>>  
>>>>>>>>>>>>>they've  
>>>>>>>>>>>>>  
>>>>>>>>>>>>>>>added it back - haven't checked for months) is version F6, which  
>>>>>I  
>>>>>>>>>>>  
>>>>>>>>>>> use.  
>>>>>>>>>>>  
>>>>>>>>>>>>>It's  
>>>>>>>>>>>>>  
>>>>>>>>>>>>>>>quite old but I haven't had any issues. The thing never crashes.  
>>>>>It's  
>>>>>>>>>>>>>  
>>>>>>>>>>>>>>>maybe  
>>>>>>>>>>>>>  
>>>>>>>>>>>>>>>>crashed once or twice since I've had it, which is about 12 months  
>>>>>>>>>>>>>now.  
>>>>>>>>>>>>>>>>  
>>>>>>>>>>>>>>>>>My motherboard seems to have a quirk in the BIOS and I'm currently  
>>>>>>>>>>>>>>>>>  
>>>>>>>>>>>>>>>>>running  
>>>>>>>>>>>>>>>>>  
>>>>>>>>>>>>>>>>>>>on the backup BIOS on the board, but she runs fine like that.  
>>It  
>>>>>>>>>>>>>>>>>>>  
>>>>>>>>>>>>>>>>>>>forgets  
>>>>>>>>>>>>>>>>>>>  
>>>>>>>>>>>>>>>>>>>>>>>>>>>>>HDD's on startup. Not sure why... (unless it's a quirk of the  
>>F6





> How about posting up your final config, what slots things are in, any tweaks.

> Do you have a sound card? Ram, drive types, etc.

>

> Glad you're cooking with hot weasel grease ! Image that sucka !

> John

>

> "Kim W." <no@way.com> wrote:

> >

> >Well, after my first tracking session with the new comp, I am

> >(extremely) happy to report Paris XP is finally working for me.

> >It feels smoother, quicker, and more robust than ever before.

> >I did nothing as far as irq assigning, tweaks etc.

> >(I did disable the SATA,.. as I still use PATA, and also the parallel port.)

> >I'm running in APIC mode, (not standard PC),

> >I even bunged all four EDS's in at once, and let windows assign

> >resources as it seemed fit.

> >It's NEVER been this easy with any other comp. (I've been running

> >Paris pretty much since it was released...

> >starting with a 686 200 cyrix).

> >The IRQ sharing seems to have no negative effects, and both

> >dual-head Nvidia Quadras are happy.

> >To those thinking of upgrading their Paris boxes, grab one of

> >these mobos while/if you can, and XP3500+'s are cheap as chips

> >now.

> >Rave over :-))))

> >Kim W.

> >

> >

> >

> >"Kim" <hiddensounds@hotmail.com> wrote:

> >>

> >>

> >>Good to hear. Keep us updated. :o)

> >>

> >>Cheers,

> >>Kim.

> >>

> >>

> >>"Kim W." <no@way.com> wrote:

> >>>

> >>>

> >>>YEEHAH!!

> >>>This is ROCKIN!

> >>>After upping the cache sizes, I have a 64 track project playing

> >>>beautifully.

> >>>Everything feels snappy!

> >>>I can drag windows anywhere whilst playing without a hiccup!  
> >>>(Couldn't do that with the '98 box.  
> >>>I resized the drive using Acronis.  
> >>>All looking good so far.  
> >>>Now for the plugins....  
> >>>Kim  
> >>>  
> >>>"Kim" <hiddensounds@hotmail.com> wrote:  
> >>>>  
> >>>>  
> >>>>Did you format the drive using WinXP pre-SP1? I beleive that the  
installer  
> >>>>for WinXP original version has an upper limit on hdd size... I ran  
> into  
> >>>>this with my 2 x 250Gigs...  
> >>>>  
> >>>>Cheers,  
> >>>>Kim.  
> >>>>  
> >>>>  
> >>>>"Kim W." <no@way> wrote:  
> >>>>>  
> >>>>>"Kim" <hiddensounds@hotmail.com> wrote:  
> >>>>>>  
> >>>>>>  
> >>>>>>From the looks of your System Devices info vs what you posted there,  
> >>you're  
> >>>>>Hi again, Kim.  
> >>>>>Just about to start fiddling again.  
> >>>>>Gotta get my lost 120gb back. Would rather not reformat.  
> >>>>>Also I need to arrange the drives so that my removeable (caddy)  
> >>>>>drive becomes "E" again. Don't really want to reset filepaths  
> >>>>>for all projects.  
> >>>>>Will keep you posted.  
> >>>>>Kim  
> >>>>>  
> >>>>>running in the default "ACPI Uniprocessor PC" mode, not standard PC  
> mode.  
> >>>>>>From my testing and talks with DJ this means that, unfortunately,  
the  
> >>>PCI  
> >>>>>>configuration stuff in the BIOS doesn't actually function, which is  
> >  
> >>>>>  
> >>>>>>why you'll  
> >>>>>>find discrpencies between what you have configured in the BIOS  
(Which  
> >>>>I

> >>>>>assume  
> >>>>>is what you just listed) vs what you see in Windows.  
> >>>>>  
> >>>>>HOWEVER...  
> >>>>>  
> >>>>>I suggest you just keep going. It is possible to switch to Standard  
> >PC  
> >>>>mode  
> >>>>>without a reinstall, though I have heard it can cause issues (never  
> >has  
> >>>>>for  
> >>>>>me though). Deej and I are interested to see if you can run your  
NVidia  
> >>>>>cards  
> >>>>>sharing with the EDS cards on IRQs, as I suspect it will actually  
work  
> >>>>>(it's  
> >>>>>working for me here fine).  
> >>>>>  
> >>>>>Slot 1 is usually next to the AGP. If you go into the system device  
> >manager  
> >>>>>IRQ screen and double click an item it tells you what slot things  
are  
> >>>in,  
> >>>>>so this may help you confirm.  
> >>>>>  
> >>>>>On my system slot 4 on the MB seems to share with AGP, though that  
> might  
> >>>>>be because that's how Windows decided to do it, not because they are  
> >>hardwired...  
> >>>>> that's still up in the air.  
> >>>>>  
> >>>>>How's it going anyhow? Got it running? Is it stable?  
> >>>>>  
> >>>>>Cheers,  
> >>>>>Kim.  
> >>>>>  
> >>>>>"Kim W." <no@way.com> wrote:  
> >>>>>  
> >>>>>Hi, John.  
> >>>>>I can't see the PCI slot numbers on the mobo, (or in the manual),  
> >>>>>but here is what I have in the slots starting from the one next  
> >>>>>to the AGP slot, and the IRQ assignments in the black boot-up  
> >>>>>>screen:  
> >>>>>>  
> >>>>>>1: Nvidia Quadro PCI irq 11  
> >>>>>>2: EDS irq 9  
> >>>>>>3: EDS irq 7

> >>>>>>4: EDS irq 5  
> >>>>>>5: EDS irq 10  
> >>>>>>  
> >>>>>>Onboard audio uses irq 12, Firewire controller uses irq 10,  
> >>>>>>ACPI controller uses irq 9.  
> >>>>>>  
> >>>>>>Is this enough info?  
> >>>>>>  
> >>>>>>Cheers,  
> >>>>>>Kim.  
> >>>>>>  
> >>>>>>BTW why would my brand new 250 gb ata drive only have been  
formatted  
> >>>>for  
> >>>>>>130gb during XP install? Only just noticed it.  
> >>>>>>  
> >>>>>>  
> >>>>>>John <no@no.com> wrote:  
> >>>>>>>What slots are each card in. Also, their manual didn't mention  
what  
> >>>>agp  
> >>>>>>  
> >>>>>>>uses for irq and whether it shares or not. Can't you tell on boot  
> >>up  
> >>>>>>  
> >>>>>>>when that black resource screen shows what's on what?  
> >>>>>>>  
> >>>>>>>It would be good to know if you have 4 or 5 independent IRQs  
> >>>>>>>2,3,4,1/5,agp  
> >>>>>>>  
> >>>>>>>I run my 2 eds cards on the same IRQ 3 on my box.  
> >>>>>>>  
> >>>>>>>John  
> >>>>>>>  
> >>>>>>>Kim W. wrote:  
> >>>>>>>> Just returned from "The Dungeon", and am happy to report that  
> >>>>>>>> all appears to be working.  
> >>>>>>>> (4 EDS's, 2 Nvidia Qudras).  
> >>>>>>>> Thus far I have no DX/VST plugins installed.  
> >>>>>>>> (In the past this is where my installs have come unstuck.)  
> >>>>>>>> After initial disappointment with the dreaded Crash-on-  
> >>>>>>>> exit, I remembered about the "minimum install" effects subsystem  
> >>fix,  
> >>>>>>>>with  
> >>>>>>>> wires.  
> >>>>>>>> Applying this seems to have cured the COE.  
> >>>>>>>> I'm pretty stoked at the moment, and have ghosted.  
> >>>>>>>> All slots are full, and there appears to be some sharing going

> on,(l  
> >>>>>attached  
> >>>>>>> a screen grab)  
> >>>>>>> but time will tell if it causes any problems. I just bunged all  
> >>>>>>> four EDS's in, and let the system allocate resources as it  
> >>>>>>> seemed fit.  
> >>>>>>> I did, however, disable the SATA, and the parallel port in the  
> bios.  
> >>>>>>> Time for bed, as it's been 12 hours since I deemed it "Beer  
O'clock".  
> >>>>>>>  
> >>>>>>> "DJ" <animix\_spam-this-ahole\_@animas.net> wrote:  
> >>>>>>>  
> >>>>>>>>>It doesn't say on mine that the AGP card is sharing with 1/5,  
> unless  
> >>>>>>>>>  
> >>>>>>>>>that's  
> >>>>>>>>>  
> >>>>>>>>>just assumed...? I know often 1 shares with AGP.  
> >>>>>>>>>  
> >>>>>>>>>Kim.....if PCI 1 and 5 "do not" share with the AGP, this  
> is  
> >>>>>>>>>potentially a HUGE deal and this would be the most flexible  
(semi  
> >>>current)  
> >>>>>>>>>mobo in existence today for 939 CPU's. I cannot find any  
reference  
> >>>>to  
> >>>>>>>>>this  
> >>>>>>>>>in the Gigabyte manual. When/if it is possible, could you insert  
> >>a  
> >>>>PCI  
> >>>>>>>>>card  
> >>>>>>>>>in slot 1 or 5 (or both), then load the drivers for whatever  
that  
> >>>device  
> >>>>>>>>>  
> >>>>>>>>> is,  
> >>>>>>>>>  
> >>>>>>>>>then go to your system info, look under system resources,  
navigate  
> >>>>to  
> >>>>>>>>>hardware resources>IRQ and let us know if the device(s) in PCI  
> slots  
> >>>>>>>>>1  
> >>>>>>>>>or  
> >>>>>>>>>  
> >>>>>>>>> 5

> >>>>>>>>  
> >>>>>>>>>is/are sharing an IRQ with the AGP? If not, I'm gonna be  
thinking  
> >>>hard  
> >>>>>>>about  
> >>>>>>>>>switching mobo's on my Paris rig and trying to get that duallie  
> >CPU  
> >>>>>>>>>happening with my Paris rig. This could conceivably allow 5 x  
> EDS  
> >>>>cards  
> >>>>>>>>>  
> >>>>>>>>> to  
> >>>>>>>>>  
> >>>>>>>>>>operate on a dual core Athlon. I would do this here, but I don't  
> >>have  
> >>>>>>>>>all  
> >>>>>>>>>>the componentry that I need yet and the ergonomics of moving all  
> >>of  
> >>>>>my  
> >>>>>>>>>EDS  
> >>>>>>>>>>>cards to a Magma chassis (which is already being used by another  
> >>DAW)  
> >>>>>>>>>is  
> >>>>>>>>>>>>something that would take my entire studio down for a couple of  
> >days,  
> >>>>>>>>>and  
> >>>>>>>>>>>>I'm pretty busy right now.  
> >>>>>>>>>>>>>  
> >>>>>>>>>>>>>Deej  
> >>>>>>>>>>>>>  
> >>>>>>>>>>>>>  
> >>>>>>>>>>>>>  
> >>>>>>>>>>>>>  
> >>>>>>>>>>>>>>>"Kim" <hiddensounds@hotmail.com> wrote in message  
news:44afb30d\$1@linux...  
> >>>>>>>>>>>>>  
> >>>>>>>>>>>>>>>  
> >>>>>>>>>>>>>>>>>Mine doesn't show that it's sharing with AGP, though 1 does  
share  
> >>>>with  
> >>>>>>>>>>>>>  
> >>>>>>>>>>>>>>> 5.  
> >>>>>>>>>>>>>>>  
> >>>>>>>>>>>>>>>>>It has a BIOS window you can go to which allows you to set  
manually  
> >>>>>>>>>>>>>>>>>which  
> >>>>>>>>>>>>>>>>>>interrupt each slot uses, and tells you what will be sharing  
with













>  
>He found:  
>  
>  
>Original Contracts signed by the artists  
>Handbills  
>Unused tickets  
>Over a million slides, negatives and photographs.  
>  
>Then one day while poking thru it Sagan found what he'd never even  
>dreamed of: Bill Graham had even saved the concerts themselves.  
>He'd made video & high res audio recordings of thousands of shows!  
>Sagan is not even sure, but it might be over 7,000 recordings in  
>number.  
>  
>He is selling some of it thru the above website. He is also making  
>available "Vault Radio" where you can click on the link and listen  
>(free) to some of those recordings in a rotation that includes dozens  
>of those recordings.  
>  
>Just click on "vault radio" Priceless....  
>  
>DC  
>I was amazind at how good some of the tracks sounded too.

I wonder who is doing the resto and transfer for them.

I heard Hendrix the other day!

DC

"Larry Hogan" <ooglybong@nycap.rr.com> wrote:

>  
>VERY cool, DC! Thanks so much for the post. Bookmarked prominently, and  
I'm  
>already groovin' (once again) to those fabulous sounds of days gone by.

>:-)

>  
>Cheers,  
>Larry Hogan

>  
>  
>"DC" <dc@spammersonmars.org> wrote:  
>>  
>><http://www.wolfgangsvault.com>  
>>

>>Wolfgang Grajonca, aka Bill Graham, was a notorious obsessive. But  
>>he loved what he did, and we are now all his beneficiaries because  
>>one of his obsessions was that he kept everything from all his  
>>shows. Everything.

>>

>>It was all stashed in a warehouse; nobody even knew what was  
>>there, and after Graham died in a helicopter crash in 1991 nobody  
>>knew what to do with it, or didn't want to invest the time to find out

>>what was there. After passing thru several owners, bus

---

---

Subject: Re: Multi Band Mastering in Paris

Posted by [Dubya Mark Wilson](#) on Fri, 02 Jun 2006 19:43:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

running? Is it stable?

>>>>>>

>>>>>>Cheers,

>>>>>>Kim.

>>>>>>

>>>>>>"Kim W." <no@way.com> wrote:

>>>>>>

>>>>>>Hi, John.

>>>>>>I can't see the PCI slot numbers on the mobo, (or in the manual),

>>>>>>but here is what I have in the slots starting from the one next

>>>>>>to the AGP slot, and the IRQ assignments in the black boot-up

>>>>>>screen:

>

---

---

Subject: Re: Multi Band Mastering in Paris

Posted by [dc\[3\]](#) on Fri, 02 Jun 2006 19:51:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ny reference

>>>>to

>>>>>>this

>>>>>>>>>in the Gigabyte manual. When/if it is possible, could you insert

>>>>a

>>>>PCI

>>>>>>>card

>>>>>>>>>in slot 1 or 5 (or both), then load the drivers for whatever that

>>>>device

>>>>>>>>>

>>>>>>>>> is,

>>>>>>>>>

>>>>>>>>>then go to your system info, look under system resources, navigate  
>>>>>to  
>>>>>>>>>hardware resources>IRQ and let us know if the device(s) in PCI  
>slots  
>>>>>>>1  
>>>>>>>or  
>>>>>>>>>  
>>>>>>>>> 5  
>>>>>>>>>  
>>>>>>>>>>is/are sharing an IRQ with the AGP?

---

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [dc\[3\]](#) on Fri, 02 Jun 2006 21:56:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

>>>>>>>attached  
>>>>>>>>> a screen grab)  
>>>>>>>>> but time will tell if it causes any problems. I just bunged all  
>>>>>>>>> four EDS's in, and let the system allocate resources as it  
>>>>>>>>> seemed fit.  
>>>>>>>>> I did, however, disable the SATA, and the parallel port in the  
>>bios.  
>>>>>>>>> Time for bed, as it's been 12 hours since I deemed it "Beer O'clock".  
>>>>>>>>>  
>>>>>>>>> "DJ" <[animix\\_spam-this-ahole\\_@animas.net](mailto:animix_spam-this-ahole_@animas.net)> wrote:  
>>>>>>>>>  
>>>>>>>>>>>It doesn't say on mine that the AGP card is sharing with 1/5,  
>>unless  
>>>>>>>>>>>  
>>>>>>>>>>>that's  
>>>>>>>>>>>  
>>>>>>>>>>>>just assumed...? I know often 1 shares with AGP.  
>>>>>>>>>>>  
>>>>>>>>>>>>Kim.....if PCI 1 and 5 "do not" share with the AGP, this  
>>is  
>>>>>>>>>>>>potentially a HUGE deal and this would be the most flexible (semi  
>>>>>current)  
>>>>>>>>>>>>>mobo in existence today for 939 CPU's. I cannot find any reference  
>>>>>>>>>>>to  
>>>>>>>>>>>>this  
>>>>>>>>>>>>>in the Gigabyte manual. When/if it is possible, could you insert  
>>>>a  
>>>>>>>>>>>>PCI  
>>>>>>>>>>>>>card  
>>>>>>>>>>>>>>>in slot

---

---

Subject: Re: Multi Band Mastering in Paris  
Posted by [Dubya Mark Wilson](#) on Fri, 02 Jun 2006 21:56:21 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

t;>>>>is what you just listed) vs what you see in Windows.  
>>>>>>>  
>>>>>>>HOWEVER...  
>>>>>>>  
>>>>>>>I suggest you just keep going. It is possible to switch to Standard  
>>>PC  
>>>>>mode  
>>>>>>>without a reinstall, though I have heard it can cause issues (never  
>>>has  
>>>>>>>for  
>>>>>>>me though). Deej and I are interested to see if you can run your  
NVidia  
>>>>>>>cards  
>>>>>>>sharing with the EDS cards on IRQs, as I suspect it will actually  
>work  
>>>>>>>(it's  
>>>>>>>working for me here fine).  
>>>>>>>  
>>>>>>>Slot 1 is usually next to the AGP. If you go into the system device  
>>>manager  
>>>>>>>IRQ screen and double click an item it tells you what slot things  
>are  
>>>>>in,  
>>>>>>>so this may help you confirm.  
>>>>>>>  
>>>>>>>On my system slot 4 on the MB seems to share with AGP, though that  
>>might  
>>>>>>>be because that's how Windows decided to do it, not because they  
are  
>>>>hardwired...  
>>>>>>> that's still up in the air.  
>>>>>>>&gt;

---