
Subject: Sony folds on format

Posted by [excelav](#) on Thu, 30 Aug 2007 19:30:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

gt; slots. I poked around until I found my old AMD dualcore 4400 and heatsink
> that I had replaced with the Opteron 185, snagged a c

Subject: Re: Sony folds on format

Posted by [Paul Braun](#) on Thu, 30 Aug 2007 23:05:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

etty

>> good hotswapping PCI cards in a while back. I had figured it was toast
>> but I figured I'd give it a try. It's just a bit blackened around the
>> edges of a couple of the slots. I poked around until I found my old AMD
>> dualcore 4400 and heatsink that I had replaced with the Opteron 185,
>> snagged a couple of PC 2700 RAM sticks out of my old Paris 333 MHZ mobo,
>> dropped them in the (400 MHZ rated) RAM slots, installed the CPU, loaded
>> the AGP card from the dead computer and tested it. All the PCI slots
>> worked but the onboard NIC and audio controller was toast so I dropped an
>> old Intel Gigabyte NIC card and a Soundblaster in it and I'm good as new.

>>

>> I am typing this on the new frankencomp.

>>

>> ;o)Why on earth are you stil

Subject: Re: Sony folds on format

Posted by [TCB](#) on Fri, 31 Aug 2007 13:54:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

or the SPDIF loop =

=3D

>technique. =3D20

> Just leave it hanging there for when I need it.

>

> All is well.

> Finally,

> Tom

>

>

>

> I choose Polesoft Lockspam to fight spam, and you?

> <http://www.polesoft.com/refer.html> =20

>

><!DOCTYPE HTML PUBLIC "-//

Subject: Re: Sony folds on format

Posted by [steve the artguy](#) on Fri, 31 Aug 2007 20:37:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

e displaying the same =

symptoms. =20

I watched the repair and helped a bit.</DIV>

<DIV>Not rocket science but you need to know =
how to=20

remove the chip and solder</DIV>

<DIV>off the board before replacing =
it. If you=20

have the technique you're good to go.</DIV>

<DIV>Good luck,</DIV>

<DIV>Tom</DIV>

<DIV> </DIV>

<DIV> </DIV>

<DIV> </DIV>

<DIV> </DIV>

<BLOCKQUOTE=20

style=3D"PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =
BORDER-LEFT: #000000 2px solid; MARGIN-RIGHT: 0px">

<D

Subject: Re: Sony folds on format

Posted by [xpam_mark](#) on Sat, 01 Sep 2007 03:29:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

rial size=3D3D2>Am off for a quick 2 chip replacement =

=3D
>on=20

"Smokey=3D20
>the=20

Mec".</DIV>
></DIV></FONT =
face=3D3DArial=20

size=3D3D2>If that works I'll have three mecs and
=3D
>a =
442 to=20

get=3D20
>my =

rig</DIV>
></DIV></FONT=20

face=3D3DArial size=3D3D2>right where it was supposed to be 3=20

=3D
>months=3D20
>ago.=20

</DIV>
></DIV></FONT face=3D3DArial=20

size=3D3D2> </DIV>
></DIV></FONT =
face=3D3DArial=20

size=3D3D2>There will be two Mec's waiting in the=20

=

=3D
>wings=3D20

Subject: Re: Sony folds on format
Posted by [Aaron Allen](#) on Sat, 01 Sep 2007 04:17:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

>also.</DIV>
></DI=
V></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2>Don't use a=20
=
Default=3D20
 >Project!!!!!!!!!!!!!!!!< ;/DIV>
=
></DIV></FONT=20
face=3D3DArial=20
size=3D3D2></DIV>
></DIV></FONT=20
face=3D3DArial size=3D3D2> =
</DIV>
></DIV>=20
</DIV>
></DIV></FONT face=3D3DArial =
size=3D3D2>=20
</DIV>
></DIV></FONT face=3D3DArial =
size=3D3D2>=20
</DIV>
></BLOCKQUOTE =
dir=3D3Dltr=3D20
></DIV>style=3D3D"PADDING-RIGHT:=20
0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; =3D
>BORDER-LEFT: =
#000000 2px=20
solid; MARGIN-RIGHT: 0px">
> </DIV>"Tom Bruhl"=20
<</A=3D20
> href=3D3D"<A=20
=
href=3D'mailto:

Subject: Re: Sony folds on format
Posted by [Paul Braun](#) on Mon, 03 Sep 2007 03:46:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

io app. It's a mindset, a degree of predictability within the program,
>>when you reach for a button or knob or control it's right where you expect
>>it to be, even if you didn't know where it was going to be. Still this is
>>cool tech. I often wonder what I'll do if I ever quit using Steinberg
>>software,
>>and at this point I'd probably go with PT at whatever is their cheapest
> HD
>>card rig. Digi cer

Subject: Re: Sony folds on format
Posted by [Aaron Allen](#) on Mon, 03 Sep 2007 04:04:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

/>

"Aaron Allen" <know-spam@not_here.dude> wrote:

>Tony Iommi had several fingers damaged and the drummer from Def Leppard was

>missing an entire arm. Many greats were blind or lost their sight. I didn't

>see them slowing down so I cannot imagine you will slow/stop if you love

>what you do. I believe you will prevail, and though you may not play the

>same way, I bet you'll find new ways and new things that are unique and

>possibly better if that is to be the way. We're amazing creatures when

>called upon to be.

>

>All the best things man.

>

>AA

>

>

>"Neil" <OIOIU@OIU.com> wrote in message news:470da20c\$1@linux...

>>

>> I guess a little background is in order... for awhile now I've

>> had this (what I and three Dr.'s thought was) an infection on

>> my right index finger underneath the nail...

Subject: Re: Sony folds on format

Posted by [EK Sound](#) on Tue, 04 Sep 2007 18:43:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

ef="mailto:oneninehundred@virgin.net" target="_blank">oneninehundred@virgin.net> wrote:

>>>>>Hi neil,

>>>>>

>>>>>I downloaded the pack with the installer in it and it seemed to unrar

>>>>>properly,

>>>>>

>>>>>then the exe file seemed to install properly as well.

>>>>>

>>>>>I've just discovered that when I boot up Wavelab, it tries to run the

>>>>>plug

>>>>>

>>>>>ins too and keeps giving me a message that there's a library file

>>>>>missing,

>>>>>

>>>>>for every modern plug in. wierd. there's only a .dll file for each

