

[View Forum Message](#) <> [Reply to Message](#)

```
>>>>those
>>>>>>&gt;
```

[View Forum Message](#) <> [Reply to Message](#)

>>>>>>>>\$600 is like Ft Knox to me... I am a p

[View Forum Message](#) <> [Reply to Message](#)

```
> 98se it is... but it doesn't even come up and see a new device upon
> insertion, which I was surprised by.
> All 98se drivers are generic?
> Any size limitations that you are aware of ?
> Thanks D !
>
> AA
>
```

> "D-unit" <cof42_AT_embarqmail.com> wrote in message
news:46f91f71\$

Subject: Re: Things you can do with your new \$600.00 iPhone.
Posted by [Mike Claytor](#) on Wed, 18 Jul 2007 17:50:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Id work. I've used several types of thumb drives
and that driver works with all I've tried.

db

"rick" <parnell68@hotmail.com> wrote in message
news:8hrif3h8mbjckfei27b25rj7q65f4a7v9k@4ax.com...
> my last and only successful one has it up...the nusb31e.exe
>
>
>
> On Tue, 25 Sep 2007 16:20:00 -0400, "D-unit" <cof42_AT_embarqmail.com>
> wrote:
>
> >Well I've tried to upload nusb30 driver but the file is too
> >big and won't post. I can email it to you if you want.
> >
> >Its about 750K.
> >
> >db
> >
> >
> >"Aaron Allen" <know-spam@not_here.dude> wrote in message
> >news:46f94d5d\$1@linux...
> >> 98se it is... but it doesn't even come up and see a new device upon
> >> insertion, which I was surprised by.
> >> All 98se drivers are generic?
> >> Any size limitations that you are aware of ?
> >> Thanks D !
&

Subject: Re: Things you can do with your new \$600.00 iPhone.
Posted by [Dale](#) on Wed, 18 Jul 2007 18:11:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

gt; >>

> >> AA
> >>
> >> "D-unit" <cof42_AT_embarqmail.com> wrote in message
> >news:46f91f71\$1@linux...
> >> >
> >> > "AA" <AA@nospam.net> wrote in message news:46f91cbb\$1@linux...
> >> >>
> >> >> I'm trying to get an old 98 box to see a USB stick for data transfer
> >for
> >> >> a
> >> >> friend.... my 4 GB USB stick is a no worky. Is there a known
> >> > document/limitation
> >> >> to using USB sticks in 98 w/o loading wierd drivers?
> >> >
> >> > You need win98SE for that.
> >> > There are generic drivers on the web.
> >> >
> >> >
> >> > db
> >> >
> >> >
> >> >
> >>
> >>
> >
> >
> >
>following my previous posts about my error 2/2, problem solved.....bad
pin on the MEC cable!

thanks to all who tried to help.....now for a basic (ish) question.

Its been a while since I used paris so I'm slightly rusty on some elements.
My MEC has:

2x 8 in
2x 8 out
2x ADAT

now, obviously with one card, I can only use 4 modules at once (2in, 2out)
because only one submix is 'live'. If I add another card (but not another
MEC), can I address the other inputs/outputs becuase I can have 2 'live'
submixes (and in the patch bay get MEC modules A and B

Subject: Re: Things you can do with your new \$600.00 iPhone.
Posted by [excelav](#) on Wed, 18 Jul 2007 18:50:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

).

basically, I want to be able to monitor (in 'live mix' mode) more than 16 channels at once. can I do it with 2 cards and one MEC, or do I need 2 cards and 2 MECs

thanks

KerrHi Kerr,

Sorry no, you would need another MEC as well as the second EDS card. You can't cross card boundaries with I/O... so 16 channels is the record limit for 1 MEC

David.

Kerr Mathieson wrote:

> following my previous posts about my error 2/2, problem
> solved.....bad pin on the MEC cable!
>
> thanks to all who tried to help.....now for a basic (ish) question.
>
> Its been a while since I used paris so I'm slightly rusty on some
> elements. My MEC has:
>
> 2x 8 in
> 2x 8 out
> 2x ADAT
>
> now, obviously with one card, I can only use 4 modules at once (2in,
> 2out) because only one submix is 'live'. If I add another card (but not
> another MEC), can I address the other inputs/outputs becuae I can have
> 2 'live' submixes (and in the patch bay get MEC modules A and B).
>
> basically, I want to be able to monitor (in 'live mix' mode) more than
> 16 channels at once. can I do it with 2 cards and one MEC, or do I need
> 2 cards and 2 MECs
>
> thanks
>
> KerrHey all you Logic guys!

I need to know how many physical inputs from ProTools HD hardware that the previous version of Logic will access at one time... we have a rental for a live recording and the client would like to use his copy of Logic to front the HD hardware. I need to access all 48 analog 192I/O inputs at one time. Is this doable?

Thanks,

David."Neil" <OIUOIU@OI.com> wrote in message news:46f947df\$1@linux...

>

> Deej, why don't you set up various Group Channels that go to
> whichever outputs you need them to, and send track channels to
> the groups via EFX sends? This is for your outboard EFX
> routing, right?

>

> Neil

>

Headphone mi
